

Supplement
1801



Contemporary Lighting™



Contemporary Lighting™

COLLECTIONS

Alumilux | 141
Anastasia | 39
Big Fizz | 35
Blade | 135
Bounce | 125
Bracelet | 103
Cage | 89
Chaos | 93
Clover | 55
Coaster | 51
Concentric | 77
Converge | 133
Cosmo | 47
Cycle | 59
Dazed LED | 99
Dimple | 115
Flute | 29
Gyro II | 79
Hoopla | 69

Kem | 1
Orb II | 11
Phase | 65
Picolo | 117
Pivot LED | 139
Puffs | 17
Pyramid | 129
Ringer | 73
Rubic | 121
Saturn II | 107
Spot | 7
Swank | 25
Tangent | 43
Tilt | 85
Trapezoid | 127
Twisted | 61
Wink LED | 134

MORE

Finishes | 212
Glass | 212
Index | 209

Lamping Guide | 213
Warranty | 215

LEGEND



ADA
Compliant



Adjustable



Energy
Efficient



Energy Star
Certified



Slope



Installs
Up or Down



LED



California
Title 24



For Wet Location



DAMP For Damp Location



Dimmable using standard dimmer.
Lutron® CL dimmers are recommended.

HCO | Height from Center of Outlet
OAH | Overall Height

KEM


Hand blown Clear glass shades are supported from a unique criss cross design frame of Polished Chrome. The thick glass in the bottom of the shade creates an interesting optical effect when illuminated by the xenon lamps included.



- Polished Chrome finish
- Heavy hand blown glass
- Clear G9 Xenon bulbs provided



E24312-18PC
Pendant



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS	Additional Information
A E24312	18PC	12 x 40W G9, Xenon (Incl.)	29.25"L x 29.25"W x 45.25"H x 83"OAH	5880	
Finish: Clear glass (18) Polished Chrome (PC)					


KEM

- Polished Chrome finish
- Heavy hand blown glass
- Clear G9 Xenon bulbs provided



E24308-18PC
Pendant

A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS	Additional Information
A E24308	18PC	8 x 40W G9, Xenon (Incl.)	25.75"L x 21.75"W x 26.25"H x 67"OAH	3920	


Finish: Clear glass (18) Polished Chrome (PC)





E24306-18PC
Pendant

B



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS	Additional Information
B E24306	18PC	6 x 40W G9, Xenon (Incl.)	23.25"L x 24.5"W x 28.75"H x 69"OAH	2940	


Finish: Clear glass (18) Polished Chrome (PC)

KEM


- Polished Chrome finish
- Heavy hand blown glass
- Clear G9 Xenon bulbs provided



E24310-18PC
Wall Mount



E24304-18PC
Pendant





	ITEM #	FINISH	LAMPING	DIMENSION	HCO	LUMENS	Additional Information
A	E24304	18PC	4 x 40W G9, Xenon (Incl.)	24.75"L x 7.5"W x 25.5"H x 67"OAH		1960	
B	E24310	18PC	2 x 40W G9, Xenon (Incl.)	15"W x 19"H x 7.5"Ext.	4.75"	980	

Finish: Clear glass (18) Polished Chrome (PC)








E24300-18PC
Pendant



E24301-18PC
Pendant



E24302-18PC
Pendant



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS	Additional Information
C	E24300	18PC	1 x 40W G9, Xenon (Incl.)	2.75"W x 10.25"H x 130"OAH	490	
D	E24301	18PC	1 x 40W G9, Xenon (Incl.)	6.25"W x 6.75"H x 126.75"OAH	490	
E	E24302	18PC	1 x 40W G9, Xenon (Incl.)	5.75"W x 8.75"H x 128.75"OAH	490	

Finish: Clear glass (18) Polished Chrome (PC)



SPOT

Spheres of half Polished Chrome metal and half Clear Acrylic create a stunning pendant. The top of the metal is slotted which allows to adjust and aim the light. Edge lit LED technology provide even and soft light for efficiency and comfort.


SPOT

- Polished Chrome and Clear Acrylic pendants
- Spheres adjust to direct light
- Edge-lit LED recessed , CRI 80
- Dimmable with CL Triac Dimmer



E20328-83PC
Pendant

A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E20328	83PC	12 x 5W PCB LED 3000K (Integrated)	26.75"W x 5.75"H x 121.25"OAH	80+	4200	  


Finish: Clear Acrylic (83) Polished Chrome (PC)

SPOT

- Polished Chrome and Clear Acrylic pendants
- Spheres adjust to direct light
- Edge-lit LED recessed , CRI 80
- Dimmable with CL Triac Dimmer




E20326-83PC
Pendant




	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E20326	83PC	6 x 5W PCB LED 3000K (Integrated)	21"W x 5.75"H x 121.25"OAH	80+	2100	  

Finish: Clear Acrylic (83) Polished Chrome (PC)




E20321-83PC
Pendant

B



E20323-83PC
Pendant

C



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
B	E20321	83PC	1 x 5W PCB LED 3000K (Integrated)	4"W x 5.75"H x 128"OAH	80+	350	
C	E20323	83PC	3 x 5W PCB LED 3000K (Integrated)	17.5"W x 5.75"H x 130"OAH	80+	1050	

Finish: Clear Acrylic (83) Polished Chrome (PC)



ORB II


We took this popular collection and made it better. We took the xenon bulb out of the middle and enclosed a LED module in the cast Polished Chrome cap that supports the clear bubble glass balls. The glass screws into the cap so there are no visible screws for a very clean look.




ORB II

- Polished chrome and bubble glass pendants
- 3000K Color Temperature, CRI 80
- Dimmable with CL Triac Dimmer



E24269-91PC
Pendant



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS		Additional Information	
				CRI	INIT. DEL.		
A E24269	91PC	9 x 5W PCB LED 3000K (Integrated)	21.75"W x 6"H x 128"OAH	80+	3150	3600	  

Finish: Bubble glass (91) Polished Chrome (PC)

ORB II


- Polished chrome and bubble glass pendants
- 3000K Color Temperature, CRI 80
- Dimmable with CL Triac Dimmer



E24264-91PC
Pendant





E24263-91PC
Pendant



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E24264	91PC	5 x 5W PCB LED 3000K (Integrated)	15.5"W x 6"H x 128"OAH	80+	1750	1200	
B	E24263	91PC	3 x 5W PCB LED 3000K (Integrated)	11.5"W x 6"H x 128"OAH	80+	1050	1200	

Finish: Bubble glass (91) Polished Chrome (PC)





	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					HCO	CRI	INIT. DEL.	
C	E24261	91PC	1 x 5W PCB LED 3000K (Integrated)	5.5"W x 5.75"H x 128"OAH	80+	350	400	
D	E24260	91PC	1 x 5W PCB LED 3000K (Integrated)	6"W x 6"H x 6.5"Ext.	3"	80+	350	400

Finish: Bubble glass (91) Polished Chrome (PC)


ORB II





- Polished chrome and bubble glass pendants
- 3000K Color Temperature, CRI 80
- Dimmable with CL Triac Dimmer



E24266-91PC
Pendant

A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E24266	91PC	10 x 5W PCB LED 3000K (Integrated)	34"L x 11"W x 6"H x 128"OAH	80+	3500	4000	   


Finish: Bubble glass (91) Polished Chrome (PC)









E24265-91PC
Pendant

B



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
B E24265	91PC	5 x 5W PCB LED 3000K (Integrated)	34"L x 7"W x 6"H x 128"OAH	80+	1750	2000	   
Finish: Bubble glass (91) Polished Chrome (PC)							






PUFFS

Soft forms of Matte White glass suspend from the ceiling like clouds moving through the sky. Columns of LEDs protrude down the middle of each shade to evenly illuminate the glass with a soft ambient light.

PUFFS

- Cloud-like forms of glass in Matte White finish
- Columns of LED inside glass provide soft, ambient light
- Available in three shapes
- 3000K Color Temperature
- CRI 80+
- Dimmable with Triac dimmers




	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E21129	11WT	67.2W PCB LED 3000K (Integrated)	31.5"L x 31.5"W x 7.5"H x 130"OAH	80+	4704	  

Finish: Matte White glass (11) White (WT)




PUFFS

- Cloud-like forms of glass in Matte White finish
- Columns of LED inside glass provide soft, ambient light
- Available in three shapes
- 3000K Color Temperature
- CRI 80+
- Dimmable with Triac dimmers



E21127-11WT
Pendant

A


	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E21127	11WT	43.2W PCB LED 3000K (Integrated)	24.5"L x 24.5"W x 7.5"H x 130"OAH	80+	3024	  

Finish: Matte White glass (11) White (WT)



E21125-11WT
Pendant

B




ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
B E21125	11WT	38.4W PCB LED 3000K (Integrated)	52.75"L x 10.5"W x 7.5"H x 130"OAH	80+	2688	  

Finish: Matte White glass (11) White (WT)




PUFFS

- Cloud-like forms of glass in Matte White finish
- Columns of LED inside glass provide soft, ambient light
- Available in three shapes
- 3000K Color Temperature
- CRI 80+
- Dimmable with Triac dimmers



E21124-11WT
Pendant

A


	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E21124	11WT	28.8W PCB LED 3000K (Integrated)	25.5"L x 12"W x 7.5"H x 130"OAH	80+	2016	  

Finish: Matte White glass (11) White (WT)





E21121-11WT
Pendant

B




E21120-11WT
Pendant

C



E21122-11WT
Pendant

D



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
B	E21121	11WT	4.8W PCB LED 3000K (Integrated)	6.25"W x 7.5"H x 130"OAH	80+	336	
C	E21120	11WT	4.8W PCB LED 3000K (Integrated)	6.25"W x 6"H x 128"OAH	80+	336	
D	E21122	11WT	4.8W PCB LED 3000K (Integrated)	6.25"W x 5.5"H x 127.5"OAH	80+	336	

Finish: Matte White glass (11) White (WT)




PUFFS

- Matte White glass and Polished Chrome elements
- 3000K Color Temperature
- CRI 80
- Dimmable with Triac dimmers




E21123-11WT
Wall Mount

A



E21126-11WT
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS	Additional Information
A	E21123	11WT	2 x 4.8W LED 3000K (Integrated)	10.25"W x 14.5"H x 8"Ext	7.25"	80	672	
B	E21126	11WT	12 x 4.8W LED 3000K (Integrated)	33"W x 20"H x 54"OAH		80	4032	

Finish: Matte White glass (11) White (WT)



SWANK

Orbs of crystal Clear acrylic are trimmed with a Polished Chrome band and frosted inside for excellent light diffusion. The bottom is dimpled for a unique optical effect.




SWANK

- Clear with Frosted interior Acrylic Orbs
- 3000K LED, CRI 80
- Dimmable with CL Triac Dimmer



E24598-93PC
Pendant



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E24598	93PC	8 x 6W PCB LED 3000K (Integrated)	19"W x 5.5"H x 127.5"OAH	80+	3840	5128	

Finish: Frost/Clear Acrylic (93) Polished Chrome (PC)


SWANK

- Clear with Frosted interior Acrylic Orbs
- 3000K LED, CRI 80
- Dimmable with CL Triac Dimmer




E24593-93PC
Pendant

A



E24595-93PC
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS		Additional Information
						INIT.	DEL.	
A	E24593	93PC	3 x 6W PCB LED 3000K (Integrated)	11.5"W x 5.5"H x 127.5"OAH	80+	1440	1923	
B	E24595	93PC	5 x 6W PCB LED 3000K (Integrated)	15"W x 5.5"H x 127.5"OAH	80+	2400	3205	


Finish: Frost/Clear Acrylic (93) Polished Chrome (PC)




• Flush Mount Option



E24590-93PC
Wall/Flush Mount



E24591-93PC
Pendant



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	DEL.	Additional Information
C	E24590	93PC	1 x 6W PCB LED 3000K (Integrated)	4.75"W x 6"H x 6"Ext.	2.5"	80+	480	640	
D	E24591	93PC	1 x 6W PCB LED 3000K (Integrated)	4.5"W x 5.5"H x 127.75"OAH		80+	480	640	

Finish: Frost/Clear Acrylic (93) Polished Chrome (PC)



FLUTE

Elongated metal tubes in a variety of finishes from Rose Gold to Polished Chrome suspend from pans to create impressive sculptural statements. Each tube encase a replaceable integrated LED module while many of the ceiling pans house additional LED spots to highlight the beautiful high gloss finishes as well as additional downlight.

FLUTE

- Elongated metal tubes with replaceable integrated LED modules
- Variety of finishes from Rose Gold to Polished Chrome
- 3000K Color Temperature, CRI 80
- Most units Dimmable with Triac Dimmer




E10017-MPLT
Pendant

A

11.75"



23.75"




35.5"

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E10017	MPLT	119W COB LED 3000K (Integrated)	35.5"L x 11.75"W x 23.75"H x 141.75"OAH	80	8330	

Finish: Multi-Plated (MPLT): Polished Chrome, Rose Gold, Black Chrome, Polished Brass



FLUTE




- Elongated metal tubes with replaceable integrated LED modules
- Variety of finishes from Rose Gold to Polished Chrome
- 3000K Color Temperature, CRI 80
- Most units Dimmable with Triac Dimmer



E10010-PC, -RG
Pendant

A




ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A E10010	PC, RG	35W COB LED 3000K (Integrated)	35.5"L x 11"W x 17.75"H x 137.75"OAH	80	2450	  


Finish options: Polished Chrome (PC) Rose Copper (RG)



E10001-PC, -RG
Pendant



E10002-PC, -RG
Pendant



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
B	E10001	PC, RG	1W COB LED 3000K (Integrated)	4.75"W x 12"H x 130"OAH	80	70	LED ⬆️ (120°)
C	E10002	PC, RG	1W COB LED 3000K (Integrated)	4.75"W x 23.75"H x 141.75"OAH	80	70	LED ⬆️ (120°)

Finish options: Polished Chrome (PC) Rose Copper (RG)

FLUTE

- Elongated metal tubes with replaceable integrated LED modules
- Variety of finishes from Rose Gold to Polished Chrome
- 3000K Color Temperature, CRI 80
- Most units Dimmable with Triac Dimmer



E10003-PC, -RG
Pendant

A

4.75"



12"

1.75"



E10004-PC, -RG
Pendant

B

4.75"



23.75"

1.75"

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E10003	PC, RG	4W COB LED 3000K (Integrated)	4.75"W x 12"H x 130"OAH	80	280	
B	E10004	PC, RG	4W COB LED 3000K (Integrated)	4.75"W x 23.75"H x 141.75"OAH	80	280	

Finish options: Polished Chrome (PC) Rose Copper (RG)





E10005-PC, -RG
Pendant

C

4.75"



12"

2.5"



E10011-PC, -RG
Pendant

D

4.75"



23.75"

2.5"



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
C	E10005	PC, RG	7W COB LED 3000K (Integrated)	4.75"W x 12"H x 130"OAH	80	490	
D	E10011	PC, RG	7W COB LED 3000K (Integrated)	4.75"W x 23.75"H x 141.75"OAH	80	490	

Finish options: Polished Chrome (PC) Rose Copper (RG)



BIG FIZZ

Our ever popular collection has grown up. Large scale fonts of clear bubble glass are suspended from Polished Chrome supports with no visible screws. Top of the line LED modules illuminate the glass from top to bottom with excellent color rendering.


BIG FIZZ




- 3000K Color Temperature, CRI 90
- Dimmable with CL Triac Dimmer



E22878-91PC
Pendant

A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS		Additional Information
				CRI	INIT. DEL.	
A E22878	91PC	13 x 8W COB LED 3000K (Integrated)	20"W x 26.5"H x 128"OAH	90+	6240 3250	  

Finish: Bubble (91) Polished Chrome (PC)


BIG FIZZ

- 3000K Color Temperature, CRI 90
- Dimmable with CL Triac Dimmer




E22877-91PC
Pendant

A



E22875-91PC
Pendant

B




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS		Additional Information
					CRI	INIT. DEL.	
A	E22877	91PC	7 x 8W COB LED 3000K (Integrated)	16"W x 26.5"H x 128"OAH	90+	3360 1750	
B	E22875	91PC	5 x 8W COB LED 3000K (Integrated)	13"W x 26.5"H x 128"OAH	90+	2400 1250	

Finish: Bubble (91) Polished Chrome (PC)






E22873-91PC
Pendant



E22871-91PC
Pendant



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
C	E22873	91PC	3 x 8W COB LED 3000K (Integrated)	13"W x 26.5"H x 128"OAH	90+	1440	750	
D	E22871	91PC	1 x 8W COB LED 3000K (Integrated)	4.75"W x 26.75"H x 128"OAH	90+	480	250	

Finish: Bubble (91) Polished Chrome (PC)


ANASTASIA

Elegant blown Clear glass fonts of various shapes and size suspend from Polished Chrome pans. Integrated LED modules support the glass as well as additional lights in the pan to highlight the glass. This lighting design is a work of art sure to become the focal point of your living space.




ANASTASIA

- Clear blown glass fonts of various sizes and shapes
- Replaceable Integrated LED modules
- Metalwork finished in Polished Chrome
- 3000K Color Temperature, CRI 80
- Dimmable with Triac Dimmer



E20748-18PC
Pendant

A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E20748	18PC	22 x 3W LED 3000K (Integrated)	35.5"L x 11.75"W x 29.25"H x 149"OAH	80	4620	

Finish: Clear glass (18) Polished Chrome (PC)


ANASTASIA

- Clear blown glass fonts of various sizes and shapes
- Replaceable Integrated LED modules
- Metalwork finished in Polished Chrome
- 3000k Color Temperature, CRI 80
- Dimmable with Triac Dimmer



E20746-18PC
Pendant

A




	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E20746	18PC	8 x 3W LED 3000K (Integrated)	39.25"L x 4.75"W x 29.5"H x 149"OAH	80	1680	

Finish: Clear glass (18) Polished Chrome (PC)




E20741-18PC
Pendant

B




E20742-18PC
Pendant

C




E20743-18PC
Pendant

D



E20744-18PC
Pendant

E



ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information	
B	E20741	18PC	3W COB LED 3000K (Integrated)	4.75"W x 24.25"H x 144"OAH	80	210	
C	E20742	18PC	3W COB LED 3000K (Integrated)	4.75"W x 29.5"H x 147.5"OAH	80	210	
D	E20743	18PC	3W COB LED 3000K (Integrated)	4.75"W x 22.5"H x 142"OAH	80	210	
E	E20744	18PC	3W COB LED 3000K (Integrated)	4.75"W x 27.5"H x 147.25"OAH	80	210	

Finish: Clear glass (18) Polished Chrome (PC)



TANGENT

Heavy faceted glass fonts are lined with Borosilicate that sparkles while illuminated by the LED G9 lamps which are included. Polished Chrome metal, contribute to the clean and crisp contemporary design.


TANGENT

- Heavy faceted glass fonts that sparkle when illuminated
- 4W LED G9 bulbs included




E20717-82PC
Pendant

A



E20715-82PC
Pendant

B



• Close up of glass



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E20717	82PC	10 x 4W G9 LED 3000K (Integrated)	19.75"W x 5.75"H x 127"OAH	80+	2800	LED ①
B	E20715	82PC	5 x 4W G9 LED 3000K (Integrated)	14.5"W x 5.75"H x 127"OAH	80+	1400	LED ①

Finish: Heavy Faceted glass (82) Polished Chrome (PC)




TANGENT

- Heavy faceted glass fonts that sparkle when illuminated
- 4W LED G9 bulbs included



E20719-82PC
Pendant

A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E20719	82PC	10 x 4W G9 LED 3000K (Integrated)	38.25"L x 9.75"W x 5.75"H x 127"OAH	80+	2800	LED ⓘ


Finish: Heavy Faceted glass (82) Polished Chrome (PC)






E20714-82PC
Pendant

B



E20711-82PC
Pendant

C



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
B	E20714	82PC	4 x 4W G9 LED 3000K (Integrated)	29.5"L x 4.25"W x 5.75"H x 127"OAH	80+	1120	LED (↑)
C	E20711	82PC	1 x 4W G9 LED 3000K (Integrated)	4.5"W x 5.75"H x 128.5"OAH	80+	280	LED (↑) (120°)

Finish: Heavy Faceted glass (82) Polished Chrome (PC)



COSMO

Round orbs of Bubble glass are cradled by Polished Chrome rings which are lined on the inside with LED which magically illuminate. This celestial design is sure to bring attention to your contemporary interior space.

- Spherical bubble glass
- Metalwork finished in Polished chrome
- 3000K Color Temperature, CRI 80
- Dimmable with Triac Dimmer




ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A E30618	91PC	8 x 4.5W LED 3000K (Integrated)	30"L x 12"W x 3"H x 46.25"OAH	80	2520	

Finish: Bubble glass (91) Polished Chrome (PC)

COSMO

- Spherical bubble glass
- Metalwork finished in Polished chrome
- 3000K Color Temperature, CRI 80
- Dimmable with Triac Dimmer




	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E30616	91PC	6 x 4.5W LED 3000K (Integrated)	22.5"L x 12"W x 3"H x 46.25"OAH	80	1890	

Finish: Bubble glass (91) Polished Chrome (PC)




E30611-91PC
Wall Mount

B



E30612-91PC
Bath Vanity

C




E30613-91PC
Bath Vanity

D



E30614-91PC
Bath Vanity

E



E30615-91PC
Bath Vanity

F



ITEM #	FINISH	LAMPING	DIMENSION	HCO	LUMENS	Additional Information	
B	E30611	91PC	1 x 4.5W LED 3000K (Integrated)	4.75"W x 4.75"H x 5.5"Ext.	2.25"	320	
C	E30612	91PC	2 x 4.5W LED 3000K (Integrated)	13"W x 4.75"H x 6.25"Ext.	2.25"	630	
D	E30613	91PC	3 x 4.5W LED 3000K (Integrated)	20.25"W x 4.75"H x 6.25"Ext.	2.25"	950	
E	E30614	91PC	4 x 4.5W LED 3000K (Integrated)	28"W x 4.75"H x 6.25"Ext.	2.25"	1260	
F	E30615	91PC	5 x 4.5W LED 3000K (Integrated)	35.75"W x 4.75"H x 6.25"Ext.	2.25"	1580	

Finish: Etched/Bubble glass (89) Polished Chrome (PC)

COASTER


Take a ride on this fun lighting collection featuring channel of Polished Chrome skillfully formed in a twisted design. Unique in its approach, light is distributed in all directions and is fully dimmable.






COASTER

- 120-277V Input
- 3000K Color Temperature
- Dimmable with ELV Dimmer at 120V
- Damp Location Rated



E24136-PC
Pendant

A



5.5"

10"



30.25"

ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS		Additional Information
					INIT.	DEL.	
A E24136	PC	48W PCB LED 3000K (Integrated)	30.25"L x 10"W x 5.5"H x 127"OAH	90+	3360	2140	  


Finish: Polished Chrome (PC)



E24134-PC
Flush Mount



E24132-PC
Pendant



ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS		Additional Information	
					INIT.	DEL.		
B	E24132	PC	40W PCB LED 3000K (Integrated)	20.25"L x 20.25"W x 3.75"H x 129"OAH	90+	2800	2200	
C	E24134	PC	40W PCB LED 3000K (Integrated)	20.25"L x 20.25"W x 10"H	90+	2800	2105	

Finish: Polished Chrome (PC)



CLOVER


This unique collection features metal channel finish in a rich Silver Leaf is a perfect choice for those looking a focal point of their room décor. High power LED with excellent color rendering provides ample light which completes this extraordinary design.

CLOVER

- Silver leaf metal channel
- 120-277V Input
- 3000K Color Temperature, CRI 90
- Dimmable with ELV Dimmer at 120V
- Damp Location Rated



E24735-SL
Pendant



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS		Additional Information	
				CRI	INIT. DEL.		
A E24735	SL	31W PCB LED 3000K (Integrated)	23"L x 21"W x 6.5"H x 128"OAH	90+	2170	1705	


Finish: Silver Leaf (SL)

CLOVER

- Silver leaf metal channel
- 120-277V Input
- 3000K Color Temperature, CRI 90
- Dimmable with ELV Dimmer at 120V
- Damp Location Rated



E24737-SL
Pendant



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information	
				CRI	INIT.	DEL.		
A	E24737	SL	39W PCB LED 3000K (Integrated)	34.75"L x 10.25"W x 4.5"H x 123.5"OAH	90+	2730	2145	


Finish: Silver Leaf (SL)






E24732-SL
Flush Mount

B



E24734-SL
Pendant

C



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
B	E24732	SL	39W PCB LED 3000K (Integrated)	24"L x 24"W x 9"H	90+	2730	1994	
C	E24734	SL	39W PCB LED 3000K (Integrated)	24"L x 24"W x 7.5"H x 129"OAH	90+	2730	2154	

Finish: Silver Leaf (SL)


CYCLE

This playful design of continuous channel finished in Matte Silver, spiral from the canopy to create unique lighting sculptures. LED mounted inside the channel provides ample illumination with an indirect effect.



E21325-MS
Pendant

A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS		Additional Information
				CRI	INIT. DEL.	
A E21325	MS	55W LED 3000K (Integrated)	25.25"W x 3.5"H x 121.5"OAH	80+	3850 2170	

Finish: Matte Silver (MS)




CYCLE

- Metalwork finished in Matte Silver
- 3000K Color Temperature
- CRI 80+
- Dimmable with Triac dimmers




E21320-MS
Flush Mount

B



E21322-MS
Flush Mount

C



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS		Additional Information
						INIT.	DEL.	
B	E21320	MS	33W LED 3000K (Integrated)	18.25"W x 2.25"H	80+	2310	1275	LED
C	E21322	MS	55W LED 3000K (Integrated)	25.25"W x 2.25"H	80+	3850	1980	LED

Finish: Matte Silver (MS)




TWISTED


Arched Matte White aluminum channel is artfully formed into unique lighting sculptures. Two rows of LEDs are used to double the light output but are fully dimmable for your comfort level.




TWISTED

- 120-277V Input
- 3000K Color Temperature, CRI 90
- Dimmable with ELV Dimmer at 120V
- Damp Location Rated



E30647-MW
Pendant
A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS CRI	LUMENS		Additional Information
					INIT.	DEL.	
A E30647	MW	66W PCB LED 3000K (Integrated)	36.75"L x 26.25"W x 10.25"H x 131.5"OAH	90+	4620	2970	  

Finish: Matte White (MW)


TWISTED

- 120-277V Input
- 3000K Color Temperature, CRI 90
- Dimmable with ELV Dimmer at 120V
- Damp Location Rated



E30645-MW
Pendant

A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS		Additional Information		
				CRI	INIT. DEL.			
A	E30645	MW	83W PCB LED 3000K (Integrated)	31.5"L x 31.5"W x 11.75"H x 133"OAH	90+	5775	3713	


Finish: Matte White (MW)






E30640-MW
Flush Mount

B



E30644-MW
Pendant

C



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
B	E30640	MW	52W PCB LED 3000K (Integrated)	24.5"L x 24.5"W x 13"H	90+	3640	2340	
C	E30644	MW	52W PCB LED 3000K (Integrated)	24.5"L x 24.5"W x 10.25"H x 131.5"OAH	90+	3640	2340	

Finish: Matte White (MW)




PHASE

Intersecting band create interesting and unique forms finished in Matte White. High power LED makes these designs as functional as they are decorative.


PHASE

- Intersecting metal forms
- 3000K Color Temperature
- CRI 80+
- Dimmable with Triac dimmers



E21425-MW
Pendant

A



• Uplight

• Downlight

ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E21425	MW	68W LED 3000K (Integrated)	46"L x 5"W x 6"H x 126.25"OAH	80+	4760	2940	

Finish: Matte White (MW)


PHASE

- Intersecting metal forms
- 3000K Color Temperature
- CRI 80+
- Dimmable with Triac dimmers




E21428-MW
Floor Lamp

A



E21420-MW
Wall Sconce

B



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	LUMENS		Additional Information
						CRI	INIT. DEL.	
A	E21428	MW	53W LED 3000K (Integrated)	15"W x 55.75"H		80+	3710 2690	
B	E21420	MW	11W LED 3000K (Integrated)	7.75"W x 13.75"H x 2"Ext.	11.25"	80+	770 510	

Finish: Matte White (MW)






• Flush Mount Option


E21422-MW
Wall/Flush Mount

C



E21423-MW
Flush Mount

D



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information		
				HCO	CRI	INIT. DEL.			
C	E21422	MW	48W LED 3000K (Integrated)	21.5"W x 19.5"H x 2"Ext.	9.75"	80+	3360	1710	
D	E21423	MW	68W LED 3000K (Integrated)	31.5"L x 28.5"W x 2"H		80+	4760	2670	

Finish: Matte White (MW)




HOOPLA


Rings of various sizes finished in Black are supported from a column of soft Gold. This European classic is a soft contemporary design which works in today's home décor.

HOOPLA

- Black and Gold finish
- 3000K Color Temperature, CRI 80
- Dimmable with CL Triac Dimmer
- ADA Wall Sconce



E24327-BKGLD
Pendant



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E24327	BKGLD	114W PCB LED 3000K (Integrated)	37.5"L x 45.25"W x 16.25"H x 139"OAH	80+	7980	2280	   

Finish: Black/Gold (BKGLD)

HOOPLA


- Black and Gold finish
- 3000K Color Temperature, CRI 80
- Dimmable with CL Triac Dimmer
- ADA Wall Sconce



E24326-BKGLD

Pendant

A




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E24326	BKGLD	64W PCB LED 3000K (Integrated)	33.5"L x 29.5"W x 11.5"H x 134.25"OAH	80+	4480	1280	

Finish: Black/Gold (BKGLD)




E24320-BKGLD
Wall Mount

B




E24323-BKGLD
Semi-Flush Mount

C



E24324-BKGLD
Semi-Flush Mount

D



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
B	E24320	BKGLD	11W PCB LED 3000K (Integrated)	30"W x 30"H x 2"Ext.	6"	80+	770	220	
C	E24323	BKGLD	40W PCB LED 3000K (Integrated)	26"L x 15.75"W x 11.5"H		80+	2800	800	
D	E24324	BKGLD	64W PCB LED 3000K (Integrated)	29.5"L x 33.5"W x 14"H		80+	4480	1280	

Finish: Black/Gold (BKGLD)



RINGER

Rings of Black with Polished Chrome accents adjust to create interesting shapes and configurations. Illuminated by LED strips, this collection combines ultimate energy savings and adjustable light dispersion.


RINGER

- Rings of metal with encased integrated LED
- Two tone finish: Black with Polished Chrome
- 3000K Color Temperature, CRI 80
- Dimmable with Triac dimmer



E24725-BKPC
Pendant

A



ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A E24725	BKPC	81W LED 3000K (Integrated)	32"W x 18"H x 133.5"OAH	80	5700	  


Finish: Black/Polished Chrome (BKPC)

RINGER

- Rings of metal with encased integrated LED
- Two tone finish: Black with Polished Chrome
- 3000K Color Temperature, CRI 80
- Dimmable with Triac dimmer



E24726-BKPC
Pendant
A




ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A E24726	BKPC	59W LED 3000K (Integrated)	42.5"L x 14"W x 14"H x 128"OAH	80	4130	  

Finish: Black/Polished Chrome (BKPC)




E24720-BKPC
Wall Mount

B




E24721-BKPC
Semi-Flush Mount

C



E24723-BKPC
Semi-Flush Mount

D



ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS	Additional Information	
B	E24720	BKPC	10W LED 3000K (Integrated)	10"W x 10"H x 1.25"Ext.	5.5"	80	710	
C	E24721	BKPC	42W LED 3000K (Integrated)	25"W x 11"H		80	3000	
D	E24723	BKPC	81W LED 3000K (Integrated)	32"W x 21"H		80	5700	


Finish: Black/Polished Chrome (BKPC)




CONCENTRIC

Four concentric rings strategically placed in orbit to form a spherical lighting design as unique as it is functional. With the internal placement of LED strips the light moves both direct and indirect depending on where you are in relation to the fixture.



E24049-BP, -BZ
Pendant



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information	
				CRI	INIT.	DEL.		
A	E24049	BP, BZ	100W PCB LED 3000K (Inte.)	36"W x 39"H x 85.25"OAH	80+	10000	7000	  


Finish options: Brushed Platinum (BP) Bronze (BZ)

CONCENTRIC

- Adjustable aluminum rings house high-powered integrated PCB LEDs
- Spherical lighting design with acrylic diffuser
- 3000K Color Temperature
- CRI 80+
- Dimmable with Triac dimmers
- Available finishes: Bronze & Brushed Platinum



- Adjustable rings allows for multiply configurations



E24048-BP, -BZ
Pendant

B

ITEM #	FINISH	LAMPING	DIMENSION	LUMENS		Additional Information
				CRI	INIT. DEL.	
B E24048	BP, BZ	80W PCB LED 3000K (Inte.)	27"W x 30"H x 75.25"OAH	80+	8000 3675	

Finish options: Brushed Platinum (BP) Bronze (BZ)



GYRO II

A very unique and interesting design that features concentric bands of Polished Chrome or Black that rotate on 3 axis points and adjusts in multiple directions similar to a gyro. The edge of each slender band encases a small LED strip covered by a frosted lens. This work of art is so much more than just a lighting fixture.

GYRO II

- Rotating arms on 3 axis points
- Integrated LED on the inside edge of the bands
- 3000K Color Temperature, CRI 80
- Dimmable with Triac Dimmer




	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E24788	BKPC	73W PCB LED 3000K (Integrated)	40.5"L x 13.75"W x 10"H x 129"OAH	80	5140	  

Finish: Black/Polished Chrome (BKPC)

GYRO II

- Rotating arms on 3 axis points
- Integrated LED on the inside edge of the bands
- 3000K Color Temperature, CRI 80
- Dimmable with Triac Dimmer



E24789-BKPC
Pendant

A

ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A E24789	BKPC	98W PCB LED 3000K (Integrated)	27"L x 27"W x 11.75"H x 129"OAH	80	6860	




Finish: Black/Polished Chrome (BKPC)





E24787-BKPC
Pendant

B

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
B	E24787	BKPC	73W PCB LED 3000K (Integrated)	26"W x 9"H x 50"OAH	80	5140	  

Finish: Black/Polished Chrome (BKPC)


GYRO II

- Rotating arms on 3 axis points
- Integrated LED on the inside edge of the bands
- 3000k Color Temperature, CRI 80
- Dimmable with Triac Dimmer







E24785-BK, -PC
Pendant

A



31.5"

31.5"


ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E24785 BK, PC	78W PCB LED 3000K (Integrated)	31.5"W x 31.5"H x 76"OAH	80	5500	   

Finish options: Black (BK) Polished Chrome (PC)




E24784-BK, -PC
Pendant

B



E24783-BK, -PC
Pendant/Flush Mount

C



• Pendant can be converted to Flush Mount

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
B	E24784	BK, PC	56W PCB LED 3000K (Integrated)	23.5"W x 23.5"H x 67.5"OAH	80	3910	
C	E24783	BK, PC	29W PCB LED 3000K (Integrated)	15.75"W x 15.75"H x 59.75"OAH	80	2020	

Finish options: Black (BK) Polished Chrome (PC)



TILT

Wireform metal cages finished in Polished Chrome support an edge lit LED disc which rotates on two axis points. The LED disc illuminates from both sides which provides accent up light combined with ample down light for ultimate function and form.


- Edge lit LED discs suspended in metal cages
- Adjustable lens to direct the light
- Up and down light
- 3000K Color Temperature, CRI 80
- Dimmable with Triac Dimmer



• Up and down light


E30625-PC
Pendant

A



E30623-PC
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E30625	PC	5 x 6.5W LED 3000K (Integrated)	21.75"W x 9.75"H x 128"OAH	80	2280	
B	E30623	PC	3 x 6.5W LED 3000K (Integrated)	16.75"W x 9.75"H x 128"OAH	80	1370	


Finish: Polished Chrome (PC)

TILT


- Edge lit LED discs suspended in metal cages
- Adjustable lens to direct the light
- Up and down light
- 3000K Color Temperature, CRI 80
- Dimmable with Triac Dimmer



E30624-PC
Pendant
B



E30621-PC
Pendant
A





	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E30621	PC	1 x 6.5W LED 3000K (Integrated)	8.75"W x 9.75"H x 128"OAH	80	460	
B	E30624	PC	4 x 6.5W LED 3000K (Integrated)	38.25"L x 8.5"W x 9.75"H x 128"OAH	80	1820	

Finish: Polished Chrome (PC)




E30631-PC
Pendant

C



E30622-PC
Pendant

D



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
C	E30631	PC	1 x 13W LED 3000K (Integrated)	15.5"W x 16"H x 128"OAH	80	910	
D	E30622	PC	3 x 6.5W LED 3000K (Integrated)	28.5"L x 8.5"W x 9.75"H x 128"OAH	80	1370	

Finish: Polished Chrome (PC)



CAGE


Heavy gage White metal wire glows from the inside when illuminated by the high power LED module concealed in the top. The matching table stool has a wood top and is damp located which makes it perfect for outdoor living spaces.

CAGE

- 3000K Color Temperature, CRI 80
- Dimmable with CL Triac Dimmer
- Wood-topped, plug-in stools that are damp location



E20575-WT
Pendant



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E20575	WT	7W PCB LED 3000K (Integrated)	19.75"W x 15"H x 137.5"OAH	80+	576	752	

Finish: White (WT)

CAGE




- 3000K Color Temperature, CRI 80
- Dimmable with CL Triac Dimmer
- Wood-topped, plug-in stools that are damp location



E20573-WT
Pendant

A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E20573	WT	7W PCB LED 3000K (Integrated)	15.75"W x 12.5"H x 135"OAH	80+	576	738	   

Finish: White (WT)




- Suitable for damp location
- Great for outdoor living spaces




E20578-WTNW
Stool or Table

C



E20577-WTNW
Stool or Table

B



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
B	E20577	WTNW	7W PCB LED 3000K (Integrated)	19.75"W x 15"H	80+	576	470	
C	E20578	WTNW	7W PCB LED 3000K (Integrated)	24.75"W x 18.75"H	80+	576	382	

Finish: White (WT) Navaho White (NW)



CHAOS

This contemporary collection features a cork screw configuration of Polished Chrome metal surrounding bands of 3000K LED. This eclectic approach to lighting design is sure to please those looking for a unique source of light.


CHAOS

- Unique functional sculptures of illumination
- Corkscrew bands with inset high-powered LEDs
- Diodes visible to create contemporary look
- 3000K Color Temperature
- CRI 80+
- Dimmable with Triac dimmers



E21413-PC
Pendant

A



ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information	
A	E21413	PC	242W PCB LED 3000K (Integrated)	39.5"W x 39.5"H x 145.75"OAH	80	16940	

Finish: Polished Chrome (PC)


CHAOS

- Unique functional sculptures of illumination
- Corkscrew bands with inset high-powered LEDs
- Diodes visible to create contemporary look
- 3000K Color Temperature
- CRI 80+
- Dimmable with Triac dimmers




E21411-PC
Pendant

A




E21412-PC
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E21411	PC	69W PCB LED 3000K (Integrated)	23.5"W x 22"H x 136"OAH	80	4840	
B	E21412	PC	138W PCB LED 3000K (Integrated)	31.5"W x 31.5"H x 141.75"OAH	80	9680	

Finish: Polished Chrome (PC)




	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
C	E21417	PC	129.6W PCB LED 3000K (Integrated)	42"L x 42"W x 13"H x 137"OAH	80+	9072	

Finish: Polished Chrome (PC)

CHAOS


- Unique functional sculptures of illumination
- Corkscrew bands with inset high-powered LEDs
- Diodes visible to create contemporary look
- 3000K Color Temperature
- CRI 80+
- Dimmable with Triac dimmers



E21415-PC
Pendant
A


ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A E21415	PC	84.2W PCB LED 3000K (Integrated)	34"L x 34"W x 13"H x 137"OAH	80+	5897	  

Finish: Polished Chrome (PC)



E21410-PC
Flush Mount

B

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
B	E21410	PC	90.7W PCB LED 3000K (Integrated)	31"W x 15"H	80+	6350	

Finish: Polished Chrome (PC)



DAZED LED

Sculptures created from Polished Chrome aluminum rods are formed by hand into a mod-silhouette, perfect for loft living and cosmopolitan lifestyles. Woven through the interior are strings of clear G4 LED lamps that add sparkle as they reflect off of the embellished etched patterns of the aluminum. Fashion forward and style genre-defying, the Dazed collection goes with a myriad of looks from art deco to pop art.

DAZED LED

- Clear string of G4 LED Lamps
- State-of-the-art Smith & Kole 12V transformers
- High Polished Chrome Aluminum rods
- Hand formed Mod-Silhouettes
- Dimmable with Electronic Low Voltage dimmer
- CRI 80+



E32576-PC
Pendant

A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS		Additional Information
				CRI	INIT. DEL.	
A E32576	PC	25 x 1.2W LED G4 3000K (Incl.)	31.5"W x 31.5"H x 142"OAH	80+	2600 2500	  

Finish: Polished Chrome (PC)


DAZED LED

- Clear string of G4 LED Lamps
- State-of-the-art Smith & Kole 12V transformers
- High Polished Chrome Aluminum rods
- Hand formed Mod-Silhouettes
- Dimmable with Electronic Low Voltage dimmer
- CRI 80+



E32578-PC
Pendant

A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E32578	PC	12 x 1.2W LED G4 3000K (Incl.)	47"W x 19.5"H x 130"OAH	80+	1250	1200	


Finish: Polished Chrome (PC)





E32574-PC
Pendant

B



E32572-PC
Pendant

C



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS		Additional Information
						INIT.	DEL.	
B	E32574	PC	12 x 1.2W LED G4 3000K (Incl.)	23.5"W x 23.5"H x 134"OAH	80+	1250	1200	
C	E32572	PC	8 x 1.2W LED G4 3000K (Incl.)	15.75"W x 15.75"H x 125"OAH	80+	850	800	

Finish: Polished Chrome (PC)




BRACELET


Rings of Polished Chrome are fitted with an array of Beveled Crystal accents that come to life when illuminated by LED strips. The rings can be adjusted to create and spectacular display, sure to bring compliments to sense of style and taste.

BRACELET

- Beveled Crystal strands fitted inside metal rings
- Metalwork finished in Polished Chrome
- 3500K Color Temperature, CRI 90
- Dimmable with Triac Dimmer




• Shown in Cascading configuration




E21216-20PC
Pendant

A



• Can be arranged in different sequences



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E21216	20PC	94W LED 3500K (Integrated)	43"W x 3"H x 120"OAH	90	6580	


Finish: Crystal (20) Polished Chrome (PC)




BRACELET

- Beveled Crystal strands fitted inside metal rings
- Metalwork finished in Polished Chrome
- 3500K Color Temperature, CRI 90
- Dimmable with Triac Dimmer



E21213-20PC
Pendant



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E21213	20PC	38W LED 3500K (Integrated)	43"W x 3"H x 120"OAH	90	2660	  


Finish: Crystal (20) Polished Chrome (PC)






E21211-20PC
Pendant

B



E21212-20PC
Pendant

C



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
B	E21211	20PC	22W LED 3500K (Integrated)	27"W x 3"H x 120"OAH	90	1540	
C	E21212	20PC	30W LED 3500K (Integrated)	34"W x 3"H x 120"OAH	90	2100	

Finish: Crystal (20) Polished Chrome (PC)



SATURN II

A new variation of a very popular series with many different configurations many of which are large scale for commercial applications. Metal rings of Matte Silver support horizontal acrylic diffusers which glow when illuminated by dimmable LED.


SATURN II

- Horizontal frosted Acrylic diffuses LED
- Large scale ring options available
- 3000K Color Temperature
- CRI 80+
- Dimmable with Triac dimmers



E22665-11MS
Pendant

A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E22665	11MS	159W LED 3000K (Integrated)	30"W x 50.25"H x 183"OAH	80+	11,130	6110	

Finish: Matte White Acrylic (11) Matte Silver (MS)


SATURN II

- Horizontal frosted Acrylic diffuses LED
- Large scale ring options available
- 3000K Color Temperature
- CRI 80+
- Dimmable with Triac dimmers



E22664-11MS
Pendant

A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E22664	11MS	105W LED 3000K (Integrated)	30"W x 28"H x 183"OAH	80+	7350	4035	

Finish: Matte White Acrylic (11) Matte Silver (MS)







• Additional configuration

E22655-11MS

Pendant

B




• Additional configuration

E22656-11MS

Pendant

C



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
B	E22655	11MS	36W LED 3000K (Integrated)	23.75"W x 8"H x 183"OAH	80+	2520	1950	
C	E22656	11MS	68W LED 3000K (Integrated)	31.5"W x 16.5"H x 183"OAH	80+	4760	3540	

Finish: Matte White Acrylic (11) Matte Silver (MS)


SATURN II

- Horizontal frosted Acrylic diffuses LED
- Large scale ring options available
- 3000K Color Temperature
- CRI 80+
- Dimmable with Triac dimmers



E22657-11MS
Pendant

A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E22657	11MS	50W LED 3000K (Integrated)	51.25"W x .5"H x 120"OAH	80+	3500	2440	


Finish: Matte White Acrylic (11) Matte Silver (MS)






E22653-11MS
Pendant

B



E22654-11MS
Pendant

C



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
B	E22653	11MS	24W LED 3000K (Integrated)	23.75"W x .5"H x 120"OAH	80+	1680	1280	
C	E22654	11MS	32W LED 3000K (Integrated)	31.5"W x .5"H x 120"OAH	80+	2240	1810	


Finish: Matte White Acrylic (11) Matte Silver (MS)

SATURN II

- Horizontal frosted Acrylic diffuses LED
- Large scale ring options available
- 3000K Color Temperature
- CRI 80+
- Dimmable with Triac dimmers



E22662-11MS
Pendant
A




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E22662	11MS	83W LED 3000K (Integrated)	44.25"L x 35.5"W x 12.5"H x 81"OAH	80+	5810	3950	

Finish: Matte White Acrylic (11) Matte Silver (MS)






E22667-11MS
Flush Mount
B



E22668-11MS
Flush Mount
C



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
B	E22667	11MS	68W LED 3000K (Integrated)	31.5"W x 5.75"H	80+	4760	3200	LED
C	E22668	11MS	116W LED 3000K (Integrated)	39.5"W x 7"H	80+	8120	4890	LED


Finish: Matte White Acrylic (11) Matte Silver (MS)

DIMPLE


Large scale pendants and ceiling lights finished in Matte Black and diffused through White acrylic are dimpled at the center with a Polished Chrome finial. Very bright and simple design makes this collection suitable for both contemporary and transitional settings.



E22624-BK
Pendant



E22626-BK
Pendant



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A	E22624	BK	58W PCB LED 3000K (Integrated)	23.5"W x 4.25"H x 126.75"OAH	80+	3010	2666	
B	E22626	BK	77W PCB LED 3000K (Integrated)	29.5"W x 4"H x 126.5"OAH	80+	5376	4608	

Finish: Black (BK)


DIMPLE

- Matte Black finish
- 3000K Color Temperature, CRI 80
- Dimmable with CL Triac Dimmer




E22620-BK
Flush Mount

C



E22622-BK
Flush Mount

D



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS		Additional Information
					CRI	INIT. DEL.	
C	E22620	BK	58W PCB LED 3000K (Integrated)	23.5"W x 5.25"H	80+	3010 2795	
D	E22622	BK	77W PCB LED 3000K (Integrated)	29.5"W x 5"H	80+	5376 4608	

Finish: Black (BK)







PICOLO

Tall-scale tubular shades of Polished Chrome are draped in a choice of unique configurations. Light provided by the energy efficient and low maintenance 40,000 rated life hour 3500 K LED source mysteriously radiates from the bottom of the tube and highlights the Clear Acrylic diffuser on the bottom.




E22277-75PC
Pendant




	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E22277	75PC	12 x 2W COB LED 3000K (Integrated)	35"L x 35"W x 14.5"H x 136.25"OAH	80+	1680	  
Finish: Clear Acrylic (75) Polished Chrome (PC)							

PICOLO




E22278-75PC
Pendant

A




E22274-75PC
Pendant

B



E22271-75PC
Pendant


C



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS	Additional Information
A	E22278	75PC	8 x 1W LED (Integrated)	23.5"L x 8"W x 14.5"H x 120"OAH	520	
B	E22274	75PC	4 x 1W LED (Integrated)	26.5"L x 5"W x 14.5"H x 120"OAH	260	
C	E22271	75PC	1 x 1W LED (Integrated)	6"W x 15"H x 136"OAH	65	

Finish: Clear Acrylic (75) Polished Chrome (PC)





	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
D	E22276	75PC	6 x 2W COB LED 3000K (Integrated)	25"L x 25"W x 14.5"H x 136.25"OAH	80+	840	
Finish: Clear Acrylic (75) Polished Chrome (PC)							






RUBIC

Geometric wire frames of Black surround a Polished Chrome cluster of G4 LED bulbs which sparkle like an exploding star. Available in multiple sizes all competitively priced.

RUBIC

- Geometric wire frames in Black finish
- Sputnik cluster finished in Polished Chrome
- LED G4 bulbs included
- 3000K Color Temperature
- CRI 80
- Dimmable with Electronic Low Voltage dimmers



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E22914	BKPC	24 x 1.2W LED G4 3000K (Incl.)	33.5"W x 25.5"H x 80.5"OAH	80	2640	2400	  

Finish: Black/Polished Chrome (BKPC)


RUBIC



- Geometric wire frames in Black finish
- Sputnik cluster finished in Polished Chrome
- LED G4 bulbs included
- 3000K Color Temperature
- CRI 80
- Dimmable with Electronic Low Voltage dimmers



E22918-BKPC
Pendant

A



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information	
				CRI	INIT.	DEL.		
A	E22918	BKPC	12 x 1.2W LED G4 3000K (Incl.)	23"W x 8.5"H x 57.5"OAH	80	1320	1200	  


Finish: Black/Polished Chrome (BKPC)






E22910-BKPC
Pendant

B



E22912-BKPC
Pendant

C



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
B	E22910	BKPC	12 x 1.2W LED G4 3000K (Incl.)	20.5"W x 15.5"H x 67"OAH	80	1320	1200	
C	E22912	BKPC	18 x 1.2W LED G4 3000K (Incl.)	26"W x 26"H x 74"OAH	80	2200	2000	

Finish: Black/Polished Chrome (BKPC)






BOUNCE

Delicate lines of thin rod and balanced wire construct this Mid Century modern revival. A combination finish of Black and Polished Chrome was used for contrast and a dramatic statement. Illumination is provided by integrated LED socket with provided excellent color rendition.

BOUNCE

- Carefully balanced wire suspension
- Two tone Black and Polished Chrome finish
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmers




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information	
				CRI	INIT.	DEL.		
A	E23100	BKPC	6 x 8W COB LED 3000K (Integrated)	35.5"L x 28.5"W x 7.75"H x 39.75"OAH	90+	3360	3000	
B	E23103	BKPC	6 x 8W COB LED 3000K (Integrated)	55.25"L x 40.75"W x 9.25"H x 40.5"OAH	90+	3360	3000	
C	E23105	BKPC	10 x 8W COB LED 3000K (Integrated)	93"L x 40.75"W x 9.25"H x 38.75"OAH	90+	5600	5000	

Finish: Black/Polished Chrome (BKPC)




TRAPEZOID

Is it lighting or is it Art? The answer is both. Channels of Polished Chrome are skillfully mitered and assembled to create the ultimate conversation piece. LED strips are installed inside the channels to illuminate the room without annoying glare.



E22678-PC
Pendant

A



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E22678	PC	68W LED 3000K (Integrated)	53"L x 27"W x 19"H x 139.5"OAH	90+	4760	

Finish: Polished Chrome (PC)


TRAPEZOID

- Unique sculptural lighting fixtures with integrated LED
- 3000K Color Temperature, CRI 90+
- Dimmable with Triac Dimmer



E22674-PC
Wall Mount

B



ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS	Additional Information
B E22674	PC	45W LED 3000K (Integrated)	20"W x 26.5"H x 13.75"Ext.	9.75"	90+	3150	 

Finish: Polished Chrome (PC)




PYRAMID


Triangular shaped frames of metal are finished in a mirror like Polished Chrome or Rose Gold. The inner side of these frames house LED strips that provide ample indirect and direct lighting for ultimate comfort and performance.

PYRAMID

- Inset integrated LEDs in triangular shaped structure
- Metalwork in your choice of Rose Gold or Polished Chrome
- 3000K Color Temperature, CRI 90+
- Dimmable with Triac Dimmer



E20817-PC, -RG
Pendant



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E20817	PC, RG	35W LED 3000K (Integrated)	19.75"W x 13.25"H x 130"OAH	90+	2450	  

Finish options: Polished Chrome (PC) Rose Gold (RG)


PYRAMID

- Inset integrated LEDs in triangular shaped structure
- Metalwork in your choice of Rose Gold or Polished Chrome
- 3000K Color Temperature, CRI 90+
- Dimmable with Triac Dimmer





E20816-PC, -RG
Pendant

A



E20815-PC, -RG
Pendant

B



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E20816	PC, RG	28W LED 3000K (Integrated)	15.75"W x 10.75"H x 130"OAH	90+	1960	
B	E20815	PC, RG	20W LED 3000K (Integrated)	11.75"W x 8"H x 130"OAH	90+	1400	


Finish options: Polished Chrome (PC) Rose Gold (RG)






E20811-PC, -RG
Flush Mount

C




E20812-PC, -RG
Flush Mount

E



E20810-PC, -RG
Flush Mount

D



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
C	E20811	PC, RG	28W LED 3000K (Integrated)	15.75"W x 12"H	90+	1960	LED
D	E20810	PC, RG	20W LED 3000K (Integrated)	11.75"W x 9.25"H	90+	1400	LED
E	E20812	PC, RG	35W LED 3000K (Integrated)	19.75"W x 15"H	90+	2450	LED

Finish options: Polished Chrome (PC) Rose Gold (RG)


CONVERGE

Intersecting rectangles finished in Black throw indirect LED light off the wall for a combination of accent room illumination and modern art design.

- Unique wall decor with integrated LED
- Metalwork finished in Black
- 3000K Color Temperature, CRI 90+
- Dimmable with Triac Dimmer



E20708-BK
Wall Mount
A



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS	Additional Information
A	E20708	BK	55W PCB LED 3000K (Integrated)	27.5"W x 39.5"H x 3.5"Ext.	24"	90+	3850	  

Finish: Black (BK)



WINK LED


Modern art meets modern light, the Wink collection combines form and function in a unique, wallmounted hemisphere. Powerful, yet hidden, Xenon lamps spill light through elliptical windows in the dome refracting and diffusing the warm glow. In Polished Chrome, reflections radiate and add to the dance of light while a Satin Nickel finish creates a more subtle effect.

- ADA Approved
- Dimmable with Triac dimmer
- Directional light both up and down



E20542-SN
Wall Mount

A



ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS	Additional Information
A E20542	SN	4W COB LED 3000K (Integrated)	5"W x 5"H x 2.75"Ext.	2.5"	80+	280	    

Finish: Satin Nickel (SN)



BLADE

A thin, half-inch aluminum blade now in your choice of Metallic Bronze or Brushed Aluminum incorporates a threadlike LED board recessed into the bottom. The result is a unique effect of light appearing on the surface below without a clear indication from where it is generated.


BLADE

- Low-profile .5" aluminum "blade" with integrated LED board recessed into bottom
- 3000K Color Temperature
- CRI 80+
- Dimmable with Triac dimmers







E22907-AL, -BRZ
Pendant

A



• Close up view



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E22907	AL, BRZ	32W LED 3000K (Integrated)	53.5"L x .5"W x 3"H x 128"OAH	80+	2240	  


Finish options: Brushed Aluminum (AL) Anodized Bronze (BRZ)

BLADE

- Low-profile .5" aluminum "blade" with integrated LED board recessed into bottom
- 3000K Color Temperature
- CRI 80+
- Dimmable with Triac dimmers


E22903-AL, -BRZ
Pendant

A



E22905-AL, -BRZ
Pendant

B




	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E22903	AL, BRZ	19W LED 3000K (Integrated)	32"L x .5"W x 3"H x 128"OAH	80+	1330	
B	E22905	AL, BRZ	26W LED 3000K (Integrated)	43.75"L x .5"W x 3"H x 128"OAH	80+	1820	

Finish options: Brushed Aluminum (AL) Anodized Bronze (BRZ)






E22900-AL, -BRZ
Bath Vanity
C



E22901-AL, -BRZ
Bath Vanity
D



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS	Additional Information
C	E22900	AL, BRZ	2 x 7W LED 3000K (Integrated)	13"W x 4.75"H x 1.75"Ext.	2.5"	80+	980	
D	E22901	AL, BRZ	2 x 14W LED 3000K (Integrated)	24"W x 4.75"H x 1.75"Ext.	2.5"	80+	1960	

Finish options: Brushed Aluminum (AL) Anodized Bronze (BRZ)




PIVOT LED

Redefining wall-mounted lighting, the Pivot collection brings versatility to a once static fixture, adding uniqueness to any design space. Install this sleek Polished Chrome bar in any room or office and simply pivot it to instantly change the focus and the mood. Angled over a LED bulb that saves energy, the elongated Clear acrylic with frosted edges diffuses harsh beams and casts the room in a pleasant light.





PIVOT LED


- Polished Chrome metal detail on acrylic
- Pivot rotates 180° degrees
- ADA Approved
- 3000K Color Temperature
- Suitable for Damp locations
- Dimmable with Triac dimmers




E32372-18PC
Wall Sconce
A









• Rotates 180° degrees



E32373-18PC
Wall Sconce
B




	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS	Additional Information
A	E32372	18PC	27W PCB LED 3000K (Integrated)	27.25"W x 4.75"H x 3.75"Ext.	2.25"	90	1680	Lights rotate a 359°   
B	E32373	18PC	38W PCB LED 3000K (Integrated)	39.25"W x 4.75"H x 3.75"Ext.	2.25"	90	2800	Lights rotate a 359°   

Finish: Clear glass (18) Polished Chrome (PC)


ALUMILUX

Our Alumilux collection of state of the art LED luminaires is now expanding to other product categories. Originally Alumilux was interior and exterior wall sconces and landscape lighting. We now have bath vanity, hanging pendants, and chandeliers. All made of solid aluminum many of which are machined from solid block. All of which are manufactured to the highest standards in the industry suitable for residential or commercial installations.




ALUMILUX




- Available in various shapes and finishes
- Cast and Machined Aluminum
- 3000K Color Temperature
- CRI 90
- Dimmable with Electronic Low Voltage dimmer
- Twisted 120V wire



E41484-WT
Pendant

A




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS		Additional Information
				CRI	INIT. DEL.	
A E41484	WT	3 x 4W COB LED 3000K (Integrated))	17.25"L x 4.5"W x 3"H x 122"OAH	90	840 930	  

Finish: White (WT)












E41483-WT
Pendant
B



E41481-WT
Pendant
C




	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
					CRI	INIT.	DEL.	
B	E41483	WT	3 x 4W COB LED 3000K (Integrated)	10"W x 3.75"H x 122"OAH	90	840	930	  
C	E41481	WT	1 x 4W COB LED 3000K (Integrated)	4.75"W x 3"H x 121.5"OAH	90	360	310	  

Finish: White (WT)

ALUMILUX


- Available in various shapes and finishes
- Coordinating wall sconce available
- Machined Aluminum
- 3000K Color Temperature
- CRI 90
- Dimmable with Electronic Low Voltage dimmer





E41446-SA, -WT
Pendant

A




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				CRI	INIT.	DEL.	
A E41446	SA, WT	60W LED 3000K (Integrated)	44.5"L x 44.5"W x 20.25"H x 135.5"OAH	90+	4200	3932	

Finish options: Satin Aluminum (SA) White (WT)

ALUMILUX


- Available in various shapes and finishes
- Coordinating wall sconce available
- Machined Aluminum
- 3000K Color Temperature
- CRI 90+
- Dimmable with Electronic Low Voltage dimmer



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS		Additional Information
					CRI	INIT. DEL.	
A	E41443	SA, WT	23W LED 3000K (Integrated)	44.5"L x 44.5"W x 20.25"H x 135.25"OAH	90+	1610 1507	
B	E41445	SA, WT	27W LED 3000K (Integrated)	44.75"L x 44.75"W x 16.25"H x 138.5"OAH	90+	1890 1770	

Finish options: Satin Aluminum (SA) White (WT)






• Adjustable



E41440-SA, -WT
Interior/Exterior Wall

C



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS		Additional Information		
				HCO	CRI	INIT.	DEL.	
C E41440	SA, WT	7W LED 3000K (Integrated)	4.75"W x 31"H x 4"Ext.	25"	90+	490	420	

Finish options: Satin Aluminum (SA) White (WT)


ALUMILUX

- Available in various shapes and finishes
- Collection features coordinating interior wall sconces
- Machined Aluminum
- 3000K Color Temperature
- CRI 90+
- Dimmable with Electronic Low Voltage dimmer




E41467-SA, -WT
Pendant

A



E41468-SA, -WT
Pendant

B



ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A E41467	SA, WT	30W LED 3000K (Integrated)	46.75"W x 4.5"W x 2.75"H x 122.5"OAH.	90+	2100	

Finish options: Satin Aluminum (SA) White (WT)

ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
B E41468	SA, WT	35W LED 3000K (Integrated)	58.25"W x 4.5"W x 2.75"H x 122.5"OAH.	90+	2450	


Finish options: Satin Aluminum (SA) White (WT)

ALUMILUX

- Available in various shapes and finishes
- Collection features coordinating pendants and interior wall sconces
- Machined Aluminum
- 3000K Color Temperature
- CRI 90
- Dimmable with Electronic Low Voltage dimmer





E41460-SA, -WT
Wall Sconce
A




• Rotates 180° degrees



E41465-SA, -WT
Wall Sconce
B



E41464-SA, -WT
Wall Sconce
C



E41463-SA, -WT
Wall Sconce
D



• Rotates 180° degrees




ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information
				HCO	CRI	INIT. DEL.	
A	E41460	SA, WT; 8W LED 3000K (Integrated)	4.25"W x 15.25"H x 4.25"Ext.	13"	90	560 430	
B	E41465	SA, WT; 20W LED 3000K (Integrated)	36"W x 4.5"H x 4.25"Ext.	2.25"	90	1400 750	
C	E41464	SA, WT; 15W LED 3000K (Integrated)	30"W x 4.5"H x 4.25"Ext.	2.25"	90	1050 580	
D	E41463	SA, WT; 10W LED 3000K (Integrated)	24"W x 4.5"H x 4.25"Ext.	2.25"	90	700 420	


Finish options: Satin Aluminum (SA) White (WT)

ALUMILUX


- Machined Aluminum
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmer



E41280-SA, -WT
Interior/Exterior Wall Sconce



E41284-SA, -WT
Interior/Exterior Wall Sconce



ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
						INIT.	DEL.	
A E41280	SA, WT	15W PCB LED 3000K (Integrated)	10"W x 10"H x 1.5"Ext.	5"	90+	1050	831	


Finish options: Satin Aluminum (SA) White (WT)

ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
						INIT.	DEL.	
B E41284	SA, WT	10W PCB LED 3000K (Integrated)	8"W x 8"H x 1.5"Ext.	5.5"	90+	700	658	


Finish options: Satin Aluminum (SA) White (WT)

ALUMILUX


- Machined Aluminum
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmer



E41334-BZ, -SA, -WT
Interior/Exterior Wall Sconce



E41335-BKSA, -WT
Interior/Exterior Wall Sconce



ITEM #	FINISH	LAMPING	DIMENSION	HCO		LUMENS		Additional Information	
				INIT.	DEL.	INIT.	DEL.		
A	E41334	BZ, SA, WT	21W LED PCB 3000K (Integrated)	15.75"W x 9.25"H x 1.75"Ext.	6.75"	90+	1470	1432	

Finish options: Bronze (BZ) Satin Aluminum (SA) White (WT)

ITEM #	FINISH	LAMPING	DIMENSION	HCO		LUMENS		Additional Information	
				INIT.	DEL.	INIT.	DEL.		
B	E41335	BKSA, WT	15W PCB LED 3000K (Integrated)	9.75"W x 14"H x 2.75"Ext.	7"	90+	1050	51	

Finish options: Black/Satin Aluminum (BKSA) White (WT)




ALUMILUX

- Machined Aluminum
- 3000K Color Temperature
- CRI 90+
- Dimmable with Triac dimmer



E41294-BKSA, -BZ
Interior/Exterior Wall Sconce



ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
						INIT.	DEL.	
A E41294	BKSA, BZ	15W PCB LED 3000K (Integrated)	6"W x 30"H x 2.75"Ext.	15"	90+	1050	75	    


Finish options: Black/Satin Aluminum (BKSA) Bronze (BZ)






E41292-BKSA, -BZ
Interior/Exterior Wall Sconce

B



E41290-BKSA, -BZ
Interior/Exterior Wall Sconce

C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT.	DEL.	Additional Information
B	E41292	BKSA, BZ	11W PCB LED 3000K (Integrated)	5.25"W x 24"H x 2.75"Ext.	12"	90+	770	58	
C	E41290	BKSA, BZ	7W PCB LED 3000K (Integrated)	5.25"W x 18"H x 2.75"Ext.	9"	90+	490	35	

Finish options: Black/Satin Aluminum (BKSA) Bronze (BZ)

ALUMILUX

- Available in various sizes and finishes
- Coordinating wall sconce available
- Machined Aluminum
- 3000K Color Temperature
- CRI 90+
- Dimmable with Electronic Low Voltage dimmer



E41488-BZ, -SA, -WT
Interior/Exterior Wall Sconce
A




ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS	Additional Information
A	E41488 BZ, SA, WT	2 x 15W LED 3000K (Integrated)	23.5"W x 5"H x 2.5"Ext.	4.75"	90+	2100	

Finish options: Bronze (BZ) Satin Aluminum (SA) White (WT)



E41485-BZ, -SA, -WT
Interior/Exterior Wall Sconce
B



E41486-BZ, -SA, -WT
Interior/Exterior Wall Sconce
C



ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS	Additional Information
B	E41485 BZ, SA, WT	1 x 8W LED 3000K (Integrated)	7.75"W x 5.75"H x 4"Ext.	5"	90+	560	
C	E41486 BZ, SA, WT	2 x 8W LED 3000K (Integrated)	7.75"W x 5"H x 2.5"Ext.	4.75"	90+	1120	

Finish options: Bronze (BZ) Satin Aluminum (SA) White (WT)




ALUMILUX


- Aluminum
- 3000K Color Temperature
- CRI 90+
- Dimmable with Electronic Low Voltage dimmer
- Back light and down light



E41497-BZ, -SA, -WT
Interior/Exterior Wall Sconce



E41499-BZ, -SA, -WT
Interior/Exterior Wall Sconce



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS	Additional Information
A	E41497	BZ, SA, WT	20W LED 3000K (Integrated)	8"W x 20"H x 4"Ext.	16"	90+	1400	
B	E41499	BZ, SA, WT	23.5W LED 3000K (Integrated)	10"W x 28"H x 4.25"Ext.	24"	90+	1650	


Finish options: Bronze (BZ) Satin Aluminum (SA) White (WT)

ALUMILUX

- Machined Aluminum
- Collection fixture coordinating landscape lighting (pg206)
- 3000K Color Temperature
- CRI 90+
- Dimmable with Electronic Low Voltage dimmer



E41368-BZ, -SA, -WT
Interior/Exterior Wall Sconce






ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS	Additional Information
A E41368	BZ, SA, WT	2 x 7.5W LED 3000K (Integrated)	5.75"W x 16"H x 3.25"Ext.	8"	90+	1050	


Finish options: Bronze (BZ) Satin Aluminum (SA) White (WT)

ALUMILUX


- 3000K Color Temperature
- CRI 90+
- Dimmable with Electronic Low Voltage dimmer



E41495-BZ, -SA, -WT
Interior/Exterior Wall Sconce



E41493-BZ, -SA, -WT
Interior/Exterior Wall Sconce



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS	Additional Information
A	E41495	BZ, SA, WT	25W LED 3000K (Integrated)	13.5"W x 19.25"H x 3.25"Ext.	14"	90+	1750	
B	E41493	BZ, SA, WT	21W LED 3000K (Integrated)	10"W x 14.25"H x 3.25"Ext.	9.5"	90+	1470	


Finish options: Bronze (BZ) Satin Aluminum (SA) White (WT)

ALUMILUX

- 3 different configurations to create light pattern
- Machined Aluminum
- 3000K Color Temperature
- CRI 90+
- Dimmable with Electronic Low Voltage dimmer



E41534-BZ
4-Light Interior/Exterior Wall Sconce



A - 4 Light



B - 2 Light



C - 1 Light

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS	Additional Information
A	E41534	BZ	4 x 3W LED 3000K (Integrated)	4.75"W x 4.75"H x 3.5"Ext.	2.5"	90+	840	  


Finish: Bronze (BZ)






E41532-BZ
2-Light Interior/Exterior Wall Sconce

B



E41530-BZ
1-Light Interior/Exterior Wall Sconce

C



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS	Additional Information
B	E41532	BZ	2 x 3W LED 3000K (Integrated)	4.75"W x 4.75"H x 3.5"Ext.	2.5"	90+	420	
C	E41530	BZ	1 x 3W LED 3000K (Integrated)	4.75"W x 4.75"H x 3.5"Ext.	2.5"	80	210	

Finish: Bronze (BZ)

ALUMILUX

- 3 different configurations to create light pattern
- Machined Aluminum
- 3000K Color Temperature
- CRI 90+
- Dimmable with Electronic Low Voltage dimmer



A - 1 Light




B - 2 Light




C - 3 Light




E41540-SA, -WT
1-Light Interior/Exterior Wall Sconce



E41542-SA, -WT
2-Light Interior/Exterior Wall Sconce



E41544-SA, -WT
3-Light Interior/Exterior Wall Sconce




	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS	Additional Information
A	E41540	SA, WT	1 x 4W LED 3000K (Integrated)	4.75"W x 5"H x 1.5"Ext.	2.5"	90+	280	
B	E41542	SA, WT	2 x 4W LED 3000K (Integrated)	4.75"W x 5"H x 1.5"Ext.	2.5"	90+	560	
C	E41544	SA, WT	3 x 4W LED 3000K (Integrated)	4.75"W x 5"H x 1.5"Ext.	2.5"	90+	840	


Finish options: Satin Aluminum (SA) White (WT)

ALUMILUX



- Machined Aluminum
- 3000K Color Temperature
- CRI 90+
- Dimmable with Electronic Low Voltage dimmer




E41500-BZ, SA, -WT
Interior/Exterior Wall Sconce



E41504-BZ, -SA, -WT
Interior/Exterior Wall Sconce



E41502-BZ, -SA, -WT
Interior/Exterior Wall Sconce



ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS	Additional Information
A E41500	BZ, SA, WT	5W LED 3000K (Integrated)	6"W x 6"H x 1.5"Ext.	3"	90+	350	

Finish options: Bronze (BZ) Satin Aluminum (SA) White (WT)

ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS	Additional Information
B E41504	BZ, SA, WT	12W LED 3000K (Integrated)	7.75"W x 7.75"H x 2.25"Ext.	4"	90+	840	
C E41502	BZ, SA, WT	8W LED 3000K (Integrated)	6.25"W x 6.25"H x 2.75"Ext.	3.25"	90+	560	

Finish options: Bronze (BZ) Satin Aluminum (SA) White (WT)

ALUMILUX


- Available in various shapes and finishes
- Coordinating wall sconce available
- Machined Aluminum
- 3000K Color Temperature
- CRI 90+
- Dimmable with Electronic Low Voltage dimmer



• Adjustable




E41326-SA, -WT
Wall Sconce




ITEM #	FINISH	LAMPING	DIMENSION	HCO	LUMENS			Additional Information
					CRI	INIT.	DEL.	
A E41326	SA, WT	4W COB LED 3000K (Integrated)	4.25"W x 4.25"H x 3.5"Ext.	3.5"	90+	280	140	  

Finish options: Satin Aluminum (SA) White (WT)



E41330-BZ, -SA
Interior/Exterior Wall Sconce



ITEM #	FINISH	LAMPING	DIMENSION	HCO	LUMENS			Additional Information
					CRI	INIT.	DEL.	
B E41330	BZ, SA	8W PCB LED 3000K (Integrated)	6.25"W x 7.75"H x 2.25"Ext.	4.75"	90+	560	337	   


Finish options: Bronze (BZ) Satin Aluminum (SA)

ALUMILUX


- Machined Aluminum
- 3000K Color Temperature



E41328-SA, -WT
Interior/Exterior Wall Sconce







E41308-BZ, -SA
Interior/Exterior Wall Sconce



ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT. DEL.	Additional Information
A	E41328 SA, WT	6W COB LED 3000K (Integrated)	7"W x 6"H x 2.75"Ext.	3"	90+	420 344	Dimmable with triac dimmer     

Finish options: Satin Aluminum (SA) White (WT)



ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS	Additional Information
B	E41308 BZ, SA	6W LED 3000K (Integrated)	4.5"W x 4.5"H x 4.25"Ext.	2.25"	80+	320	Dimmable CL    

Finish options: Bronze (BZ) Satin Aluminum (SA)








ALUMILUX

- Available in various shapes and finishes
- Cast and Machined Aluminum
- 3000K Color Temperature
- CRI 90+
- Dimmable with Electronic Low Voltage dimmer



E41373-SA, -WT
Interior/Exterior Wall Sconce




ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS	Additional
						INIT. DEL.	Information
A E41373	SA, WT	7W LED 3000K (Integrated)	7"W x 8.5"H x 2.5"Ext.	4.25"	90+	490 460	Dim. with Triac dimmer    

Finish options: Satin Aluminum (SA) White (WT)










- Adjustable
- Indirect



E41333-SA, -WT
Interior/Exterior Wall Sconce

B




ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS	INIT.	DEL.	Additional Information
B E41333	SA, WT	8W LED 3000K (Integrated)	5"W x 7"H x 2.75"Ext.	3.5"	90+	560	170	Dim. with ELV dimmer	   


Finish options: Satin Aluminum (SA) White (WT)

ALUMILUX

- Available in various sizes and finishes
- Machined Aluminum
- 3000K Color Temperature
- CRI 90+
- Dimmable with ELV dimmer




- Adjustable
- Indirect






E41374-SA, -BZ
Interior/Exterior Wall Sconce



E41375-SA, -BZ
Interior/Exterior Wall Sconce



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E41374	SA, BZ	4W LED 3000K (Integrated)	4.75"W x 4.75"H x 2.5"Ext.	2.25"	90+	280	220	
B	E41375	SA, BZ	4W LED 3000K (Integrated)	6.25"W x 6.25"H x 3.25"Ext.	3.25"	90+	280	220	


Finish options: Satin Aluminum (SA) Bronze (BZ)

ALUMILUX

- Available in various finishes
- Machined Aluminum
- 3000K Color Temperature
- CRI 90+
- Dimmable with Electronic Low Voltage dimmer



E41329-SA, -WT
Interior/Exterior Wall Sconce




ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
						INIT.	DEL.	
A E41329	SA, WT	8W LED 3000K (Integrated)	4.5"W x 4.5"H x .75"Ext.	3.25"	90+	560	70	

Finish options: Satin Aluminum (SA) White (WT)




E41380-BZ, -WT
Interior/Exterior Wall Sconce

B




E41381-BZ, -WT
Interior/Exterior Wall Sconce










C



E41382-BZ, -WT
Interior/Exterior Wall Sconce

D



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS			Additional Information	
					HCO	CRI	INIT. DEL.		
B	E41380	BZ, WT	6W LED 3000K (Integrated)	5.25"W x 5.25"H x 1.75"Ext.	2.75"	80	600	295	Backlit Indirect   
C	E41381	BZ, WT	8W LED 3000K (Integrated)	7"W x 7"H x 1.75"Ext.	3.5"	80	800	505	Backlit Indirect   
D	E41382	BZ, WT	15W LED 3000K (Integrated)	11.75"W x 11.75"H x 2.75"Ext.	6"	80	1500	1250	Backlit Indirect   

Finish options: Bronze (BZ) White (WT)


ALUMILUX

- Available in various sizes and finishes
- Collection fixture coordinating landscape lighting (pg202)
- Cast and Machined Aluminum
- 3000K Color Temperature
- CRI 90+












E41048-BZ, -WT
Interior/Exterior Wall Sconce



E41047-BZ, -WT
Interior/Exterior Wall Sconce




	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E41048	BZ, WT	19W PCB LED 3000K (Integrated)	13.75"W x 13.75"H x 2.75"Ext.	11"	90+	1330	680	  
B	E41047	BZ, WT	9W PCB LED 3000K (Integrated)	7.75"W x 7.5"H x 2.75"Ext.	5"	90+	630	550	  

Finish options: Bronze (BZ) White (WT)

ALUMILUX



- Cast and Machined Aluminum
- 3000K Color Temperature
- CRI 80+









E41376-WT
Wall Sconce

A



E41378-WT
Wall Sconce

B

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
							INIT.	DEL.	
A	E41376	WT	4W PCB LED 3000K (Integrated)	6"W x 6"H x 2"Ext.	3"	80+	360	110	Direct, Indoor only  
B	E41378	WT	5W PCB LED 3000K (Integrated)	9"W x 9"H x 2.25"Ext.	4.5"	80+	500	295	Direct, Indoor only  


Finish: White (WT)

ALUMILUX

- Cast and Machined Aluminum
- 3000K Color Temperature
- CRI 80+
- Light pattern cast on wall



E41386-SA, -WT
Interior/Exterior Wall Sconce



ITEM #	FINISH	LAMPING	DIMENSION	LUMENS		Additional Information		
				HCO	CRI	INIT.	DEL.	
A	E41386 SA, WT	4W LED 3000K (Integrated)	4.5"W x 4.5"H x 3"Ext.	2.25"	80+	360	75	  


Finish options: Satin Aluminum (SA) White (WT)





E41385-WT
Interior/Exterior Wall Sconce

B



ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
						INIT.	DEL.	
B E41385	WT	5W LED 3000K (Integrated)	9"W x 7.5"H x 4.25"Ext.	4.25"	80+	500	290	Indirect 


Finish: White (WT)

ALUMILUX

- Cast and Machined Aluminum
- 3000K Color Temperature
- CRI 80+



E41388-SA, -WT
Interior/Exterior Wall Sconce



ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS		Additional Information
						CRI	DEL.	
A E41388	SA, WT	8.4W LED 3000K (Integrated)	6"W x 6"H x 2"Ext.	3"	80+	720	490	Backlit Indirect   

Finish options: Satin Aluminum (SA) White (WT)






• Bowl swivels to adjust angle



E41470-WT
Flush/Wall Mount

B



• Wall Mount Option

ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS		Additional Information
					INIT.	DEL.	
B E41470	WT	15W COB LED 3000K (Integrated)	7.75"W x 4.25"H	90+	1350	1150	Dimmable with ELV dimmer  

Finish: White (WT)

ALUMILUX

- Available in various lengths
- Cast and Machined Aluminum
- 3000K Color Temperature
- CRI 90+
- Dimmable with Electronic Low Voltage Dimmer





96"
E41348-BZ, -SA, -WT
 Interior/Exterior Wall Sconce

A



73"
E41346-BZ, -SA, -WT
 Interior/Exterior Wall Sconce

B



51"
E41344-BZ, -SA, -WT
 Interior/Exterior Wall Sconce

C



ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS	Additional Information
A	E41348 : BZ, SA, WT	60W LED 3000K (Integrated)	4.5"W x 96"H x 2.25"Ext.	48"	90+	4200	
B	E41346 : BZ, SA, WT	50W LED 3000K (Integrated)	4.5"W x 73"H x 2.25"Ext.	36.5"	90+	3500	
C	E41344 : BZ, SA, WT	30W LED 3000K (Integrated)	4.5"W x 51"H x 2.25"Ext.	25.5"	90+	2100	

Finish options: Bronze (BZ) Satin Aluminum (SA) White (WT)


ALUMILUX

- Available in various shapes and finishes
- Cast and Machined Aluminum
- 3000K Color Temperature
- CRI 80+ and 90+




E41307-SA, -WT
Interior/Exterior Wall Sconce

A



E41312-WT
Interior/Exterior Wall Sconce

B



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS	Additional Information
A	E41307	SA, WT	5W LED 3000K (Integrated)	4.25"W x 16"H x 3.5"Ext.	12.5"	90+	430	
B	E41312	WT	6W LED 3000K (Integrated)	7"W x 8"H x 5.75"Ext.	3.75"	80+	180	


Finish options: Aluminum (SA) White (WT)






E41524-BZ, -WT
Interior/Exterior Wall Sconce









C



E41526-BZ, WT
Interior/Exterior Wall Sconce

D




	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS	Additional Information
C	E41524	BZ, WT	2 x 4W COB LED 3000K (Integrated)	4.25"W x 13.75"H x 3.5"Ext.	11.75"	90+	560	Dimmable with ELV dimmer    
D	E41526	BZ, WT	2 x 4W COB LED 3000K (Integrated)	4.25"W x 23.5"H x 3.5"Ext.	11.75"	90+	560	Dimmable with ELV dimmer    

Finish options: Bronze (BZ) White (WT)


ALUMILUX

- Available in various shapes and finishes
- Cast and Machined Aluminum
- 3000K Color Temperature
- CRI 80+




E41302-SA, -WT
Interior/Exterior Wall Sconce

A




E41304-SA
Interior/Exterior Wall Sconce

B



E41305-SA
Interior/Exterior Wall Sconce

C




ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS INIT. DEL.	Additional Information
A	E41302 SA, WT	5.4W LED 3000K (Integrated)	7.25"W x 4.5"H x 5.25"Ext.	2.25"	80+	445	
B	E41304 SA	6W LED 3000K (Integrated)	8"W x 4.5"H x 4.25"Ext.	2.25"	80+	540 140	
C	E41305 SA	8.1W LED 3000K (Integrated)	15.75"W x 4.5"H x 4.25"Ext.	2.25"	80+	310 310	




Finish options: Satin Aluminum (SA) White (WT)





E41310-BZ, -SA
Interior/Exterior Wall Sconce



ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS	Additional Information
D E41310	BZ, SA	10.8W LED 3000K (Integrated)	6.75"W x 4.5"H x 1.75"Ext.	2.25"	90+	560	  

Finish options: Bronze (BZ) Satin Aluminum (SA)

ALUMILUX

- Available in various shapes and finishes
- Cast and Machined Aluminum
- 3000K Color Temperature
- CRI 80+
- Interior/Exterior wall sconces




• Vertical mount




E41324-BZ, -SA
Interior/Exterior Wall Sconce

A




E41323-BZ, -SA
Interior/Exterior Wall Sconce

B



E41318-BZ, -SA
Interior/Exterior Wall Sconce

C



• View of LED lamp, provides up and down light

	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS	Additional Information
A	E41324	BZ, SA	8.9W LED 3000K (Integrated)	15.75"W x 4.25"H x 7.25"Ext.	2.16"	80+	560	
B	E41323	BZ, SA	2.7W LED 3000K (Integrated)	6"W x 4.25"H x 7.25"Ext.	2.16"	80+	560	
C	E41318	BZ, SA	6W LED 3000K (Integrated)	14"W x 6.75"H x 3.5"Ext.	3.44"	80+	420	


Finish options: Bronze (BZ) Satin Aluminum (SA)






E41321-BZ, -SA
Interior/Exterior Wall Sconce

D




E41300-BZ, -SA
Interior/Exterior Wall Sconce

E




E41309-SA
Interior/Exterior Wall Sconce

F



E41319-BZ, -SA
Interior/Exterior Wall Sconce

G



	ITEM #	FINISH	LAMPING	DIMENSION	HCO	CRI	LUMENS	Additional Information
D	E41321	BZ, SA	8.4W LED 3000K (Integrated)	7.75"W x 7.75"H x 4.5"Ext.	3.72"	80+	440	
E	E41300	BZ, SA	7W LED 3000K (Integrated)	8"W x 10"H x 3.5"Ext.	5"	90+	700	
F	E41309	SA	6W LED 3000K (Integrated)	8"W x 4.75"H x 2.75"Ext.	2.5"	80+	600	
G	E41319	BZ, SA	3W LED 3000K (Integrated)	5.25"W x 4.25"H x 6"Ext.	2.16"	80+	210	

Finish options: Bronze (BZ) Satin Aluminum (SA)

ALUMILUX

- Available in various shapes and finishes
- Cast and Machined Aluminum
- 3000K Color Temperature
- CRI 80+
- Low voltage & Line voltage options available




• Available in 12V & 120V input




E42404-BZ, -SA, -WT
E41404-BZ, -SA, -WT
 Interior/Exterior Wall Sconce

A




E42403-BZ, -SA, -WT
E41403-BZ, -SA, -WT
 Interior/Exterior Wall Sconce


B



SA Satin Aluminum



BZ Bronze



WT White



E42400

Required for installation
 Sold separately

C

ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS		Additional Information
					INIT.	DEL.	
A	E42404 BZ, SA, WT	2W 120V LED 3000K (Integrated)	3.25"W x 3.25"H x 1.5"Ext.	80+	180	70	☀️ LED ♿️
A	E41404 BZ, SA, WT	2W 12V LED 3000K (Integrated)	3.25"W x 3.25"H x 1.5"Ext.	80+	180	70	☀️ LED ♿️ Low Voltage
B	E42403 BZ, SA, WT	2W 120V LED 3000K (Integrated)	3.25"W x 3.25"H x 1.5"Ext.	80+	180	70	☀️ LED ♿️
B	E41403 BZ, SA, WT	2W 12V LED 3000K (Integrated)	3.25"W x 3.25"H x 1.5"Ext.	80+	180	70	☀️ LED ♿️ Low Voltage
C	E42400		4"W x 4"H x 2"Ext.				

Finish options: Bronze (BZ) Satin Aluminum (SA) White (WT)




ALUMILUX

- Available in various shapes and finishes
- 12V landscape lighting compatible with landscape transformers
- Cast and Machined Aluminum
- 3000K Color Temperature
- CRI 90+




E41358-BK
Pathway Light

A



E41357-BK
Pathway Light

B



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS		Additional Information
						INIT.	DEL.	
A	E41358	BK	9W LED 3000K (Integrated)	5.75"W x 4"H	90+	630	250	
B	E41357	BK	12W LED 3000K (Integrated)	5.75"W x 3.75"H	90+	840	220	

Finish: Black (BK)




• Collection fixture coordinating wall sconce (pg183)



WT White

• Includes ground spike anchor bolts



E41049-BZ, -WT
Pathway Light
C

ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS		Additional Information
					INIT.	DEL.	
C E41049	BZ, WT	12W PCB LED 3000K (Integrated)	13.75"L x 4"W x 13.5"H	90+	840	610	LED

Finish options: Bronze (BZ) White (WT)

ALUMILUX


- Available in various shapes and finishes
- 12V landscape lighting compatible with landscape transformers
- Cast and Machined Aluminum
- 3000K Color Temperature
- CRI 90+






E41383-BZ, -WT
Pathway Light

A



E41370-BZ, -GY
Pathway Light

B



• Includes ground spike anchor bolts



	ITEM #	FINISH	LAMPING	DIMENSION	LUMENS		Additional Information
					CRI	INIT. DEL.	
A	E41383	BZ, WT	8.4W LED 3000K (Integrated)	6"L x 2"W x 23.75"H	90+	588 400	
B	E41370	BZ, GY	12W LED 3000K (Integrated)	5"L x 5"W x 23.5"H	90+	840 450	

Finish options: Bronze (BZ) Matte Grey (GY) White (WT)

ALUMILUX

- Available in various shapes and finishes
- 12V landscape lighting compatible with landscape transformers
- Cast and Machined Aluminum
- 3000K Color Temperature
- CRI 80+




- Includes ground spike anchor bolts
- Includes LV cable connector
- LED Garden options




E41369-BZ, -SA
Pathway Light

A




E41365-BZ, -SA
Pathway Light

B



E41350-BZ, -SA
Pathway Light

C



• Includes ground spike anchor bolts

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E41369	BZ, SA	9.8W LED 3000K (Integrated)	5.25"W x 30"H	80+	690	LED
B	E41365	BZ, SA	6W LED 3000K (Integrated)	6"W x 34"H	80+	420	LED
C	E41350	BZ, SA	3W LED 3000K (Integrated)	3.5"W x 13.75"H	80+	230	LED

Finish options: Bronze (BZ) Satin Aluminum (SA)


ALUMILUX

- Available in various shapes and finishes
- 12V landscape lighting compatible with landscape transformers
- Cast and Machined Aluminum
- 3000K Color Temperature
- CRI 80+




E41366-BZ, -SA
Pathway Light

A




E41363-BZ, -SA
Pathway Light

B



E41364-BZ, -SA
Pathway Light

C



	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
A	E41366	BZ, SA	5.4W LED 3000K (Integrated)	4"W x 34"H	80+	420	LED
B	E41363	BZ, SA	2W LED 3000K (Integrated)	3.25"W x 34"H	80+	140	LED
C	E41364	BZ, SA	3W LED 3000K (Integrated)	3"W x 34"H	80+	210	LED


Finish options: Bronze (BZ) Satin Aluminum (SA)

- Includes ground spike anchor bolts
- Includes LV cable connector
- LED Garden options




E41360-BZ, -SA
Pathway Light

D




E41367-BZ, -SA
Pathway Light

E



E41371-BZ, -SA
Pathway Light

F



- Includes ground spike anchor bolts

	ITEM #	FINISH	LAMPING	DIMENSION	CRI	LUMENS	Additional Information
D	E41360	BZ, SA	7W LED 3000K (Integrated)	8.75"W x 20"H	80+	490	LED
E	E41367	BZ, SA	3W LED 3000K (Integrated)	6"W x 23.5"H	80+	210	LED
F	E41371	BZ, SA	3W LED 3000K (Integrated)	7"W x 23.5"H	80+	210	LED

Finish options: Bronze (BZ) Satin Aluminum (SA)

INDEX

E10001.....	32	E20815.....	131	E22276.....	120
E10002.....	32	E20816.....	131	E22277.....	118
E10003.....	33	E20817.....	130	E22278.....	119
E10004.....	33	E21120.....	22	E22620.....	116
E10005.....	34	E21121.....	22	E22622.....	116
E10010.....	31	E21122.....	22	E22624.....	115
E10011.....	34	E21123.....	24	E22626.....	115
E10017.....	30	E21124.....	21	E22653.....	112
E20321.....	10	E21125.....	20	E22654.....	112
E20323.....	10	E21126.....	24	E22655.....	110
E20326.....	9	E21127.....	19	E22656.....	110
E20328.....	8	E21129.....	18	E22657.....	111
E20542.....	134	E21211.....	106	E22662.....	113
E20573.....	91	E21212.....	106	E22664.....	109
E20575.....	90	E21213.....	105	E22665.....	108
E20577.....	92	E21216.....	104	E22667.....	114
E20578.....	92	E21320.....	60	E22668.....	114
E20708.....	133	E21322.....	60	E22674.....	128
E20711.....	46	E21325.....	59	E22678.....	127
E20714.....	46	E21410.....	98	E22871.....	38
E20715.....	44	E21411.....	95	E22873.....	38
E20717.....	44	E21412.....	95	E22875.....	37
E20719.....	45	E21413.....	94	E22877.....	37
E20741.....	42	E21415.....	97	E22878.....	36
E20742.....	42	E21417.....	96	E22900.....	138
E20743.....	42	E21420.....	67	E22901.....	138
E20744.....	42	E21422.....	68	E22903.....	137
E20746.....	41	E21423.....	68	E22905.....	137
E20748.....	40	E21425.....	66	E22907.....	136
E20810.....	132	E21428.....	67	E22910.....	124
E20811.....	132	E22271.....	119	E22912.....	124
E20812.....	132	E22274.....	119	E22914.....	122

E22918.....	123	E24595.....	27	E30645.....	63
E23100.....	126	E24598.....	26	E30647.....	62
E23103.....	126	E24720.....	76	E32372.....	140
E23105.....	126	E24721.....	76	E32373.....	140
E24048.....	78	E24723.....	76	E32572.....	102
E24049.....	77	E24725.....	74	E32574.....	102
E24132.....	54	E24726.....	75	E32576.....	100
E24134.....	54	E24732.....	58	E32578.....	101
E24136.....	53	E24734.....	58	E41047.....	184
E24260.....	14	E24735.....	56	E41048.....	184
E24261.....	14	E24737.....	57	E41049.....	202
E24263.....	13	E24783.....	84	E41280.....	153
E24264.....	13	E24784.....	84	E41284.....	154
E24265.....	16	E24785.....	83	E41290.....	158
E24266.....	15	E24787.....	82	E41292.....	158
E24269.....	12	E24788.....	80	E41294.....	157
E24300.....	6	E24789.....	81	E41300.....	198
E24301.....	6	E30611.....	50	E41302.....	195
E24302.....	6	E30612.....	50	E41304.....	195
E24304.....	5	E30613.....	50	E41305.....	195
E24306.....	4	E30614.....	50	E41307.....	193
E24308.....	3	E30615.....	50	E41308.....	176
E24310.....	5	E30616.....	49	E41309.....	198
E24312.....	2	E30618.....	48	E41310.....	196
E24320.....	72	E30621.....	87	E41312.....	193
E24323.....	72	E30622.....	88	E41318.....	197
E24324.....	72	E30623.....	86	E41319.....	198
E24326.....	71	E30624.....	87	E41321.....	198
E24327.....	70	E30625.....	86	E41323.....	197
E24590.....	28	E30631.....	88	E41324.....	197
E24591.....	28	E30640.....	64	E41326.....	173
E24593.....	27	E30644.....	64	E41328.....	175

INDEX
















E41329.....	181	E41388.....	189	E41540.....	170
E41330.....	174	E41403.....	200	E41542.....	170
E41333.....	178	E41404.....	200	E41544.....	170
E41334.....	155	E41440.....	148	E42400.....	200
E41335.....	156	E41443.....	147	E42403.....	200
E41344.....	192	E41445.....	147	E42404.....	200
E41346.....	192	E41446.....	146		
E41348.....	192	E41460.....	151		
E41350.....	206	E41463.....	152		
E41357.....	201	E41464.....	152		
E41358.....	201	E41465.....	152		
E41360.....	208	E41467.....	149		
E41363.....	207	E41468.....	150		
E41364.....	207	E41470.....	190		
E41365.....	206	E41481.....	144		
E41366.....	207	E41483.....	144		
E41367.....	208	E41484.....	143		
E41368.....	164	E41485.....	160		
E41369.....	206	E41486.....	160		
E41370.....	204	E41488.....	159		
E41371.....	208	E41493.....	166		
E41373.....	177	E41495.....	166		
E41374.....	180	E41497.....	162		
E41375.....	180	E41499.....	162		
E41376.....	186	E41500.....	171		
E41378.....	186	E41502.....	172		
E41380.....	182	E41504.....	172		
E41381.....	182	E41524.....	194		
E41382.....	182	E41526.....	194		
E41383.....	204	E41530.....	168		
E41385.....	188	E41532.....	168		
E41386.....	187	E41534.....	167		

FINISHES, GLASS












Code	Finish
AL	Aluminum
BK	Black
BP	Brushed Platinum
BRZ	Anodized Bronze
BZ	Bronze
CHP	Champagne
COF	Coffee
GLD	Gold
GM	Gunmetal
GY	Matte Gay
MPLT	Multi-Plated
MS	Metallic Silver
MW	Matte White
NW	Navaho White
NWD	Natural Wood
OI	Oil Rubbed Bronze
PC	Polished Chrome
RG	Rose Gold
SA	Satin Aluminum
SB	Steel Blue
SC	Brushed Copper
SL	Silver Leaf
SN	Satin Nickel
WT	White

Code	Glass
09	Frost White
11	Matte White
18	Clear
19	Lead - Glass
20	Crystal
24	Clear
75	Clear Acrylic
82	Heavy Faceted
83	Clear Acrylic
91	Bubble
93	Frost/Clear Acrylic
138	Smoke
160	Crystalline

LAMPING GUIDE

Linedrawings	Item	Type	Base	Watt	Description
	BUCF-FT18-2G11-830	CF	2G11	18	18W CFL Twin 4 Pin 2G11 Bulb 3000K
	BUCF-FT36-2G11-830	CF	2G11	36	36W CFL Twin 4 Pin 2G11 Bulb 3000K
	BUCF-CFQ13-G24Q-1-827	CF	G24q-1	13	13W CFL Quad 4 Pin G24q-1 Bulb 2700K
	BUCF-CFQ18-G24Q-2-827	CF	G24q-2	18	18W CFL Quad 4 Pin G24q-2 Bulb 2700K
	BUCF-CFQ26-G24Q-3-827	CF	G24q-3	26	26W CFL Quad 4 Pin G24q-3 Bulb 2700K
	BUCF-CFQ26-G24Q-3-830	CF	G24q-3	26	26W CFL Quad 4 Pin G24q-3 Bulb 3000K
	BUCF-CFQ13-GX23-2-827	CF	GX23-2	13	13W CFL Quad Bi-Pin GX23-2 Bulb 2700K
	BUF-SP13-GU24-827	F	GU24	13	13W FL Spiral GU24 Bulb 2700K
	BUF-SP18-GU24-827	F	GU24	18	18W FL Spiral GU24 Bulb 2700K
	BUF-SP26-GU24-827	F	GU24	26	26W FL Spiral GU24 Bulb 2700K
	BUF-SPLP13-GU24-827	F	GU24	13	13W FL Low Profile Spiral GU24 Bulb 2700K
	BUF-SPLP18-GU24-827	F	GU24	18	18W FL Low Profile Spiral GU24 Bulb 2700K
	BUF-F13T5-831	F	T5	13	13W FL T5 Linear Mini Bi-Pin Bulb 3100K 21"L
	BUF-F16T5-831	F	T5	16	16W FL T5 Linear Mini Bi-Pin Bulb 3100K 23.5"L
	BUF-F21T5-827	F	T5	21	21W FL T5 Linear Mini Bi-Pin Bulb 2700K 34"L
	BUF-F21T5-830	F	T5	21	21W FL T5 Linear Mini Bi-Pin Bulb 3000K 34"L
	BUF-F24T5-835	F	T5	24	24W FL T5 Linear Mini Bi-Pin Bulb 3500K 22"L
	BUF-F26T5-831	F	T5	26	26W FL T5 Linear Mini Bi-Pin Bulb 3100K 41.5"L
	BUF-F39T5-835	F	T5	39	39W FL T5 Linear Mini Bi-Pin Bulb 3500K 34"L
	BUF-F8T5-831	F	T5	8	8W FL T5 Linear Mini Bi-Pin Bulb 3100K
	BUF-FC8T9-WW	F	T9	22	22W FL T9 Circline 4 Pin Bulb 2700K
	BUF-FC12T9-WW	F	T9	32	32W FL T9 Circline 4 Pin Bulb 2700K
	BUF-FC16T9-WW	F	T9	40	40W FL T9 Circline 4 Pin Bulb 3100K
	BUH-50W-PAR20-FL-CL-120V	H	E26	50	50W Halogen PAR20 120V Bulb Clear
	BUH-35W-GU10-CL-120V	H	GU10	35	35W Halogen GU10 110-130V Bulb Clear
	BUH-50W-GU10-CL-120V	H	GU10	50	50W Halogen GU10 110-130V Bulb Clear
	BUI-40W-T10-E26-IF-120V	I	E26	40	40W Incandescent MB T10 120V Bulb Inside Frost
	BUI-60W-T10-E26-IF-120V	I	E26	60	60W Incandescent MB T10 120V Bulb Inside Frost
	BUI-40W-ST58-E26-CL-120V	I	E26	40	40W Incandescent MB ST58 120V Bulb Clear
	BUI-60W-ST64-E26-CL-120V	I	E26	60	60W Incandescent MB ST64 120V Bulb Clear
	BUL-4W-E12-T-CL-120V-827	L	E12	4	LED Filament 4W E12 Candelabra 2700K 400 Lumens
	BUL-.2W-G3-CL-12V	L	G3	0.2	.2W LED G3 12V 3500K Bulb Clear
	BUL-1.5W-G4-CL-12V	L	G4	1.5	1.5W LED G4 12V 3000K Bulb Clear (See Supp Descr) 100 Lumens
	BUL-2.3W-G9-CL-120V-835	L	G9	2.3	2.3W LED G9 3500K 120V Bulb Clear 180 Lumens
	BUL-2.9W-G9-CL-120V-827	L	G9	2.9	2.9W LED G9 2700K 120V Bulb Clear 190 Lumens
	BUL-2.9W-G9-CL-120V-835	L	G9	2.9	2.9W LED G9 3500K 120V Bulb Clear 200 Lumens



Linedrawings	Item	Type	Base	Watt	Description
	BUL-5W-GU10-FT-120V-830	L	GU10	5	5W Dimmable LED GU10 3000K 120V Bulb Clear 315 Lumens
	BUL-11W-GU24-CL-120V-830	L	GU24	11	11W LED GU24 3000K 120V Clear 900 Lumens
	BUL-7W-GU24-CL-120V-830	L	GU24	7	7W LED GU24 3000K 120V Clear
	BUL-9W-GU24-FT-120V-830	L	GU24	9	9W Dimmable LED GU24 3000K 120V Bulb Frosted 700 Lumens
	BUL-3W-MR11-CL-12V	L	MR11	3	3W LED MR11 12V 3000K Bulb Clear
	BUL-3W-MR16-FL-CL-12V	L	MR16	3	3W LED MR16 3000K 12V Bulb Clear 220 Lumens
	BUL-7W-MR16-FL-CL-12V	L	MR16	7	7W LED MR16 3000K 12V Clear 550 Lumens
	BUL-11W-PAR30-CL-120V-830	L	PAR30	11	11W Dimmable LED PAR30 3000K 120V 610 Lumens
	BUL-16W-PAR38-CL-120V-830	L	PAR38	16	16W Dimmable LED PAR38 3000K 120V 850 Lumens
	BUX-10W-G4-CL-12V	X	G4	10	10W Xenon Bi-Pin G4 12V Bulb Clear
	BUX-10W-G4-FT-12V	X	G4	10	10W Xenon Bi-Pin G4 12V Bulb Frosted
	BUX-20W-G4-CL-12V	X	G4	20	20W Xenon Bi-Pin G4 12V Bulb Clear
	BUX-20W-G4-FT-12V	X	G4	20	20W Xenon Bi-Pin G4 12V Bulb Frosted
	BUX-35W-G4-CL-12V	X	G4	35	35W Xenon Bi-Pin G4 12V Bulb Clear
	BUX-35W-G6.35-CL-12V	X	G6.35	35	35W Xenon Bi-Pin G6.35 12V Bulb Clear
	BUX-35W-G6.35-FT-12V	X	G6.35	35	35W Xenon Bi-Pin G6.35 12V Bulb Frosted
	BUX-50W-G6.35-CL-12V	X	G6.35	50	50W Xenon Bi-Pin G6.35 12V Bulb Clear
	BUX-50W-G6.35-FT-12V	X	G6.35	50	50W Xenon Bi-Pin G6.35 12V Bulb Frosted
	BUX-20W-G8-CL-120V	X	G8	20	20W Xenon Bi-Pin G8 120V Bulb Clear
	BUX-25W-G9-CL-120V	X	G9	25	25W Xenon Bi-Pin G9 120V Bulb Clear 250 Lumens
	BUX-25W-G9-FT-120V	X	G9	25	25W Xenon Bi-Pin G9 120V Bulb Frosted
	BUX-40W-G9-CL-120V	X	G9	40	40W Xenon Bi-Pin G9 120V Bulb Clear 400 Lumens
	BUX-40W-G9-FT-120V	X	G9	40	40W Xenon Bi-Pin G9 120V Bulb Frosted
	BUX-50W-G9-CL-120V	X	G9	50	50W Xenon Bi-Pin G9 120V Bulb Clear 550 Lumens
	BUX-50W-G9-FT-120V	X	G9	50	50W Xenon Bi-Pin G9 120V Bulb Frosted
	BUX-18W-WEDGE-CL-12V	X	WEDGE	18	18W Xenon Xelogen Wedge 12V Bulb Clear

Bulb Type Glossary

CF - Compact Fluorescent

F - Fluorescent

H - Halogen

I - Incandescent

L - LED

X - Xenon

Warranty and Other Information

- For specific and detailed warranty information, ask your ET2 Contemporary Lighting sales representative or visit www.et2online.com/warranty.
- ET2 Contemporary Lighting reserves the right to change details of design, materials, colors and finishes. Color may vary from what is pictured due to limitations inherent to the photographic process.
- Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do installations. Always install to a mechanically sound structure.
- Products in this supplement are UL or ETL certified. All electrical products are certified and listed to standards for use in the United States of America or Canada.
- Lamps are not included unless otherwise noted.
- Printed in China



ET2 Contemporary Lighting is a trademark of Maxim Lighting International, Inc.

StarStrand and CounterMax are registered trademarks of Maxim Lighting International, Inc.

All designs, logos, products and images © Copyright 2018 ET2 Contemporary Lighting.

All Rights Reserved.

#ET2lighting





Contemporary Lighting™

LETCAT1801
\$5.00



ET2 Contemporary Lighting

☎ Tel: (664) 623 7143
✉ info@luztra.mx
Paseo De los Héroes 2503
Zona Río, Tijuana, B.C. CP 22010
www.luztra.mx