



MONTE  CARLO

CEILING FAN COMPANY

June 2018



88" Maverick Super Max  
3MAVR88RZW  
Matte White Housing,  
Matte White Hand-Carved Blades

## INTRODUCING: MAVERICK IN MATTE WHITE

Maverick's 3-blade design is ultra-modern and sleek, with hand-carved balsa wood blades that are as beautiful as they are functional. Maverick fans are available in six finish options including the newest finish, Matte White.\*

\*99" Maverick Grand not available in Matte White.

# VISUAL INDEX



56" AKOVA LED  
PG. 6

EN★ LED DC DAMP



52" DISCUS CLASSIC  
PG. 9

LED



44" DISCUS CLASSIC II  
PG. 11

LED



52" MAVERICK II  
PG. 4

EN★ DC DAMP



72" PRAIRIE GRAND  
PG. 12

EN★ LED DC DAMP



62" PRAIRIE  
PG. 13

EN★ LED DC DAMP



52" PRAIRIE II  
PG. 14

EN★ LED DC DAMP



56" TURBINE LED  
PG. 7

LED DC

**EN★ ENERGY STAR QUALIFIED**  
Meets strict energy efficiency guidelines set by the EPA and Department of Energy

**LED LED**  
Has integrated LED or has an LED option

**DC DC MOTOR**  
Has DC Motor which generates more power than regular AC motors while using 70% less energy

**DAMP DAMP RATED**  
Safety listed for damp location

# 52" MAVERICK II



**3MAVR52BKBK**  
Matte Black Housing, Matte Black Hand-Carved Blades



**3MAVR52BK**  
Matte Black Housing, Dark Walnut Hand-Carved Blades



**3MAVR52BS**  
Brushed Steel Housing, Dark Walnut Hand-Carved Blades



**3MAVR52BSKOA**  
Brushed Steel Housing, Koa Hand-Carved Blades



**3MAVR52AGP**  
Aged Pewter Housing, Light Grey Weathered Oak Hand-Carved Blades



**3MAVR52RZW**  
Matte White Housing, Matte White Hand-Carved Blades

## 52" MAVERICK II

EN★ DC DAMP

### BLADES

(3) Blades (Included)  
Variable Blade Pitch  
52" Blade Sweep

### MOUNTING

Maximum Slope Angle with Included Hardware: 15°  
Minimum Ceiling Height: 8.5'


### INCLUDED CONTROLS

Hand-Held Remote, 6-Speed, Reverse

### COMPATIBLE ACCESSORIES

Wall Control: ESSWC-7-WH  
Slope Ceiling Canopy Kit: MC95

### FAN SPECIFICATIONS



- A. Fixture Drop: 13.9"
- B. Blade Drop: 13.7"
- C. Housing Width: 5.4"
- D. Downrods: 6" (additional lengths pg. 15)
- E. Motor Size: 85mm X 28mm

### FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	27 Watts	18 Watts
AIRFLOW	5889 CFM	3807 CFM
ENERGY COSTS	N/A	\$5 Per Year
EFFICIENCY	217 CFM/Watt	208 CFM/Watt

# 56" AKOVA LED

EN★ LED DC DAMP

## BLADES

(3) Blades (Included)  
Variable Blade Pitch  
56" Blade Sweep

## LAMPING

Integrated Downlight: 20W LED, 1600 Lumens  
CCT: 2700K  
CRI: 90+

## MOUNTING

Maximum Slope Angle with Included Hardware: 20°  
Minimum Ceiling Height: 8'


## INCLUDED CONTROLS/ACCESSORIES

Hand-Held Remote, 6-Speed, Reverse  
Finishing Cap For Use Without Light

## COMPATIBLE ACCESSORIES

Slope Ceiling Canopy Kit MC95

## FAN SPECIFICATIONS



- A. Fixture Drop: 14.4"
- B. Blade Drop: 6.37"
- C. Housing Width: 8.5"
- D. Downrods: 4.5" (additional lengths pg.15)
- E. Motor Size: 125mm X 20mm

## FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	34 Watts	25 Watts
AIRFLOW	4515 CFM	3279 CFM
ENERGY COSTS	N/A	\$7 Per Year
EFFICIENCY	133 CFM/Watt	131 CFM/Watt



**3AKR56BKD**

Matte Black Housing, Matte Black ABS Blades



**3AKR56CHD**

Chrome Housing, Silver ABS Blades



**3AKR56RZWD**

Matte White Housing, Matte White ABS Blades

# 56" TURBINE LED

LED DC

## BLADES

(8) Blades (Included)  
15° Blade Pitch  
56" Blade Sweep

## LAMPING

Integrated Downlight: 20W LED, 750 Lumens Net  
Integrated Uplight: 10W LED, 360 Lumens Net  
CCT: 2700K  
CRI: 90+

## MOUNTING

Maximum Slope Angle with Included Hardware: 30°  
Minimum Ceiling Height: 8.5'


## INCLUDED CONTROLS/ACCESSORIES

Hand-Held Remote, 6-Speed, Reverse,  
Independent Uplight and Downlight Dimmers

## COMPATIBLE ACCESSORIES

Slope Ceiling Canopy Kit: MC95

## FAN SPECIFICATIONS



- A. Fixture Drop: 19.1"
- B. Blade Drop: 15.4"
- C. Housing Width: 9.1"
- D. Downrods: 8" (additional lengths pg. 15)
- E. Motor Size: 165mm X 25mm




### 8TNR56BKD-V1

Matte Black Housing, Matte Black Blades  
Matte Opal Glass Shade



### 8TNR56PBSD-V1

Painted Brushed Steel Housing, Painted Brushed Steel Blades  
Matte Opal Glass Shade



### 8TNR56PRZWD-V1

Matte White Housing, Matte White Blades  
Matte Opal Glass Shade

## FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	32 Watts	22 Watts
AIRFLOW	8211 CFM	6045 CFM
ENERGY COSTS	N/A	\$6
EFFICIENCY	257 CFM/Watt	274 CFM/Watt

# 52" DISCUS CLASSIC



**5DIC52BKD**  
Matte Black Housing, Matte Black Blades  
Matte Opal Glass Shade



**5DIC52RBD**  
Roman Bronze Housing, Roman Bronze/American Walnut Reversible Blades  
Matte Opal Glass Shade





**5DIC52BSD**

Brushed Steel Housing, Silver/American Walnut Reversible Blades  
Matte Opal Glass Shade



**5DIC52PND**

Polished Nickel Housing, Silver/American Walnut Reversible Blades  
Matte Opal Glass Shade



**5DIC52AGPD**

Aged Pewter Housing, Light Grey Weathered Oak Blades  
Matte Opal Glass Shade



**5DIC52WHD**

White Housing, White Blades  
Matte Opal Glass Shade

## 52" DISCUS CLASSIC

LED

**BLADES**

(5) Blades (Included)  
12° Blade Pitch  
52" Blade Sweep

**LAMPING**

Integrated Downlight 20W LED, 715 Lumens Net  
CCT: 2700K  
CRI: 90+

**MOUNTING**

Maximum Slope Angle with Included Hardware: 30°  
Minimum Ceiling Height: 8'


**INCLUDED CONTROLS**

Pull Chain Operation, 3-Speed, Manual Reverse Switch

**COMPATIBLE ACCESSORIES**

NEO Remote Controls: MCRC1 (Hand-Held) and MCRC3 (Wall-Mount)  
Exclusive Finishing Cap: MC360, for Use Without Light Kit  
Slope Ceiling Canopy Kit: MC95

**FAN SPECIFICATIONS**



- A. Fixture Drop: 15.6"
- B. Blade Drop: 10.7"
- C. Housing Width: 11.1"
- D. Downrods: 4.5" (additional lengths available pg. 15)
- E. Motor Size: 153mm X 18mm

**FTC ENERGY GUIDE**

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	65.1 Watts	41 Watts
AIRFLOW	4758 CFM	3415 CFM
ENERGY COSTS	N/A	\$11 Per Year
EFFICIENCY	73.1 CFM/Watt	83 CFM/Watt

# 44" DISCUS CLASSIC II



**5DIC44BKD**

Matte Black Housing, Matte Black Blades  
Matte Opal Glass Shade



**5DIC44RBD**

Roman Bronze Housing, Roman Bronze/American Walnut Reversible Blades  
Matte Opal Glass Shade



**5DIC44BSD**

Brushed Steel Housing, Silver/American Walnut Reversible Blades  
Matte Opal Glass Shade



**5DIC44PND**

Polished Nickel Housing, Silver/American Walnut Reversible Blades  
Matte Opal Glass Shade



**5DIC44AGPD**

Aged Pewter Housing, Light Grey Weathered Oak Blades  
Matte Opal Glass Shade



**5DIC44WHD**

White Housing, White Blades  
Matte Opal Glass Shade

## 44" DISCUS CLASSIC II

LED

**BLADES**

(5) Blades (Included)  
12° Blade Pitch  
44" Blade Sweep

**LAMPING**

Integrated Downlight: 20W LED, 715 Lumens Net  
CCT: 2700K  
CRI: 90+

**MOUNTING**

Maximum Slope Angle with Included Hardware: 30°  
Minimum Ceiling Height: 8'


**INCLUDED CONTROLS**

Pull Chain Operation, 3-Speed, Manual Reverse Switch

**COMPATIBLE ACCESSORIES**

NEO Remote Controls: MCRC1 (Hand-Held) and MCRC3 (Wall-Mount)  
Exclusive Finishing Cap: MC360, for Use Without Light Kit  
Slope Ceiling Canopy Kit: MC95

**FAN SPECIFICATIONS**



A. Fixture Drop: 15.1"  
B. Blade Drop: 10.7"  
C. Housing Width: 11.1"  
D. Downrods: 4.5" (additional lengths available pg. 15)  
E. Motor Size: 153mm X 18mm

**FTC ENERGY GUIDE**

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	58 Watts	37 Watts
AIRFLOW	3954 CFM	2850 CFM
ENERGY COSTS	N/A	\$10 Per Year
EFFICIENCY	68 CFM/Watt	77 CFM/Watt

# 72" PRAIRIE GRAND

EN★ LED DC DAMP

## BLADES

(14) Blades (Included)  
14° Blade Pitch  
72" Blade Sweep

## LAMPING

Integrated Downlight: 15W LED, 740 Lumens Net  
CCT: 2700K  
CRI: 90+

## MOUNTING

Maximum Slope Angle with Included Hardware: 20°  
Minimum Ceiling Height: 8.5'


## INCLUDED CONTROLS/ACCESSORIES

Hand-Held Remote, 6-Speed, Reverse and LED Light Dimmer  
Finishing Cap For Use Without Light

## COMPATIBLE ACCESSORIES

Slope Ceiling Canopy Kit: MC95

## FAN SPECIFICATIONS



- A. Fixture Drop: 14.1"
- B. Blade Drop: 13.7"
- C. Housing Width: 6.9"
- D. Downrods: 6" (additional lengths pg. 15)
- E. Motor Size: 125mm X 25mm

## FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	33 Watts	21 Watts
AIRFLOW	7519 CFM	5326 CFM
ENERGY COSTS	N/A	\$6 Per Year
EFFICIENCY	228 CFM/Watt	251 CFM/Watt



### 14PRR72AGPD

Aged Pewter Housing  
Distressed Grey Weathered Oak Blades  
Frosted Lexan Shade



### 14PRR72BSD

Brushed Steel Housing  
Washed Oak/Silver Reversible Blades  
Frosted Lexan Shade  
(Shown with Finishing Cap for Use Without Light)

# 62" PRAIRIE

EN★ LED DC DAMP



## 14PRR62AGPD

Aged Pewter Housing  
Distressed Grey Weathered Oak Blades  
Frosted Lexan Shade  
(Shown with Finishing Cap for Use Without Light)

### BLADES

(14) Blades (Included)  
14° Blade Pitch  
62" Blade Sweep

### LAMPING

Integrated Downlight: 15W LED, 740 Lumens Net  
CCT: 2700K  
CRI: 90+

### MOUNTING

Maximum Slope Angle with Included Hardware: 20°  
Minimum Ceiling Height: 8.5'


### INCLUDED CONTROLS/ACCESSORIES

Hand-Held Remote, 6-Speed, Reverse and LED Light Dimmer  
Finishing Cap For Use Without Light

### COMPATIBLE ACCESSORIES

Slope Ceiling Canopy Kit: MC95

### FAN SPECIFICATIONS



- A. Fixture Drop: 14.1"
- B. Blade Drop: 13.7"
- C. Housing Width: 6.9"
- D. Downrods: 6" (additional lengths pg. 15)
- E. Motor Size: 125mm X 25mm



## 14PRR62BSD

Brushed Steel Housing  
Washed Oak/Silver Reversible Blades  
Frosted Lexan Shade

### FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	34 Watts	22.7 Watts
AIRFLOW	7233 CFM	5003 CFM
ENERGY COSTS	N/A	\$6 Per Year
EFFICIENCY	213 CFM/Watt	221 CFM/Watt

# 52" PRAIRIE II

EN★ LED DC DAMP

## BLADES

(14) Blades (Included)  
14° Blade Pitch  
52" Blade Sweep

## LAMPING

Integrated Downlight: 15W LED, 740 Lumens Net  
CCT: 2700K  
CRI: 90+

## MOUNTING

Maximum Slope Angle with Included Hardware: 20°  
Minimum Ceiling Height: 8.5'


## INCLUDED CONTROLS/ACCESSORIES

Hand-Held Remote, 6-Speed, Reverse and LED Light Dimmer  
Finishing Cap For Use Without Light

## COMPATIBLE ACCESSORIES

Slope Ceiling Canopy Kit: MC95

## FAN SPECIFICATIONS



- A. Fixture Drop: 14.1"
- B. Blade Drop: 13.7"
- C. Housing Width: 6.9"
- D. Downrods: 6" (additional lengths pg. 15)
- E. Motor Size: 125mm X 25mm

## FTC ENERGY GUIDE

STANDARD	HIGH SPEED	WEIGHTED AVERAGE
ELECTRICITY	23 Watts	16 Watts
AIRFLOW	5069 CFM	3310 CFM
ENERGY COSTS	N/A	\$4 Per Year
EFFICIENCY	220 CFM/Watt	211 CFM/Watt



### 14PRR52AGPD

Aged Pewter Housing  
Distressed Grey Weathered Oak Blades  
Frosted Lexan Shade



### 14PRR52BSD

Brushed Steel Housing  
Washed Oak/Silver Reversible Blades  
Frosted Lexan Shade

Ceiling fan downrods are used for high ceilings to lower the fan closer to the floor, maximizing the fan's airflow. Our decorative .5" diameter downrods are threaded on one end with pre-drilled holes on both ends. The threaded end of the downrod should be installed in the ball, inside the ceiling canopy.

For optimum performance, we recommend that your ceiling fan be installed with the blades suspended between 8' and 9' above the floor.

CEILING HEIGHT	9 FT	10 FT	11 FT	12 FT	13 FT	14 FT	15 FT
SUGGESTED LENGTH	12 IN	18 IN	24 IN	36 IN	48 IN	60 IN	72 IN
AGED BRASS	DR12AGB	DR18AGB	DR24AGB	DR36AGB	DR48AGB	DR60AGB	DR72AGB
AGED PEWTER	DR12AGP DRM12AGP*	DR18AGP	DR24AGP DRM24AGP*	DR36AGP DRM36AGP*	DR48AGP DRM48AGP*	DR60AGP	DR72AGP
BRONZE	DR12BZ DRM12BZ*	N/A	DRM24BZ*	DRM36BZ*	DRM48BZ*	N/A	N/A
BRUSHED PEWTER	DR12BP	DR18BP	DR24BP	DR36BP	DR48BP	DR60BP	DR72BP
BRUSHED STEEL	DR12BS DRM12BS*	DR18BS	DR24BS DRM24BS*	DR36BS DRM36BS*	DR48BS DRM48BS*	DR60BS	DR72BS
CHROME	DR12CH	DR18CH	DR24CH	DR36CH	DR48CH	DR60CH	N/A
ESPRESSO	DR12ES	DR18ES	DR24ES	DR36ES	DR48ES	DR60ES	DR72ES
GRAY	DR12GRY	DR18GRY	DR24GRY	DR36GRY	DR48GRY	DR60GRY	DR72GRY
KOA	DR12KOA	DR18KOA	DR24KOA	DR36KOA	DR48KOA	DR60KOA	DR72KOA
BLACK	DR12BK DRM12BK*	DR18BK	DR24BK DRM24BK*	DR36BK DRM36BK*	DR48BK DRM48BK*	DR60BK	DR72BK
MATTE GRAY	DR12GR	DR18GR	DR24GR	DR36GR	DR48GR	DR60GR	DR72GR
OIL RUBBED BRONZE	DR12OZ	DR18OZ	DR24OZ	DR36OZ	DR48OZ	DR60OZ	DR72OZ
POLISHED NICKEL	DR12PN	DR18PN	DR24PN	DR36PN	DR48PN	DR60PN	DR72PN
ROMAN BRONZE	DR12RB	DR18RB	DR24RB	DR36RB	DR48RB	DR60RB	DR72RB
MATTE BLACK	DR12RZB	DR18RZB	DR24RZB	DR36RZB	DR48RZB	DR60RZB	DR72RZB
MATTE WHITE	DR12RZW DRM12RZW*	DR18RZW	DR24RZW DRM24RZW*	DR36RZW DRM36RZW*	DR48RZW DRM48RZW*	DR60RZW	DR72RZW
TUSCAN BRONZE	DR12TB	DR18TB	DR24TB	DR36TB	DR48TB	DR60TB	DR72TB
TITANIUM	DR12TI	DR18TI	DR24TI	DR36TI	DR48TI	DR60TI	DR72TI
WHITE	DR12WH	DR18WH	DR24WH	DR36WH	DR48WH	DR60WH	DR72WH
WEATHERED IRON	DR12WI	DR18WI	DR24WI	DR36WI	DR48WI	DR60WI	DR72WI

\*For use with Minimalist and Minimalist Max Fans Only



7400 Linder Avenue  
Skokie, IL 60077

Phone: 800.519.4092  
Fax: 866.490.7765

[www.montecarlofans.com](http://www.montecarlofans.com) | [@montecarlofanco](https://twitter.com/montecarlofanco)