



Home Solutions  
**Sea Gull Lighting®**

GENERATION LIGHTING









Welcome to Generation Lighting and our Sea Gull Home Solutions product offering. We have been in the lighting industry since 1919, and have evolved over the generations by always delivering on our promise of attentive and meticulous design at impeccable value.

Our product assortment has also evolved to serve the complete needs of today's homeowner. From space, to function, to style, to energy efficiency, we offer a complete solution.

## Home Solutions **Sea Gull Lighting®**




















# TABLE OF CONTENTS

---

THE LATEST IN LED TECHNOLOGY	4
ENERGY STAR	7
REFERENCE GUIDE	9
 VISUAL INDEX	10 - 47
 INDOOR COLLECTIONS	48 - 251
 PENDANT COLLECTIONS	252 - 317
 CEILING COLLECTIONS	318 - 337
 WALL / BATH COLLECTIONS	338 - 417
 CEILING FANS	418 - 433
 OUTDOOR COLLECTIONS	434 - 547
 RECESSED LIGHTING	548 - 567
 UNDERCABINET LIGHTING	568 - 587
 RESOURCES	588 - 599
 INDEX BY ITEM NUMBER	600 - 621
INDEX BY COLLECTION	624 - 625

---



Sea Gull Lighting  
LED Replacement lamps

## THE LATEST IN LED TECHNOLOGY

Sea Gull Lighting is always hard at work designing LED fixtures that are truly residential & project friendly. Early LED offered great energy efficiency but was extremely expensive to purchase and had an unappealing bluish white light. In working with our manufacturing partners, we have developed affordable decorative LED fixtures across all categories that produce, warm white light just like that of a traditional light bulb along with the inherent benefits of low energy consumption and long life.

LED lighting technologies continue to evolve at a rapid pace just as local and national regulatory requirement also change quickly. Sea Gull Lighting is always hard at work designing LED fixtures that meet the latest requirements.

The benefits of offering both Integrated LED and Replacement LED are:

- Integrated LED fixtures allows you to design around the minimalistic characteristics of an LED light source along with maximizing long life ratings and highest efficiency options in lighting applications.



JANE 200 LED TAPE, p.570



TRAVERSE II 6", p.557

- Screw-in LED replacement bulbs are one of the easiest ways to improve the energy efficiency and ease of maintenance in a home. We have a number of options that meets various applications. See chart to the left.

For technical information on our replacement bulbs, please go to page 594 of this catalog.




## AFFORDABILITY

While historically LED has been considered too expensive for many applications, we offer an LED selection that is on par – and in some cases even lower in price -- than fluorescent. We have been able to do this by leveraging our scale and capitalizing on cost-saving technology. At the same time, we have not compromised the quality, utilizing only the industry's best LED technology.

## QUALITY OF LIGHT


Most of our LED solutions are 90+ Color Rendering Index (CRI is a measure, on a scale of 1 to 100, of how accurately a light source presents colors when compared to an incandescent light.) and a color temperature of 3000k.

## WARM-ON-DIM TECHNOLOGY

Virtually all of Sea Gull Lighting's LED fixtures incorporate our new, proprietary, warm-on-dim module. Unlike most LED fixtures on the market, this proprietary technology enables you to enjoy dimming performance much like that of an incandescent lamp: as the LED fixture is dimmed the color of the light becomes much warmer (think going from crisp white down to the warm glow of candle light). For Sea Gull Lighting items with Warm-on-dim options, look for this icon .

## DIMMING

We realize that different activities call for different levels of light and have engineered every Sea Gull Lighting LED fixture to be dimmable. While we suggest electronic low voltage (ELV) dimmers for optimal performance, other types of dimmers are also supported.




WARM-ON-DIM LETS YOU CHANGE A ROOM'S MOOD IN SECONDS.








# ENERGY STAR®: SAVING MONEY & THE ENVIRONMENT

When you buy products with the blue  label, you know you are buying products which have been tested by third-party laboratories and confirmed to be more energy efficient than traditional light fixtures. This increased efficiency means lower electrical bills and less greenhouse gases released into the atmosphere. At Sea Gull Lighting, our ENERGY STAR® qualified products use approximately 80% less energy than their standard incandescent equivalents and also come with the added bonus of an extra two years of warranty coverage.

As a Charter Partner of the ENERGY STAR® program with the Environmental Protection Agency and Department of Energy since 1992, Sea Gull Lighting understands the importance of conserving our natural resources and finding ways to light our homes and offices more efficiently. In this catalog, you will find over 1,000 products which are ENERGY STAR® qualified.


LIFETIME SAVINGS

ENERGY STAR® certified bulbs use 70-90% less energy than incandescent bulbs, last at least 15 times longer, and save you about \$80 in energy bills over their lifetime.



Total Cost \$99

(15) 43-Watt Incandescent Light Bulbs



Total Cost \$18

(1) 9-Watt LED ENERGY STAR® Certified Light Bulb

Savings figures based on 15,000 hour LED lifetime; 1,000 hour incandescent lifetime; an average lifetime electric rate of 11¢ per kWh; an LED price of \$4; and an incandescent price of \$2.



Sea Gull Lighting is committed to providing stylish and functional lighting for all areas of the USA and Canada. Meeting Energy Star and California CEC Title 24 specifications is crucial for Sea Gull to remain your full service lighting company.

All light fixtures and ceiling fans used in new construction must meet these new specifications. Please visit [www.energy.ca.gov](http://www.energy.ca.gov) for a complete list of the changing regulations.

Meanwhile, Sea Gull Lighting introduces our new 2018 Full Line Catalog with new visual icons found on the following page to help simplify your California purchasing decisions.

Please visit our website for timely updates and newly available products. We have added a “California Energy Commission Certified Products” tab where these products will be shown. Or, of course you can call our world class customer service team with any questions.

Sea Gull Lighting—happy to be your CEC Title 24 resource!

Product Shown: (2) Lonoke Three Light Pendants in Stardust





# REFERENCE GUIDE

## FINISHES

Our products come in a vast array of finishes to complement any décor. When placing your order you can ensure that you have the correct finish by verifying the finish code located after the hyphen in each item number.

Antique Bronze	[-71]	Flemish Bronze	[-845]	Satin Aluminum	[-04]
Antique Brushed Nickel	[-965]	Forged Iron	[-185]	Satin Bronze	[-848]
Autumn Bronze	[-715]	Heirloom Bronze	[-782]	Stardust	[-846]
Black	[-12]	Obsidian Mist	[-802]	Statuary Bronze	[-51]
Blacksmith	[-839]	Oxford Bronze	[-746]	Tinted Aluminum	[-986]
Bronze	[-10]	Oxidized Bronze	[-46]	Two Tone Nickel	[-773]
Brushed Nickel	[-962]	Painted Antique Bronze	[-171]	Washed Pine	[-872]
Brushed Pewter	[-255]	Painted Brushed Nickel	[-753]	Weathered Copper	[-44]
Brushed Stainless	[-98]	Pewter	[-155]	Weathered Pewter	[-57]
Burled Iron	[-780]	Plated Bronze	[-787]	White	[-15]
Burnt Sienna	[-710]	Polished Brass	[-02]		
Chrome	[-05]	Roman Bronze	[-191]		

## ICONS

Throughout this catalog you will find these icons which represent special features of our products.

**NEW** **New**  
These fixtures are new 2018 launches.

**T24** **Title 24**  
Can be used to comply with California Energy Commission (CEC) 2016 Title 24 Part 6 High Efficacy LED Light Source Requirements **if used with lamps (not included) that are registered and appear in the CEC Appliance Database.**

**T24** **Title 24**  
Can be used to comply with California Energy Commission (CEC) 2016 Title 24 Part 6 High Efficacy LED Light Source Requirements **if used with included lamps that are registered and appear in the CEC Appliance Database.**

**T24** **Title 24**  
Can be used to comply with California Energy Commission (CEC) 2016 Title 24 Part 6 High Efficacy LED Light Source Requirements. These fixtures are registered and appear in the CEC Appliance Database.

**T24** **Title 24**  
Can be used to comply with California Energy Commission (CEC) 2016 Title 24 Part 6 High Efficacy LED Light Source Requirements. **These fixtures are not required to be registered with the CEC nor appear in the CEC Appliance Database (generally fluorescent and outdoor inseparable LED luminaires).**

**WOD** **Integrated LED with warm-on-dim**  
LED fixture for which the color temperature warms as the fixture dims.

**EN★** **ENERGY STAR® Qualified**  
Meets strict energy efficiency guidelines set by the EPA and Department of Energy.

**LED** **LED**  
Has integrated LED or has an LED option

**ADA** **ADA Compliant**  
Meets the 4" maximum extension requirement of the Americans with Disabilities Act.

**FL** **Fluorescent Light Source**  
Has a fluorescent option.

**WET** **Wet Rated**  
Is UL and c-UL listed for wet location.

**DAMP** **Damp Rated**  
Is UL and c-UL listed for damp location.

**Dark Sky**  
Has 180° light cut-off to minimize light pollution in the night sky.

**Wildlife Friendly Lighting**  
When used with lamp #97501S, the amber LED @590nm complies with marine turtle safe lighting requirements within coastal regions.

**50LB** **Weights over 50lbs.**  
This fixture weighs over 50 pounds and must be supported independently of outlet box.

**SS** **StoneStrong**  
Constructed with a unique synthetic composite engineered to withstand even the harshest environmental conditions, and backed by a 5-year warranty.



FOLLOW US ON FACEBOOK, TWITTER, INSTAGRAM, PINTEREST & HOUZZ

ACADEMY

INDOOR p.190-195 BATH p.370

FINISHES	GLASS
CHROME [-05]	SATIN WHITE
BRUSHED NICKEL [-962]	SATIN WHITE
HEIRLOOM BRONZE [-782]	SATIN WHITE

EN★ WOD DAMP T24 T24



Extra Large Pendant



Large Pendant



Medium Pendant



Small Pendant



Large Ceiling Semi-Flush Mount



Medium Ceiling Semi-Flush Mount



One Light Wall/Bath



Two Light Wall/Bath



Three Light Wall/Bath



Four Light Wall/Bath



Coordinated Ceiling Fan

ALTURAS

INDOOR p.114-119 BATH p.350

FINISHES	GLASS
BRUSHED NICKEL [-962]	ETCHED, WHITE INSIDE
SATIN BRONZE [-848]	ETCHED, WHITE INSIDE
CHROME [-05] WALL / BATH ONLY	ETCHED, WHITE INSIDE

EN★ DAMP T24 T24



Nine Light Chandelier



Five Light Chandelier



Three Light Chandelier



Three Light Pendant



One Light Mini-Pendant



Two Light Semi-Flush Convertible Pendant



Ceiling Flush Mounts



One Light Wall/Bath



Two Light Wall/Bath



Three Light Wall/Bath



Four Light Wall/Bath



Coordinated Ceiling Fan



### BANNOCK

INDOOR p.104-109 BATH p.381

#### FINISHES

BRUSHED NICKEL  
[-962]

HEIRLOOM BRONZE  
[-782]

#### GLASS

SATIN ETCHED

SATIN ETCHED

EN★ DAMP T24 T24



Nine Light  
Chandelier



Five Light  
Chandelier



Three Light  
Chandelier



One Light  
Mini-Pendant



Two Light  
Semi-Flush  
Convertible Pendant



Ceiling  
Flush  
Mounts



One Light  
Wall/Bath



Two Light  
Wall/Bath



Three Light  
Wall/Bath



Four Light  
Wall/Bath



Coordinated  
Ceiling Fan

### BELTON

INDOOR p.172-177 BATH p.365

#### FINISHES

BRUSHED NICKEL  
[-962]

HEIRLOOM BRONZE  
[-782]

#### GLASS

CLEAR SEEDED

CLEAR SEEDED

DAMP EN★ T24 T24



Five Light  
Chandelier



Three Light  
Chandelier



Four Light  
Island Pendant



One Light  
Pendant



One Light  
Mini-Pendant



Ceiling  
Flush  
Mounts



Two Light  
Semi-Flush  
**NEW**



Three Light  
Semi-Flush  
**NEW**



One Light  
Wall/Bath



Two Light  
Wall/Bath



Three Light  
Wall/Bath



Four Light  
Wall/Bath



Coordinated  
Ceiling Fan

# VISUAL INDEX

## INDOOR COLLECTIONS

### CANFIELD NEW

INDOOR p.50-55 BATH p.340

#### FINISHES

BURN'T SIENNA  
[-710]

BRUSHED NICKEL  
[-962]

#### GLASS

ETCHED GLASS,  
WHITE INSIDE

ETCHED GLASS,  
WHITE INSIDE



Fifteen Light  
Chandelier



Nine Light  
Chandelier



Five Light  
Chandelier



Three Light  
Chandelier



Three Light Uplight  
Pendant

EN★ 50Lb DAMP T24 T24



Three Light Semi-Flush  
Ceiling Mount



One Light  
Wall/Bath



Two Light  
Wall/Bath



Three Light  
Wall/Bath



Four Light  
Wall/Bath



Coordinated  
Ceiling Fan

### CARONDELET

INDOOR p.208-208 BATH p.378

#### FINISHES

ANTIQUE BRUSHED  
NICKEL [-965]

BURN'T SIENNA  
[-710]

#### GLASS

CRYSTAL

CRYSTAL



Six Light  
Chandelier



Four Light  
Chandelier



Two Light  
Semi-Flush  
Convertible Pendant



Two Light  
Ceiling  
Flush Mount



One Light  
Mini-Pendant

EN★ DAMP T24 T24



One Light  
Wall/Bath



Two Light  
Wall/Bath



Three Light  
Wall/Bath



Four Light  
Wall/Bath



Coordinated  
Ceiling Fan

### CENTRA

INDOOR p.164-165

#### FINISH

BRUSHED  
STAINLESS [-98]

#### GLASS

SATIN WHITE



Large  
Semi-Flush  
Convertible Pendant



Large Ceiling  
Flush Mount



Medium  
Ceiling  
Flush Mount



Small  
Ceiling  
Flush Mount



Two Light  
Wall/Bath



Coordinated  
Ceiling Fan

EN★ WOD T24 T24 T24 ADA DAMP



### CHATAUQUA

INDOOR p.122-127

#### FINISHES

ANTIQUE BRONZE  
[-71]

STARDUST  
[-846]

#### GLASS

ETCHED,  
WHITE INSIDE

ETCHED,  
WHITE INSIDE

EN★ DAMP T24 T24



Six Light  
Hall / Foyer  
**NEW**



Five Light  
Chandelier



Four Light  
Island Pendant



Three Light  
Chandelier  
**NEW**



Three Light  
Hall/Foyer



One Light  
Mini-Pendant



Ceiling  
Flush  
Mounts



Coordinated  
Ceiling Fan

### CORBEILLE

INDOOR p.232-235

#### FINISH

STARDUST  
[-846] W/CERUSED  
OAK ACCENTS

#### GLASS

CREME  
PARCHMENT

EN★ T24 T24 DAMP



Nine Light  
Chandelier



Five Light  
Chandelier



Three Light  
Pendant



Two Light  
Semi-Flush  
Convertible Pendant



Two Light  
Ceiling  
Flush Mount



Coordinated  
Ceiling Fan

### CORSICANA

INDOOR p.120-121

#### FINISH

HEIRLOOM BRONZE  
[-782]

#### GLASS

WHITE CAPIZ SHELL

EN★ DAMP T24 T24



Five Light  
Chandelier



Three Light  
Chandelier



One Light  
Mini-Pendant



Ceiling  
Flush  
Mounts



Coordinated  
Ceiling Fan

VISUAL INDEX

INDOOR COLLECTIONS

COWEN NEW

INDOOR p.56-59 BATH p.347

FINISH  
OBSIDIAN MIST  
[-802]



Six Light  
Hall / Foyer



Five Light  
Island Pendant



Three Light  
Pendant



Two Light Semi-Flush  
Convertible Pendant



One Light  
Mini-Pendant

DAMP T24



One Light  
Wall/Bath

DAVLIN NEW

INDOOR p.60-61

FINISH  
STARDUST  
[-846]



Six Light  
Large Hall / Foyer



Four Light  
Medium Hall / Foyer



Three Light  
Small Hall / Foyer

EN★ DAMP T24

DRISCOLL

INDOOR p.160-163 BATH p.361

FINISHES	GLASS
BRUSHED NICKEL [-962]	ETCHED, WHITE INSIDE
SATIN BRONZE [-848]	ETCHED, WHITE INSIDE
CHROME [-05] WALL/BATH ONLY	ETCHED, WHITE INSIDE



Nine Light  
Chandelier



Five Light  
Chandelier



Three Light  
Chandelier



One Light  
Mini-Pendant



Ceiling  
Flush  
Mounts

EN★ DAMP T24 T24



One Light  
Wall/Bath



Two Light  
Wall/Bath



Three Light  
Wall/Bath



Four Light  
Wall/Bath



Coordinated  
Ceiling Fan



### DUNNING

INDOOR p.204-207 BATH p.375

#### FINISH

STARDUST  
[-846] W/CERUSED  
OAK ACCENTS

#### GLASS

CREME  
PARCHMENT



Five Light  
Chandelier



Three Light  
Chandelier



Four Light  
Island Pendant



One Light  
Mini-Pendant

EN★ DAMP T24 T24



Two Light  
Ceiling  
Flush Mount



One Light  
Wall/Bath



Two Light  
Wall/Bath



Three Light  
Wall/Bath



Four Light  
Wall/Bath



Coordinated  
Ceiling Fan

### ELLINGTON

INDOOR p.216-219

#### FINISH

BURNT SIENNA  
[-710]

#### GLASS

CAFE TINT W/CASE  
WHITE INSIDE



Eighteen Light  
Chandelier



Twelve Light  
Chandelier



Nine Light  
Chandelier



Six Light  
Chandelier



Coordinated  
Ceiling Fan

EN★ T24 T24

### ELSA NEW

INDOOR p.62-65 BATH p.342

#### FINISH

HEIRLOOM BRONZE  
[-782]

#### GLASS

CLEAR SEEDED



Five Light  
Chandelier



Three Light  
Chandelier



Three Light  
Ceiling Flush Mount



Two Light  
Ceiling Flush Mount



One Light  
Pendant



One Light  
Wall/Bath

EN★ DAMP T24 T24



Two Light  
Wall/Bath



Three Light  
Wall/Bath



Four Light  
Wall/Bath

EMMONS

INDOOR p.86-91 BATH p.391

FINISHES	GLASS
 BRUSHED NICKEL [-962]	 SATIN ETCHED
 HEIRLOOM BRONZE [-782]	 SATIN ETCHED



Nine Light  
Chandelier



Five Light  
Chandelier



Three Light  
Chandelier



Three Light  
Pendant



One Light  
Mini-Pendant



Two Light  
Semi-Flush

EN★ DAMP T24 T24



Ceiling  
Flush  
Mounts



One Light  
Wall/Bath



Two Light  
Wall/Bath



Three Light  
Wall/Bath



Four Light  
Wall/Bath



Coordinated  
Ceiling Fan

ENGLEHORN

INDOOR p.136-139 BATH p.358

FINISH	GLASS
 CHROME [-05]	 ETCHED, WHITE INSIDE



Nine Light  
Chandelier



Five Light  
Chandelier



Two Light  
Semi-Flush  
Convertible Pendant



One Light  
Mini-Pendant



Ceiling  
Flush  
Mounts



One Light  
Wall/Bath

EN★ DAMP T24 T24



Two Light  
Wall/Bath



Three Light  
Wall/Bath



Four Light  
Wall/Bath



Coordinated  
Ceiling Fan



### FRANPORT NEW

INDOOR p.66-71 BATH p.343

#### FINISHES

BURNT SIENNA  
(-710)

BRUSHED NICKEL  
(-962)

#### GLASS

ETCHED GLASS,  
WHITE INSIDE

ETCHED GLASS,  
WHITE INSIDE



Fifteen Light  
Chandelier



Nine Light  
Chandelier



Five Light  
Chandelier



Three Light  
Chandelier

EN★ DAMP T24 T24 50Lb



One Light  
Wall/Bath



Two Light  
Wall/Bath



Three Light  
Wall/Bath



Four Light  
Wall/Bath



Coordinated  
Ceiling Fan

### GOLIAD

INDOOR p.178-179

#### FINISH

BLACKSMITH  
(-839)

#### GLASS

ETCHED,  
WHITE INSIDE



Five Light  
Hall/Foyer



Three Light  
Hall/Foyer



One Light  
Mini-Pendant



Ceiling  
Flush  
Mounts



Coordinated  
Ceiling Fan

EN★ DAMP T24 T24

### HANFORD

INDOOR p.166-171 BATH p.364

#### FINISHES

BRUSHED NICKEL  
(-962)

BURNT SIENNA  
(-710)

#### GLASS

SATIN ETCHED

SATIN ETCHED



Fifteen Light  
Chandelier



Nine Light  
Chandelier



Five Light  
Chandelier



Three Light  
Hall/Foyer



Three Light  
Pendant



One Light  
Mini-Pendant

EN★ DAMP T24 T24 50Lb



Three Light  
Semi-Flush  
Convertible Pendant



Ceiling  
Flush  
Mounts



One Light  
Wall/Bath



Two Light  
Wall/Bath



Three Light  
Wall/Bath



Four Light  
Wall/Bath



Coordinated  
Ceiling Fan

HETTINGER

INDOOR p.80-85 BATH p.348

FINISHES	GLASS
 BRUSHED NICKEL [-962]	 ETCHED, WHITE INSIDE
 BURNT SIENNA [-710]	 ETCHED, WHITE INSIDE
 CHROME [-05] WALL / BATH ONLY	 ETCHED, WHITE INSIDE

EN★ DAMP T24 T24



Nine Light Chandelier



Six Light Chandelier



Three Light Pendant



One Light Mini-Pendant



Two Light Semi-Flush Convertible Pendant



Ceiling Flush Mounts



One Light Wall/Bath



Two Light Wall/Bath



Three Light Wall/Bath



Four Light Wall/Bath



Coordinated Ceiling Fan

HOLMAN

INDOOR p.242-249 BATH p.390

FINISHES	GLASS
 BRUSHED NICKEL [-962]	 SATIN ETCHED
 HEIRLOOM BRONZE [-782]	 SATIN ETCHED

EN★ T24 T24



Nine Light Chandelier



Nine Light Chandelier



Five Light Chandelier



Five Light Chandelier



Three Light Chandelier



Three Light Chandelier



Six Light Hall/Foyer



Three Light Hall/Foyer



Three Light Pendant



One Light Pendant



One Light Mini-Pendant



Two Light Semi-Flush Convertible Pendant



Ceiling Flush Mounts



One Light Wall/Bath



Two Light Wall/Bath



Three Light Wall/Bath



Four Light Wall/Bath



Coordinated Ceiling Fan



### KERRVILLE

INDOOR p.140-147 BATH p.354

#### FINISHES

- BRUSHED NICKEL [-962]
- CHROME [-05]
- HEIRLOOM BRONZE [-782]

#### GLASS

- SATIN ETCHED
- SATIN ETCHED
- SATIN ETCHED

EN★ DAMP T24 T24



Nine Light Chandelier



Five Light Chandelier



Three Light Chandelier



Three Light Pendant



One Light Pendant



Two Light Semi-Flush Convertible Pendant



One Light Mini-Pendant



Ceiling Flush Mounts



One Light Wall/Bath



Two Light Wall/Bath



Three Light Wall/Bath



Four Light Wall/Bath



Coordinated Ceiling Fan

### METCALF

INDOOR p.180-185 BATH p.368

#### FINISHES

- BRUSHED NICKEL [-962]
- AUTUMN BRONZE [-715]

#### GLASS

- SATIN ETCHED
- SATIN ETCHED

EN★ DAMP T24 T24



Nine Light Chandelier



Five Light Chandelier



Three Light Chandelier



Three Light Pendant



One Light Pendant



One Light Mini-Pendant



Two Light Semi-Flush Convertible Pendant



Ceiling Flush Mounts



One Light Wall/Bath



Two Light Wall/Bath



Three Light Wall/Bath



Four Light Wall/Bath



Coordinated Ceiling Fan

### MOFFET STREET

NEW

INDOOR p.72-75

#### FINISH

- WASHED PINE [-872]

EN★ DAMP T24 T24



Eight Light Hall / Foyer



Six Light Island Pendant



Four Light Hall / Foyer



Three Light Hall / Foyer



One Light Wall/Bath

VISUAL INDEX

INDOOR COLLECTIONS

MORILL

INDOOR p.110-113 BATH p.374

FINISH	GLASS
BLACKSMITH [-839]	CLEAR SEEDED



Nine Light Chandelier



Five Light Chandelier



Three Light Chandelier



Three Light Hall/Foyer



One Light Pendant  
NEW



Two Light Semi-Flush  
NEW

EN★ DAMP T24 T24



Three Light Ceiling Flush Mount  
NEW



Ceiling Flush Mounts



One Light Wall/Bath



Two Light Wall/Bath



Three Light Wall/Bath



Four Light Wall/Bath



Coordinated Ceiling Fan

NANCE

INDOOR p.98-103 BATH p.360

FINISHES	SHADES
BRUSHED NICKEL [-962]	OFF-WHITE FAUX SILK
HEIRLOOM BRONZE [-782]	OFF-WHITE FAUX SILK



Nine Light Chandelier



Five Light Chandelier



Three Light Chandelier



Three Light Pendant



Two Light Semi-Flush Convertible Pendant

EN★ DAMP T24 T24



Ceiling Flush Mounts



One Light Wall/Bath



Two Light Wall/Bath



Three Light Wall/Bath



Coordinated Ceiling Fan






### OSLO

INDOOR p.128-135 BATH p.353

#### FINISHES

	CHROME [1-05]
	BRUSHED NICKEL [1-962]
	BLACKSMITH [1-839]

#### GLASS

	CASED OPAL ETCHED
	CASED OPAL ETCHED
	CASED OPAL ETCHED

EN★ DAMP T24 T24



Nine Light  
Chandelier



Five Light  
Chandelier



Three Light  
Chandelier



Three Light  
Island Pendant



One Light  
Pendant



One Light  
Mini-Pendant



Two Light  
Semi-Flush  
Convertible Pendant



Ceiling  
Flush  
Mounts



One Light  
Wall/Bath



Two Light  
Wall/Bath



Three Light  
Wall/Bath



Four Light  
Wall/Bath





Coordinated  
Ceiling Fan

### PARKFIELD

INDOOR p.198-203 BATH p.373

#### FINISHES

	BRUSHED NICKEL [1-962]
	FLEMISH BRONZE [1-845]

#### GLASS

	ETCHED, WHITE INSIDE
	CREPE PARCHMENT

EN★ DAMP T24 T24



Nine Light  
Chandelier



Five Light  
Chandelier



Three Light  
Downlight  
Chandelier



Three Light  
Pendant



One Light  
Pendant



One Light  
Mini-Pendant



Two Light  
Semi-Flush  
Convertible Pendant



Two Light  
Ceiling  
Flush Mount



One Light  
Wall/Bath



Two Light  
Wall/Bath



Three Light  
Wall/Bath



Four Light  
Wall/Bath



Coordinated  
Ceiling Fan

### RAVENWOOD MANOR

INDOOR p.196-197

#### FINISH

	STARDUST [1-846]
---	---------------------

DAMP T24



Nine Light  
Chandelier



Eight Light  
Chandelier



Five Light  
Chandelier

# VISUAL INDEX

## INDOOR COLLECTIONS

### SEVILLE NEW

INDOOR p.76-79 BATH p.344-345

#### FINISHES

	BURNT SIENNA [-710]
	BRUSHED NICKEL [-962]

#### GLASS

	ETCHED GLASS, WHITE INSIDE
	ETCHED GLASS, WHITE INSIDE



Nine Light  
Chandelier



Five Light  
Chandelier



Five Light  
Downlight Chandelier



Three Light  
Chandelier



One Light  
Wall/Bath

EN★ DAMP T24 T24



Two Light  
Wall/Bath



Three Light  
Wall/Bath



Four Light  
Wall/Bath



Five Light  
Wall/Bath


### SFERA

INDOOR p.186-189 BATH p.369

#### FINISHES

	AUTUMN BRONZE [-715]
	AUTUMN BRONZE [-715]
	AUTUMN BRONZE [-715]

#### GLASS

	MERCURY
	CAFE TINT INDOOR ITEMS ONLY
	SMOKY AMBER WALL/BATH ONLY



Six Light  
Chandelier



Four Light  
Chandelier



Three Light  
Pendant



One Light  
Mini-Pendant



Three Light  
Ceiling  
Flush Mount



Two Light  
Semi-Flush  
Convertible Pendant



One Light  
Wall/Bath

EN★ DAMP T24 T24



Two Light  
Wall/Bath



Three Light  
Wall/Bath



Four Light  
Wall/Bath



Coordinated  
Ceiling Fan

### SOCORRO

p.212-215

#### FINISH

	STARDUST [-846] W/CERUSED OAK ACCENTS
--	---



Six Light  
Chandelier



Six Light  
Chandelier



Four Light  
Chandelier



Six Light  
Hall/Foyer



Four Light  
Hall/Foyer

EN★ DAMP T24 T24

### STIRLING

INDOOR p.154-159 BATH p.359

#### FINISHES

BRUSHED  
NICKEL [-962]

BURNT  
SIENNA [-710]

CHROME  
[-05]  
WALL / BATH  
ONLY

#### SHADES

WHITE  
LINEN

BEIGE  
LINEN

#### GLASS

WALL / BATH ONLY

CASED OPAL  
ETCHED

CASED OPAL  
ETCHED

CASED OPAL  
ETCHED

EN★ DAMP T24 T24



Nine Light  
Chandelier



Five Light  
Chandelier



Three Light  
Chandelier



Six Light  
Island Pendant



Four Light  
Island Pendant



Three Light  
Pendant



One Light  
Pendant



One Light  
Mini-Pendant



Two Light  
Semi-Flush  
Convertible Pendant



Two Light  
Ceiling  
Flush Mount



One Light  
Wall Sconce



One Light  
Wall/Bath



Two Light  
Wall/Bath



Three Light  
Wall/Bath



Four Light  
Wall/Bath



Coordinated  
Ceiling Fan



SUSSEX

INDOOR p.220-225 BATH p.384

FINISHES		GLASS	
	BRUSHED NICKEL [-962]		SATIN WHITE
	HEIRLOOM BRONZE [-782]		SATIN ETCHED
	CHROME [-05] WALL / BATH ONLY		SATIN WHITE

EN★ DAMP T24 T24



Nine Light  
Chandelier



Five Light  
Chandelier



Three Light  
Chandelier



Three Light  
Hall/Foyer



Three Light  
Island Pendant



One Light  
Pendant



One Light  
Mini-Pendant



Three Light  
Semi-Flush  
Convertible Pendant



Three Light  
Ceiling  
Semi-Flush Mount



Ceiling  
Flush  
Mounts



One Light  
Wall/Bath



Two Light  
Wall/Bath



Three Light  
Wall/Bath



Four Light  
Wall/Bath



Coordinated  
Ceiling Fan

TOWNER

INDOOR p.92-97 BATH p.347

FINISHES		SHADES	
	BRUSHED NICKEL [-962]		BLACK STEEL
	SATIN BRONZE [-848]		BLACK STEEL

EN★ DAMP T24 T24



Seven Light  
Chandelier



Five Light  
Chandelier



Five Light  
Cluster  
NEW



Three Light  
Chandelier



Three Light  
Cluster  
NEW



One Light  
Mini-Pendant



One Light  
Wall/Bath  
NEW



Ceiling  
Flush  
Mounts



Coordinated  
Ceiling Fan

### TRADITIONAL

INDOOR p.250-251

#### FINISHES

POLISHED BRASS  
[-02]

BRUSHED NICKEL  
[-962]

HEIRLOOM BRONZE  
[-782]

SMALL FIVE LIGHT  
CHANDELIER ONLY

EN★ T24 T24



Fifteen Light  
Chandelier



Ten Light  
Chandelier



Six Light  
Chandelier



Large Five Light  
Chandelier



Small Five Light  
Chandelier

### WHEATON

INDOOR p.236-241 BATH p.389

#### FINISHES

BRUSHED NICKEL  
[-962]

HEIRLOOM BRONZE  
[-782]

#### GLASS

SATIN ETCHED

SATIN ETCHED

EN★ T24 T24



Nine Light  
Chandelier



Five Light  
Chandelier



Three Light  
Chandelier



Three Light  
Pendant



One Light  
Pendant



One Light  
Mini-Pendant



Two Light  
Semi-Flush  
Convertible Pendant



Ceiling  
Flush  
Mounts



One Light  
Wall/Bath



Two Light  
Wall/Bath



Three Light  
Wall/Bath



Four Light  
Wall/Bath



Coordinated  
Ceiling Fan

WINDGATE

INDOOR p.226-231 BATH p.380

FINISHES		GLASS	
	BRUSHED NICKEL [-962]		ALABASTER
	HEIRLOOM BRONZE [-782]		ALABASTER
	CHROME [-05] WALL / BATH ONLY		ALABASTER

EN★ DAMP T24 T24



Five Light Uplight Chandelier



Five Light Downlight Chandelier



Three Light Uplight Chandelier



Three Light Downlight Chandelier



Two Light Pendant



Large One Light Pendant



One Light Pendant



One Light Mini-Pendant



Two Light Semi-Flush Convertible Pendant



Ceiling Flush Mounts



One Light Wall/Bath



Two Light Wall/Bath



Three Light Wall/Bath



Four Light Wall/Bath



Coordinated Ceiling Fan



### WINNETKA

INDOOR p.148-153 BATH p.356

#### FINISHES

BRUSHED NICKEL  
[I-962]

BLACKSMITH  
[I-839]

#### GLASS

SATIN ETCHED

SATIN ETCHED

EN★ DAMP T24 T24 50Lb



Fifteen Light  
Chandelier



Nine Light  
Chandelier



Five Light  
Chandelier



Three Light  
Chandelier



Four Light  
Pendant



Three Light  
Pendant



One Light  
Pendant



One Light  
Mini-Pendant



Two Light  
Semi-Flush  
Convertible Pendant



Three Light  
Ceiling  
Flush Mount



Two Light  
Ceiling  
Flush Mount



One Light  
Wall/Bath



Two Light  
Wall/Bath



Three Light  
Wall/Bath



Four Light  
Wall/Bath



Coordinated  
Ceiling Fan

ARILDA NEW

p.265

FINISHES		GLASS	
	HEIRLOOM BRONZE [-782]		CLEAR
	BRUSHED NICKEL [-962]		CLEAR



One Light  
Pendant

DAMP T24

BRETTON

p.284-285

FINISHES		GLASS	
	HEIRLOOM BRONZE [-782]		CLEAR
	BRUSHED NICKEL [-962]		CLEAR



Six Light  
Hall/Foyer



Three Light  
Semi-Flush  
Convertible Pendant



Two Light  
Semi-Flush  
Convertible Pendant

EN★ T24 T24

DAWES

p.270-271

FINISHES		GLASS	
	BRUSHED NICKEL [-962]		CLEAR SEEDED
	BURNT SIENNA [-710]		CLEAR SEEDED



Three Light  
Hall/Foyer

T24 T24

DAYNA

p.288-291

FINISHES		GLASS	
	BRUSHED NICKEL [-962]		CREAM FAUX SILK SHADE
	BURNT SIENNA [-710]		BEIGE FAUX LINEN SHADE



Four Light  
Island Pendant



Four Light  
Pendant



Three Light  
Pendant



Two Light  
Pendant



Two Light  
Flush/Semi-Flush  
Convertible

EN★ T24 T24

DENHELM

p.316

FINISHES		GLASS	
	BRUSHED NICKEL [-962]		ETCHED, WHITE INSIDE
	BURNT SIENNA [-710]		ETCHED, WHITE INSIDE



One Light  
Pendant

EN★ T24 T24

### FREDRICKSBURG

p.298-299

#### FINISHES

WEATHERED  
COPPER [-44]

SATIN ALUMINUM  
[-04]



Outdoor  
Pendant

EN★ DAMP WOD T24 T24 T24

### GEARY **NEW**

p.256-261

#### FINISHES

BLACKSMITH  
[-839]

BRUSHED NICKEL  
[-962]

HEIRLOOM BRONZE  
[-782]

BURNT SIENNA  
[-710]

#### GLASS

SATIN ETCHED

SATIN ETCHED

SATIN ETCHED

SATIN ETCHED



Four Light  
Large Pendant



Four Light  
Large Semi-Flush  
Pendant



Three Light  
Medium Pendant



Three Light  
Medium Semi-Flush  
Pendant



Two Light  
Small Semi-Flush  
Pendant

EN★ DAMP T24 T24

### GEREON **NEW**

p.262-263

#### FINISH

BLACK  
[-12]



Four Light  
Large Pendant



Three Light  
Medium Pendant



Two Light  
Semi-Flush  
Convertible Pendant



One Light  
Mini-Pendant



One Light  
Wall/Bath

DAMP T24

### GOODING

p.266-267

#### FINISHES

BRUSHED NICKEL  
[-962]

HEIRLOOM BRONZE  
[-782]

#### GLASS

OPAL

OPAL



Large Two  
Light Pendant



Medium One  
Light Pendant

EN★ DAMP T24 T24

### HARAMBEE

p.308-309

#### FINISHES

ANTIQUE BRUSHED  
NICKEL [-965]

HEIRLOOM BRONZE  
[-782]

#### GLASS

SEEDED WATER

MERCURY



Large  
One Light  
Pendant



Small  
One Light  
Pendant

EN★ DAMP T24 T24



HAVENWOOD

p.310-311

- FINISHES
- CHROME  
[-05]

AUTUMN BRONZE  
[-715]
- GLASS
- CLEAR

CLEAR



EN★ DAMP T24 T24

HUDSON STREET

p.296-297

- FINISHES
- SATIN ALUMINUM  
[-04]

BURNT SIENNA  
[-710]

STARDUST  
[-846]



EN★ DAMP T24 T24

HUNTSVILLE

p.278-279

- FINISHES
- HEIRLOOM BRONZE  
[-782]

BLACKSMITH  
[-839]



EN★ DAMP T24

JOURDANTON

p.286-287

- FINISHES
- BRUSHED NICKEL  
[-962]
- SHADE
- STAINLESS STEEL  
OUTER/CREAM  
FAUX SILK INNER




EN★ DAMP T24 T24

JEYNE **NEW**

p.264

- FINISHES
- WEATHERED  
COPPER [-44]

HEIRLOOM BRONZE  
[-782]



EN★ DAMP T24 T24

### KEA NEW

p.265

#### FINISHES

BRUSHED NICKEL  
[-962]

HEIRLOOM BRONZE  
[-782]

#### GLASS

CLEAR SEEDED

CLEAR SEEDED



One Light  
Pendant

DAMP T24

### LABETTE

p.272-273

#### FINISHES

HEIRLOOM BRONZE  
[-782]

BLACK  
[-12]



Large  
Four Light  
Pendant



Medium  
Three Light  
Pendant



Small  
Three Light  
Pendant

EN★ DAMP T24 T24

### LEO-HANGING GLOBE

p.254-255

#### FINISHES

WHITE  
[-15]

SATIN ALUMINUM  
[-04]  
LED ONLY

SATIN ALUMINUM  
[-04]  
LED ONLY

GLASS  
WHITE

GLASS  
WHITE

GLASS  
CLEAR SEEDED



Extra Large  
Pendant



Large  
Pendant



Medium  
Pendant  
NEW



Small  
Pendant

EN★ WOD T24 T24

### LOCKHEART

p.280-281

#### FINISHES

HEIRLOOM BRONZE  
[-782]

BLACKSMITH  
[-839]

#### GLASS

CLEAR

CLEAR



Eight Light  
Hall/Foyer



Four Light  
Hall/Foyer

EN★ DAMP T24 T24

### LONOKE

p.268-269

#### FINISHES

HEIRLOOM BRONZE  
[-782]

STARDUST  
[-846]



Large  
Four Light  
Pendant



Medium  
Three Light  
Pendant



Small  
Three Light  
Pendant

EN★ DAMP T24 T24

METROPOLIS

p.315

FINISH	GLASS
 BRUSHED NICKEL [-962]	 SATIN ETCHED



One Light  
Pendant

EN★ T24 T24

MONTREAL

p.315

FINISHES	GLASS
 ANTIQUE BRUSHED NICKEL [-962]	 ETCHED, WHITE INSIDE
 BURNT SIENNA [-710]	 CAFE TINT








One Light  
Pendant

EN★ T24 T24

PAINTED SHADE

p.314

FINISHES	
 EMERALD GREEN [-95]	 PAINTED ANTIQUE BRUSHED COPPER [-63]
 RED [-21]	 PAINTED BRUSHED STAINLESS [-98]
 WHITE [-15]	



One Light  
Pendant

EN★ WOD T24 T24


PERRYTON

p.274-277

FINISHES
 BLACKSMITH [-839]
 HEIRLOOM BRONZE [-782]



Eight Light  
Hall/Foyer



Eight Light  
Island Pendant



Large  
Four Light  
Hall/Foyer



Small  
Four Light  
Hall/Foyer

EN★ DAMP T24 T24

PRATT STREET METAL

p.300-303

FINISHES	GLASS
 BRUSHED NICKEL [-962]	 PRISMATIC DIFFUSER
 AUTUMN BRONZE [-715]	 PRISMATIC DIFFUSER



Large  
Pendant



Medium  
Pendant



Small  
Pendant

EN★ DAMP WOD T24 T24 T24



### PRATT STREET PRISMATIC

p.304-305

#### FINISHES

BRUSHED NICKEL [-962]

AUTUMN BRONZE [-715]

#### GLASS

PRISMATIC GLASS & DIFFUSER

PRISMATIC GLASS & DIFFUSER

EN★ DAMP T24 T24



Large Pendant



Medium Pendant



Small Pendant

### SEBRING

p.306-307

#### FINISHES

BRUSHED STAINLESS [-98]

WEATHERED COPPER [-44]

#### GLASS

CLEAR SEEDED

CLEAR SEEDED

DAMP DAMP WOD T24 T24



Pendant



Mini-Pendant

### SOMERTON

p.316

#### FINISHES

ANTIQUE BRUSHED NICKEL [-965]

BLACKSMITH [-839]

#### GLASS

SATIN ETCHED

CAFE TINT

EN★ T24 T24



Three Light Hall/Foyer



One Light Mini-Pendant

### STONE STREET

p.292-295

#### FINISHES

SATIN BRONZE [-848]

BRUSHED NICKEL [-962]

BURNT SIENNA [-710]

#### GLASS

SATIN ETCHED GLASS DIFFUSER

SATIN ETCHED GLASS DIFFUSER

SATIN ETCHED GLASS DIFFUSER

EN★ DAMP T24 T24



Three Light Pendant



Two Light Pendant



One Light Pendant

### TURBINIO

p.282

#### FINISH

BLACKSMITH [-839]



Ten Light Hall/Foyer



Eight Light Hall/Foyer



Six Light Hall/Foyer



Four Light Hall/Foyer

EN★ DAMP T24 T24

WESTMINSTER

p.312

FINISH

AUTUMN BRONZE  
[-715]

GLASS

CLEAR



Large  
Three Light  
Pendant



Small  
Three Light  
Pendant



Two Light  
Semi-Flush  
Convertible Pendant

EN★ DAMP T24 T24

### ALDRIDGE NEW

p.396

#### FINISH

BRUSHED NICKEL  
[-962]

#### GLASS

WHITE ACRYLIC  
DIFFUSER



Small LED  
Wall/Bath



Medium LED  
Wall/Bath



Large LED  
Wall/Bath

EN★ DAMP ADA T24

### ALEXANDRIA

p.392

#### FINISH

TWO TONE NICKEL  
[-773]

#### GLASS

HIGHLIGHTED  
SATIN ETCHED



Two Light  
Wall/Bath



Three Light  
Wall/Bath



Four Light  
Wall/Bath

EN★ DAMP T24 T24

### ASPERMONT

p.400

#### FINISH

BRUSHED NICKEL  
[-962]

#### GLASS

FROSTED ACRYLIC  
DIFFUSER



Small LED  
Wall/Bath



Medium LED  
Wall/Bath



Large LED  
Wall/Bath



Extra Large LED  
Wall/Bath

DAMP ADA T24 LED

### BAYFIELD

p.366

#### FINISHES

CHROME  
[-05]

BRUSHED NICKEL  
[-962]

BURNT SIENNA  
[-710]

#### GLASS

ETCHED, WHITE  
INSIDE

ETCHED, WHITE  
INSIDE

ETCHED, WHITE  
INSIDE



One Light  
Wall/Bath



Two Light  
Wall/Bath



Three Light  
Wall/Bath



Four Light  
Wall/Bath

EN★ DAMP T24 T24

### BRAUNFELS

p.402

#### FINISHES

SATIN ALUMINUM  
[-04]

BURNT SIENNA  
[-710]

#### GLASS

FROSTED ACRYLIC  
DIFFUSER & CLEAR  
ACRYLIC OUTER SHADE

FROSTED ACRYLIC  
DIFFUSER & CLEAR  
ACRYLIC OUTER SHADE



Small LED  
Wall/Bath



Medium LED  
Wall/Bath



Large LED  
Wall/Bath



Extra Large LED  
Wall/Bath

DAMP ADA T24 LED

BROOKCHESTER

p.395

FINISHES	GLASS
 CHROME [-05]	 CLEAR RIBBED
 POLISHED BRASS [-02]	 CLEAR RIBBED



Two Light  
Wall/Bath



Three Light  
Wall/Bath



Four Light  
Wall/Bath

DAMP T24 T24 EN★

CENTER STAGE

p.408

FINISHES
 CHROME [-05]
 BRUSHED STAINLESS [-98]



Three Light  
Wall/Bath



Four Light  
Wall/Bath



Five Light  
Wall/Bath



Six Light  
Wall/Bath



Eight Light  
Wall/Bath

DAMP T24

COLUSA

p.399

FINISH	GLASS
 BRUSHED NICKEL [-962]	 ACRYLIC DIFFUSER



Small LED  
Wall/Bath



Medium LED  
Wall/Bath



Large LED  
Wall/Bath



Extra Large LED  
Wall/Bath

DAMP ADA T24 LED

DE-LOVELY

p.409

FINISHES
 CHROME [-05]
 BRUSHED NICKEL [-962]



Four Light  
Wall/Bath



Six Light  
Wall/Bath



Eight Light  
Wall/Bath

DAMP T24

DENHELM

p.362

FINISHES	GLASS
 CHROME [-05]	 ETCHED, WHITE INSIDE
 BRUSHED NICKEL [-962]	 ETCHED, WHITE INSIDE
 BURNT SIENNA [-710]	 ETCHED, WHITE INSIDE



One Light  
Wall/Bath



Two Light  
Wall/Bath



Three Light  
Wall/Bath



Four Light  
Wall/Bath

EN★ DAMP T24 T24



## EAST BENTON NEW

p.397

### FINISHES

BRUSHED NICKEL  
[-962]

### GLASS

FROSTED ACRYLIC  
GLASS

EN★ DAMP T24 T24 ADA



Small LED  
Wall/Bath



Medium LED  
Wall/Bath



Large LED  
Wall/Bath

## EASTLAND

p.404

### FINISHES

SATIN ALUMINUM  
[-04]

### SHADE

FROSTED ACRYLIC  
DIFFUSER

DAMP ADA T24



Small LED  
Wall/Bath



Medium LED  
Wall/Bath



Large LED  
Wall/Bath



Extra Large LED  
Wall/Bath

## GLADSTONE

p.382-383

### FINISHES

CHROME  
[-05]

### GLASS

SATIN ETCHED

ANTIQUE BRUSHED  
NICKEL [-965]

SATIN ETCHED

HEIRLOOM BRONZE  
[-782]

SMOKY AMBER

EN★ DAMP T24 T24



One Light  
Wall/Bath



Two Light  
Wall/Bath



Three Light  
Wall/Bath



Four Light  
Wall/Bath



Five Light  
Wall/Bath



Six Light  
Wall/Bath

## HARAMBEE

p.377

### FINISHES

HEIRLOOM BRONZE  
[-782]

### GLASS

MERCURY

ANTIQUE BRUSHED  
NICKEL [-965]

SEDED WATER



One Light  
Wall/Bath

EN★ DAMP ADA T24 T24

MIDLAND

p.414

FINISH	GLASS
 BRUSHED NICKEL [-962]	 WHITE ACRYLIC DIFFUSER







Small Two Light  
Wall/Bath

Medium Two Light  
Wall/Bath

FL DAMP ADA T24

MONTREAL

p.386

FINISHES	GLASS
 ANTIQUE BRUSHED NICKEL [-965]	 ETCHED, WHITE INSIDE
 BURNT SIENNA [-710]	 CAFE TINT



One Light  
Wall/Bath



Two Light  
Wall/Bath



Three Light  
Wall/Bath







Four Light  
Wall/Bath

EN★ DAMP T24 T24

PRATT STREET  
SCONCES

p.376-377

FINISHES	GLASS
 AUTUMN BRONZE [-715]	 PRISMATIC GLASS DIFFUSER
 BRUSHED NICKEL [-962]	 PRISMATIC GLASS DIFFUSER
 SATIN BRONZE [-848] METAL ONLY	 PRISMATIC GLASS DIFFUSER



One Light  
Metal  
Wall Sconce





One Light  
Prismatic  
Wall Sconce

EN★ WOD DAMP T24 T24 T24

SAGEMORE

p.393

FINISH	GLASS
 CHROME [-05]	 SATIN ETCHED GLASS



Two Light  
Wall/Bath



Three Light  
Wall/Bath



Four Light  
Wall/Bath

EN★ DAMP T24 T24

VALVERDE

p.406

FINISH	GLASS
 SATIN ALUMINUM [-04]	 WHITE ACRYLIC DIFFUSER



Small LED  
Wall/Bath



Medium LED  
Wall/Bath



Large LED  
Wall/Bath

DAMP T24 LED

### VANDEVENTER

p.398

#### FINISH

BRUSHED NICKEL  
[-962]

#### GLASS

WHITE ACRYLIC  
DIFFUSER



Small LED  
Wall/Bath



Medium LED  
Wall/Bath



Large LED  
Wall/Bath

DAMP ADA T24 LED

### WASECA NEW

p.346

#### FINISHES

CHROME  
[-05]

BURNT SIENNA  
[-710]

#### GLASS

ETCHED, WHITE  
INSIDE

ETCHED, WHITE  
INSIDE



One Light  
Wall/Bath



Two Light  
Wall/Bath



Three Light  
Wall/Bath



Four Light  
Wall/Bath

EN★ DAMP T24 T24

### WESTMONT

p.394

#### FINISH

BRUSHED NICKEL  
[-962]

#### GLASS

SATIN WHITE



Two Light  
Wall/Bath



Three Light  
Wall/Bath






Four Light  
Wall/Bath

EN★ DAMP T24 T24

## ADDRESS LIGHTS

p.547

### FINISHES

	WHITE [-15]
	ANTIQUE BRONZE POWDERCOAT [-71]
	BLACK [-12]

WET LED



120V LED



Low-Voltage

## BAKERSVILLE

p.530-531

### FINISHES

	HEIRLOOM BRONZE [-782] NOT AVAILABLE FOR FLUSH MOUNT
	BLACK [-12]

### GLASS

	CLEAR OR SATIN ETCHED
---	--------------------------

	CLEAR OR SATIN ETCHED
---	--------------------------

EN★ DAMP WET T24 T24



One Light  
Outdoor  
Wall Lantern



One Light  
Outdoor  
Wall Lantern



Two Light  
Outdoor Ceiling  
Flush Mount

## BAYSIDE

p.534-535

### FINISHES

	WHITE [-15]
	BLACK [-12]

### GLASS

	FROSTED RIBBED DIFFUSER
---	----------------------------

	FROSTED RIBBED DIFFUSER
---	----------------------------

EN★ ADA WET T24 T24



One Light  
Outdoor  
Wall Lantern



One Light  
Outdoor  
Wall Lantern



One Light  
Outdoor  
Wall Lantern



One Light  
Outdoor  
Wall/Ceiling Mount



One Light  
Outdoor  
Wall/Ceiling Mount


## BRENTWOOD

p.504-507

### FINISHES

	BLACK [-12]
--	----------------

### GLASS

	CLEAR OR SMOOTH WHITE
---	--------------------------

EN★ DAMP WET T24 T24



One Light  
Outdoor  
Pendant



One/Three  
Light Outdoor  
Post Lantern



Large One  
Light Outdoor  
Wall Lantern



Medium One Light  
Downlight Outdoor  
Wall Lantern



Medium One Light  
Uplight Outdoor  
Wall Lantern



Small One  
Light Outdoor  
Wall Lantern






Two Light  
Outdoor Ceiling  
Flush Mount

## CALDER NEW

p.438-439

### FINISHES

	CHROME [-05]
	BRUSHED NICKEL [-962]
	BURNT SIENNA [-710]

### GLASS

	ETCHED, WHITE INSIDE
---	-------------------------

	ETCHED, WHITE INSIDE
---	-------------------------

	ETCHED, WHITE INSIDE
---	-------------------------

EN★ DAMP T24 T24 SS WET



One Light  
Outdoor  
Pendant



One/Three  
Light Outdoor  
Post Lantern



Large One  
Light Outdoor  
Wall Lantern



Medium One Light  
Downlight Outdoor  
Wall Lantern



Small One  
Light Outdoor  
Wall Lantern



### CAPE MAY

p.490

#### FINISHES

BURLED IRON  
[-780]

#### GLASS

ETCHED HAMMERED  
W/LIGHT AMBER TINT

EN★ WOD DAMP WET ☾  
T24 T24 T24



Outdoor  
Post  
Lantern



Extra Large  
Outdoor  
Wall Lantern



Large  
Outdoor  
Wall Lantern



Medium  
Outdoor  
Wall Lantern



Small  
Outdoor  
Wall Lantern

### CHATHAM

p.500-503

#### FINISHES

WEATHERED  
COPPER [-44]

OXIDIZED BRONZE  
[-46]

#### GLASS

CLEAR SEEDED OR  
FROSTED SEEDED

CLEAR SEEDED OR  
FROSTED SEEDED

EN★ WOD DAMP WET ☾  
T24 T24 T24



One/Two  
Light Outdoor  
Pendant



One/Two  
Light Outdoor  
Post Lantern



Large One/Two  
Light Outdoor  
Wall Lantern



Small One  
Light Outdoor  
Wall Lantern

### CHILDRESS

p.470-473

#### FINISHES

ANTIQUE BRONZE  
[-71]

BLACK  
[-12]

#### GLASS

SATIN ETCHED

SATIN ETCHED

EN★ WOD DAMP WET  
T24 T24 T24



Outdoor  
Pendant



Outdoor  
Post  
Lantern



Extra Large  
Outdoor  
Wall Lantern



Large  
Outdoor  
Wall Lantern



Medium  
Outdoor  
Wall Lantern



Small  
Outdoor  
Wall Lantern



Outdoor  
Ceiling  
Flush Mount

### CLASSICO

p.526-527

#### FINISHES

POLISHED BRASS  
[-02]

BLACK  
[-12]

#### GLASS

CLEAR BEVELED

CLEAR BEVELED

DAMP WET T24



One Light  
Outdoor Semi-Flush  
Convertible Pendant



One Light  
Outdoor  
Post Lantern



Large One  
Light Outdoor  
Wall Lantern



Medium One  
Light Outdoor  
Wall Lantern



Small One  
Light Outdoor  
Wall Lantern

### CONROE

p.462-465

#### FINISHES

WEATHERED  
COPPER [-44]

BLACK  
[-12]

#### GLASS

CLEAR OR  
CLEAR SEEDED

CLEAR OR  
CLEAR SEEDED

EN★ WOD ADA WET  
T24 T24 T24



Large Three  
Light Outdoor  
Wall Lantern



Medium Two  
Light Outdoor  
Wall Lantern



Small One  
Light Outdoor  
Wall Lantern



Large LED  
Outdoor  
Wall Lantern



Medium LED  
Outdoor  
Wall Lantern



Small LED  
Outdoor  
Wall Lantern

CRITTENDEN

p.450

FINISHES

SATIN ALUMINUM  
[-04]

BLACK  
[-12]



One Light  
Outdoor  
Wall Lantern

EN★ WET T24 T24

FREDRICKSBURG

p.460-461

FINISHES

WEATHERED  
COPPER [-44]

SATIN ALUMINUM  
[-04]



Outdoor  
Pendant



Large Outdoor  
Wall Lantern



Small Outdoor  
Wall Lantern

EN★ WOD DAMP WET T24 T24 T24

GAELAN NEW

p.440-441

FINISHES

BLACK  
[-12]

PAINTED BRUSHED  
NICKEL [-753]

GLASS

WHITE

CLEAR RIBBED



Outdoor  
Pendant



Large  
Outdoor  
Wall Lantern



Medium  
Outdoor  
Wall Lantern



Small  
Outdoor  
Wall Lantern

EN★ DAMP T24 T24 SS

GALVYN NEW

p.442-445

FINISHES

ANTIQUE BRONZE  
[-71]

BLACK  
[-12]

GLASS

SATIN ETCHED

SATIN ETCHED



Outdoor  
Pendant



Outdoor  
Post  
Lantern



Extra Large  
Outdoor  
Wall Lantern



Large  
Outdoor  
Wall Lantern



Medium  
Outdoor  
Wall Lantern



Small  
Outdoor  
Wall Lantern

EN★ SS DAMP WET T24 T24 T24

HERMITAGE

p.496-499

FINISHES

ANTIQUE BRONZE  
[-71]

ANTIQUE BRONZE  
[-71]

ANTIQUE BRUSHED  
NICKEL [-965]

GLASS

FROSTED  
LED ONLY

CLEAR

CLEAR



Outdoor  
Pendant



Outdoor  
Post  
Lantern



Large  
Outdoor  
Wall Lantern



Medium  
Outdoor  
Wall Lantern



Small  
Outdoor  
Wall Lantern

EN★ WOD DAMP WET T24 T24 T24

### HERRINGTON

p.508-509

#### FINISHES

BLACK [-12]  
BLACK [-12]

#### GLASS

CLEAR SEEDED  
ETCHED, WHITE INSIDE LED ONLY

EN★ DAMP WET T24 T24



One Light Outdoor Pendant



One Light Outdoor Post Lantern



Medium One Light Outdoor Wall Lantern



Small One Light Outdoor Wall Lantern



One Light Outdoor Ceiling Flush Mount

### HUNNINGTON

p.474-477

#### FINISHES

WEATHERED PEWTER [-57]  
WEATHERED PEWTER [-57]  
BLACK [-12]  
BLACK [-12]

#### GLASS

CLEAR SEEDED  
ETCHED SEEDED LED ONLY  
CLEAR SEEDED  
ETCHED SEEDED LED ONLY

EN★ WOD DAMP WET T24 T24 T24



Outdoor Pendant



Outdoor Post Lantern



Large Outdoor Wall Lantern



Small Outdoor Wall Lantern



Outdoor Ceiling Flush Mount

### JAMESTOWNE

p.524-525

#### FINISHES

ANTIQUE BRONZE [-71]  
ANTIQUE BRONZE [-71]  
ANTIQUE BRUSHED NICKEL [-965]  
ANTIQUE BRUSHED NICKEL [-965]  
BLACK [-12]

#### GLASS

CLEAR BEVELED  
FROSTED SEEDED  
CLEAR BEVELED  
FROSTED SEEDED OR TIFFANY WHITE LED ONLY  
CLEAR BEVELED

EN★ DAMP WET T24 T24



One Light Outdoor Post Lantern



Extra Large Two Light Outdoor Wall Lantern



Large One Light Outdoor Wall Lantern



Medium One Light Outdoor Wall Lantern



Small One Light Outdoor Wall Lantern

### KENT

p.514-517

#### FINISHES

OXFORD BRONZE [-746]  
OXFORD BRONZE [-746]  
BLACK [-12]  
BLACK [-12]

#### GLASS

CLEAR SEEDED INCANDESCENT ONLY  
SATIN ETCHED  
CLEAR SEEDED INCANDESCENT ONLY  
SATIN ETCHED

EN★ DAMP WET T24 T24



One Light Outdoor Semi-Flush Convertible Pendant



One Light Outdoor Post Lantern



Extra Large One Light Outdoor Wall Lantern



Large One Light Outdoor Wall Lantern



Medium One Light Outdoor Wall Lantern



Small One Light Outdoor Wall Lantern

### LAMBERT HILL

p.518-519

#### FINISHES

OXFORD BRONZE [-746]  
BLACK [-12]

#### GLASS

CLEAR SEEDED  
CLEAR SEEDED

DAMP WET T24



One Light Outdoor Pendant



One Light Outdoor Post Lantern



Large One Light Outdoor Wall Lantern



Medium One Light Outdoor Wall Lantern



Small One Light Outdoor Wall Lantern



Two Light Outdoor Ceiling Flush Mount

## LANCASTER

p.510-513

FINISHES	GLASS
POLISHED BRASS [-02]	CLEAR BEVELED
ANTIQUE BRONZE [-71]	CLEAR BEVELED
ANTIQUE BRUSHED NICKEL [-965]	CLEAR BEVELED
BLACK [-12]	CLEAR BEVELED

EN★ DAMP WET T24 T24



Three Light  
Outdoor  
Pendant



Three Light  
Outdoor  
Post Lantern



Two Light  
Outdoor  
Post Lantern



Large Three  
Light Outdoor  
Wall Lantern



Large Two  
Light Outdoor  
Wall Lantern



Large One  
Light Outdoor  
Wall Lantern



Medium One  
Light Outdoor  
Wall Lantern



Small One  
Light Outdoor  
Wall Lantern

## MARINUS NEW

p.448

FINISH	GLASS
BLACKSMITH [-839]	CLEAR

WET T24



Large One Light  
Outdoor  
Lantern



Medium One Light  
Outdoor  
Lantern



Small One Light  
Outdoor  
Lantern

## MEDFORD LAKES

p.488

FINISHES	GLASS
STATUARY BRONZE [-51]	ETCHED HAMMERED W/LIGHT AMBER TINT

EN★ DAMP WET T24 T24



One Light  
Outdoor  
Pendant



One Light  
Outdoor  
Post Lantern



Large One  
Light Outdoor  
Wall Lantern



Medium One  
Light Outdoor  
Wall Lantern



Small One  
Light Outdoor  
Wall Lantern



Two Light  
Outdoor Ceiling  
Flush Mount

## MELITO NEW

p.446

FINISHES	GLASS
BLACK [-12]	SATIN ETCHED
WEATHERED COPPER [-44]	SATIN ETCHED

EN★ WET T24 T24 SS



Large One Light  
Outdoor  
Lantern



Medium One Light  
Outdoor  
Lantern



Small One Light  
Outdoor  
Lantern



### MULLBERRY HILL

p.532-533

#### FINISHES

WHITE  
[-15]

PEWTER  
[-155]

BRONZE  
[-10]

BLACK  
[-12]

#### GLASS\*

CLEAR BEVELED  
OR WHITE

CLEAR BEVELED  
OR WHITE

CLEAR BEVELED  
OR WHITE

CLEAR BEVELED  
OR WHITE

EN★ WOD WET T24 T24

\*White glass only offered with LED items.



Outdoor  
Wall Lantern

### NEW CASTLE

p.528-529

#### FINISHES

WHITE  
[-15]

POLISHED BRASS  
[-02]

ANTIQUE BRUSHED  
NICKEL [-965]

ANTIQUE BRONZE  
[-71]

BLACK  
[-12]

#### GLASS\*

CLEAR  
OR WHITE

CLEAR  
OR WHITE

CLEAR  
OR WHITE

CLEAR  
OR WHITE

CLEAR  
OR WHITE

EN★ WET T24 T24

\*White glass only offered with LED items.



One Light  
Outdoor  
Wall Lantern

### OUTDOOR CYLINDERS

p.536-539

#### FINISHES

WHITE  
[-15]

PAINTED BRUSHED  
NICKEL [-753]

BRONZE  
[-10]

EN★ WOD DAMP WET

T24 T24 T24



Large Two  
Light Outdoor  
Wall Lantern



Small Two  
Light Outdoor  
Wall Lantern



Large One  
Light Outdoor  
Wall Lantern



Small One  
Light Outdoor  
Wall Lantern



Large One Light  
Outdoor Ceiling  
Flush Mount



Small One Light  
Outdoor Ceiling  
Flush Mount

### PRAIRIE

p.494-495

#### FINISH

ANTIQUE BRONZE  
[-71]

#### GLASS

CHAMPAGNE



One Light  
Outdoor Post  
Lantern



Large One  
Light Outdoor  
Wall Lantern



Medium One  
Light Outdoor  
Wall Lantern



Small One  
Light Outdoor  
Wall Lantern

EN★ WET T24 T24

### RENVILLE

p.452-455

#### FINISHES

SATIN ALUMINUM  
[-04]

ANTIQUE BRONZE  
[-71]

BLACK  
[-12]

#### GLASS

SATIN ETCHED

SATIN ETCHED

SATIN ETCHED

EN★ WET T24 T24











Large One  
Light Outdoor  
Wall Lantern



Small One  
Light Outdoor  
Wall Lantern

## SAUGANASH

p.478-481

FINISHES	GLASS
 ANTIQUE BRONZE [-71]	 CLEAR SEEDED INCANDESCENT ONLY
 ANTIQUE BRONZE [-71]	 ETCHED SEEDED
 BLACK [-12]	 CLEAR SEEDED INCANDESCENT ONLY
 BLACK [-12]	 ETCHED SEEDED

EN★ DAMP WET T24 T24



Outdoor  
Pendant



Outdoor  
Post  
Lantern



Large  
Outdoor  
Wall Lantern



Small  
Outdoor  
Wall Lantern



Outdoor  
Ceiling  
Flush Mount

## SEBRING

p.482-485

FINISHES	GLASS
 WEATHERED COPPER [-44]	 CLEAR SEEDED
 BRUSHED STAINLESS [-98]	 CLEAR SEEDED
 BLACK [-12]	 CLEAR SEEDED

WOD DAMP WET T24 T24



Outdoor  
Post Lantern



Large Outdoor  
Wall Lantern



Small  
Outdoor  
Wall Lantern



Outdoor  
Ceiling  
Flush Mount

## SEVIER

p.456-459

FINISHES	GLASS
 ANTIQUE BRONZE [-71]	 CLEAR
 BLACK [-12]	 CLEAR

DAMP WET T24



One Light  
Outdoor  
Pendant



One Light  
Outdoor Post  
Lantern



Large One Light  
Uplight Outdoor  
Wall Lantern



Large One Light  
Downlight Outdoor  
Wall Lantern



Small One Light  
Uplight Outdoor  
Wall Lantern



Small One Light  
Downlight Outdoor  
Wall Lantern

## TRAFALGAR

p.492-493

FINISH	GLASS
 OXIDIZED BRONZE [-46]	 CLEAR SEEDED

EN★ DAMP WET T24 T24



Three Light  
Outdoor  
Pendant



Three Light  
Outdoor  
Post Lantern



Large Three  
Light Outdoor  
Wall Lantern



Medium Two  
Light Outdoor  
Wall Lantern



Small Two  
Light Outdoor  
Wall Lantern

## WINNETKA

p.491

FINISH	GLASS
 FORGED IRON [-185]	 SATIN ETCHED

EN★ DAMP WET T24 T24



One Light  
Outdoor  
Pendant



One Light  
Outdoor  
Post Lantern



Large Two  
Light Outdoor  
Wall Lantern



Medium One  
Light Outdoor  
Wall Lantern









Small One  
Light Outdoor  
Wall Lantern



One Light  
Outdoor Ceiling  
Flush Mount

WYNFIELD

p.486-487





FINISHES		GLASS	
	BLACK [-12]		CLEAR BEVELED
	BLACK [-12]		FROSTED NOT AVAILABLE FOR POST LANTERN
	BLACK [-12]		ETCHED, WHITE INSIDE FOR FLUSH MOUNT ONLY

EN★ DAMP WET T24 T24




YORKTOWN

p.520-521

FINISHES		GLASS	
	FORGED IRON [-185]		SWIRLED MARBLEIZED
	BLACK [-12]		SWIRLED MARBLEIZED

EN★ DAMP WET T24 T24











# INDOOR COLLECTIONS

---

Interior lighting does everything from setting the mood to brightening up a work area. Sea Gull Lighting will meet any form or functional need for indoor rooms. Look inside to see collections that will spice up a space for entertaining family and friends. Discover adaptable fixtures to light a common area or private office so that it's easier to relax or work. Take control of indoor illumination to suit the need of any interior environment.

Product Shown: Canfield Three Light Uplight Pendant in Burnt Sienna Finish



## CANFIELD

Behind every seemingly simple design lies unerring attention to restraint and obsessive attention to the tiniest details. The Canfield collection by Sea Gull Lighting draws on the modernist traditions of “less is more”. Essential functional elements dictate the aesthetics, and clean lines prevail. Layers of intricately finished hand-brushed steel progress vertically to the soft glow of light diffused through finely etched glass diffusers.



BRUSHED NICKEL FINISH  
ETCHED GLASS, WHITE INSIDE

### FIFTEEN LIGHT CHANDELIER


DAMP 50LB

D:40.125" H: 39"

12' wire pre-laced through 10' chain

**T24 3128815-962**  
(15) Medium Base 60w max.

**T24 3128815EN3-962**  
**EN★** (15) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



BURNT SIENNA FINISH  
ETCHED GLASS, WHITE INSIDE

### FIFTEEN LIGHT CHANDELIER

DAMP 50LB

D:40.125" H: 39"

12' wire pre-laced through 10' chain

**T24 3128815-710**  
(15) Medium Base 60w max.

**T24 3128815EN3-710**  
**EN★** (15) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

*See more Burnt Sienna finish on p.54*

NINE LIGHT CHANDELIER DAMP

D: 31.375" H: 26"  
6' of wire, (3) 12" stems,  
(1) 6" stem

T24 **3128809-962**  
(9) Medium Base 100w max.

T24 **3128809EN3-962**  
EN★ (9) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



FIVE LIGHT CHANDELIER DAMP

D: 23.875" H: 14.5"  
6' of wire, (3) 12" stems,  
(1) 6" stem

T24 **3128805-962**  
(5) Medium Base 100w max.

T24 **3128805EN3-962**  
EN★ (5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



THREE LIGHT CHANDELIER DAMP

D: 19.625" H: 13.125"  
6' of wire, (3) 12" stems,  
(1) 6" stem

T24 **3128803-962**  
(3) Medium Base 100w max.

T24 **3128803EN3-962**  
EN★ (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.





THREE LIGHT  
UPLIGHT PENDANT

DAMP

D: 16" H: 18.5"  
10' wire pre-laced through 6' chain

**T24 6528803-962**  
(3) Medium Base 100w max.

**T24 6528803EN3-962**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



THREE LIGHT SEMI-FLUSH  
CEILING MOUNT

DAMP

D: 16" H: 12.5"  
6.5" of wire

**T24 7728803-962**  
(3) Medium Base 100w max.

**T24 7728803EN3-962**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



ONE LIGHT WALL / BATH

DAMP

W: 5.5" H: 8.25" E: 7.25"  
Height from center of outlet box  
up: 4.375" down: 3.875"

**T24 4128801-962**  
(1) Medium Base 100w max.

**T24 4128801EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



RECOMMENDED PRODUCTS



COORDINATED  
CEILING FAN  
15040EN3-962, p.424



CANFIELD BATH, p.340  
Brushed Nickel Finish



NINE LIGHT CHANDELIER DAMP

D: 31.375" H: 26"  
6' of wire, (3) 12" stems,  
(1) 6" stem

T24 **3128809-710**  
(9) Medium Base 100w max.

T24 **3128809EN3-710**  
(9) Med. Base LED 3000K,  
EN★ 9.5w, 800 lumen lamps incl.



FIVE LIGHT CHANDELIER DAMP

D: 23.875" H: 14.5"  
6' of wire, (3) 12" stems,  
(1) 6" stem

T24 **3128805-710**  
(5) Medium Base 100w max.

T24 **3128805EN3-710**  
(5) Med. Base LED 3000K,  
EN★ 9.5w, 800 lumen lamps incl.



THREE LIGHT CHANDELIER DAMP

D: 19.625" H: 13.125"  
6' of wire, (3) 12" stems,  
(1) 6" stem

T24 **3128803-710**  
(3) Medium Base 100w max.

T24 **3128803EN3-710**  
(3) Med. Base LED 3000K,  
EN★ 9.5w, 800 lumen lamps incl.



THREE LIGHT  
UPLIGHT PENDANT

DAMP

D: 16" H: 18.5"  
10' wire pre-laced through 6' chain

T24 6528803-710  
(3) Medium Base 100w max.

T24 6528803EN3-710  
EN★ (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



THREE LIGHT SEMI-FLUSH  
CEILING MOUNT

DAMP

D: 16" H: 12.5"  
6.5" of wire

T24 7728803-710  
(3) Medium Base 100w max.

T24 7728803EN3-710  
EN★ (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



ONE LIGHT WALL / BATH

DAMP

W: 5.5" H: 8.25" E: 7.25"  
Height from center of outlet box  
up: 4.375" down: 3.875"

T24 4128801-710  
(1) Medium Base 100w max.

T24 4128801EN3-710  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



MOUNTS UP  
OR DOWN

RECOMMENDED PRODUCTS



COORDINATED  
CEILING FAN  
15040EN33-782, p.424



CANFIELD BATH, p.340  
Burnt Sienna Finish



Product Shown: Cowen Six Light Hall/Foyer in Obsidian Mist Finish

# COWEN

Combine hanging art with light. Undulating with free-form hoops of welded cold-rolled steel, the Cowen Collection will redefine any room. As illumination escapes from the openings in the sculpted shade, the full menagerie comes together. The textured Obsidian Mist finish adds the final tactile element to this postmodern piece.



**SIX LIGHT HALL / FOYER** **DAMP**

D: 19.75" H: 32"

10' of wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware**T24 5128606-802**  
(6) Medium Base 60w max.


OBSIDIAN MIST FINISH

**FIVE LIGHT ISLAND PENDANT**

DAMP

L: 41.625" W: 16.125" H: 11.75"  
10' of wire, (6) 12" stems, (2) 6" stems

**T24 6628605-802**  
(5) Medium Base 60w max.

**THREE LIGHT PENDANT**

DAMP

D: 22.875" H: 10.375"  
10' of wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6528603-802**  
(3) Medium Base 60w max.





 CONVERTS TO  
SEMI-FLUSH  
H: 12.625"

**TWO LIGHT SEMI-FLUSH  
CONVERTIBLE PENDANT**

DAMP

D: 16.625" H: 14"  
6' wire pre-laced through 3' chain

**T24 7728602-802**  
(2) Medium Base 60w max.



**ONE LIGHT MINI-PENDANT**

DAMP

D: 8" H: 12"  
10' of wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6128601-802**  
(1) Medium Base 60w max.

RECOMMENDED PRODUCTS



**LED VINTAGE LAMP**  
97500S, p.594



**ONE LIGHT WALL / BATH**

DAMP

W: 8" H: 12" E: 4.25"  
Height from center of outlet box  
up: 6"

**T24 4128601-802**  
(1) Medium Base 60w max.

Product Shown: Davlin Four Light Medium Hall / Foyer in Stardust Finish




# DAVLIN

The timeless, basket-style chandelier silhouette gets a modern makeover with the Davlin Collection. The traditional Candelabra Lamps find new expression in a teardrop shaped frame. Complete with a Cerused Oak and Stardust finish combination, Davlin is a true intersection of tradition and technology.



Sea Gull Lighting



### SIX LIGHT LARGE HALL / FOYER

DAMP

D: 26" H: 35.25"

10' wire pre-laced through 6' chain

T24

**6551106-846**

(6) Candelabra Base 60w max.

T24

**6551106EN-846**

EN★

(6) Candelabra Base LED 2700k,  
3.5w, 350 lumen lamps incl.

STARDUST FINISH WITH CERUSED OAK ACCENTS



STARDUST FINISH WITH CERUSED OAK ACCENTS

### FOUR LIGHT MEDIUM HALL / FOYER

DAMP

D: 22" H: 31.25"

10' wire pre-laced through 6' chain

T24

**6551104-846**


(4) Candelabra Base 60w max.

T24

**6551104EN-846**

EN★

(4) Candelabra Base LED 2700k,  
3.5w, 350 lumen lamps incl.



STARDUST FINISH WITH CERUSED OAK ACCENTS

### THREE LIGHT SMALL HALL / FOYER

DAMP

D: 18" H: 26"

10' wire pre-laced through 6' chain

T24

**6551103-846**

(3) Candelabra Base 60w max.

T24

**6551103EN-846**

EN★

(3) Candelabra Base LED 2700k,  
3.5w, 350 lumen lamps incl.

#### RECOMMENDED PRODUCTS



**LONOKE  
PENDANTS**, p.269  
Stardust Finish  
Heirloom Bronze Finish



**LED CANDELABRA LAMP**  
LTB10C35027B, p.594





## ELSA

Using hand-blown, clear, seeded glass diffusers, the Elsa Collection creates a soft, pleasing glow of filament light. Gracefully curved arms extending from the tapered glass add an air of elegance to the silhouette. Durable industrial steel construction ensures heirloom quality that will last until the next century. Available in Heirloom Bronze finish.





### FIVE LIGHT CHANDELIER

DAMP

D: 25" H: 19"

10' wire pre-laced through 6' chain

**T24 3120305-782**  
(5) Medium Base 75w max.

HEIRLOOM BRONZE FINISH  
CLEAR SEEDED GLASS



### THREE LIGHT CHANDELIER

DAMP

D: 20" H: 18.625"

6' wire pre-laced through 3' chain

**T24 3120303-782**  
(3) Medium Base 75w max.

HEIRLOOM BRONZE FINISH  
CLEAR SEEDED GLASS



THREE LIGHT  
CEILING FLUSH MOUNT

DAMP

D: 11.25" H: 7.5"

**T24 7514503-782**  
(3) Candelabra Base 40w max.

**T24 7514503EN-782**  
**EN★** (3) Candelabra Base LED 2700k  
3.5w, 350 lumen lamps incl.



ONE LIGHT PENDANT

DAMP

D: 12" H: 10.125"  
10' of wire, (3) 12" stems, (1) 6" stem

**T24 6220301-782**  
(1) Medium Base 75w max.



TWO LIGHT SEMI-FLUSH

DAMP

D: 14.75" H: 10.375"

**T24 7714502-782**  
(2) Medium Base 75w max.



ONE LIGHT WALL / BATH

DAMP

W: 6" H: 9.25" E: 7.875"  
Height from center of outlet box  
up: 4.75" down: 4.5"

**T24 4120301-782**  
(1) Medium Base 75w max.

RECOMMENDED PRODUCTS



**ELSA BATH**, p.342  
Heirloom Bronze Finish



**LED VINTAGE LAMP**  
**97500S**, p.594



**LED CANDELABRA LAMP**  
**LTB10C35027B**, p.594







# FRANPORT

Modernist influences abound in the Franport Collection. Shades with sharp lines and simplified bases showcase the minimalist approach with a twist. Franport has fixtures for all parts of the property. Available in both Burnt Sienna and Brushed Nickel finish choices as well as Nickel for bath fixtures.





BRUSHED NICKEL FINISH / ETCHED GLASS, WHITE INSIDE

## FIFTEEN LIGHT CHANDELIER


DAMP 50LB

D: 42.5" H: 35.625"

10' wire pre-laced through 6' chain

**T24 3128915-962**  
(15) Medium Base 60w max.

**T24 3128915EN3-962**  
**EN★** (15) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



BURNT SIENNA FINISH / ETCHED GLASS, WHITE INSIDE

## FIFTEEN LIGHT CHANDELIER

DAMP 50LB

D: 42.5" H: 35.625"

10' wire pre-laced through 6' chain

**T24 3128915-710**  
(15) Medium Base 60w max.

**T24 3128915EN3-710**  
**EN★** (15) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

*See more Burnt Sienna finish on p.70*

NINE LIGHT CHANDELIER

DAMP

D:30" H: 27.625"  
10' wire pre-laced through 6' chain

T24 3128909-962  
(9) Medium Base 100w max.

T24 3128909EN3-962  
EN★ (9) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



FIVE LIGHT CHANDELIER

DAMP

D: 26" H: 22.875"  
10' wire pre-laced through 6' chain

T24 3128905-962  
(5) Medium Base 100w max.

T24 3128905EN3-962  
EN★ (5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



THREE LIGHT CHANDELIER DAMP

D: 20" H: 21"  
10' wire pre-laced through 6' chain

T24 **3128903-962**  
(3) Medium Base 100w max.

T24 **3128903EN3-962**  
EN★ (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



ONE LIGHT WALL / BATH DAMP

W: 5" H: 8" E: 6.875"  
Height from center of outlet box  
up: 4" down: 4"

T24 **4128901-962**  
(1) Medium Base 100w max.

T24 **4128901EN3-962**  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



MOUNTS UP  
OR DOWN

RECOMMENDED PRODUCTS



**COORDINATED  
CEILING FAN**  
**15040EN3-962**, p.424



**GEARY PENDANTS**, p.256  
Brushed Nickel Finish



**NASH CEILING  
FLUSH MOUNTS**, p.325  
Brushed Nickel Finish



**FRANPORT BATH**, p.343  
Brushed Nickel Finish

NINE LIGHT CHANDELIER

DAMP

D:30" H: 27.625"  
10' wire pre-laced through 6' chain

T24 3128909-710  
(9) Medium Base 100w max.

T24 3128909EN3-710  
EN★ (9) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



FIVE LIGHT CHANDELIER

DAMP

D: 26" H: 22.875"  
10' wire pre-laced through 6' chain

T24 3128905-710  
(5) Medium Base 100w max.

T24 3128905EN3-710  
EN★ (5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.





THREE LIGHT CHANDELIER DAMP

D: 20" H: 21"  
10' wire pre-laced through 6' chain

**T24 3128903-710**  
(3) Medium Base 100w max.

**T24 3128903EN3-710**  
(3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



ONE LIGHT WALL / BATH DAMP

W: 5" H: 8" E: 6.875"  
Height from center of outlet box  
up: 4" down: 4"

**T24 4128901-710**  
(1) Medium Base 100w max.

**T24 4128901EN3-710**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



MOUNTS UP  
OR DOWN

RECOMMENDED PRODUCTS



**COORDINATED  
CEILING FAN**  
**15040EN33-782**, p.424



**GEARY PENDANTS**, p.256  
Burnt Sienna Finish



**NASH CEILING  
FLUSH MOUNTS**, p.325  
Heirloom Bronze Finish



**FRANPORT BATH**, p.343  
Burnt Sienna Finish

Product Shown: Moffett Street Six Light Island Pendant in Washed Pine

# MOFFET STREET

The Moffet Street Collection offers a distinctive take on a rustic theme. Built in broad steel frames with a hand-applied finish that mimics natural wood, the internal decorative housings are then finished in a high gloss Chrome finish for a metropolitan feel. This combination of rustic and urban fits comfortably in a wide variety of environments.



WASHED PINE FINISH  
WITH CHROME ACCENTS

## EIGHT LIGHT HALL / FOYER DAMP

L: 19" W: 19" H: 31.125"  
10' of wire, (3) 12" stems, (1) 6" stem  
and sloped ceiling mounting hardware

**T24 5134508-872**  
(8) Candelabra Base 60w max.

**T24 5134508EN-872**  
**EN★** (8) Candelabra Base LED 2700k,  
3.5w, 350 lumen lamps incl.



WASHED PINE FINISH  
WITH CHROME ACCENTS

## SIX LIGHT ISLAND PENDANT DAMP

L: 42" W: 12" H: 15"  
10' of wire, (6) 12" stems, (2) 6" stems  
and sloped ceiling mounting hardware

**T24 6634506-872**  
(6) Candelabra Base 60w max.

**6634506EN-872**  
(6) Candelabra Base LED 2700k,  
3.5w, 350 lumen lamps incl.



FOUR LIGHT HALL / FOYER

DAMP

L: 15.5" W: 15.5" H: 23.125"  
10' of wire, (3) 12" stems, (1) 6" stem  
and sloped ceiling mounting hardware

T24 5134504-872  
(4) Candelabra Base 60w max.

T24 5134504EN-872  
EN★ (4) Candelabra Base LED 2700k,  
3.5w, 350 lumen lamps incl.



THREE LIGHT HALL / FOYER

DAMP

L: 10.5" W: 10.5" H: 15"  
10' of wire, (3) 12" stems, (1) 6" stem  
and sloped ceiling mounting hardware

T24 5134503-872  
(3) Candelabra Base 60w max.

T24 5134503EN-872  
EN★ (3) Candelabra Base LED 2700k,  
3.5w, 350 lumen lamps incl.



ONE LIGHT WALL / BATH

DAMP

W: 7" H: 12" E" 6"  
Height from center of outlet box  
up: 6"

T24 4134501-872  
(1) Candelabra Base 60w Max.

T24 4134501EN-872  
EN★ (1) Candelabra Base LED 2700k,  
3.5w, 350 lumen lamp incl.

RECOMMENDED PRODUCTS



LED CANDELABRA LAMP  
LTB10C35027B, p.594



LED TUBE LAMP  
97531S, p.594  
97532S, p.594









## SEVILLE

The Seville collection represents commitment to high style at a sharp price. The modernist design is epitomized by the teardrop curves in the arms tipped by etched glass diffusers throughout the chandeliers and bath fixtures. Seville is offered in Brushed Nickel and Burnt Sienna finishes.



**NINE LIGHT CHANDELIER** DAMP

D: 28.875" H: 27.125"  
10' wire pre-laced through 6' chain

**T24 3120209-962**  
(9) Medium Base 75w max.

**T24 3120209EN3-962**  
**EN★** (9) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

BRUSHED NICKEL FINISH  
ETCHED GLASS, WHITE INSIDE



**NINE LIGHT CHANDELIER** DAMP

D: 28.875" H: 27.125"  
10' wire pre-laced through 6' chain

**T24 3120209-710**  
(9) Medium Base 75w max.

**T24 3120209EN3-710**  
**EN★** (9) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

BURNT SIENNA FINISH  
ETCHED GLASS, WHITE INSIDE





FIVE LIGHT CHANDELIER DAMP

D: 21" H: 17.5"  
6' wire pre-laced through 3' chain

**T24 3120205-962**  
(5) Medium Base 75w max.

**T24 3120205EN3-962**  
**EN★** (5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



FIVE LIGHT CHANDELIER DAMP

D: 21" H: 17.25"  
6' wire pre-laced through 3' chain

**T24 3220205-962**  
(5) Medium Base 75w max.

**T24 3220205EN3-962**  
**EN★** (5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



THREE LIGHT CHANDELIER DAMP

D: 17" H: 15.74"  
6' wire pre-laced through 3' chain

**T24 3120203-962**  
(3) Medium Base 75w max.

**T24 3120203EN3-962**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



ONE LIGHT WALL / BATH DAMP

W: 4.75" H: 8.5" E: 6.625"  
Height from center of outlet box  
up: 3.375" down: 5.125"

**T24 4120201-962**  
(1) Medium Base 75w max.

**T24 4120201EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



MOUNTS UP  
OR DOWN

RECOMMENDED PRODUCTS



**COORDINATED  
CEILING FAN**  
**15040EN3-962**, p.424



**GEARY PENDANTS**, p.256  
Brushed Nickel Finish



**CEILING FLUSH  
MOUNTS**, p.326  
Brushed Nickel Finish



**SEVILLE BATH**, p.344  
Brushed Nickel Finish





FIVE LIGHT CHANDELIER DAMP

D: 21" H: 17.5"  
6' wire pre-laced through 3' chain

**T24 3120205-710**  
(5) Medium Base 75w max.

**T24 3120205EN3-710**  
**EN★** (5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



FIVE LIGHT CHANDELIER DAMP

D: 21" H: 17.25"  
6' wire pre-laced through 3' chain

**T24 3220205-710**  
(5) Medium Base 75w max.

**T24 3220205EN3-710**  
**EN★** (5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



THREE LIGHT CHANDELIER DAMP

D: 17" H: 15.74"  
6' wire pre-laced through 3' chain

**T24 3120203-710**  
(3) Medium Base 75w max.

**T24 3120203EN3-710**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



ONE LIGHT WALL / BATH DAMP

W: 4.75" H: 8.5" E: 6.625"  
Height from center of outlet box  
up: 3.375" down: 5.125"

**T24 4120201-710**  
(1) Medium Base 75w max.

**T24 4120201EN3-710**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



RECOMMENDED PRODUCTS



**COORDINATED  
CEILING FAN**  
**15040EN33-782**, p.424



**GEARY PENDANTS**, p.256  
Burnt Sienna Finish



**CEILING FLUSH  
MOUNTS**, p.327  
Burnt Sienna Finish




**SEVILLE BATH**, p.344  
Burnt Sienna Finish



# HETTINGER

The Hettinger Collection combines a traditional look with chic, modern charm. The minimalism of the cylindrical glass shades balances nicely with the semi-circular motif of the fixture arms.




BRUSHED NICKEL FINISH  
ETCHED GLASS, WHITE INSIDE

**NINE LIGHT CHANDELIER** DAMP

D: 30" H: 24.75"  
10' wire pre-laced through 6' chain

**T24 3139109-962**  
(9) Medium Base 60w max.

**T24 3139109EN3-962**  
**EN★** (9) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



BURNT SIENNA FINISH  
ETCHED GLASS, WHITE INSIDE

**NINE LIGHT CHANDELIER** DAMP

D: 30" H: 24.75"  
10' wire pre-laced through 6' chain

**T24 3139109-710**  
(9) Medium Base 60w max.

**T24 3139109EN3-710**  
**EN★** (9) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

*See more Burnt Sienna finish on p.84*

SIX LIGHT CHANDELIER DAMP

D: 24.5" H: 18.25"  
10' wire pre-laced through 6' chain

T24 **3139106-962**  
(6) Medium Base 100w max.

T24 **3139106EN3-962**  
EN★ (6) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



THREE LIGHT PENDANT DAMP

D: 19" H: 22.25"  
10' wire pre-laced through 6' chain

T24 **6639103-962**  
(3) Medium Base 100w max.

T24 **6639103EN3-962**  
EN★ (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



CONVERTS TO  
SEMI-FLUSH  
H: 10.5"

TWO LIGHT SEMI-FLUSH  
CONVERTIBLE PENDANT DAMP

D: 13.25" H: 11.25"  
10' wire pre-laced through 3' chain

T24 **7739102-962**  
(2) Medium Base 100w max.

T24 **7739102EN3-962**  
EN★ (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.





ONE LIGHT MINI-PENDANT DAMP

D: 3.5" H: 7.25"  
12' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6124601-962**  
(1) Medium Base 100w max.

**T24 6124601EN3-962**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ONE LIGHT WALL / BATH DAMP

W: 4.5" H: 8" E: 5"  
Height from center of outlet box  
up: 5.75" down: 2.25"

**T24 4139101-962**  
(1) Medium Base 100w max.

**T24 4139101EN3-962**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



MOUNTS UP  
OR DOWN

RECOMMENDED PRODUCTS



**COORDINATED  
CEILING FAN**  
15040EN3-962, p.424



**CEILING FLUSH  
MOUNTS**, p.326  
Brushed Nickel Finish



**HETTINGER BATH**, p.348  
Chrome Finish  
Brushed Nickel Finish



**GEARY PENDANTS**, p.256  
Brushed Nickel Finish



**CANFIELD  
PENDANTS**, p.53  
Brushed Nickel Finish

SIX LIGHT CHANDELIER DAMP

D: 24.5" H: 18.25"  
10' wire pre-laced through 6' chain

T24 **3139106-710**  
(6) Medium Base 100w max.

T24 **3139106EN3-710**  
EN★ (6) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



THREE LIGHT PENDANT DAMP

D: 19" H: 22.25"  
10' wire pre-laced through 6' chain

T24 **6639103-710**  
(3) Medium Base 100w max.

T24 **6639103EN3-710**  
EN★ (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



CONVERTS TO  
SEMI-FLUSH  
H: 10.5"

TWO LIGHT SEMI-FLUSH  
CONVERTIBLE PENDANT DAMP

D: 13.25" H: 11.25"  
10' wire pre-laced through 3' chain

T24 **7739102-710**  
(2) Medium Base 100w max.

T24 **7739102EN3-710**  
EN★ (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



ONE LIGHT MINI-PENDANT DAMP

D: 3.5" H: 7.25"  
12' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6124601-710**  
(1) Medium Base 100w max.

**T24 6124601EN3-710**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ONE LIGHT WALL / BATH DAMP

W: 4.5" H: 8" E: 5"  
Height from center of outlet box  
up: 5.75" down: 2.25"

**T24 4139101-710**  
(1) Medium Base 100w max.

**T24 4139101EN3-710**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



MOUNTS UP  
OR DOWN

RECOMMENDED PRODUCTS



**COORDINATED  
CEILING FAN**  
15040EN3-782, p.424



**CEILING FLUSH  
MOUNTS**, p.327  
Heirloom Bronze Finish



**HETTINGER BATH**, p.348  
Burnt Sienna Finish



**GEARY PENDANTS**, p.256  
Burnt Sienna Finish



**CANFIELD  
PENDANTS**, p.55  
Burnt Sienna Finish



# EMMONS

The Emmons Collection combines form and function in a traditional empire silhouette. Trumpeted Satin Etched glass shades and soft, flowing lines further enhance the design.





BRUSHED NICKEL FINISH  
SATIN ETCHED GLASS

NINE LIGHT CHANDELIER DAMP

D: 35" H: 35"  
10' wire pre-laced through 6' chain

**T24 3139009-962**  
(9) Medium Base 75w max.

**T24 3139009EN3-962**  
**EN★** (9) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



HEIRLOOM BRONZE FINISH  
SATIN ETCHED GLASS

NINE LIGHT CHANDELIER DAMP

D: 35" H: 35"  
10' wire pre-laced through 6' chain

**T24 3139009-782**  
(9) Medium Base 75w max.

**T24 3139009EN3-782**  
**EN★** (9) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

See more Heirloom Bronze finish on p.90

FIVE LIGHT CHANDELIER DAMP

D: 24" H: 26.75"  
10' wire pre-laced through 6' chain

T24 **3139005-962**  
(5) Medium Base 100w max.

T24 **3139005EN3-962**  
EN★ (5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



THREE LIGHT CHANDELIER DAMP

D: 19.5" H: 22.5"  
6' wire pre-laced through 3' chain

T24 **3139003-962**  
(3) Medium Base 100w max.

T24 **3139003EN3-962**  
EN★ (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



THREE LIGHT PENDANT DAMP

D: 17.75" H: 22.5"  
10' wire pre-laced through 6' chain

T24 **6639003-962**  
(3) Medium Base 100w max.

T24 **6639003EN3-962**  
EN★ (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**TWO LIGHT SEMI-FLUSH** DAMP

D: 13" H: 9"

**T24 7739002-962**  
(2) Medium Base 100w max.

**T24 7739002EN3-962**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**ONE LIGHT MINI-PENDANT** DAMP

D: 6" H: 5.75"

6' wire, (1) 12" stem, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6139001-962**  
(1) Medium Base 100w max.

**T24 6139001EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**ONE LIGHT WALL / BATH** DAMP

W: 6" H: 6.25" E: 7.5"

Height from center of outlet box  
up: 3.75" down: 2.5"

**T24 4139001-962**  
(1) Medium Base 100w max.

**T24 4139001EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



MOUNTS UP  
OR DOWN

**RECOMMENDED PRODUCTS**



**COORDINATED  
CEILING FAN**  
**15040EN3-962**, p.424



**CEILING FLUSH  
MOUNTS**, p.326  
Brushed Nickel



**EMMONS BATH**, p.391  
Brushed Nickel Finish



**GEARY PENDANTS**, p.256  
Brushed Nickel Finish

FIVE LIGHT CHANDELIER DAMP

D: 24" H: 26.75"  
10' wire pre-laced through 6' chain

T24 **3139005-782**  
(5) Medium Base 100w max.

T24 **3139005EN3-782**  
EN★ (5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



THREE LIGHT CHANDELIER DAMP

D: 19.5" H: 22.5"  
6' wire pre-laced through 3' chain

T24 **3139003-782**  
(3) Medium Base 100w max.

T24 **3139003EN3-782**  
EN★ (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



THREE LIGHT PENDANT DAMP

D: 17.75" H: 22.5"  
10' wire pre-laced through 6' chain

T24 **6639003-782**  
(3) Medium Base 100w max.

T24 **6639003EN3-782**  
EN★ (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.





**TWO LIGHT SEMI-FLUSH** DAMP

D: 13" H: 9"

**T24 7739002-782**  
(2) Medium Base 100w max.

**T24 7739002EN3-782**  
(2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**ONE LIGHT MINI-PENDANT** DAMP

D: 6" H: 5.75"  
6' wire, (1) 12" stem, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6139001-782**  
(1) Medium Base 100w max.

**T24 6139001EN3-782**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.




**ONE LIGHT WALL / BATH** DAMP

W: 6" H: 6.25" E: 7.5"  
Height from center of outlet box  
up: 3.75" down: 2.5"

**T24 4139001-782**  
(1) Medium Base 100w max.

**T24 4139001EN3-782**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**RECOMMENDED PRODUCTS**



**COORDINATED  
CEILING FAN**  
**15040EN3-782**, p.424



**CEILING FLUSH  
MOUNTS**, p.327  
Heirloom Bronze Finish



**EMMONS BATH**, p.391  
Heirloom Bronze Finish



**GEARY PENDANTS**, p.256  
Heirloom Bronze Finish



# TOWNER

The Towner Collection brings mid-century, retro style to the traditional circular silhouette. The conical shades deliver a fun design statement along with the textured cloth cords, which are adjustable for leveling.





BRUSHED NICKEL FINISH  
BLACK STEEL SHADES

**EIGHT LIGHT  
ISLAND PENDANT**

DAMP

L: 45" W: 24.5" H" 23.25"  
10' wire, (3) 12" stems, (1) 6" stem

**T24 6641308-962**  
(8) Medium Base 60w max.

**T24 EN★ 6641308EN3-962**  
(8) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



SATIN BRONZE FINISH  
BLACK STEEL SHADES

**EIGHT LIGHT  
ISLAND PENDANT**

DAMP

L: 45" W: 24.5" H" 23.25"  
10' wire, (3) 12" stems, (1) 6" stem

**T24 6641308-848**  
(8) Medium Base 60w max.

**T24 EN★ 6641308EN3-848**  
(8) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

### SEVEN LIGHT CHANDELIER


DAMP

D: 35" H: 27.75"

10' wire, (3) 12" stems, (1) 6" stem

**T24 3141307-962**  
(7) Medium Base 60w max.

**T24 3141307EN3-962**  
(7) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



### FIVE LIGHT CHANDELIER

DAMP

D: 29" H: 24.75"

10' wire, (3) 12" stems, (1) 6" stem

**T24 3141305-962**  
(5) Medium Base 60w max.

**T24 3141305EN3-962**  
(5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



### THREE LIGHT CHANDELIER

DAMP

D: 24" H: 22"

10' wire, (3) 12" stems, (1) 6" stem

**T24 3141303-962**  
(3) Medium Base 60w max.

**T24 3141303EN3-962**  
(3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.





**FIVE LIGHT CLUSTER** DAMP

D: 17.25" H: 28" (with 5" spacing)  
8' black field adjustable cords

- T24 5141305-962**  
(5) Medium Base 60w max.
- T24 5141305EN3-962**  
**EN★** (5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**THREE LIGHT CLUSTER** DAMP

D: 14.5" H: 18" (with 5" spacing)  
8' black field adjustable cords

- T24 5141303-962**  
(3) Medium Base 60w max.
- T24 5141303EN3-962**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**ONE LIGHT MINI-PENDANT** DAMP

D: 7" H: 8.5"  
10' black field adjustable cord


- T24 6141301-962**  
(1) Medium Base 60w max.
- T24 6141301EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**ONE LIGHT WALL / BATH** DAMP

W: 7" H: 8.375" E: 8"  
Height from center of outlet box  
up: 6" down: 2.375"

- T24 4141301-962**  
(1) Medium Base 60w max.
- T24 4141301EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



MOUNTS UP  
OR DOWN

RECOMMENDED PRODUCTS



**COORDINATED  
CEILING FAN**  
**15040EN3-962**, p.424



**NASH CEILING  
FLUSH MOUNTS**, p.325  
Brushed Nickel Finish




**MULTI-PORT CANOPIES**,  
Brushed Nickel Finish  
Mini Pendant Only  
**7449403-962**, p.323  
**7449405-962**, p.322

SEVEN LIGHT CHANDELIER DAMP

D: 35" H: 27.75"  
10' wire, (3) 12" stems, (1) 6" stem

T24 **3141307-848**  
(7) Medium Base 60w max.

T24 **3141307EN3-848**  
EN★ (7) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



FIVE LIGHT CHANDELIER DAMP

D: 29" H: 24.75"  
10' wire, (3) 12" stems, (1) 6" stem

T24 **3141305-848**  
(5) Medium Base 60w max.

T24 **3141305EN3-848**  
EN★ (5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



THREE LIGHT CHANDELIER DAMP

D: 24" H: 22"  
10' wire, (3) 12" stems (1) 6" stem

T24 **3141303-848**  
(3) Medium Base 60w max.

T24 **3141303EN3-848**  
EN★ (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**FIVE LIGHT CLUSTER** DAMP

D: 17.25" H: 28" (with 5" spacing)  
8' black field adjustable cords

- T24 5141305-848**  
(5) Medium Base 60w max.
- T24 5141305EN3-848**  
**EN★** (5) Med. Base LED 3000k,  
9.5w 800 lumen lamps incl.



**THREE LIGHT CLUSTER** DAMP

D: 14.5" H: 18" (with 5" spacing)  
8' black field adjustable cords

- T24 5141303-848**  
(3) Medium Base 60w max.
- T24 5141303EN3-848**  
**EN★** (3) Med. Base LED 3000k,  
9.5w 800 lumen lamps incl.



**ONE LIGHT MINI-PENDANT** DAMP

D: 7" H: 8.5"  
10' black field adjustable cord

- T24 6141301-848**  
(1) Medium Base 60w max.
- T24 6141301EN3-848**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**ONE LIGHT WALL / BATH** DAMP

W: 7" H: 8.375" E: 8"  
Height from center of outlet box  
up: 6" down: 2.375"

- T24 4141301-848**  
(1) Medium Base 60w max.
- T24 4141301EN3-848**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**RECOMMENDED PRODUCTS**



**COORDINATED  
CEILING FAN**  
**15030EN3-15**, p.424



**NASH CEILING  
FLUSH MOUNTS**, p.325  
Satin Bronze Finish



**MULTI-PORT  
CANOPIES**  
Satin Bronze Finish  
Mini Pendant Only  
**7449403-848** p.321  
**7449405-848** p.321

Product Shown: Nance Nine Light Chandelier in Brushed Nickel



# NANCE

The mid-century inspired Nance Collection is so versatile, it fits any traditional or contemporary setting. The subtly tapered, off-white, faux silk shades add warmth and sophistication.






BRUSHED NICKEL FINISH  
OFF-WHITE FAUX SILK FABRIC

### NINE LIGHT CHANDELIER

D: 31.5" H: 26.25"  
10' wire pre-laced through 6' chain

**T24 3128009-962**  
(9) Candelabra Base 60w max.

**T24 3128009EN-962**  
**EN★** (9) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



HEIRLOOM BRONZE FINISH  
OFF-WHITE FAUX SILK FABRIC

### NINE LIGHT CHANDELIER

D: 31.5" H: 26.25"  
10' wire pre-laced through 6' chain

**T24 3128009-782**  
(9) Candelabra Base 60w max.

**T24 3128009EN-782**  
**EN★** (9) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.

*See more Heirloom Bronze finish on p.102*

**FIVE LIGHT CHANDELIER**

D: 27.5" H: 17.25"

6' wire pre-laced through 3' chain

**T24 3128005-962**  
(5) Candelabra Base 60w max.**T24 3128005EN-962**  
(5) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.**THREE LIGHT CHANDELIER**

D: 21" H: 15"

6' wire pre-laced through 3' chain

**T24 3128003-962**  
(3) Candelabra Base 60w max.**T24 3128003EN-962**  
(3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.

WITH SATIN ETCHED GLASS DIFFUSER

**THREE LIGHT PENDANT**

D: 19.25" H: 13.5"

10' wire, (3) 12" stems, (1) 6" stem  
and sloped ceiling mounting hardware**T24 6628003-962**  
(3) Medium Base 100w max.**T24 6628003EN3-962**  
(3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



WITH SATIN ETCHED GLASS DIFFUSER

TWO LIGHT SEMI-FLUSH CONVERTIBLE PENDANT

D: 16.25" H: 12"  
6' wire pre-laced through 3' chain

**T24 7728002-962**  
(2) Medium Base 100w max.

**T24 7728002EN3-962**  
**EN★** (2) Med. Base LED 3000K, 9.5w, 800 lumen lamps incl.



ONE LIGHT WALL / BATH **DAMP**

W: 5" H: 8.75" E: 6.25"  
Height from center of outlet box up: 6"

**T24 4128001-962**  
(1) Candelabra Base 60w max.

**T24 4128001EN-962**  
**EN★** (1) Cand. Base LED 2700K, 3.5w, 350 lumen lamp incl.

RECOMMENDED PRODUCTS



**COORDINATED CEILING FAN**  
**15040EN3-962**, p.424



**NASH CEILING FLUSH MOUNTS**, p.325  
Brushed Nickel Finish



**NANCE BATH**, p.360  
Brushed Nickel Finish



**GEARY PENDANTS**, p.256  
Brushed Nickel Finish

FIVE LIGHT CHANDELIER

D: 27.5" H: 17.25"  
6' wire pre-laced through 3' chain

T24 3128005-782  
(5) Candelabra Base 60w max.

T24 3128005EN-782  
EN★ (5) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



THREE LIGHT CHANDELIER

D: 21" H: 15"  
6' wire pre-laced through 3' chain

T24 3128003-782  
(3) Candelabra Base 60w max.

T24 3128003EN-782  
EN★ (3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



WITH SATIN ETCHED GLASS DIFFUSER

THREE LIGHT PENDANT

D: 19.25" H: 13.5"  
10' wire, (3) 12" stems, (1) 6" stem  
and sloped ceiling mounting hardware

T24 6628003-782  
(3) Medium Base 100w max.

T24 6628003EN3-782  
EN★ (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.





WITH SATIN ETCHED GLASS DIFFUSER

TWO LIGHT SEMI-FLUSH  
CONVERTIBLE PENDANT

D: 16.25" H: 12"  
6' wire pre-laced through 3' chain

**T24 7728002-782**  
(2) Medium Base 100w max.

**T24 7728002EN3-782**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



ONE LIGHT WALL / BATH

**DAMP**

W: 5" H: 8.75" E: 6.25"  
Height from center of outlet box up: 6"

**T24 4128001-782**  
(1) Candelabra Base 60w max.

**T24 4128001EN-782**  
**EN★** (1) Cand. Base LED 2700K,  
3.5w, 350 lumen lamp incl.

RECOMMENDED PRODUCTS



**COORDINATED  
CEILING FAN**  
**15040EN3-782**, p.424



**NASH CEILING  
FLUSH MOUNTS**, p.325  
Heirloom Bronze Finish



**NANCE BATH**, p.360  
Heirloom Bronze Finish



**GEARY PENDANTS**, p.256  
Heirloom Bronze Finish



## BANNOCK

The subtle detail of the Bannock Collection allows this transitional design to easily fit into any décor. The sleek, sweeping arms and Satin Etched glass shades add touches of elegance to its streamlined profile.



BRUSHED NICKEL FINISH  
SATIN ETCHED GLASS

## NINE LIGHT CHANDELIER

DAMP

D: 28" H: 26"


10' wire pre-laced through 6' chain

**T24 3116609-962**

(9) Medium Base 75w max.

**3116609EN3-962**

(9) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



HEIRLOOM BRONZE FINISH  
SATIN ETCHED GLASS

## NINE LIGHT CHANDELIER

DAMP

D: 28" H: 26"

10' wire pre-laced through 6' chain

**T24 3116609-782**

(9) Medium Base 75w max.

**T24 3116609EN3-782**

**EN★** (9) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

*See more Heirloom Bronze finish on p. 108*



FIVE LIGHT CHANDELIER DAMP

D: 22" H: 15.75"  
10' wire pre-laced through 6' chain

**T24 3116605-962**  
(5) Medium Base 75w max.

**T24 3116605EN3-962**  
**EN★** (5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



THREE LIGHT CHANDELIER DAMP

D: 19.75" H: 14.75"  
6' wire pre-laced through 3' chain

**T24 3116603-962**  
(3) Medium Base 75w max.

**T24 3116603EN3-962**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



CONVERTS TO  
SEMI-FLUSH  
H: 10.5"

TWO LIGHT SEMI-FLUSH  
CONVERTIBLE PENDANT DAMP

D: 13.5" H: 11.25"  
6' wire pre-laced through 3' chain

**T24 7716602-962**  
(2) Medium Base 75w max.

**T24 7716602EN3-962**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.





ONE LIGHT MINI-PENDANT DAMP

D: 4.75" H: 6"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6116601-962**  
(1) Medium Base 75w max.

**T24 6116601EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ONE LIGHT WALL / BATH DAMP

W: 5" H: 8.75" E: 7.25"  
Height from center of outlet box  
up: 6.25" down: 2.5"

**T24 4116601-962**  
(1) Medium Base 75w max.

**T24 4116601EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



MOUNTS UP  
OR DOWN

RECOMMENDED PRODUCTS



**COORDINATED  
CEILING FAN**  
**15040EN3-962**, p.424



**CEILING FLUSH  
MOUNTS**, p.326  
Brushed Nickel Finish



**BANNOCK BATH**, p.381  
Brushed Nickel Finish



**GEARY PENDANTS**, p.256  
Brushed Nickel Finish

FIVE LIGHT CHANDELIER DAMP

D: 22" H: 15.75"  
10' wire pre-laced through 6' chain

T24 **3116605-782**  
(5) Medium Base 75w max.

T24 **3116605EN3-782**  
EN★ (5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



THREE LIGHT CHANDELIER DAMP

D: 19.75" H: 14.75"  
6' wire pre-laced through 3' chain

T24 **3116603-782**  
(3) Medium Base 75w max.

T24 **3116603EN3-782**  
EN★ (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



TWO LIGHT SEMI-FLUSH CONVERTIBLE PENDANT DAMP

D: 13.5" H: 11.25"  
6' wire pre-laced through 3' chain

T24 **7716602-782**  
(2) Medium Base 75w max.

T24 **7716602EN3-782**  
EN★ (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



ONE LIGHT MINI-PENDANT DAMP

D: 4.75" H: 6"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6116601-782**  
(1) Medium Base 75w max.

**T24 6116601EN3-782**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ONE LIGHT WALL / BATH DAMP

W: 5" H: 8.75" E: 7.25"  
Height from center of outlet box  
up: 6.25" down: 2.5"

**T24 4116601-782**  
(1) Medium Base 75w max.

**T24 4116601EN3-782**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



MOUNTS UP  
OR DOWN

RECOMMENDED PRODUCTS



**COORDINATED  
CEILING FAN**  
**15040EN3-782**, p.424



**CEILING FLUSH  
MOUNTS**, p.327  
Heirloom Bronze Finish



**BANNOCK BATH**, p.365  
Heirloom Bronze Finish



**GEARY PENDANTS**, p.256  
Heirloom Bronze Finish

Product Shown: Morill Five Light Chandelier in Blacksmith



## MORILL

The Morill Collection combines retro and industrial trends to make an impactful design statement. Its warm, textured Blacksmith finish contrasts dramatically with the goblet-shaped, Clear Seeded glass shades which are especially dramatic when used with antique style Edison bulbs.





### NINE LIGHT CHANDELIER

D: 31.5" H: 30"

10' wire pre-laced through 6' chain

**T24 3127809-839**  
(9) Medium Base 60w max.

BLACKSMITH FINISH  
CLEAR SEEDED GLASS



### FIVE LIGHT CHANDELIER

D: 26.5" H: 20.5"

10' wire pre-laced through 6' chain

**T24 3127805-839**  
(5) Medium Base 60w max.

BLACKSMITH FINISH  
CLEAR SEEDED GLASS



### THREE LIGHT CHANDELIER

D: 19.5" H: 18"

6' wire pre-laced through 3' chain

**T24 3127803-839**  
(3) Medium Base 60w max.

BLACKSMITH FINISH  
CLEAR SEEDED GLASS



THREE LIGHT HALL / FOYER

D: 12.25" H: 17.75"  
10' wire, (3) 12" stems, (1) 6" stem

**T24 5127803-839**  
(3) Candelabra Base 60w max.

**T24 5127803EN-839**  
(3) Candelabra Base LED 2700K,  
3.5w, 350 lumen lamps incl.



TWO LIGHT SEMI-FLUSH DAMP

D: 15" H: 11.625"  
10' wire pre-laced through 6' chain

**T24 7727802-839**  
(2) Medium Base 75w max.



ONE LIGHT PENDANT DAMP

D: 12" H: 10.125"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6227801-839**  
(1) Medium Base 75w max.



THREE LIGHT  
CEILING FLUSH MOUNT DAMP

D: 11.25" H: 7.5"  
6.5" wire

**T24 7527803-839**  
(3) Candelabra Base 40w max.

**T24 7527803EN-839**  
(3) Candelabra Base LED 2700K,  
3.5w, 350 lumen lamps incl.



ONE LIGHT WALL / BATH DAMP

W: 5" H: 8.25" E: 7.25"  
Height from center of outlet box  
up: 3.75"

**T24 4127801-839**  
(1) Medium Base 60w max.

RECOMMENDED PRODUCTS



**COORDINATED  
CEILING FAN**  
15030-839, p.422



**RAVENWOOD  
MANOR INDOOR**, p.196  
Stardust Finish



**CEILING FLUSH  
MOUNTS**, p.327  
Blacksmith Finish



**MORILL BATH**, p.374  
Blacksmith Finish



**LED VINTAGE LAMP**  
97500S, p.594  
Medium Base Only



**LED CANDELABRA LAMP**  
LTB10C35027B, p.594  
Candelabra Base Only







## ALTURAS

The interlocking, spherical steel frame of the modern Alturas collection's silhouette harkens back to the Unisphere constructed for the 1964 New York World's Fair. The minimalist Alturas collection draws the eye to the soft, warm glow emitted from the cylindrical Etched glass shades.





SATIN BRONZE FINISH  
ETCHED GLASS, WHITE INSIDE

## NINE LIGHT CHANDELIER

DAMP

D: 32.5" H: 32.75"

12' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 3124609-848**

(9) Medium Base 60w max.

**T24 3124609EN3-848**

**EN★** (9) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



BRUSHED NICKEL FINISH  
ETCHED GLASS, WHITE INSIDE

## NINE LIGHT CHANDELIER

DAMP

D: 32.5" H: 32.75"

12' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 3124609-962**

(9) Medium Base 60w max.

**T24 3124609EN3-962**

**EN★** (9) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

See more Brushed Nickel finish on p.118

FIVE LIGHT CHANDELIER DAMP

D: 27.25" H: 27"  
12' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

T24 **3124605-848**  
(5) Medium Base 100w max.

T24 **3124605EN3-848**  
EN★ (5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



THREE LIGHT CHANDELIER DAMP

D: 19" H: 18.75"  
12' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

T24 **3124603-848**  
(3) Medium Base 100w max.

T24 **3124603EN3-848**  
EN★ (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



THREE LIGHT PENDANT DAMP

D: 19" H: 18.75"  
12' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

T24 **6624603-848**  
(3) Medium Base 100w max.

T24 **6624603EN3-848**  
EN★ (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



CONVERTS TO  
SEMI-FLUSH  
H: 15"



**TWO LIGHT SEMI-FLUSH  
CONVERTIBLE PENDANT**

DAMP

D: 14" H: 16.5"  
6' wire pre-laced through 3' chain

**T24 7724602-848**  
(2) Medium Base 60w max.

**T24 7724602EN3-848**  
(2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

**ONE LIGHT MINI-PENDANT**

DAMP

D: 3.5" H: 7.25"  
12' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6124601-848**  
(1) Medium Base 100w max.

**T24 6124601EN3-848**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**ONE LIGHT WALL / BATH**

DAMP

W: 4.5" H: 8.75" E: 6.25"  
Height from center of outlet box  
up: 5.75" down: 3"

**T24 4124601-848**  
(1) Medium Base 100w max.

**T24 4124601EN3-848**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



MOUNTS UP  
OR DOWN

RECOMMENDED PRODUCTS



**COORDINATED  
CEILING FAN**  
15030EN3-15, p.424



**NASH CEILING  
FLUSH MOUNTS**, p.325  
Satin Bronze Finish



**ALTURAS BATH**, p.350  
Satin Bronze Finish

FIVE LIGHT CHANDELIER DAMP

D: 27.25" H: 27"  
12' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

T24 **3124605-962**  
(5) Medium Base 100w max.

T24 **3124605EN3-962**  
EN★ (5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



THREE LIGHT CHANDELIER DAMP

D: 19" H: 18.75"  
12' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

T24 **3124603-962**  
(3) Medium Base 100w max.

T24 **3124603EN3-962**  
EN★ (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



THREE LIGHT PENDANT DAMP

D: 19" H: 18.75"  
12' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

T24 **6624603-962**  
(3) Medium Base 100w max.

T24 **6624603EN3-962**  
EN★ (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.





CONVERTS TO  
SEMI-FLUSH  
H: 15"



**TWO LIGHT SEMI-FLUSH  
CONVERTIBLE PENDANT**

DAMP

D: 14" H: 16.5"  
6' wire pre-laced through 3' chain

**T24 7724602-962**  
(2) Medium Base 60w max.

**T24 7724602EN3-962**  
(2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

**ONE LIGHT MINI-PENDANT**

DAMP

D: 3.5" H: 7.25"  
12' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6124601-962**  
(1) Medium Base 100w max.

**T24 6124601EN3-962**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**ONE LIGHT WALL / BATH**

DAMP

W: 4.5" H: 8.75" E: 6.25"  
Height from center of outlet box  
up: 5.75" down: 3"

**T24 4124601-962**  
(1) Medium Base 100w max.

**T24 4124601EN3-962**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



MOUNTS UP  
OR DOWN

RECOMMENDED PRODUCTS



**COORDINATED  
CEILING FAN**  
15040EN3-962, p.424



**NASH CEILING  
FLUSH MOUNTS**, p.326  
Brushed Nickel Finish



**ALTURAS BATH**, p.350  
Brushed Nickel Finish  
Chrome Finish



# CORSICANA

The strands of translucent natural Capiz shells featured on the transitional Corsicana Collection lend an organic feel to this elegant collection and diffuse the light with a fantastic effect. The rich, tiered designs are created using multiple lengths of strands suspended from a steel frame.



HEIRLOOM BRONZE FINISH  
WHITE CAPIZ SHELL

## FIVE LIGHT CHANDELIER

DAMP

L: 40" W: 12" H: 13.75"  
10' wire, (6) 12" stems, (2) 6" stems

**T24 3225005-782**  
(5) Medium Base 100w max.

**T24 3225005EN3-782**  
(5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



HEIRLOOM BRONZE FINISH  
WHITE CAPIZ SHELL

## THREE LIGHT CHANDELIER

DAMP

D: 17" H: 13.5"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 3125003-782**  
(3) Medium Base 100w max.

**T24 3125003EN3-782**  
(3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



HEIRLOOM BRONZE FINISH  
WHITE CAPIZ SHELL

## ONE LIGHT MINI-PENDANT

DAMP

D: 6" H: 8.25"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6125001-782**  
(1) Medium Base 100w max.

**T24 6125001EN3-782**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

## RECOMMENDED PRODUCTS



**COORDINATED  
CEILING FAN**  
15040EN3-782, p.424



**CEILING FLUSH  
MOUNTS**, p.327  
Heirloom Bronze Finish



**GEARY PENDANTS**, p.256  
Heirloom Bronze Finish



# CHATAUQUA

The Chatauqua Collection exudes a retro-industrial style via the striking beveled edges inspired by raw, steel girders finished with functioning corner-connection details. In contrast, the cylindrical, white glass shades add a modern touch.





ANTIQUE BRONZE FINISH  
ETCHED GLASS, WHITE INSIDE

## SIX LIGHT HALL / FOYER

DAMP

L: 16" W: 16" H: 27.875"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 5140506-71**  
(6) Medium Base 100w max.

**T24 5140506EN3-71**  
**EN★** (6) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



STARDUST FINISH  
ETCHED GLASS, WHITE INSIDE

## SIX LIGHT HALL / FOYER

DAMP

L: 16" W: 16" H: 27.875"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 5140506-846**  
(6) Medium Base 100w max.

**T24 5140506EN3-846**  
**EN★** (6) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

See more Stardust finish on p.126

FIVE LIGHT CHANDELIER

DAMP

L: 22.25" W: 22.25" H: 12.5"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

T24 3140505-71  
(5) Medium Base 100w max.

T24 3140505EN3-71  
EN★ (5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



FOUR LIGHT  
ISLAND PENDANT

DAMP

L: 36" W: 8" H: 12.5"  
10' wire, (6) 12" stems, (2) 6" stems

T24 6640504-71  
(4) Medium Base 100w max.

T24 6640504EN3-71  
EN★ (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.





THREE LIGHT HALL / FOYER DAMP

L: 14.25" W: 14.25" H: 20.5"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

T24 **5140503-71**  
(3) Medium Base 100w max.

T24 **5140503EN3-71**  
EN★ (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



THREE LIGHT CHANDELIER DAMP

L: 17.375" W: 17.375" H: 13.125"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

T24 **3140503-71**  
(3) Medium Base 100w max.

T24 **3140503EN3-71**  
EN★ (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



ONE LIGHT MINI-PENDANT DAMP

L: 6.25" W: 6.25" H: 11.5"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

T24 **6140501-71**  
(1) Medium Base 100w max.

T24 **6140501EN3-71**  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

RECOMMENDED PRODUCTS



COORDINATED  
CEILING FAN  
15040EN3-782, p.424



CEILING FLUSH  
MOUNTS, p.327  
Heirloom Bronze Finish

**FIVE LIGHT CHANDELIER****DAMP**

L: 22.25" W: 22.25" H: 12.5"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 3140505-846**  
(5) Medium Base 100w max.


**T24 3140505EN3-846**  
**EN★** (5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

**FOUR LIGHT  
ISLAND PENDANT****DAMP**

L: 36" W: 8" H: 12.5"  
10' wire, (6) 12" stems, (2) 6" stems and  
sloped ceiling mounting hardware

**T24 6640504-846**  
(4) Medium Base 100w max.

**T24 6640504EN3-846**  
**EN★** (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.







THREE LIGHT HALL / FOYER DAMP

L: 14.25" W: 14.25" H: 20.5"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

T24 **5140503-846**  
(3) Medium Base 100w max.

T24 **5140503EN3-846**  
EN★ (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



THREE LIGHT CHANDELIER DAMP

L: 17.375" W: 17.375" H: 13.125"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

T24 **3140503-846**  
(3) Medium Base 100w max.

T24 **3140503EN3-846**  
EN★ (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



ONE LIGHT MINI-PENDANT DAMP

L: 6.25" W: 6.25" H: 11.5"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

T24 **6140501-846**  
(1) Medium Base 100w max.

T24 **6140501EN3-846**  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

RECOMMENDED PRODUCTS



COORDINATED  
CEILING FAN  
15030-839, p.422



CEILING FLUSH  
MOUNTS, p.327  
Blacksmith Finish



## OSLO

The Oslo Collection has a sleek design with smooth and clean lines. The linear body structure contrasts nicely with the soft curves of the Opal Etched glass shades, creating a contemporary and minimalist aesthetic overall. Many of the fixtures can be installed facing both up or down for full versatility.



BRUSHED NICKEL FINISH  
CASED OPAL ETCHED GLASS

#### NINE LIGHT CHANDELIER

D: 26" H: 26.75"

12' wire pre-laced through 10' chain

**T24** **31162-962**  
(9) Medium Base 100w max.

**T24** **31162EN3-962**  
**EN★** (9) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



CHROME FINISH  
CASED OPAL ETCHED GLASS

#### NINE LIGHT CHANDELIER

D: 26" H: 26.75"

12' wire pre-laced through 10' chain

**T24** **31162-05**  
(9) Medium Base 100w max.

**T24** **31162EN3-05**  
**EN★** (9) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

*See more Chrome finish on p.132*



BLACKSMITH FINISH  
CASED OPAL ETCHED GLASS

#### NINE LIGHT CHANDELIER

D: 26" H: 26.75"

12' wire pre-laced through 10' chain

**T24** **31162-839**  
(9) Medium Base 100w max.

**T24** **31162EN3-839**  
**EN★** (9) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

*See more Blacksmith finish on p.134*



### FIVE LIGHT CHANDELIER

D: 24" H: 20"

12' wire pre-laced through 10' chain

**T24 31161-962**  
(5) Medium Base 100w max.

**T24 31161EN3-962**  
(5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



### THREE LIGHT ISLAND PENDANT

L: 25.25" W: 4" H: 9.5"

12' wire, (6) 12" stems, (2) 6" stems

**T24 66160-962**  
(3) Medium Base 100w max.

**T24 66160EN3-962**  
(3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



### THREE LIGHT CHANDELIER

D: 15" H: 16.5"

12' wire pre-laced through 10' chain

**T24 31160-962**  
(3) Medium Base 100w max.

**T24 31160EN3-962**  
(3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



ETCHED GLASS, WHITE INSIDE

### TWO LIGHT SEMI-FLUSH CONVERTIBLE PENDANT

D: 13.5" H: 11.25"

12' wire pre-laced through 10' chain

**T24 77160-962**  
(2) Medium Base 100w max.

**T24 77160EN3-962**  
(2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.





ETCHED GLASS, WHITE INSIDE

ONE LIGHT PENDANT

D: 15.75" H: 8.75"  
12' wire pre-laced through 10' chain

**T24 65160-962**  
(1) Medium Base 150w max.

**T24 65160EN3-962**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ONE LIGHT MINI-PENDANT

D: 4" H: 5.75"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 61160-962**  
(1) Medium Base 100w max.

**T24 61160EN3-962**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ONE LIGHT WALL / BATH

DAMP

W: 4.75" H: 8.75" E: 5.5"  
Height from center of outlet box  
up: 4.75" down: 4"

**T24 41160-962**  
(1) Medium Base 100w max.

**T24 41160EN3-962**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



MOUNTS UP  
OR DOWN

RECOMMENDED PRODUCTS



**COORDINATED  
CEILING FAN**  
15040EN3-962, p.424



**CEILING FLUSH  
MOUNTS**, p.326  
Brushed Nickel Finish



**OSLO BATH**, p.353  
Brushed Nickel Finish



**GEARY PENDANTS**, p.256  
Brushed Nickel Finish



**FIVE LIGHT CHANDELIER**

D: 24" H: 20"  
12' wire pre-laced through 10' chain

**T24 31161-O5**  
(5) Medium Base 100w max.

**T24 31161EN3-O5**  
**EN★** (5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.




**THREE LIGHT ISLAND PENDANT**

L: 25.25" W: 4" H: 9.5"  
12' wire, (6) 12" stems, (2) 6" stems

**T24 66160-O5**  
(3) Medium Base 100w max.

**T24 66160EN3-O5**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**THREE LIGHT CHANDELIER**

D: 15" H: 16.5"  
12' wire pre-laced through 10' chain

**T24 31160-O5**  
(3) Medium Base 100w max.

**T24 31160EN3-O5**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



ETCHED GLASS, WHITE INSIDE

**TWO LIGHT SEMI-FLUSH  
CONVERTIBLE PENDANT**

D: 13.5" H: 11.25"  
12' wire pre-laced through 10' chain

**T24 77160-O5**  
(2) Medium Base 100w max.

**T24 77160EN3-O5**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



ETCHED GLASS, WHITE INSIDE

ONE LIGHT PENDANT

D: 15.75" H: 8.75"  
12' wire pre-laced through 10' chain

**T24 65160-05**  
(1) Medium Base 150w max.

**T24 65160EN3-05**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ONE LIGHT MINI-PENDANT

D: 4" H: 5.75"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 61160-05**  
(1) Medium Base 100w max.

**T24 61160EN3-05**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ONE LIGHT WALL / BATH

**DAMP**

W: 4.75" H: 8.75" E: 5.5"  
Height from center of outlet box  
up: 4.75" down: 4"

**T24 41160-05**  
(1) Medium Base 100w max.

**T24 41160EN3-05**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



MOUNTS UP  
OR DOWN

RECOMMENDED PRODUCTS



**COORDINATED  
CEILING FAN**  
**15030-05**, p.422



**CEILING FLUSH  
MOUNTS**, p.326  
Chrome Finish



**OSLO BATH**, p.353  
Chrome Finish



**GEARY PENDANTS**, p.256  
Brushed Nickel Finish



FIVE LIGHT CHANDELIER

D: 24" H: 20"  
12' wire pre-laced through 10' chain

T24 31161-839  
(5) Medium Base 100w max.

T24 31161EN3-839  
(5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.




THREE LIGHT ISLAND PENDANT

L: 25.25" W: 4" H: 9.5"  
12' wire, (6) 12" stems, (2) 6" stems

T24 66160-839  
(3) Medium Base 100w max.

T24 66160EN3-839  
(3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



THREE LIGHT CHANDELIER

D: 15" H: 16.5"  
12' wire pre-laced through 10' chain

T24 31160-839  
(3) Medium Base 100w max.

T24 31160EN3-839  
(3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



ETCHED GLASS, WHITE INSIDE

TWO LIGHT SEMI-FLUSH  
CONVERTIBLE PENDANT

D: 13.5" H: 11.25"  
12' wire pre-laced through 10' chain

T24 77160-839  
(2) Medium Base 100w max.

T24 77160EN3-839  
(2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.





ETCHED GLASS, WHITE INSIDE

ONE LIGHT PENDANT

D: 15.75" H: 8.75"  
12' wire pre-laced through 10' chain

**T24 65160-839**  
(1) Medium Base 150w max.

**T24 65160EN3-839**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ONE LIGHT MINI-PENDANT

D: 4" H: 5.75"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 61160-839**  
(1) Medium Base 100w max.

**T24 61160EN3-839**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ONE LIGHT WALL / BATH

W: 4.75" H: 8.75" E: 5.5"  
Height from center of outlet box  
up: 4.75" down: 4"

**T24 41160-839**  
(1) Medium Base 100w max.

**T24 41160EN3-839**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

DAMP



MOUNTS UP  
OR DOWN

RECOMMENDED PRODUCTS



**COORDINATED  
CEILING FAN**  
15030-839, p.422



**CEILING FLUSH  
MOUNTS**, p.327  
Blacksmith Finish



**OSLO BATH**, p.353  
Blacksmith Finish



**GEARY PENDANTS**, p.256  
Blacksmith Finish

# ENGLEHORN

The modern Englehorn Collection brings a heightened sense of beauty through the use of dramatic and flawless optic crystal. Even with the crystal's delicate appearance, the overall design makes a strong statement in a Chrome finish with Etched White glass.





## NINE LIGHT CHANDELIER DAMP

D: 32.25" H: 25.5"  
10' wire pre-laced through 3' chain

**T24 3113409-05**  
(9) Medium Base 75w max.

**T24 3113409EN3-05**  
(9) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

CHROME FINISH WITH OPTIC CRYSTAL ACCENTS  
ETCHED GLASS, WHITE INSIDE



## FIVE LIGHT CHANDELIER DAMP

D: 26.5" H: 21.75"  
10' wire pre-laced through 3' chain

**T24 3113405-05**  
(5) Medium Base 75w max.

**T24 3113405EN3-05**  
(5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

CHROME FINISH WITH OPTIC CRYSTAL ACCENTS  
ETCHED GLASS, WHITE INSIDE



CONVERTS TO  
SEMI-FLUSH  
H: 14.5"



TWO LIGHT SEMI-FLUSH  
CONVERTIBLE PENDANT

DAMP

D: 16" H: 16.75"  
10' wire pre-laced through 3' chain

T24 7713402-05  
(2) Medium Base 100w max.

T24 7713402EN3-05  
EN★ (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

ONE LIGHT MINI-PENDANT

DAMP

D: 4" H: 9.25"  
10' wire, (3) 12" stems, (1) 6" stem  
and sloped ceiling mounting hardware

T24 6113401-05  
(1) Medium Base 100w max.

T24 6113401EN-05  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ONE LIGHT WALL / BATH

DAMP

W: 5" H: 13" E: 7"  
Height from center of outlet box  
up: 10.5" down: 2.5"

T24 4113401-05  
(1) Medium Base 75w max.

T24 4113401EN3-05  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



MOUNTS UP  
OR DOWN

RECOMMENDED PRODUCTS



COORDINATED  
CEILING FAN  
15030-05, p.422



CEILING FLUSH  
MOUNTS, p.326  
Chrome Finish



ENGLEHORN  
BATH, p.358  
Chrome Finish









# KERRVILLE

With a simple, airy appearance, the Kerrville Collection embraces its modern design roots while achieving a transitional aesthetic overall. Tubular steel arms meld with beautiful satin etched glass in this elegant, unadorned collection.



BRUSHED NICKEL FINISH  
SATIN ETCHED GLASS

**NINE LIGHT CHANDELIER** DAMP

D: 29" H: 29.5"  
10' wire pre-laced through 6' chain

**T24 3115209-962**  
(9) Medium Base 75w max.

**T24 3115209EN3-962**  
**EN★** (9) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



HEIRLOOM BRONZE FINISH  
SATIN ETCHED GLASS

**NINE LIGHT CHANDELIER** DAMP

D: 29" H: 29.5"  
10' wire pre-laced through 6' chain

**T24 3115209-782**  
(9) Medium Base 75w max.

**T24 3115209EN3-782**  
**EN★** (9) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

*See more Heirloom Bronze finish on p.144*



CHROME FINISH  
SATIN ETCHED GLASS

**NINE LIGHT CHANDELIER** DAMP

D: 29" H: 29.5"  
10' wire pre-laced through 6' chain

**T24 3115209-05**  
(9) Medium Base 75w max.

**T24 3115209EN3-05**  
**EN★** (9) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

*See more Chrome finish on p.146*



**FIVE LIGHT CHANDELIER** DAMP

D: 20.5" H: 17"  
6' wire pre-laced through 3' chain

**T24 3115205-962**  
(5) Medium Base 100w max.

**T24 3115205EN3-962**  
**EN★** (5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**THREE LIGHT PENDANT** DAMP

D: 19.25" H: 18.5"  
6' wire pre-laced through 3' chain

**T24 6615203-962**  
(3) Medium Base 100w max.

**T24 6615203EN3-962**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**THREE LIGHT CHANDELIER** DAMP

D: 18" H: 15"  
6' wire pre-laced through 3' chain

**T24 3115203-962**  
(3) Medium Base 100w max.

**T24 3115203EN3-962**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**TWO LIGHT SEMI-FLUSH  
CONVERTIBLE PENDANT** DAMP

D: 15" H: 10.5"  
6' wire pre-laced through 3' chain

**T24 7715202-962**  
(2) Medium Base 100w max.

**T24 7715202EN3-962**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.





**ONE LIGHT PENDANT** DAMP

D: 15" H: 8"  
6' wire pre-laced through 3' chain

**T24 6515201-962**  
(1) Medium Base 100w max.

**T24 6515201EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**ONE LIGHT MINI-PENDANT** DAMP

D: 4.5" H: 6.5"  
6' wire, (3) 12" stems, 12" chain

**T24 6115201-962**  
(1) Medium Base 100w max.

**T24 6115201EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**ONE LIGHT WALL / BATH** DAMP

W: 4.75" H: 9.75" E: 6.75"  
Height from center of outlet box  
up: 5.75" down: 4"

**T24 4115201-962**  
(1) Medium Base 100w max.

**T24 4115201EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



MOUNTS UP  
OR DOWN

RECOMMENDED PRODUCTS



**COORDINATED  
CEILING FAN**  
**15040EN3-962**, p.424



**CEILING FLUSH  
MOUNTS**, p.326  
Brushed Nickel Finish



**KERRVILLE BATH**, p.355  
Brushed Nickel Finish



**GEARY PENDANTS**, p.256  
Brushed Nickel Finish



CONVERTS TO  
DOWNLIGHT  
H: 24.75"

**FIVE LIGHT CHANDELIER** DAMP

D: 20.5" H: 17"  
6' wire pre-laced through 3' chain

**T24 3115205-782**  
(5) Medium Base 100w max.

**T24 3115205EN3-782**  
**EN★** (5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**THREE LIGHT PENDANT** DAMP

D: 19.25" H: 18.5"  
6' wire pre-laced through 3' chain

**T24 6615203-782**  
(3) Medium Base 100w max.

**T24 6615203EN3-782**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



CONVERTS TO  
DOWNLIGHT  
H: 22"

**THREE LIGHT CHANDELIER** DAMP

D: 18" H: 15"  
6' wire pre-laced through 3' chain

**T24 3115203-782**  
(3) Medium Base 100w max.

**T24 3115203EN3-782**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



CONVERTS TO  
SEMI-FLUSH  
H: 9"

**TWO LIGHT SEMI-FLUSH  
CONVERTIBLE PENDANT** DAMP

D: 15" H: 10.5"  
6' wire pre-laced through 3' chain

**T24 7715202-782**  
(2) Medium Base 100w max.

**T24 7715202EN3-782**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



ONE LIGHT PENDANT

DAMP

D: 15" H: 8"  
6' wire pre-laced through 3' chain

**T24 6515201-782**  
(1) Medium Base 100w max.

**T24 6515201EN3-782**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ONE LIGHT MINI-PENDANT

DAMP

D: 4.5" H: 6.5"  
6' wire, (3) 12" stems, 12" chain

**T24 6115201-782**  
(1) Medium Base 100w max.

**T24 6115201EN3-782**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ONE LIGHT WALL / BATH

DAMP

W: 4.75" H: 9.75" E: 6.75"  
Height from center of outlet box  
up: 5.75" down: 4"

**T24 4115201-782**  
(1) Medium Base 100w max.

**T24 4115201EN3-782**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



MOUNTS UP  
OR DOWN

RECOMMENDED PRODUCTS



**COORDINATED  
CEILING FAN**  
**15040EN3-782**, p.424



**CEILING FLUSH  
MOUNTS**, p.327  
Heirloom Bronze Finish



**KERVILLE BATH**, p.355  
Heirloom Bronze Finish



**GEARY PENDANTS**, p.256  
Heirloom Bronze Finish

**FIVE LIGHT CHANDELIER****DAMP**

D: 20.5" H: 17"

6' wire pre-laced through 3' chain

**T24 3115205-05**  
(5) Medium Base 100w max.

**T24 3115205EN3-05**  
**EN★** (5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

**THREE LIGHT PENDANT****DAMP**

D: 19.25" H: 18.5"

6' wire pre-laced through 3' chain

**T24 6615203-05**  
(3) Medium Base 100w max.

**T24 6615203EN3-05**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

**THREE LIGHT CHANDELIER****DAMP**

D: 18" H: 15"

6' wire pre-laced through 3' chain

**T24 3115203-05**  
(3) Medium Base 100w max.

**T24 3115203EN3-05**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

**TWO LIGHT SEMI-FLUSH  
CONVERTIBLE PENDANT****DAMP**

D: 15" H: 10.5"

6' wire pre-laced through 3' chain

**T24 7715202-05**  
(2) Medium Base 100w max.

**T24 7715202EN3-05**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.





ONE LIGHT PENDANT

DAMP

D: 15" H: 8"  
6' wire pre-laced through 3' chain

**T24 6515201-05**  
(1) Medium Base 100w max.

**T24 6515201EN3-05**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ONE LIGHT MINI-PENDANT

DAMP

D: 4.5" H: 6.5"  
6' wire, (3) 12" stems, 12" chain

**T24 6115201-05**  
(1) Medium Base 100w max.

**T24 6115201EN3-05**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ONE LIGHT WALL / BATH

DAMP

W: 4.75" H: 9.75" E: 6.75"  
Height from center of outlet box  
up: 5.75" down: 4"

**T24 4115201-05**  
(1) Medium Base 100w max.

**T24 4115201EN3-05**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



MOUNTS UP  
OR DOWN

RECOMMENDED PRODUCTS



**COORDINATED  
CEILING FAN**  
15040EN33-962, p.424



**CEILING FLUSH  
MOUNTS, p.326**  
Chrome Finish



**KERRVILLE BATH, p.355**  
Chrome Finish



**GEARY PENDANTS, p.256**  
Brushed Nickel Finish



## WINNETKA

The Winnetka Collection has a clean design which lends itself to a modern-mission style. Geometric, cylindrical shades are highlighted by the subtle ornamentation of the stepped detail on the adjacent socket housing. The transitional aesthetic has a tailored and streamlined look with a contemporary flair.



### FIFTEEN LIGHT CHANDELIER 50LB

D: 46.5" H: 42.75"  
12' wire pre-laced through 10' chain

**T24 31663-962**  
(15) Medium Base 60w max.

**T24 31663EN3-962**  
(15) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

BRUSHED NICKEL FINISH  
SATIN ETCHED GLASS



### NINE LIGHT CHANDELIER

D: 32" H: 31.75"  
12' wire pre-laced through 10' chain

**T24 31662-962**  
(9) Medium Base 100w max.

**T24 31662EN3-962**  
(9) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

BRUSHED NICKEL FINISH  
SATIN ETCHED GLASS




### FIFTEEN LIGHT CHANDELIER 50LB

D: 46.5" H: 42.75"  
12' wire pre-laced through 10' chain

**T24 31663-839**  
(15) Medium Base 60w max.

**T24 31663EN3-839**  
(15) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

BLACKSMITH FINISH  
SATIN ETCHED GLASS



### NINE LIGHT CHANDELIER

D: 32" H: 31.75"  
12' wire pre-laced through 10' chain

**T24 31662-839**  
(9) Medium Base 100w max.

**T24 31662EN3-839**  
(9) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

*See more Blacksmith on p.152*

BLACKSMITH FINISH  
SATIN ETCHED GLASS



**FIVE LIGHT CHANDELIER**

D: 25" H: 21.25"  
12' wire pre-laced through 10' chain

**T24 31661-962**  
(5) Medium Base 100w max.

**T24 31661EN3-962**  
**EN★** (5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**FOUR LIGHT PENDANT**

D: 28.25" H: 27.5"  
12' wire pre-laced through 10' chain

**T24 65662-962**  
(4) Medium Base 100w max.

**T24 65662EN3-962**  
**EN★** (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**THREE LIGHT CHANDELIER**

D: 21" H: 20.25"  
12' wire pre-laced through 10' chain

**T24 31660-962**  
(3) Medium Base 100w max.

**T24 31660EN3-962**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**THREE LIGHT PENDANT**

D: 18" H: 24"  
12' wire pre-laced through 10' chain

**T24 65661-962**  
(3) Medium Base 100w max.

**T24 65661EN3-962**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**THREE LIGHT CEILING FLUSH MOUNT** **DAMP**

D: 17.75" H: 6"

**T24 75662-962**  
(3) Medium Base 60w max.

**T24 75662EN3-962**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.





**TWO LIGHT SEMI-FLUSH  
CONVERTIBLE PENDANT**

D: 14.25" H: 14"  
12' wire pre-laced through 10' chain

- T24 77660-962**  
(2) Medium Base 60w max.
- T24 77660EN3-962**  
(2) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.



**TWO LIGHT CEILING  
FLUSH MOUNT** DAMP

D: 14" H: 5.25"

- T24 75661-962**  
(2) Medium Base 60w max.
- T24 75661EN3-962**  
(2) Med. Base LED 3000K, 9.5w, 800 lumen lamps incl.



**ONE LIGHT PENDANT**

D: 16.75" H: 15.25"  
12' wire pre-laced through 10' chain

- T24 65660-962**  
(1) Medium Base 150w max.
- T24 65660EN3-962**  
(1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.



**ONE LIGHT MINI-PENDANT**

D: 6.25" H: 14.75"  
10' wire, (3) 12" stems, 12" chain

- T24 61660-962**  
(1) Medium Base 100w max.
- T24 61660EN3-962**  
(1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.



**ONE LIGHT WALL / BATH** DAMP

W: 6" H: 9.25" E: 7.5"  
Height from center of outlet box  
up: 4" down: 5.25"

- T24 44660-962**  
(1) Medium Base 100w max.
- T24 44660EN3-962**  
(1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.



**RECOMMENDED PRODUCTS**



**COORDINATED  
CEILING FAN**  
15040EN3-962, p.424



**WINNETKA BATH**, p.357  
Brushed Nickel Finish



**WINNETKA  
OUTDOOR**, p.491  
Forged Iron Finish



**GEARY PENDANTS**, p.256  
Brushed Nickel Finish



**FIVE LIGHT CHANDELIER**

D: 25" H: 21.25"  
12' wire pre-laced through 10' chain

**T24 31661-839**  
(5) Medium Base 100w max.

**T24 31661EN3-839**  
**EN★** (5) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**FOUR LIGHT PENDANT**

D: 28.25" H: 27.5"  
12' wire pre-laced through 10' chain

**T24 65662-839**  
(4) Medium Base 100w max.

**T24 65662EN3-839**  
**EN★** (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**THREE LIGHT CHANDELIER**

D: 21" H: 20.25"  
12' wire pre-laced through 10' chain

**T24 31660-839**  
(3) Medium Base 100w max.

**T24 31660EN3-839**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**THREE LIGHT PENDANT**

D: 18" H: 24"  
12' wire pre-laced through 10' chain

**T24 65661-839**  
(3) Medium Base 100w max.

**T24 65661EN3-839**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**THREE LIGHT CEILING FLUSH MOUNT** **DAMP**

D: 17.75" H: 6"

**T24 75662-839**  
(3) Medium Base 60w max.

**T24 75662EN3-839**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**TWO LIGHT SEMI-FLUSH  
CONVERTIBLE PENDANT**

D: 14.25" H: 14"  
12' wire pre-laced through 10' chain

**T24 77660-839**  
(2) Medium Base 60w max.

**T24 77660EN3-839**  
(2) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**TWO LIGHT CEILING  
FLUSH MOUNT** **DAMP**

D: 14" H: 5.25"

**T24 75661-839**  
(2) Medium Base 60w max.

**T24 75661EN3-839**  
(2) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**ONE LIGHT PENDANT**

D: 16.75" H: 15.25"  
12' wire pre-laced through 10' chain

**T24 65660-839**  
(1) Medium Base 150w max.

**T24 65660EN3-839**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**ONE LIGHT MINI-PENDANT**

D: 6.25" H: 14.75"  
10' wire, (3) 12" stems, 12" chain

**T24 61660-839**  
(1) Medium Base 100w max.

**T24 61660EN3-839**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**ONE LIGHT WALL / BATH** **DAMP**

W: 6" H: 9.25" E: 7.5"  
Height from center of outlet box  
up: 4" down: 5.25"

**T24 44660-839**  
(1) Medium Base 100w max.

**T24 44660EN3-839**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**RECOMMENDED PRODUCTS**



**COORDINATED  
CEILING FAN**  
15030-839, p.422



**WINNETKA BATH**, p.357  
Blacksmith Finish



**WINNETKA  
OUTDOOR**, p.491  
Forged Iron Finish



**GEARY PENDANTS**, p.256  
Blacksmith Finish



## STIRLING

The Stirling Collection, with its chic style and eclectic twist brings clean, modern lines to a traditional soul. The Beige Linen drum shades combined with a Burnt Sienna finish or White Linen drum shades combined with a Brushed Nickel finish are both eye-catching and inviting.





BRUSHED NICKEL FINISH  
WHITE LINEN SHADES

## NINE LIGHT CHANDELIER

D: 30" H: 32.5"  
12' wire pre-laced through 10' chain

**T24 31952-962**  
(9) Candelabra Base 60w max.

**T24 31952EN-962**  
**EN★** (9) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



BRUSHED NICKEL FINISH  
WHITE LINEN SHADES

## FIVE LIGHT CHANDELIER

D: 22.5" H: 20.75"  
12' wire pre-laced through 10' chain

**T24 31942-962**  
(5) Candelabra Base 60w max.

**T24 31942EN-962**  
**EN★** (5) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.




BURNT SIENNA FINISH  
BEIGE LINEN SHADES

## NINE LIGHT CHANDELIER

D: 30" H: 32.5"  
12' wire pre-laced through 10' chain

**T24 31952-710**  
(9) Candelabra Base 60w max.

**T24 31952EN-710**  
**EN★** (9) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



BURNT SIENNA FINISH  
BEIGE LINEN SHADES

## FIVE LIGHT CHANDELIER

D: 22.5" H: 20.75"  
12' wire pre-laced through 10' chain

**T24 31942-710**  
(5) Candelabra Base 60w max.

**T24 31942EN-710**  
**EN★** (5) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.

See more *Burnt Sienna* finish on p.158



**SIX LIGHT  
ISLAND PENDANT**

L: 35" W: 17.5" H: 13.25"  
10' wire, (2) 12" stems, (1) 6" stem

**T24 66953-962**  
(6) Candelabra Base 60w max.

**T24 66953EN-962**  
**EN★** (6) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



**FOUR LIGHT  
ISLAND PENDANT**

L: 37" W: 6.5" H: 12.75"  
10' wire, (2) 12" stems, (1) 6" stem

**T24 66952-962**  
(4) Medium Base 60w max.

**T24 66952EN3-962**  
**EN★** (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**THREE LIGHT CHANDELIER**

D: 19" H: 18.75"  
12' wire pre-laced through 10' chain

**T24 31932-962**  
(3) Candelabra Base 60w max

**T24 31932EN-962**  
**EN★** (3) Med. Base LED 2700K,  
9w, 800 lumen lamps incl.



WITH SATIN ETCHED  
GLASS DIFFUSER

**THREE LIGHT PENDANT**

D: 19" H: 26.25"  
12' wire pre-laced through 10' chain

**T24 65953-962**  
(3) Medium Base 100w max.

**T24 65953EN3-962**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



CONVERTS TO  
SEMI-FLUSH  
H: 12.75"

**TWO LIGHT SEMI-FLUSH  
CONVERTIBLE PENDANT**

D: 14" H: 14.75"  
12' wire pre-laced through 10' chain

**T24 77952-962**  
(2) Medium Base 60w max.

**T24 77952EN3-962**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



WITH SATIN ETCHED  
GLASS DIFFUSER

**TWO LIGHT CEILING  
FLUSH MOUNT**

D: 14" H: 7.25"

**T24 75952-962**  
(2) Medium Base 60w max.

**T24 75952EN3-962**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



WITH SATIN ETCHED  
GLASS DIFFUSER

**ONE LIGHT PENDANT**

D: 16" H: 10.25"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 65952-962**  
(1) Medium Base 100w max.

**T24 65952EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**ONE LIGHT MINI-PENDANT**

D: 6.5" H: 8.5"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 61952-962**  
(1) Medium Base 60w max.

**T24 61952EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



CASED OPAL ETCHED GLASS

**ONE LIGHT WALL SCONCE**

W: 5.5" H: 14.5" E: 7.25"  
Height from center of outlet box  
up: 9.5"

**T24 41260-962**  
(1) Candelabra Base 60w max.

**T24 41260EN-962**  
**EN★** (1) Cand. Base LED 2700K,  
3.5w, 350 lumen lamp incl.


**ONE LIGHT WALL / BATH**

**DAMP**

W: 5.5" H: 11.25" E: 6.75"  
Height from center of outlet box  
up: 6.25" down: 5"

**T24 44952-962**  
(1) Medium Base 100w max.

**T24 44952EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



MOUNTS UP  
OR DOWN

**RECOMMENDED PRODUCTS**



**COORDINATED  
CEILING FAN**  
**15040EN3-962**, p.424



**STIRLING BATH**, p.359  
Brushed Nickel Finish  
Chrome Finish



**GEARY PENDANTS**, p.256  
Brushed Nickel Finish



**SIX LIGHT  
ISLAND PENDANT**

L: 35" W: 17.5" H: 13.25"  
10' wire, (2) 12" stems, (1) 6" stem

**T24 66953-710**  
(6) Candelabra Base 60w max.

**T24 66953EN-710**  
**EN★** (6) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



**FOUR LIGHT  
ISLAND PENDANT**

L: 37" W: 6.5" H: 12.75"  
10' wire, (2) 12" stems, (1) 6" stem

**T24 66952-710**  
(4) Medium Base 60w max.

**T24 66952EN3-710**  
**EN★** (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**THREE LIGHT CHANDELIER**

D: 19" H: 18.75"  
12' wire pre-laced through 10' chain

**T24 31932-710**  
(3) Candelabra Base 60w max

**T24 31932EN-710**  
**EN★** (3) Med. Base LED 2700K,  
9w, 800 lumen lamps incl.



WITH SATIN ETCHED  
GLASS DIFFUSER

**THREE LIGHT PENDANT**

D: 19" H: 26.25"  
12' wire pre-laced through 10' chain

**T24 65953-710**  
(3) Medium Base 100w max.

**T24 65953EN3-710**  
**EN★** (3) Med. Base LED 2700K,  
9.5w, 800 lumen lamps incl.



WITH SATIN ETCHED  
GLASS DIFFUSER

**TWO LIGHT SEMI-FLUSH  
CONVERTIBLE PENDANT**

D: 14" H: 14.75"  
12' wire pre-laced through 10' chain

**T24 77952-710**  
(2) Medium Base 60w max.

**T24 77952EN3-710**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.







WITH SATIN ETCHED  
GLASS DIFFUSER

**TWO LIGHT CEILING  
FLUSH MOUNT**

D: 14" H: 7.25"

**T24 75952-710**  
(2) Medium Base 60w max.

**T24 75952EN3-710**  
(2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



WITH SATIN ETCHED  
GLASS DIFFUSER

**ONE LIGHT PENDANT**

D: 16" H: 10.25"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 65952-710**  
(1) Medium Base 100w max.

**T24 65952EN3-710**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**ONE LIGHT MINI-PENDANT**

D: 6.5" H: 8.5"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 61952-710**  
(1) Medium Base 60w max.

**T24 61952EN3-710**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



CASED OPAL ETCHED GLASS

**ONE LIGHT WALL SCONCE**

W: 5.5" H: 14.5" E: 7.25"  
Height from center of outlet box  
up: 9.5"

**T24 41260-710**  
(1) Candelabra Base 60w max.

**T24 41260EN-710**  
(1) Med. Base LED 2700K,  
9w, 800 lumen lamp incl.

**ONE LIGHT WALL / BATH**

W: 5.5" H: 11.25" E: 6.75"  
Height from center of outlet  
box up: 6.25" down: 5"

**T24 44952-710**  
(1) Medium Base 100w max.

**T24 44952EN3-710**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



MOUNTS UP  
OR DOWN

**RECOMMENDED PRODUCTS**



**COORDINATED  
CEILING FAN**  
15161EN3-191, p.421



**STIRLING BATH**, p.359  
Blacksmith Finish  
Burnt Sienna Finish



**GEARY PENDANTS**, p.256  
Burnt Sienna Finish



# DRISCOLL

The 1960s-inspired Driscoll Collection features the clean lines and tapered profiles of both the stems and glass shades. Simplicity combined with sophistication creates this strikingly modern look.



BRUSHED NICKEL FINISH  
ETCHED GLASS, WHITE INSIDE

**NINE LIGHT CHANDELIER**

DAMP

D: 32" H: 29.75"

10' wire pre-laced through 3' chain

**T24 3140409-962**  
(9) Medium Base 100w max.

**T24 3140409EN3-962**  
**EN★** (9) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



SATIN BRONZE FINISH  
ETCHED GLASS, WHITE INSIDE

**NINE LIGHT CHANDELIER**

DAMP

D: 32" H: 29.75"

10' wire pre-laced through 3' chain

**T24 3140409-848**  
(9) Medium Base 100w max.

**3140409EN3-848**  
(9) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



FIVE LIGHT CHANDELIER DAMP

D: 25.25" H: 17.75"  
10' wire pre-laced through 3' chain

**T24 3140405-962**  
(5) Medium Base 100w max.

**T24 3140405EN3-962**  
**EN★** (5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



THREE LIGHT CHANDELIER DAMP

D: 20.5" H: 16.75"  
10' wire pre-laced through 3' chain

**T24 3140403-962**  
(3) Medium Base 100w max.

**T24 3140403EN3-962**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



ONE LIGHT MINI-PENDANT DAMP

D: 5.25" H: 11.75"  
6.5' of clear field adjustable cord

**T24 6140401-962**  
(1) Medium Base 100w max.

**T24 6140401EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



ONE LIGHT WALL / BATH DAMP

W: 5.25" H: 11.75" E: 6.75"  
Height from center of outlet box  
up: 8.75"

**T24 4140401-962**  
(1) Medium Base 100w max.

**T24 4140401EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

RECOMMENDED PRODUCTS



**COORDINATED  
CEILING FAN**  
**15030-962**, p.422



**NASH CEILING  
FLUSH MOUNTS**, p.325  
Brushed Nickel Finish



**DRISCOLL BATH**, p.361  
Brushed Nickel Finish  
Chrome Finish



**MULTI-PORT CANOPIES**  
Brushed Nickel Finish  
Mini Pendant Only  
**7449403-962** p.323  
**7449405-962** p.322





**FIVE LIGHT CHANDELIER** DAMP

D: 25.25" H: 17.75"  
10' wire pre-laced through 3' chain

**T24 3140405-848**  
(5) Medium Base 100w max.

**T24 3140405EN3-848**  
**EN★** (5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**THREE LIGHT CHANDELIER** DAMP

D: 20.5" H: 16.75"  
10' wire pre-laced through 3' chain

**T24 3140403-848**  
(3) Medium Base 100w max.

**T24 3140403EN3-848**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**ONE LIGHT MINI-PENDANT** DAMP

D: 5.25" H: 11.75"  
6.5' of clear field adjustable cord

**T24 6140401-848**  
(1) Medium Base 100w max.

**T24 6140401EN3-848**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**ONE LIGHT WALL / BATH** DAMP

W: 5.25" H: 11.75" E: 6.75"  
Height from center of outlet box  
up: 8.75"

**T24 4140401-848**  
(1) Medium Base 100w max.

**T24 4140401EN3-848**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

**RECOMMENDED PRODUCTS**



**COORDINATED  
CEILING FAN**  
**15030EN3-15**, p.424



**NASH CEILING  
FLUSH MOUNTS**, p.325  
Satin Bronze Finish



**DRISCOLL BATH**, p.361  
Satin Bronze Finish



**MULTI-PORT CANOPIES**  
Satin Bronze Finish  
Mini Pendant Only  
**7449403-848** p.321  
**7449405-848** p.321



# CENTRA

Modern styling and forward thinking represent the Centra Collection, which is designed to bring a contemporary sensibility to any space. Stunning in a Brushed Stainless finish with Satin White glass, the clean lines of the sleek profiles add an updated flair to surrounding décor.





**LARGE SEMI-FLUSH  
CONVERTIBLE PENDANT**

D: 21.25" H: 18"  
12' wire pre-laced through 3' chain

**T24 66133-98**  
(3) Medium Base 100w max.

**T24 66133EN3-98**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

**T24 6913393S-98**  
**WOD** LED: 3000K, 42 watts,  
**EN★** 3000 gross lumens



**TWO LIGHT WALL / BATH**

**DAMP ADA**

W: 6" H: 16" E: 4"  
Height from center of outlet box  
Vertical: 8" up/down Horizontal: 3" up/down

**T24 47142-98**  
(2) Medium Base 75w max.

**T24 47142EN3-98**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

**T24 4918093S-98**  
**WOD** LED: 3000K, 28 watts,  
**EN★** 2000 gross lumens



MOUNTS  
VERTICALLY OR  
HORIZONTALLY



**LARGE CEILING  
FLUSH MOUNT**

**DAMP**

D: 21.25" H: 4.75"

**T24 77033-98**  
(3) Medium Base 60w max.

**T24 77033EN3-98**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

**T24 7903493S-98**  
**WOD** LED: 3000K, 56 watts,  
**EN★** 4000 gross lumens



**MEDIUM CEILING  
FLUSH MOUNT**

**DAMP**

D: 18" H: 4.5"

**T24 77088-98**  
(2) Medium Base 75w max.

**T24 77088EN3-98**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

**T24 7913093S-98**  
**WOD** LED: 3000K, 42 watts,  
**EN★** 3000 gross lumens



**SMALL CEILING  
FLUSH MOUNT**

**DAMP**

D: 15.25" H: 4.25"

**T24 77087-98**  
(2) Medium Base 60w max.

**T24 77087EN3-98**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

**T24 7909793S-98**  
**WOD** LED: 3000K, 28 watts,  
**EN★** 2000 gross lumens

**RECOMMENDED PRODUCTS**



**COORDINATED  
CEILING FAN**  
15040EN3-962, p.424



# HANFORD

The transitional styling of the Hanford Collection is evident in its elegant symmetry articulated by long, sweeping arms. Tapered Etched glass shades produce a soft uplight and make Hanford complementary to a wide array of décor from traditional to contemporary.





BRUSHED NICKEL FINISH  
SATIN ETCHED GLASS

## FIFTEEN LIGHT CHANDELIER

DAMP

D: 43.25" H: 42.75"  
12' wire pre-laced through 10' chain

**T24 3124515-962**  
(15) Medium Base 60w max.

**T24 3124515EN3-962**  
**EN★** (15) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



BURNT SIENNA FINISH  
SATIN ETCHED GLASS

## FIFTEEN LIGHT CHANDELIER

DAMP

D: 43.25" H: 42.75"  
12' wire pre-laced through 10' chain

**T24 3124515-710**  
(15) Medium Base 60w max.

**T24 3124515EN3-710**  
**EN★** (15) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

*See more Burnt Sienna finish on p.70*



**FIVE LIGHT CHANDELIER**

DAMP

D: 27.75" H: 27.75"  
6' wire pre-laced through 3' chain

**T24 3124505-962**  
(5) Medium Base 100w max.

**T24 3124505EN3-962**  
**EN★** (5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**THREE LIGHT PENDANT**

DAMP

D: 20.75" H: 22.75"  
6' wire pre-laced through 3' chain

**T24 6624503-962**  
(3) Medium Base 100w max.

**T24 6624503EN3-962**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**NINE LIGHT CHANDELIER**

DAMP

D: 33" H: 37"  
12' wire pre-laced through 10' chain

**T24 3124509-962**  
(9) Medium Base 100w max.

**T24 3124509EN3-962**  
**EN★** (9) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**THREE LIGHT HALL / FOYER**

DAMP

D: 18.25" H: 32.75"  
6' wire pre-laced through 3' chain

**T24 5224503-962**  
(3) Medium Base 100w max.

**T24 5224503EN3-962**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



CONVERTS TO  
SEMI-FLUSH  
H: 11.75"

**THREE LIGHT SEMI-FLUSH  
CONVERTIBLE PENDANT**

DAMP

D: 20.75" H: 14.25"

6' wire pre-laced through 3' chain

**T24 7724503-962**  
(3) Medium Base 100w max.

**T24 7724503EN3-962**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**ONE LIGHT MINI-PENDANT**

DAMP

D: 5.25" H: 6.75"

10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6124501-962**  
(1) Medium Base 100w max.

**T24 6124501EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**ONE LIGHT WALL / BATH**

DAMP

W: 5.25" H: 10.25" E: 6.75"  
Height from center of outlet box  
up: 7.25" down: 3"

**T24 4124501-962**  
(1) Medium Base 100w max.

**T24 4124501EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



MOUNTS UP  
OR DOWN

RECOMMENDED PRODUCTS



**COORDINATED  
CEILING FAN**  
**15040EN3-962**, p.424



**NASH CEILING  
FLUSH MOUNTS**, p.325  
Brushed Nickel Finish



**HANFORD BATH**, p.364  
Brushed Nickel Finish



**GEARY PENDANTS**, p.256  
Brushed Nickel Finish



**FIVE LIGHT CHANDELIER** DAMP

D: 27.75" H: 27.75"  
6' wire pre-laced through 3' chain

**T24 3124505-710**  
(5) Medium Base 100w max.

**T24 3124505EN3-710**  
**EN★** (5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**THREE LIGHT PENDANT** DAMP

D: 20.75" H: 22.75"  
6' wire pre-laced through 3' chain

**T24 6624503-710**  
(3) Medium Base 100w max.

**T24 6624503EN3-710**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**NINE LIGHT CHANDELIER** DAMP

D: 33" H: 37"  
12' wire pre-laced through 10' chain

**T24 3124509-710**  
(9) Medium Base 100w max.

**T24 3124509EN3-710**  
**EN★** (9) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**THREE LIGHT HALL / FOYER** DAMP

D: 18.25" H: 32.75"  
6' wire pre-laced through 3' chain

**T24 5224503-710**  
(3) Medium Base 100w max.

**T24 5224503EN3-710**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.





CONVERTS TO  
SEMI-FLUSH  
H: 11.75"



**THREE LIGHT SEMI-FLUSH  
CONVERTIBLE PENDANT**

DAMP

D: 20.75" H: 14.25"  
6' wire pre-laced through 3' chain

**T24 7724503-710**  
(3) Medium Base 100w max.

**T24 7724503EN3-710**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

**ONE LIGHT MINI-PENDANT**

DAMP

D: 5.25" H: 6.75"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6124501-710**  
(1) Medium Base 100w max.

**T24 6124501EN3-710**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**ONE LIGHT WALL / BATH**

DAMP

W: 5.25" H: 10.25" E: 6.75"  
Height from center of outlet box  
up: 7.25" down: 3"

**T24 4124501-710**  
(1) Medium Base 100w max.

**T24 4124501EN3-710**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



MOUNTS UP  
OR DOWN

RECOMMENDED PRODUCTS



**COORDINATED  
CEILING FAN**  
15040EN3-782, p.424



**NASH CEILING  
FLUSH MOUNTS**, p.325  
Heirloom Bronze Finish



**HANFORD BATH**, p.364  
Heirloom Bronze Finish



**GEARY PENDANTS**, p.256  
Burnt Sienna Finish



## BELTON

Influenced by the vintage industrial designs of early 20th Century America, the transitional zz Collection has Seeded glass shades that highlight the classic Edison bulbs. The rich Heirloom Bronze finish adds another layer of retro design to the warm look, and the new Brushed Nickel finish delivers a more contemporary style.



## FIVE LIGHT CHANDELIER

D: 24" H: 10.5"  
6' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 3114505-962**  
(5) Medium Base 60w max.

BRUSHED NICKEL FINISH  
CLEAR SEEDED GLASS



## FIVE LIGHT CHANDELIER

D: 24" H: 10.5"  
6' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 3114505-782**  
(5) Medium Base 60w max.

*See more Heirloom Bronze finish on p.176*

HEIRLOOM BRONZE FINISH  
CLEAR SEEDED GLASS





FOUR LIGHT ISLAND PENDANT

L: 40.75" W: 5.5" H: 15"  
6' wire, (3) 12" stems, (1) 6" stem  
**T24 6614504-962**  
(4) Medium Base 60w max.



THREE LIGHT CHANDELIER

D: 20" H: 10.5"  
6' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware  
**T24 3114503-962**  
(3) Medium Base 60w max.



ONE LIGHT PENDANT

D: 16" H: 12.75"  
6' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware  
**T24 6614501-962**  
(1) Medium Base 100w max.



ONE LIGHT PENDANT

D: 12.75" H: 11.5"  
6' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware  
**T24 6514501-962**  
(1) Medium Base 100w max.





TWO LIGHT SEMI-FLUSH

D: 15" H: 11.625"  
10' wire pre-laced through 6' chain

**T24 7714502-962**  
(2) Medium Base 75w max.

DAMP



THREE LIGHT  
CEILING FLUSH MOUNT

D: 11.25" H: 7.5"  
6.5" of wire

**T24 7514503-962**  
(3) Candelabra 40 watt light bulbs

**T24 7514503EN-962**  
(3) Candelabra Base LED 2700k,  
3.5w, 350 lumen lamp incl.

DAMP



ONE LIGHT MINI-PENDANT

D: 5.5" H: 9"  
6' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6114501-962**  
(1) Medium Base 60w max.



ONE LIGHT WALL / BATH

W: 5.5" H: 9.75" E: 6.75"  
Height from center of outlet box  
up: 5.5" down: 4.25"

**T24 4114501-962**  
(1) Medium Base 60w max.

DAMP



MOUNTS UP  
OR DOWN

RECOMMENDED PRODUCTS



**COORDINATED  
CEILING FAN**  
15040EN3-962, p.424



**CEILING FLUSH  
MOUNTS**, p.326  
Brushed Nickel Finish



**BELTON BATH**, p.365  
Brushed Nickel Finish



**LED VINTAGE LAMP**  
97500S, p.594



**LED CANDELABRA LAMP**  
LTB10C35027B, p.594  
For candelabra base only



#### FOUR LIGHT ISLAND PENDANT

L: 40.75" W: 5.5" H: 15"  
6' wire, (3) 12" stems, (1) 6" stem

**T24 6614504-782**  
(4) Medium Base 60w max.



#### THREE LIGHT CHANDELIER

D: 20" H: 10.5"  
6' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 3114503-782**  
(3) Medium Base 60w max.



#### ONE LIGHT PENDANT

D: 16" H: 12.75"  
6' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6614501-782**  
(1) Medium Base 100w max.



#### ONE LIGHT PENDANT

D: 12" H: 10.125"  
10' of wire, (3) 12" stems, (1) 6" stem

**T24 6220301-782**  
(1) A19 Medium 75 watt light bulb

**DAMP**



#### ONE LIGHT PENDANT

D: 12.75" H: 11.5"  
6' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6514501-782**  
(1) Medium Base 100w max.



TWO LIGHT SEMI-FLUSH

D: 15" H: 11.625"  
10' wire pre-laced through 6' chain

**T24 7714502-782**  
(2) Medium Base 75w max.

DAMP



THREE LIGHT  
CEILING FLUSH MOUNT

D: 11.25" H: 7.5"  
6.5" of wire

**T24 7514503-782**  
(3) Candelabra 40 watt light bulbs

**T24 7514503EN-782**  
(3) Candelabra Base LED 2700k,  
3.5w, 350 lumen lamp incl.

DAMP



ONE LIGHT MINI-PENDANT

D: 5.5" H: 9"  
6' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6114501-782**  
(1) Medium Base 60w max.



ONE LIGHT WALL / BATH

W: 5.5" H: 9.75" E: 6.75"  
Height from center of outlet box  
up: 5.5" down: 4.25"

**T24 4114501-782**  
(1) Medium Base 60w max.

DAMP



RECOMMENDED PRODUCTS



**COORDINATED  
CEILING FAN**  
15040EN3-782, p.424



**CEILING FLUSH  
MOUNTS**, p.327  
Heirloom Bronze Finish



**BELTON BATH**, p.365  
Heirloom Bronze Finish



**LED VINTAGE LAMP**  
97500S, p.594



**LED CANDELABRA LAMP**  
LTB10C35027B, p.594  
For candelabra base only

## GOLIAD

The transitional Goliad Collection has a sophisticated style combining intensely divergent design elements. The rustic wrought iron has been hand-crafted into soft, flowing curves, and the cylindrical Etched White glass shades create a striking contrast to the deep Blacksmith finish.





BLACKSMITH FINISH  
ETCHED GLASS, WHITE INSIDE

**FIVE LIGHT HALL / FOYER** DAMP

D: 25" H: 30.5"  
12' wire pre-laced through 10' chain

**T24 5125205-839**  
(5) Medium Base 100w max.

**T24 5125205EN3-839**  
**EN★** (5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



BLACKSMITH FINISH  
ETCHED GLASS, WHITE INSIDE

**THREE LIGHT HALL / FOYER** DAMP

D: 18" H: 23.25"  
12' wire pre-laced through 10' chain

**T24 5125203-839**  
(3) Medium Base 100w max.

**T24 5125203EN3-839**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



BLACKSMITH FINISH  
ETCHED GLASS, WHITE INSIDE

**ONE LIGHT MINI-PENDANT** DAMP

D: 8" H: 18.25"  
10' of wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6125201-839**  
(1) Medium Base 100w max.

**T24 6125201EN3-839**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

RECOMMENDED PRODUCTS



**COORDINATED  
CEILING FAN**  
15030-839, p.422



**CEILING FLUSH  
MOUNTS, p.327**  
Blacksmith Finish



**GEARY PENDANTS, p.256**  
Blacksmith Finish



## METCALF

Soft curves give the transitional Metcalf Collection its clean, subtle look. The flared silhouette of the glass shades reinforces the easy and casual lines of this design. It's equally at home in a contemporary, urban setting or a transitional suburban décor.



BRUSHED NICKEL FINISH  
SATIN ETCHED GLASS

**NINE LIGHT CHANDELIER** DAMP

D: 31" H: 35.75"  
10' wire pre-laced through 6' chain

**T24 3113209-962**  
(9) Medium Base 75w max.

**T24 3113209EN3-962**  
**EN★** (9) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



AUTUMN BRONZE FINISH  
SATIN ETCHED GLASS

**NINE LIGHT CHANDELIER** DAMP

D: 31" H: 35.75"  
10' wire pre-laced through 6' chain

**T24 3113209-715**  
(9) Medium Base 75w max.

**T24 3113209EN3-715**  
**EN★** (9) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

*See more Autumn Bronze finish on p.184*



FIVE LIGHT CHANDELIER DAMP

D: 26" H: 25.75"  
6' wire pre-laced through 3' chain

T24 **3113205-962**  
(5) Medium Base 75w max.

T24 **3113205EN3-962**  
EN★ (5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



THREE LIGHT PENDANT DAMP

D: 22" H: 24"  
6' wire pre-laced through 3' chain

T24 **6613203-962**  
(3) Medium Base 75w max.

T24 **6613203EN3-962**  
EN★ (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



THREE LIGHT CHANDELIER DAMP

D: 22" H: 22"  
6' wire pre-laced through 3' chain

T24 **3113203-962**  
(3) Medium Base 75w max.

T24 **3113203EN3-962**  
EN★ (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



CONVERTS TO  
SEMI-FLUSH  
H: 14.75"

TWO LIGHT SEMI-FLUSH  
CONVERTIBLE PENDANT DAMP

D: 15" H: 16.25"  
6' wire pre-laced through 3' chain

T24 **7713202-962**  
(2) Medium Base 75w max.

T24 **7713202EN3-962**  
EN★ (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.





ONE LIGHT PENDANT

DAMP

D: 15" H: 7.5"  
8' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6513201-962**  
(1) Medium Base 75w max.

**T24 6513201EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



ONE LIGHT MINI-PENDANT

DAMP

D: 6.25" H: 7"  
8' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6113201-962**  
(1) Medium Base 75w max.

**T24 6113201EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



ONE LIGHT WALL / BATH

DAMP

W: 6.25" H: 10.75" E: 7.25"  
Height from center of outlet box  
up: 8.25" down: 2.5"

**T24 4113201-962**  
(1) Medium Base 100w max.

**T24 4113201EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



MOUNTS UP  
OR DOWN

RECOMMENDED PRODUCTS



**COORDINATED  
CEILING FAN**  
15030-962, p.422



**NASH CEILING  
FLUSH MOUNTS**, p.325  
Brushed Nickel Finish



**METCALF BATH**, p.368  
Brushed Nickel Finish



**GEARY PENDANTS**, p.256  
Brushed Nickel Finish



FIVE LIGHT CHANDELIER DAMP

D: 26" H: 25.75"  
6' wire pre-laced through 3' chain

T24 **3113205-715**  
(5) Medium Base 75w max.

T24 **3113205EN3-715**  
EN★ (5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



THREE LIGHT PENDANT DAMP

D: 22" H: 24"  
6' wire pre-laced through 3' chain

T24 **6613203-715**  
(3) Medium Base 75w max.

T24 **6613203EN3-715**  
EN★ (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



THREE LIGHT CHANDELIER DAMP

D: 22" H: 22"  
6' wire pre-laced through 3' chain

T24 **3113203-715**  
(3) Medium Base 75w max.

T24 **3113203EN3-715**  
EN★ (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



CONVERTS TO  
SEMI-FLUSH  
H: 14.75"

TWO LIGHT SEMI-FLUSH  
CONVERTIBLE PENDANT DAMP

D: 15" H: 16.25"  
6' wire pre-laced through 3' chain

T24 **7713202-715**  
(2) Medium Base 75w max.

T24 **7713202EN3-715**  
EN★ (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



ONE LIGHT PENDANT DAMP

D: 15" H: 7.5"  
8' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6513201-715**  
(1) Medium Base 75w max.

**T24 6513201EN3-715**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



ONE LIGHT MINI-PENDANT DAMP

D: 6.25" H: 7"  
8' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6113201-715**  
(1) Medium Base 75w max.

**T24 6113201EN3-715**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



ONE LIGHT WALL / BATH DAMP

W: 6.25" H: 10.75" E: 7.25"  
Height from center of outlet box  
up: 8.25" down: 2.5"

**T24 4113201-715**  
(1) Medium Base 100w max.

**T24 4113201EN3-715**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



MOUNTS UP  
OR DOWN

RECOMMENDED PRODUCTS



**COORDINATED  
CEILING FAN**  
15030-782, p.422



**NASH CEILING  
FLUSH MOUNTS**, p.325  
Heirloom Bronze Finish



**METCALF BATH**, p.368  
Brushed Nickel Finish  
Autumn Bronze Finish



**GEARY PENDANTS**, p.256  
Heirloom Bronze Finish



## SFERA

Named for the Italian word for "sphere," the orbs among the transitional Sfera Collection feature detailed center bands and rounded, sweeping curves—conveying both rustic and modern inspirations. The bath fixtures are a nice contrast of linear structure and cylindrical shades.





AUTUMN BRONZE FINISH  
MERCURY GLASS

### SIX LIGHT CHANDELIER

D: 24.5" H: 32.25"  
14' wire pre-laced through 12' chain

**T24 3110406-715**  
(6) Medium Base 100w max.

**T24 3110406EN3-715**  
(6) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



AUTUMN BRONZE FINISH  
MERCURY GLASS

### FOUR LIGHT CHANDELIER

D: 18.5" H: 24.5"  
14' wire pre-laced through 12' chain

**3110404-715**  
(4) Medium Base 100w max.

**3110404EN3-715**  
(4) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



AUTUMN BRONZE FINISH  
CAFE TINT GLASS

### SIX LIGHT CHANDELIER

D: 24.5" H: 32.25"  
14' wire pre-laced through 12' chain

**T24 3190406-715**  
(6) Medium Base 100w max.

**T24 3190406EN3-715**  
(6) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



AUTUMN BRONZE FINISH  
CAFE TINT GLASS

### FOUR LIGHT CHANDELIER

D: 18.5" H: 24.5"  
14' wire pre-laced through 12' chain

**3190404-715**  
(4) Medium Base 100w max.

**3190404EN3-715**  
(4) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.





THREE LIGHT PENDANT DAMP

D: 18.5" H: 24.5"  
14' wire pre-laced through 12' chain

**T24 6610403-715**  
(3) Medium Base 100w max.

**T24 6610403EN3-715**  
(3) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



CONVERTS TO  
SEMI-FLUSH  
H: 16.25"

TWO LIGHT SEMI-FLUSH  
CONVERTIBLE PENDANT DAMP

D: 13.5" H: 18.25"  
14' wire pre-laced through 12' chain

**T24 7710402-715**  
(2) Medium Base 100w max.

**T24 7710402EN3-715**  
(2) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



THREE LIGHT CEILING  
FLUSH MOUNT DAMP

D: 14.25" H: 10.5"

**T24 7510403-715**  
(3) Medium Base 60w max.

**T24 7510403EN3-715**  
(3) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ONE LIGHT MINI-PENDANT DAMP

D: 4" H: 7.25"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6110401-715**  
(1) Medium Base 100w max.

**T24 6110401EN3-715**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ONE LIGHT WALL / BATH DAMP

W: 5" H: 11" E: 6"  
Height from center of outlet box  
up: 8.5" down: 2.5"

**T24 4110401-715**  
(1) Medium Base 100w max.

**T24 4110401EN3-715**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



MOUNTS UP  
OR DOWN

RECOMMENDED PRODUCTS



COORDINATED  
CEILING FAN  
15030EN-782, p.422



SFERA BATH, p.369  
Mercury Glass  
Smoky Amber Glass



THREE LIGHT PENDANT DAMP

D: 18.5" H: 24.5"  
14' wire pre-laced through 12' chain

**T24 6690403-715**  
(3) Medium Base 100w max.

**T24 6690403EN3-715**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



CONVERTS TO  
SEMI-FLUSH  
H: 16.25"

TWO LIGHT SEMI-FLUSH  
CONVERTIBLE PENDANT DAMP

D: 13.5" H: 18.25"  
14' wire pre-laced through 12' chain

**T24 7790402-715**  
(2) Medium Base 100w max.

**T24 7790402EN3-715**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



THREE LIGHT CEILING  
FLUSH MOUNT DAMP

D: 14.25" H: 10.5"

**T24 7590403-715**  
(3) Medium Base 60w max.

**T24 7590403EN3-715**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ONE LIGHT MINI-PENDANT DAMP

D: 4" H: 7.25"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6190401-715**  
(1) Medium Base 100w max.

**T24 6190401EN3-715**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



SMOKY AMBER GLASS

ONE LIGHT WALL / BATH DAMP

W: 5" H: 11" E: 6"  
Height from center of outlet box  
up: 8.5" down: 2.5"

**T24 4191401-715**  
(1) Medium Base 100w max.

**T24 4191401EN3-715**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



MOUNTS UP  
OR DOWN

RECOMMENDED PRODUCTS



COORDINATED  
CEILING FAN  
15161EN3-191, p.421



SFERA BATH, p.369  
Mercury Glass  
Smoky Amber Glass



# ACADEMY

The classic schoolhouse-inspired profile has been an American icon for almost 90 years. The Academy Collection is today's interpretation of these utilitarian lights which have enjoyed resurgence in popularity given their clean, versatile design. Today, top designers regularly select this ubiquitous look for almost every room of the house.





CHROME FINISH  
SATIN WHITE GLASS

**EXTRA LARGE PENDANT****DAMP**

D: 17" H: 12.25"

10' wire, (3) 12" stems, 12" chain

**T24 65439-05**

(1) Medium Base 100w max.

**T24 65439EN3-05****EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

BRUSHED NICKEL FINISH  
SATIN WHITE GLASS

**EXTRA LARGE PENDANT****DAMP**

D: 17" H: 12.25"

10' wire, (3) 12" stems, 12" chain

**T24 65439-962**

(1) Medium Base 100w max.

**T24 65439EN3-962****EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

HEIRLOOM BRONZE FINISH  
SATIN WHITE GLASS

**EXTRA LARGE PENDANT****DAMP**

D: 17" H: 12.25"

10' wire, (3) 12" stems, 12" chain

**T24 65439-782**

(1) Medium Base 100w max.

**T24 65439EN3-782****EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

See more Heirloom Bronze finish on p.194



CHROME FINISH  
SATIN WHITE GLASS

**LARGE PENDANT****DAMP**

D: 13" H: 10.75"

10' wire, (3) 12" stems, 12" chain

**T24 65438-05**

(1) Medium Base 75w max.

**T24 65438EN3-05****EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

BRUSHED NICKEL FINISH  
SATIN WHITE GLASS

**LARGE PENDANT****DAMP**

D: 13" H: 10.75"

10' wire, (3) 12" stems, 12" chain

**T24 65438-962**

(1) Medium Base 75w max.

**T24 65438EN3-962****EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

HEIRLOOM BRONZE FINISH  
SATIN WHITE GLASS

**LARGE PENDANT****DAMP**

D: 13" H: 10.75"

10' wire, (3) 12" stems, 12" chain

**T24 65438-782**

(1) Medium Base 75w max.

**T24 65438EN3-782****EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

See more Heirloom Bronze finish on p.194



## LARGE CEILING SEMI-FLUSH MOUNT

DAMP

D: 13" H: 12.5"

**T24 77437-05**  
(1) Medium Base 100w max.

**T24 77437EN3-05**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



## MEDIUM PENDANT

DAMP

D: 11.5" H: 9.75"  
10' wire, (3) 12" stems, 12" chain

**T24 65437-05**  
(1) Medium Base 75w max.

**T24 65437EN3-05**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



## MEDIUM CEILING SEMI-FLUSH MOUNT

DAMP

D: 11.5" H: 11.75"

**T24 77436-05**  
(1) Medium Base 75w max.

**T24 77436EN3-05**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



## SMALL PENDANT

DAMP

D: 6.75" H: 7.5"  
10' wire, (3) 12" stems, 12" chain

**T24 65436-05**  
(1) Medium Base 60w max.

**T24 65436EN3-05**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



## ONE LIGHT WALL / BATH

DAMP

W: 6.75" H: 10" E: 10"  
Height from center of outlet box up: 3"

**T24 44436-05**  
(1) Medium Base 60w max.

**T24 44436EN3-05**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

### RECOMMENDED PRODUCTS



**COORDINATED  
CEILING FAN**  
15030-05, p.422



**ACADEMY BATH, p.370**  
Chrome Finish  
Brushed Nickel Finish



**LARGE CEILING  
SEMI-FLUSH MOUNT**

DAMP

D: 13" H: 12.5"

**T24 77437-962**  
(1) Medium Base 100w max.

**T24 77437EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**MEDIUM PENDANT**

DAMP

D: 11.5" H: 9.75"  
10' wire, (3) 12" stems, 12" chain

**T24 65437-962**  
(1) Medium Base 75w max.

**T24 65437EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**MEDIUM CEILING  
SEMI-FLUSH MOUNT**

DAMP

D: 11.5" H: 11.75"

**T24 77436-05**  
(1) Medium Base 75w max.

**T24 77436EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**SMALL PENDANT**

DAMP

D: 6.75" H: 7.5"  
10' wire, (3) 12" stems, 12" chain

**T24 65436-962**  
(1) Medium Base 60w max.

**T24 65436EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**ONE LIGHT WALL / BATH**

DAMP

W: 6.75" H: 10" E: 10"  
Height from center of outlet box up: 3"

**T24 44436-962**  
(1) Medium Base 60w max.

**T24 44436EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**RECOMMENDED PRODUCTS**



**COORDINATED  
CEILING FAN**  
15040EN3-962, p.424



**ACADEMY BATH, p.370**  
Chrome Finish  
Brushed Nickel Finish



**LARGE CEILING  
SEMI-FLUSH MOUNT**

DAMP

D: 13" H: 12.5"

**T24 77437-782**  
(1) Medium Base 100w max.

**T24 77437EN3-782**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**WOD 7743797S-782**  
LED: 2700K, 14 watts,  
1000 gross lumens



**MEDIUM PENDANT**

DAMP

D: 11.5" H: 9.75"  
10' wire, (3) 12" stems, 12" chain

**T24 65437-782**  
(1) Medium Base 75w max.

**T24 65437EN3-782**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**MEDIUM CEILING  
SEMI-FLUSH MOUNT**

DAMP

D: 11.5" H: 11.75"

**T24 77436-782**  
(1) Medium Base 75w max.

**T24 77436EN3-782**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**WOD 7743697S-782**  
LED: 2700K, 14 watts,  
1000 gross lumens



**SMALL PENDANT**

DAMP

D: 6.75" H: 7.5"  
10' wire, (3) 12" stems, 12" chain

**T24 65436-782**  
(1) Medium Base 60w max.

**T24 65436EN3-782**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**ONE LIGHT WALL / BATH**

DAMP

W: 6.75" H: 10" E: 10"  
Height from center of outlet box up: 3"

**T24 44436-782**  
(1) Medium Base 60w max.

**T24 44436EN3-782**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

RECOMMENDED PRODUCTS



**COORDINATED  
CEILING FAN**  
15040EN3-782, p.424



**ACADEMY BATH**, p.370  
Heirloom Bronze Finish







Product Shown: Ravenwood Manor Nine Light Chandelier in Stardust



# RAVENWOOD MANOR

The Ravenwood Manor collection has an industrial-chic vibe and can creatively replace traditional chandeliers with its own unique, minimalist approach. From the crown of each fixture, linked rods descend to support the open central frame, creating clean lines and subtle drama.



STARDUST FINISH

## NINE LIGHT CHANDELIER

DAMP

D: 31" H: 23"  
12' wire pre-laced through 10' chain

T24 3110209-846  
(9) Medium Base 60w max.



STARDUST FINISH

## FIVE LIGHT CHANDELIER

DAMP

D: 25" H: 21.75"  
12' wire pre-laced through 10' chain

T24 3110205-846  
(5) Medium Base 60w max.



STARDUST FINISH

## EIGHT LIGHT CHANDELIER

DAMP

L: 34" W: 12" H: 8"  
10' wire, (6) 12" stems, (2) 6" stems

T24 3110208-846  
(8) Medium Base 60w max.

### RECOMMENDED PRODUCTS



**LONOKE PENDANTS**, p.269  
Stardust Finish  
Heirloom Bronze Finish



**LED VINTAGE LAMP**  
97500S, p.594





## PARKFIELD

The subtle details of the Parkfield collection make this transitional design perfect for a wide range of décor.

The four-sided glass shades and the supporting sockets feature a graduated step detail which creates a more masculine, tailored look.





BRUSHED NICKEL FINISH  
ETCHED GLASS, WHITE INSIDE

## NINE LIGHT CHANDELIER

DAMP

D: 33.5" H: 31.5"

10' wire pre-laced through 6' chain

**T24 3113009-962**  
(9) Medium Base 75w max.

**T24 3113009EN3-962**  
**EN★** (9) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



FLEMISH BRONZE FINISH  
CREME PARCHMENT GLASS

## NINE LIGHT CHANDELIER

DAMP

D: 33.5" H: 31.5"

10' wire pre-laced through 6' chain

**T24 3113009-845**  
(9) Medium Base 75w max.

**T24 3113009EN3-845**  
**EN★** (9) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

*See more Flemish Bronze finish on p.202*



FIVE LIGHT CHANDELIER DAMP

D: 24.75" H: 21"  
10' wire pre-laced through 6' chain

T24 **3113005-962**  
(5) Medium Base 75w max.

T24 **3113005EN3-962**  
EN★ (5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



THREE LIGHT PENDANT DAMP

D: 19" H: 22.75"  
6' wire pre-laced through 3' chain

T24 **6613003-962**  
(3) Medium Base 75w max.

T24 **6613003EN3-962**  
EN★ (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



THREE LIGHT DOWNLIGHT CHANDELIER DAMP

D: 18.5" H: 19.75"  
6' wire pre-laced through 3' chain

T24 **3213003-962**  
(3) Medium Base 75w max.

T24 **3213003EN3-962**  
EN★ (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



 CONVERTS TO  
SEMI-FLUSH  
H: 12"

TWO LIGHT SEMI-FLUSH CONVERTIBLE PENDANT DAMP

D: 15" H: 13.75"  
6' wire pre-laced through 3' chain

T24 **7713002-962**  
(2) Medium Base 75w max.

T24 **7713002EN3-962**  
EN★ (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**TWO LIGHT CEILING FLUSH MOUNT**

DAMP

D: 13.25" H: 6.25"

**T24 75520-962**  
(2) Medium Base 60w max.

**T24 75520EN3-962**  
(2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**ONE LIGHT PENDANT**

DAMP

D: 15" H: 6"  
6' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6513001-962**  
(1) Medium Base 75w max.

**T24 6513001EN3-962**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**ONE LIGHT MINI-PENDANT**

DAMP

L: 5.25" W: 5.25" H: 6.75"  
6' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6113001-962**  
(1) Medium Base 75w max.

**T24 6113001EN3-962**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**ONE LIGHT WALL / BATH**

DAMP

W: 5.5" H: 10" E: 6"  
Height from center of outlet box  
up: 7.25" down: 2.75"

**T24 4113001-962**  
(1) Medium Base 75w max.

**T24 4113001EN3-962**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



MOUNTS UP  
OR DOWN

RECOMMENDED PRODUCTS



COORDINATED  
CEILING FAN  
15030EN3-962, p.424



PARKFIELD BATH, p.373  
Brushed Nickel Finish



FIVE LIGHT CHANDELIER DAMP

D: 24.75" H: 21"  
10' wire pre-laced through 6' chain

T24 **3113005-845**  
(5) Medium Base 75w max.

T24 **3113005EN3-845**  
EN★ (5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



THREE LIGHT PENDANT DAMP

D: 19" H: 22.75"  
6' wire pre-laced through 3' chain

T24 **6613003-845**  
(3) Medium Base 75w max.

T24 **6613003EN3-845**  
EN★ (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



THREE LIGHT DOWNLIGHT CHANDELIER DAMP

D: 18.5" H: 19.75"  
6' wire pre-laced through 3' chain

T24 **3213003-845**  
(3) Medium Base 75w max.

T24 **3213003EN3-845**  
EN★ (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



 CONVERTS TO  
SEMI-FLUSH  
H: 12"

TWO LIGHT SEMI-FLUSH CONVERTIBLE PENDANT DAMP

D: 15" H: 13.75"  
6' wire pre-laced through 3' chain

T24 **7713002-845**  
(2) Medium Base 75w max.

T24 **7713002EN3-845**  
EN★ (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.





TWO LIGHT CEILING FLUSH MOUNT DAMP

D: 13.25" H: 6.25"

**T24 75520-845**  
(2) Medium Base 60w max.

**T24 75520EN3-845**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



ONE LIGHT PENDANT DAMP

D: 15" H: 6"  
6' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6513001-845**  
(1) Medium Base 75w max.

**T24 6513001EN3-845**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ONE LIGHT MINI-PENDANT DAMP

L: 5.25" W: 5.25" H: 6.75"  
6' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6113001-845**  
(1) Medium Base 75w max.

**T24 6113001EN3-845**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

RECOMMENDED PRODUCTS



COORDINATED  
CEILING FAN  
**15161EN3-191**, p.421



**PARKFIELD BATH**, p.373  
Flemish Bronze Finish



ONE LIGHT WALL / BATH DAMP

W: 5.5" H: 10" E: 6"  
Height from center of outlet box  
up: 7.25" down: 2.75"

**T24 4113001-845**  
(1) Medium Base 75w max.

**T24 4113001EN3-845**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.




MOUNTS UP  
OR DOWN



## DUNNING

Making a strong statement without overpowering the surrounding décor, the Dunning Collection's bold design is inspired by farmhouse influences seen in the natural rope detail highlighting the open frame which surrounds sleek glass shades. The reinforced corner details add more rustic charm.



**FIVE LIGHT CHANDELIER** DAMP

L: 22" W: 22" H: 25.25"  
10' wire pre-laced through 3' chain

**T24 3113305-846**  
(5) Medium Base 100w max.

**T24 3113305EN3-846**  
**EN★** (5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

STARDUST FINISH WITH CERUSED OAK ACCENTS  
CREME PARCHMENT GLASS



**FOUR LIGHT ISLAND PENDANT** DAMP

L: 36" W: 11" H: 25"  
10' wire pre-laced through 3' chain

**T24 6613304-846**  
(4) Medium Base 100w max.

**T24 6613304EN3-846**  
**EN★** (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

STARDUST FINISH WITH CERUSED OAK ACCENTS  
CREME PARCHMENT GLASS





**THREE LIGHT CHANDELIER** DAMP  
L: 16.5" W: 16.5" H: 21.75"  
10' wire pre-laced through 3' chain

**T24 3113303-846**  
(3) Medium Base 100w max.

**T24 3113303EN3-846**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**TWO LIGHT CEILING FLUSH MOUNT** DAMP  
L: 13.5" W: 13.5" H: 7.5"

**T24 7513302-846**  
(2) Medium Base 60w max.



**ONE LIGHT MINI-PENDANT** DAMP  
L: 6" W: 6" H: 9.5"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6113301-846**  
(1) Medium Base 100w max.

**T24 6113301EN3-846**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**ONE LIGHT WALL / BATH** DAMP  
W: 5" H: 8.25" E: 6"  
Height from center of outlet box  
up: 5.75" down: 2.5"

**T24 4113301-846**  
(1) Medium Base 100w max.

**T24 4113301EN3-846**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



RECOMMENDED PRODUCTS	
	<b>COORDINATED CEILING FAN</b> 15040EN3-782, p.424
	<b>DUNNING BATH</b> , p.375 Stardust Finish
	<b>LONOKE PENDANTS</b> , p.269 Stardust Finish Heirloom Bronze Finish
	<b>LED VINTAGE LAMP</b> 97500S, p.594 For Two Light Ceiling Flush Mount







Product Shown: (2) Carondelet Four Light Chandeliers in Burnt Sienna

# CARONDELET

The dazzling and timeless Carondelet Collection features a dense cascade of faceted, linear glass crystals and delivers the ultimate sparkle without the fuss of traditional crystal. The sleek, contemporary silhouette adds drama and excitement to any room—without upstaging the surrounding furnishings and décor.



ANTIQUE BRUSHED NICKEL FINISH  
CRYSTAL GLASS

SIX LIGHT CHANDELIER **DAMP**

D: 23.5" H: 24.25"  
12' wire pre-laced through 10' chain

**T24 3114006-965**  
(6) Medium Base 100w max.

**T24 3114006EN3-965**  
**EN★** (6) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



BURNT SIENNA FINISH  
CRYSTAL GLASS

SIX LIGHT CHANDELIER **DAMP**

D: 23.5" H: 24.25"  
12' wire pre-laced through 10' chain

**T24 3114006-710**  
(6) Medium Base 100w max.

**T24 3114006EN-710**  
**EN★** (6) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.





## FOUR LIGHT CHANDELIER

DAMP

D: 18.25" H: 20"

12' wire pre-laced through 10' chain

**T24 3114004-965**  
(4) Medium Base 100w max.

**T24 3114004EN3-965**  
(4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



## TWO LIGHT SEMI-FLUSH CONVERTIBLE PENDANT

DAMP

D: 10.75" H: 15.25"

12' wire pre-laced through 10' chain

**T24 7714002-965**  
(2) Medium Base 100w max.

**T24 7714002EN3-965**  
(2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



CONVERTS TO  
SEMI-FLUSH  
H: 13.25"



## TWO LIGHT CEILING FLUSH MOUNT

DAMP

D: 10.75" H: 9"

**T24 7514002-965**  
(2) Medium Base 100w max.

**T24 7514002EN3-965**  
(2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



## ONE LIGHT MINI-PENDANT

DAMP

D: 5.25" H: 8"

10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6114001-965**  
(1) Medium Base 100w max.

**T24 6114001EN3-965**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



## ONE LIGHT WALL / BATH

DAMP

W: 8.5" H: 8.5" E: 4.75"

Height from center of outlet box up: 4.25"

**T24 4414001-965**  
(1) Medium Base 100w max.

**T24 4414001EN3-965**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

## RECOMMENDED PRODUCTS



**COORDINATED  
CEILING FAN**  
**15030EN3-965**, p.424



**CARONDELET BATH**, p.378  
Antique Brushed Nickel Finish



**FOUR LIGHT CHANDELIER**

DAMP

D: 18.25" H: 20"

12' wire pre-laced through 10' chain

**T24 3114004-710**  
(4) Medium Base 100w max.

**T24 3114004EN3-710**  
(4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

**TWO LIGHT SEMI-FLUSH  
CONVERTIBLE PENDANT**

DAMP

D: 10.75" H: 15.25"

12' wire pre-laced through 10' chain

**T24 7714002-710**  
(2) Medium Base 100w max.

**T24 7714002EN3-710**  
(2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



CONVERTS TO  
SEMI-FLUSH  
H: 13.25"

**TWO LIGHT CEILING  
FLUSH MOUNT**

DAMP

D: 10.75" H: 9"

**T24 7514002-710**  
(2) Medium Base 100w max.

**T24 7514002EN3-710**  
(2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

**ONE LIGHT MINI-PENDANT**

DAMP

D: 5.25" H: 8"

10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6114001-710**  
(1) Medium Base 100w max.

**T24 6114001EN3-710**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**ONE LIGHT WALL / BATH**

DAMP

W: 8.5" H: 8.5" E: 4.75"

Height from center of outlet box up: 4.25"

**T24 4414001-710**  
(1) Medium Base 100w max.

**T24 4414001EN3-710**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

## RECOMMENDED PRODUCTS



**COORDINATED  
CEILING FAN**  
15030-782, p.422




**CARONDELET BATH**, p.378  
Burnt Sienna Finish

# SOCORRO

The transitional Socorro Collection features a classic, barbed Quatrefoil profile wholly updated by combining a distressed Cerused Oak finish on the decorative silhouette with the rich Stardust finish on the metal bobeches and decorative strapping to create undeniable rustic charm.





## SIX LIGHT CHANDELIER DAMP

D: 40" H: 31.25"  
12' wire pre-laced through 10' chain

**T24 3224906-846**  
(6) Candelabra Base 60w max.

**T24 3224906EN-846**  
**EN★** (6) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



## SIX LIGHT HALL / FOYER DAMP

D: 25" H: 31.75"  
12' wire pre-laced through 10' chain

**T24 5124906-846**  
(6) Candelabra Base 60w max.

**T24 5124906EN-846**  
**EN★** (6) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.

STARDUST FINISH  
CERUSED OAK ACCENTS



SIX LIGHT CHANDELIER DAMP

D: 26" H: 22"  
12' wire pre-laced through 10' chain

T24 **3124906-846**  
(6) Candelabra Base 60w max.

T24 **3124906EN-846**  
EN★ (6) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



FOUR LIGHT HALL / FOYER DAMP

D: 21" H: 27.5"  
12' wire pre-laced through 10' chain

T24 **5124904-846**  
(4) Candelabra Base 60w max.

T24 **5124904EN-846**  
EN★ (4) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



FOUR LIGHT CHANDELIER DAMP

D: 22" H: 18.5"  
12' wire pre-laced through 10' chain

T24 **3124904-846**  
(4) Candelabra Base 60w max.

T24 **3124904EN-846**  
EN★ (4) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.

RECOMMENDED PRODUCTS



**LONOKE  
PENDANTS**, p.268  
Stardust Finish  
Heirloom Bronze Finish



**DUNNING BATH**, p.375  
Stardust Finish



**LED CANDELABRA LAMP**  
**LTB10C35027B**, p.594.



# SOCORRO

Product Shown: Socorro Six Light Chandelier in Stardust with Cered Oak Accents

INDOOR COLLECTIONS





# ELLINGTON

Imitating the soft glow of beeswax pillar candles, the Ellington Collection brings a soothing influence to living spaces. The simple, rustic silhouettes create beautiful focal points to complement a wide range of décor, and the faux candles, which glow from within, never burn down or drip.

## EIGHTEEN LIGHT CHANDELIER

D: 30" H: 33"

12' wire pre-laced through 10' chain

**T24 31585-710**  
(18) Medium Base 60w max.

**T24 31585EN3-710**  
**EN★** (18) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



BURNT SIENNA FINISH  
CAFE TINT GLASS W/CASE WHITE INSIDE

## TWELVE LIGHT CHANDELIER

L: 30" W: 15" H: 25"

12' Wire, (3) 12" stems, (1) 6" stem

**T24 31588-710**  
(12) Medium Base 60w max.

**T24 31588EN3-710**  
(12) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



## NINE LIGHT CHANDELIER

D: 27" H: 26"

12' wire pre-laced through 10' chain

**T24 31587-710**  
(9) Medium Base 60w max.

**T24 31587EN3-710**  
(9) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.







**SIX LIGHT CHANDELIER**

D: 21" H: 20"  
12' wire pre-laced through 10' chain

**T24 31586-710**  
(6) Medium Base 60w max.

**T24 31586EN3-710**  
**EN★** (6) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**ONE LIGHT WALL / BATH** **DAMP**

W: 5" H: 8" E: 5"  
Height from center of outlet box: 4.5"

**T24 41585-710**  
(1) Medium Base 60w max.

**T24 41585EN3-710**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**RECOMMENDED PRODUCTS**



**COORDINATED  
CEILING FAN**  
**15161EN3-191**, p.421



**GEARY PENDANTS**, p.256  
Burnt Sienna Finish

# SUSSEX

The Sussex Collection is a perfect crossover from cottage style into urban chic. The Sussex collection's retro appeal softens and warms-up contemporary spaces, while retaining an up-to-date decor. Look to Sussex when balance and unity are required in an interior design.





CONVERTS TO  
DOWNLIGHT  
H: 28.75"



BRUSHED NICKEL FINISH  
SATIN WHITE GLASS

NINE LIGHT CHANDELIER


D: 30" H: 24"  
12' wire pre-laced through 10' chain

**31062-962**  
(9) Medium Base 100w max.

**31062EN3-962**  
(9) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



CONVERTS TO  
DOWNLIGHT  
H: 28.75"



HEIRLOOM BRONZE FINISH  
SATIN ETCHED GLASS

NINE LIGHT CHANDELIER

D: 30" H: 24"  
12' wire pre-laced through 10' chain

**T24 31062-782**  
(9) Medium Base 100w max.

**T24 EN★ 31062EN3-782**  
(9) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

See more Heirloom Bronze finish on p.224



CONVERTS TO  
DOWNLIGHT  
H: 20"

### FIVE LIGHT CHANDELIER

D: 24" H: 15.5"

12' wire pre-laced through 10' chain

**T24 31061-962**  
(5) Medium Base 100w max.

**T24 31061EN3-962**  
(5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



CONVERTS TO  
SEMI-FLUSH  
H: 15"

### THREE LIGHT ISLAND PENDANT

L: 26" W: 7.5" H: 18.25"

(2) 12' strips of wire pre-laced through 10' chain

**T24 66061-962**  
(3) Medium Base 100w max.

**T24 66061EN3-962**  
(3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



CONVERTS TO  
DOWNLIGHT  
H: 20"

### THREE LIGHT CHANDELIER

D: 22" H: 15.5"

12' wire pre-laced through 10' chain

**T24 31060-962**  
(3) Medium Base 100w max.

**T24 31060EN3-962**  
(3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



CONVERTS TO  
SEMI-FLUSH  
H: 15"

### THREE LIGHT SEMI-FLUSH CONVERTIBLE PENDANT

D: 15.25" H: 16.75"

12' wire pre-laced through 10' chain

**T24 66062-962**  
(3) Medium Base 100w max.

**T24 66062EN3-962**  
(3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



### THREE LIGHT CEILING SEMI-FLUSH MOUNT

D: 15.75" H: 12.5"

**T24 75061-962**  
(3) Medium Base 100w max.

**T24 75061EN3-962**  
(3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.





ONE LIGHT PENDANT

D: 15.75" H: 20"  
12' wire pre-laced through 10' chain

**T24 66060-962**  
(1) Medium Base 150w max.

**T24 66060EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ONE LIGHT MINI-PENDANT

D: 7.5" H: 7.5"  
10' wire, (3) 12" stems, 12" chain

**T24 61060-962**  
(1) Medium Base 100w max.

**T24 61060EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ONE LIGHT WALL / BATH

W: 7.5" H: 10.25" E: 10.25"  
Height from center of outlet box  
up: 7" down: 3.25"

**T24 44060-962**  
(1) Medium Base 100w max.

**T24 44060EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

DAMP



RECOMMENDED PRODUCTS



**COORDINATED  
CEILING FAN**  
**15040EN3-962**, p.424



**CEILING FLUSH  
MOUNTS**, p.326  
Brushed Nickel Finish



**SUSSEX BATH**, p.385  
Brushed Nickel Finish  
Chrome Finish



CONVERTS TO  
DOWNLIGHT  
H: 20"

### FIVE LIGHT CHANDELIER

D: 24" H: 15.5"

12' wire pre-laced through 10' chain

**T24 31061-782**  
(5) Medium Base 100w max.

**T24 31061EN3-782**  
(5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



### THREE LIGHT ISLAND PENDANT

L: 26" W: 7.5" H: 18.25"

(2) 12' strips of wire pre-laced  
through 10' chain

**T24 66061-782**  
(3) Medium Base 100w max.

**T24 66061EN3-782**  
(3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



CONVERTS TO  
DOWNLIGHT  
H: 20"

### THREE LIGHT CHANDELIER

D: 22" H: 15.5"

12' wire pre-laced through 10' chain

**T24 31060-782**  
(3) Medium Base 100w max.

**T24 31060EN3-782**  
(3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



CONVERTS TO  
SEMI-FLUSH  
H: 15"

### THREE LIGHT SEMI-FLUSH CONVERTIBLE PENDANT

D: 15.25" H: 16.75"

12' wire pre-laced through 10' chain

**T24 66062-782**  
(3) Medium Base 100w max.

**T24 66062EN3-782**  
(3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



### THREE LIGHT CEILING SEMI-FLUSH MOUNT

D: 15.75" H: 12.5"

**T24 75061-782**  
(3) Medium Base 100w max.

**T24 75061EN3-782**  
(3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



ONE LIGHT PENDANT

D: 15.75" H: 20"  
12' wire pre-laced through 10' chain

**T24 66060-782**  
(1) Medium Base 150w max.

**T24 66060EN3-782**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ONE LIGHT MINI-PENDANT

D: 7.5" H: 7.5"  
10' wire, (3) 12" stems, 12" chain

**T24 61060-782**  
(1) Medium Base 100w max.

**T24 61060EN3-782**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.




ONE LIGHT WALL / BATH

W: 7.5" H: 10.25" E: 10.25"  
Height from center of outlet box  
up: 7" down: 3.25"

**T24 44060-782**  
(1) Medium Base 100w max.

**T24 44060EN3-782**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

DAMP



RECOMMENDED PRODUCTS



**COORDINATED  
CEILING FAN**  
**15040EN3-782, p.424**



**CEILING FLUSH  
MOUNTS, p.327**  
Heirloom Bronze Finish



**SUSSEX BATH, p.385**  
Heirloom Bronze Finish



## WINDGATE

The Windgate Collection offers a wide selection of transitional fixtures featuring clean lines and sophisticated Alabaster style glass which is a design detail that adds warmth and depth to the streamlined design.



**FIVE LIGHT  
UPLIGHT CHANDELIER**

D: 20.5" H: 16.75"

6' wire pre-laced through 3' chain

**T24 35940-962**  
(5) Medium Base 100w max.**T24 35940EN3-962**  
**EN★** (5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.BRUSHED NICKEL FINISH  
ALABASTER GLASS**THREE LIGHT  
UPLIGHT CHANDELIER**

D: 20.5" H: 16.75"

6' wire pre-laced through 3' chain

**T24 35939-962**  
(3) Medium Base 100w max.**T24 35939EN3-962**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.BRUSHED NICKEL FINISH  
ALABASTER GLASS**FIVE LIGHT  
UPLIGHT CHANDELIER**

D: 20.5" H: 16.75"

6' wire pre-laced through 3' chain

**T24 35940-782**  
(5) Medium Base 100w max.**T24 35940EN3-782**  
**EN★** (5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.HEIRLOOM BRONZE FINISH  
ALABASTER GLASS**THREE LIGHT  
UPLIGHT CHANDELIER**

D: 20.5" H: 16.75"

6' wire pre-laced through 3' chain

**T24 35939-782**  
(3) Medium Base 100w max.**T24 35939EN3-782**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.*See more Heirloom Bronze finish on p.230*HEIRLOOM BRONZE FINISH  
ALABASTER GLASS



**FIVE LIGHT  
DOWNLIGHT CHANDELIER**

D: 20" H: 14"  
6' wire pre-laced through 3' chain

**T24 35950-962**  
(5) Medium Base 100w max.

**T24 35950EN3-962**  
**EN★** (5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**THREE LIGHT  
DOWNLIGHT CHANDELIER**

D: 20" H: 14"  
6' wire pre-laced through 3' chain

**T24 35949-962**  
(3) Medium Base 100w max.

**T24 35949EN3-962**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**TWO LIGHT PENDANT**

D: 15.75" H: 20.75"  
8' wire pre-laced through 4' chain

**T24 65941-962**  
(2) Medium Base 100w max.

**T24 65941EN3-962**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



CONVERTS TO  
SEMI-FLUSH  
H: 9.5"

**TWO LIGHT SEMI-FLUSH  
CONVERTIBLE PENDANT**

D: 13" H: 11"  
8' wire pre-laced through 3' chain

**T24 77950-962**  
(2) Medium Base 100w max.

**T24 77950EN3-962**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



LARGE ONE LIGHT PENDANT

D: 15.75" H: 9.5"  
8' wire pre-laced through 4' chain

**T24 65942-962**  
(1) Medium Base 150w max.

**T24 65942EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ONE LIGHT PENDANT

D: 13.25" H: 9"  
6' wire pre-laced through 3' chain

**T24 65940-962**  
(1) Medium Base 150w max.

**T24 65940EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ONE LIGHT MINI-PENDANT

D: 7.5" H: 6.5"  
8' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 61940-962**  
(1) Medium Base 100w max.

**T24 61940EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ONE LIGHT WALL / BATH

W: 5.5" H: 9" E: 8"  
Height from center of outlet box  
up: 4" down: 5"

**T24 41939-962**  
(1) Medium Base 60w max.

**T24 41939EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

DAMP



MOUNTS UP  
OR DOWN

RECOMMENDED PRODUCTS



**COORDINATED  
CEILING FAN**  
15040EN3-962, p.424



**WINDGATE CEILING  
FLUSH MOUNTS**, p.330  
Brushed Nickel Finish



**WINDGATE BATH**, p.380  
Brushed Nickel Finish  
Chrome Finish



**GEARY PENDANTS**, p.256  
Brushed Nickel Finish



### FIVE LIGHT DOWNLIGHT CHANDELIER

D: 20" H: 14"

6' wire pre-laced through 3' chain

**T24 35950-782**  
(5) Medium Base 100w max.

**T24 35950EN3-782**  
**EN★** (5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



### THREE LIGHT DOWNLIGHT CHANDELIER

D: 20" H: 14"

6' wire pre-laced through 3' chain

**T24 35949-782**  
(3) Medium Base 100w max.

**T24 35949EN3-782**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



### TWO LIGHT PENDANT

D: 15.75" H: 20.75"

8' wire pre-laced through 4' chain

**T24 65941-782**  
(2) Medium Base 100w max.

**T24 65941EN3-782**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



CONVERTS TO  
SEMI-FLUSH  
H: 9.5"

### TWO LIGHT SEMI-FLUSH CONVERTIBLE PENDANT

D: 13" H: 11"

8' wire pre-laced through 3' chain

**T24 77950-782**  
(2) Medium Base 100w max.

**T24 77950EN3-782**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.





LARGE ONE LIGHT PENDANT

D: 15.75" H: 9.5"  
8' wire pre-laced through 4' chain

**T24 65942-782**  
(1) Medium Base 150w max.

**T24 65942EN3-782**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ONE LIGHT PENDANT

D: 13.25" H: 9"  
6' wire pre-laced through 3' chain

**T24 65940-782**  
(1) Medium Base 150w max.

**T24 65940EN3-782**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ONE LIGHT MINI-PENDANT

D: 7.5" H: 6.5"  
8' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 61940-782**  
(1) Medium Base 100w max.

**T24 61940EN3-782**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ONE LIGHT WALL / BATH

W: 5.5" H: 9" E: 8"  
Height from center of outlet box  
up: 4" down: 5"

**T24 41939-782**  
(1) Medium Base 60w max.

**T24 41939EN3-782**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

DAMP



MOUNTS UP  
OR DOWN

RECOMMENDED PRODUCTS



COORDINATED  
CEILING FAN  
15040EN3-782, p.424



WINDGATE CEILING  
FLUSH MOUNTS, p.330  
Heirloom Bronze Finish



WINDGATE BATH, p.380  
Heirloom Bronze Finish



GEARY PENDANTS, p.256  
Heirloom Bronze Finish

# CORBEILLE

A distinct bowl-shaped silhouette defines the flagship chandeliers of the traditional Corbeille Collection. With a hint of contemporary inspiration, the soft hue of the Crème Parchment glass complements the fixtures' refined curves in the Stardust finish.



STARDUST FINISH WITH CERUSED OAK ACCENTS

**NINE LIGHT CHANDELIER**

D: 27" H: 35"

10' wire pre-laced through 3' chain

**T24 3280409-846**  
(9) Candelabra Base 60w max.

**T24 3280409EN-846**  
**EN★** (9) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



STARDUST FINISH WITH CERUSED OAK ACCENTS

**FIVE LIGHT CHANDELIER**

D: 21.5" H: 29"

10' wire pre-laced through 3' chain

**T24 3280405-846**  
(5) Candelabra Base 60w max.

**T24 3280405EN-846**  
**EN★** (5) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



THREE LIGHT PENDANT

D: 19" H: 27"  
10' wire pre-laced through 3' chain

**T24 6680403-846**  
(3) Medium Base 100w max.

**T24 6680403EN3-846**  
(3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



CONVERTS TO  
SEMI-FLUSH  
H: 14"

TWO LIGHT SEMI-FLUSH  
CONVERTIBLE PENDANT

D: 15.25" H: 16"  
10' wire pre-laced through 3' chain

**T24 7780402-846**  
(2) Medium Base 100w max.

**T24 7780402EN3-846**  
(2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



TWO LIGHT CEILING  
FLUSH MOUNT **DAMP**

D: 15.25" H: 8"

**T24 7580402-846**  
(2) Medium Base 60w max.

**T24 7580402EN3-846**  
(2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

RECOMMENDED PRODUCTS



**COORDINATED  
CEILING FAN**  
15040EN3-782, p.424



**LONOKE  
PENDANTS**, p.268  
Stardust Finish  
Heirloom Bronze Finish



**DUNNING BATH**, p.375  
Stardust Finish



**LED CANDELABRA LAMP**  
LTB10C35027B, p.594







# WHEATON

The Wheaton Collection delivers versatility. The Satin Etched glass can be coupled with either a Brushed Nickel finish for a soft contemporary feel or an Heirloom Bronze finish for a more rustic charm. The tulip shaped glass shades are contrasted smartly by the stepped detail of the socket housing.



BRUSHED NICKEL FINISH  
SATIN ETCHED GLASS


## NINE LIGHT CHANDELIER

D: 31" H: 30.25"

12' wire pre-laced through 10' chain

**T24 31627-962**  
(9) Medium Base 100w max.

**T24 31627EN3-962**  
**EN★** (9) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



HEIRLOOM BRONZE FINISH  
SATIN ETCHED GLASS

## NINE LIGHT CHANDELIER

D: 31" H: 30.25"

12' wire pre-laced through 10' chain

**T24 31627-782**  
(9) Medium Base 100w max.

**T24 31627EN3-782**  
**EN★** (9) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

*See more Heirloom Bronze finish on p.240*

**FIVE LIGHT CHANDELIER**

D: 24" H: 18"

12' wire pre-laced through 10' chain

**T24 31626-962**  
(5) Medium Base 100w max.

**T24 31626EN3-962**  
**EN★** (5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

**THREE LIGHT CHANDELIER**

D: 22" H: 18"

12' wire pre-laced through 10' chain

**T24 31625-962**  
(3) Medium Base 100w max.

**T24 31625EN3-962**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

**THREE LIGHT PENDANT**

D: 16.75" H: 21.5"

12' wire pre-laced through 10' chain

**T24 65626-962**  
(3) Medium Base 100w max.

**T24 65626EN3-962**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



CONVERTS TO  
SEMI-FLUSH  
H: 12.25"

**TWO LIGHT SEMI-FLUSH  
CONVERTIBLE PENDANT**

D: 12.5" H: 15.75"

12' wire pre-laced through 10' chain

**T24 77625-962**  
(2) Medium Base 100w max.

**T24 77625EN3-962**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.





**ONE LIGHT PENDANT**

D: 15.25" H: 12.5"  
12' wire pre-laced through 10' chain

**T24 65625-962**  
(1) Medium Base 150w max.

**T24 65625EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**ONE LIGHT MINI-PENDANT**

D: 7" H: 11.75"  
10' wire, (3) 12" stems, 12" chain

**T24 61625-962**  
(1) Medium Base 100w max.

**T24 61625EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**ONE LIGHT WALL / BATH**

W: 6.5" H: 7.75" E: 8.25"  
Height from center of outlet box  
up: 3.75" down: 4"

**T24 44625-962**  
(1) Medium Base 100w max.

**T24 44625EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**DAMP**



MOUNTS UP  
OR DOWN

**RECOMMENDED PRODUCTS**



**COORDINATED  
CEILING FAN**  
**15040EN3-962**, p.424



**CEILING FLUSH  
MOUNTS**, p.326  
Brushed Nickel Finish



**WHEATON BATH**, p.389  
Brushed Nickel Finish



**GEARY PENDANTS**, p.256  
Brushed Nickel Finish

**FIVE LIGHT CHANDELIER**

D: 24" H: 18"

12' wire pre-laced through 10' chain

**T24 31626-782**  
(5) Medium Base 100w max.**T24 31626EN3-782**  
**EN★** (5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.**THREE LIGHT CHANDELIER**

D: 22" H: 18"

12' wire pre-laced through 10' chain

**T24 31625-782**  
(3) Medium Base 100w max.**T24 31625EN3-782**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.**THREE LIGHT PENDANT**

D: 16.75" H: 21.5"

12' wire pre-laced through 10' chain

**T24 65626-782**  
(3) Medium Base 100w max.**T24 65626EN3-782**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.CONVERTS TO  
SEMI-FLUSH  
H: 12.25"**TWO LIGHT SEMI-FLUSH  
CONVERTIBLE PENDANT**

D: 12.5" H: 15.75"

12' wire pre-laced through 10' chain

**T24 77625-782**  
(2) Medium Base 100w max.**T24 77625EN3-782**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



ONE LIGHT PENDANT

D: 15.25" H: 12.5"  
12' wire pre-laced through 10' chain

**T24** **65625-782**  
(1) Medium Base 150w max.

**T24** **65625EN3-782**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ONE LIGHT MINI-PENDANT

D: 7" H: 11.75"  
10' wire, (3) 12" stems, 12" chain

**T24** **61625-782**  
(1) Medium Base 100w max.

**T24** **61625EN3-782**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ONE LIGHT WALL / BATH

W: 6.5" H: 7.75" E: 8.25"  
Height from center of outlet box  
up: 3.75" down: 4"

**T24** **44625-782**  
(1) Medium Base 100w max.

**T24** **44625EN3-782**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

DAMP



MOUNTS UP  
OR DOWN

RECOMMENDED PRODUCTS



**COORDINATED  
CEILING FAN**  
**15040EN3-782**, p.424



**CEILING FLUSH  
MOUNTS**, p.327  
Heirloom Bronze Finish



**WHEATON BATH**, p.389  
Heirloom Bronze Finish  
Brushed Nickel Finish



**GEARY PENDANTS**, p.256  
Heirloom Bronze Finish



# HOLMAN

The zz Collection brings versatility and style to those just starting out. With softly flared glass and curved arms, there is just enough detail to give the overall look a lift while keeping it simple enough for those on a budget.





NINE LIGHT CHANDELIER

D: 29.75" H: 25.75"  
6' wire pre-laced through 3' chain

**T24 31810-962**  
(9) Medium Base 60w max.

**T24 31810EN3-962**  
**EN★** (9) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

BRUSHED NICKEL FINISH  
SATIN ETCHED GLASS



NINE LIGHT CHANDELIER

D: 27.75" H: 25.75"  
6' wire pre-laced through 3' chain

**T24 32810-962**  
(9) Candelabra Base 60w max.

**T24 32810EN-962**  
**EN★** (9) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.

BRUSHED NICKEL FINISH



NINE LIGHT CHANDELIER

D: 29.75" H: 25.75"  
6' wire pre-laced through 3' chain

**T24 31810-782**  
(9) Medium Base 60w max.

**T24 31810EN3-782**  
**EN★** (9) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

HEIRLOOM BRONZE FINISH  
SATIN ETCHED GLASS



NINE LIGHT CHANDELIER

D: 27.75" H: 25.75"  
6' wire pre-laced through 3' chain

**T24 32810-782**  
(9) Candelabra Base 60w max.

**T24 32810EN-782**  
**EN★** (9) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.

HEIRLOOM BRONZE FINISH

See more Heirloom Bronze finish on p.247



FIVE LIGHT CHANDELIER

D: 20" H: 12.5"  
10' wire pre-laced through 3' chain

**T24 31808-962**  
(5) Medium Base 60w max.

**T24 31808EN3-962**  
**EN★** (5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



FIVE LIGHT CHANDELIER

D: 18" H: 16"  
10' wire pre-laced through 3' chain

**T24 31809-962**  
(5) Candelabra Base 60w max.

**T24 31809EN-962**  
**EN★** (5) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



SIX LIGHT HALL / FOYER

D: 18" H: 40"  
12' wire pre-laced through 10' chain

**T24 51807-962**  
(6) Candelabra Base 60w max.

**T24 51807EN-962**  
**EN★** (6) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



THREE LIGHT CHANDELIER

D: 18" H: 10.25"  
10' wire pre-laced through 3' chain

**T24 31806-962**  
(3) Medium Base 60w max.

**T24 31806EN3-962**  
(3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



THREE LIGHT CHANDELIER

D: 16" H: 14.75"  
10' wire pre-laced through 3' chain

**T24 31807-962**  
(3) Candelabra Base 60w max.

**T24 31807EN-962**  
(3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



THREE LIGHT HALL / FOYER

D: 16.25" H: 25"  
12' wire pre-laced through 10' chain

**T24 51806-962**  
(3) Candelabra Base 60w max.

**T24 51806EN-962**  
(3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



THREE LIGHT PENDANT

D: 18" H: 18"  
6' wire pre-laced through 3' chain

**T24 66808-962**  
(3) Medium Base 60w max.

**T24 66808EN3-962**  
(3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**TWO LIGHT SEMI-FLUSH CONVERTIBLE PENDANT**

D: 13.25" H: 13.75"  
10' wire pre-laced through 3' chain

**T24 77806-962**  
(2) Medium Base 75w max.

**T24 77806EN3-962**  
**EN★** (2) Med. Base LED 3000K, 9.5w, 800 lumen lamps incl.

**ONE LIGHT PENDANT**

D: 15" H: 12.25"  
10' wire pre-laced through 3' chain

**T24 65806-962**  
(1) Medium Base 100w max.

**T24 65806EN3-962**  
**EN★** (1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.



**ONE LIGHT MINI-PENDANT**

D: 5.25" H: 6.5"  
10' wire, (3) 12" stems, 12" chain

**T24 61806-962**  
(1) Medium Base 60w max.

**T24 61806EN3-962**  
**EN★** (1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.

**ONE LIGHT WALL / BATH**

W: 5.25" H: 10.25" E: 7.25"  
Height from center of outlet box  
up: 6.5" down: 3.75"

**T24 41806-962**  
(1) Medium Base 60w max.

**T24 41806EN3-962**  
**EN★** (1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.

DAMP



**RECOMMENDED PRODUCTS**



**COORDINATED CEILING FAN**  
**15040EN3-962**, p.424



**CEILING FLUSH MOUNTS**, p.326  
Brushed Nickel Finish



**HOLMAN BATH**, p.390  
Brushed Nickel Finish



**GEARY PENDANTS**, p.256  
Brushed Nickel Finish



**LED CANDELABRA LAMP**  
**LTB10C35027B**, p.594  
Candelabra Base Only





THREE LIGHT CHANDELIER

D: 18" H: 10.25"  
10' wire pre-laced through 3' chain

**T24 31806-782**  
(3) Medium Base 60w max.

**T24 31806EN3-782**  
(3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



THREE LIGHT CHANDELIER

D: 16" H: 14.75"  
10' wire pre-laced through 3' chain

**T24 31807-782**  
(3) Candelabra Base 60w max.

**T24 31807EN-782**  
(3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



THREE LIGHT HALL / FOYER

D: 16.25" H: 25"  
12' wire pre-laced through 10' chain

**T24 51806-782**  
(3) Candelabra Base 60w max.

**T24 51806EN-782**  
(3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



THREE LIGHT PENDANT

D: 18" H: 18"  
6' wire pre-laced through 3' chain

**T24 66808-782**  
(3) Medium Base 60w max.

**T24 66808EN3-782**  
(3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



CONVERTS TO  
DOWNLIGHT  
H: 14.75"

FIVE LIGHT CHANDELIER

D: 20" H: 12.5"  
10' wire pre-laced through 3' chain

T24 31808-782  
(5) Medium Base 60w max.

T24 31808EN-782  
(5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



FIVE LIGHT CHANDELIER

D: 18" H: 16"  
10' wire pre-laced through 3' chain

T24 31809-782  
(5) Candelabra Base 60w max.

T24 31809EN-782  
(5) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



SIX LIGHT HALL / FOYER

D: 18" H: 40"  
12' wire pre-laced through 10' chain

T24 51807-782  
(6) Candelabra Base 60w max.

T24 51807EN-782  
(6) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



**TWO LIGHT SEMI-FLUSH  
CONVERTIBLE PENDANT**

D: 13.25" H: 13.75"  
10' wire pre-laced through 3' chain

**T24 77806-782**  
(2) Medium Base 75w max.

**T24 77806EN3-782**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**ONE LIGHT PENDANT**

D: 15" H: 12.25"  
10' wire pre-laced through 3' chain

**T24 65806-782**  
(1) Medium Base 100w max.

**T24 65806EN3-782**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**ONE LIGHT MINI-PENDANT**

D: 5.25" H: 6.5"  
10' wire, (3) 12" stems, 12" chain

**T24 61806-782**  
(1) Medium Base 60w max.

**T24 61806EN3-782**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**ONE LIGHT WALL / BATH**

W: 5.25" H: 10.25" E: 7.25"  
Height from center of outlet box  
up: 6.5" down: 3.75"

**T24 41806-782**  
(1) Medium Base 60w max.

**T24 41806EN3-782**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**DAMP**



**RECOMMENDED PRODUCTS**



**COORDINATED  
CEILING FAN**  
15040EN3-782, p.424



**CEILING FLUSH  
MOUNTS**, p.327  
Heirloom Bronze Finish



**HOLMAN BATH**, p.390  
Bell Bronze Finish



**GEARY PENDANTS**, p.256  
Heirloom Bronze Finish



**LED CANDELABRA LAMP**  
**LTB10C35027B**, p.594  
Candelabra Base Only

# TRADITIONAL



POLISHED BRASS FINISH

## FIFTEEN LIGHT CHANDELIER

D: 30.5" H: 25.5"  
12' wire pre-laced through 3' chain

**T24 3414-02**  
(15) Candelabra Base 60w max.

**T24 3414EN-02**  
(15) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



POLISHED BRASS FINISH

## TEN LIGHT CHANDELIER

D: 23.5" H: 21.75"  
12' wire pre-laced through 3' chain

**T24 3413-02**  
(10) Candelabra Base 60w max.

**T24 3413EN-02**  
(10) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



POLISHED BRASS FINISH

## FIVE LIGHT CHANDELIER

D: 23.5" H: 18.25"  
12' wire pre-laced through 3' chain

**T24 3410-02**  
(5) Candelabra Base 60w max.

**T24 3410EN-02**  
(5) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



BRUSHED NICKEL FINISH

## FIVE LIGHT CHANDELIER

D: 23.5" H: 18.25"  
12' wire pre-laced through 3' chain

**T24 3410-962**  
(5) Candelabra Base 60w max.

**T24 3410EN-962**  
(5) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



POLISHED BRASS FINISH

## SMALL FIVE LIGHT CHANDELIER

D: 18.5" H: 16.25"  
12' wire pre-laced through 10' chain

**T24 3916-02**  
(5) Candelabra Base 60w max.

**T24 3916EN-02**  
(5) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.





BRUSHED NICKEL FINISH

TEN LIGHT CHANDELIER

D: 23.5" H: 21.75"  
12' wire pre-laced through 3' chain

T24 3413-962  
(10) Candelabra Base 60w max.

T24 3413EN-962  
EN★ (10) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



BRUSHED NICKEL FINISH

SIX LIGHT CHANDELIER

D: 23.5" H: 18.25"  
12' wire pre-laced through 3' chain

T24 3411-962  
(6) Candelabra Base 60w max.

T24 3411EN-962  
EN★ (6) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



POLISHED BRASS FINISH

SIX LIGHT CHANDELIER

D: 23.5" H: 18.25"  
12' wire pre-laced through 3' chain

T24 3411-02  
(6) Candelabra Base 60w max.

T24 3411EN-02  
EN★ (6) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



BRUSHED NICKEL FINISH

SMALL FIVE LIGHT CHANDELIER

D: 18.5" H: 16.25"  
12' wire pre-laced through 10' chain

T24 3916-962  
(5) Candelabra Base 60w max.

T24 3916EN-962  
EN★ (5) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



HEIRLOOM BRONZE FINISH

SMALL FIVE LIGHT CHANDELIER

D: 18.5" H: 16.25"  
12' wire pre-laced through 10' chain

T24 3916-782  
(5) Candelabra Base 60w max.

T24 3916EN-782  
EN★ (5) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.

RECOMMENDED PRODUCTS



LED CANDELABRA LAMP  
LTB10C35027B, p.594





# PENDANT COLLECTIONS

---

Pendants are an incredibly versatile light source that can provide both task and general lighting in many different rooms. Frequently suspended over dining tables, kitchen counters, or other work areas, they are an important feature in any room's design. Sea Gull Lighting pendants are available in many styles and lamping options to help you achieve just the right look for your space.

# LEO - HANGING GLOBE PENDANTS



SATIN ALUMINUM FINISH  
CLEAR SEEDED GLASS

### EXTRA LARGE PENDANT

D: 14" H: 14.75"  
4.5' black field adjustable cord

**T24 6801801-04**  
(1) Medium Base 100w max.



SATIN ALUMINUM FINISH  
WHITE GLASS

### EXTRA LARGE PENDANT

D: 14" H: 14.75"  
4.5' black field adjustable cord

**T24 6024-04**  
(1) Medium Base 150w max.

**T24 6024EN3-04**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**WOD 602493S-04**  
**EN★** LED: 3000K, 14 watts,  
1000 gross lumens



WHITE FINISH  
WHITE GLASS

### EXTRA LARGE PENDANT

D: 14" H: 14.75"  
4.5' white field adjustable cord

**T24 6024-15**  
(1) Medium Base 150w max.

**T24 6024EN3-15**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**WOD 602493S-15**  
**EN★** LED: 3000K, 14 watts,  
1000 gross lumens



SATIN ALUMINUM FINISH  
CLEAR SEEDED GLASS

### LARGE PENDANT

D: 12" H: 12.5"  
4.5' black field adjustable cord

**T24 6701801-04**  
(1) Medium Base 100w max.



SATIN ALUMINUM FINISH  
WHITE GLASS

### LARGE PENDANT

D: 12" H: 12.5"  
4.5' black field adjustable cord

**T24 6022-04**  
(1) Medium Base 150w max.

**T24 6022EN3-04**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**WOD 602293S-04**  
**EN★** LED: 3000K, 14 watts,  
1000 gross lumens



WHITE FINISH  
WHITE GLASS

### LARGE PENDANT

D: 12" H: 12.5"  
4.5' white field adjustable cord

**T24 6022-15**  
(1) Medium Base 150w max.

**T24 6022EN3-15**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**WOD 602293S-15**  
**EN★** LED: 3000K, 14 watts,  
1000 gross lumens



# LEO - HANGING GLOBE PENDANTS



SATIN ALUMINUM FINISH  
CLEAR SEEDED GLASS

## MEDIUM PENDANT

D: 10" H: 10.75"  
4.5' white field adjustable cord

**T24 6601801-04**  
(1) Medium Base 100w max.



SATIN ALUMINUM FINISH  
WHITE GLASS

## MEDIUM PENDANT

D: 10" H: 10.75"  
4.5' black field adjustable cord

**T24 6020-04**  
(1) Medium Base 150w max.

**T24 6020EN3-04**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**602093S-04**  
LED: 3000K, 14 watts,  
1000 gross lumens



WHITE FINISH  
WHITE GLASS

## MEDIUM PENDANT

D: 10" H: 10.75"  
4.5' white field adjustable cord

**T24 6020-15**  
(1) Medium Base 150w max.

**T24 6020EN3-15**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**602093S-15**  
LED: 3000K, 14 watts,  
1000 gross lumens



SATIN ALUMINUM FINISH  
CLEAR SEEDED GLASS

## SMALL PENDANT

D: 8" H: 8.5"  
4.5' black field adjustable cord

**T24 651801-04**  
(1) Medium Base 60w max.



SATIN ALUMINUM FINISH  
WHITE GLASS

## SMALL PENDANT

D: 8" H: 8.5"  
4.5' black field adjustable cord

**T24 6018-04**  
(1) Medium Base 100w max.

**T24 6018EN3-04**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**601893S-04**  
LED: 3000K, 9 watts,  
700 gross lumens



WHITE FINISH  
WHITE GLASS

## SMALL PENDANT

D: 8" H: 8.5"  
4.5' white field adjustable cord

**T24 6018-15**  
(1) Medium Base 100w max.

**T24 6018EN3-15**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**601893S-15**  
LED: 3000K, 9 watts,  
700 gross lumens

## CONFIGURATION OPTIONS



Use Multi-Port Canopies to  
turn small or medium Leo  
Hanging Globe pendants  
into cluster pendants  
p.320-323

## RECOMMENDED PRODUCTS



**LED VINTAGE LAMP**  
**97500S**, p.594  
For Clear Seeded Glass



**MULTI-PORT CANOPIES,**  
Brushed Nickel Finish  
Small and Medium Only  
**7449403-962**, p.323  
**7449405-962**, p.322



**MULTI-PORT CANOPIES,**  
White Finish  
Small and Medium Only  
**7449403-15**, p.323  
**7449405-15**, p.322



# GEARY

Adaptability takes center stage with the Geary Collection. In addition to its wide shade bowl and decoratively bowed arms, Geary is a true cross-collection piece, matching 25 different Sea Gull Lighting interior collections. Offering subtle style with practical design, Geary is at home in almost any room.



**LARGE  
FOUR LIGHT  
PENDANT**

DAMP

D: 25" H: 27.125"  
10' wire pre-laced through 6' chain

**T24 6616504-962**  
(4) Medium Base 100w max.

**T24 6616504EN3-962**  
(4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

BURNT SIENNA FINISH  
SATIN ETCHED GLASS



**LARGE  
FOUR LIGHT  
PENDANT**

DAMP

D: 25" H: 27.125"  
10' wire pre-laced through 6' chain

**T24 6616504-839**  
(4) Medium Base 100w max.

**T24 6616504EN3-839**  
(4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

BLACKSMITH FINISH  
SATIN ETCHED GLASS



**LARGE  
FOUR LIGHT  
PENDANT**

DAMP

D: 25" H: 27.125"  
10' wire pre-laced through 6' chain

**T24 6616504-710**  
(4) Medium Base 100w max.

**T24 6616504EN3-710**  
(4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

See more Burnt Sienna finish on p.260

BURNT SIENNA FINISH  
SATIN ETCHED GLASS



**LARGE  
FOUR LIGHT  
PENDANT**

DAMP

D: 25" H: 27.125"  
10' wire pre-laced through 6' chain

**T24 6616504-782**  
(4) Medium Base 100w max.

**T24 6616504EN3-782**  
(4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

See more Heirloom Bronze finish on p.261


HEIRLOOM BRONZE FINISH  
SATIN ETCHED GLASS




**LARGE FOUR LIGHT  
SEMI-FLUSH / PENDANT** DAMP  
D: 25" H: 18.5"  
6' wire pre-laced through 3' chain  
**T24 7716504-962**  
(4) Medium Base 100w max.  
**T24 7716504EN3-962**  
**EN★** (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**MEDIUM  
THREE LIGHT PENDANT** DAMP  
D: 18.625" H: 20.625"  
10' wire pre-laced through 6' chain  
**T24 6616503-962**  
(3) Medium Base 100w max.  
**T24 6616503EN3-962**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**MEDIUM THREE LIGHT  
SEMI-FLUSH / PENDANT** DAMP  
D: 18.625" H: 16.375"  
6' wire pre-laced through 3' chain  
**T24 7716503-962**  
(3) Medium Base 100w max.  
**T24 7716503EN3-962**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**SMALL TWO LIGHT  
SEMI-FLUSH / PENDANT** DAMP  
D: 13.875" H: 12.375"  
6' wire pre-laced through 3' chain  
**T24 7716502-962**  
(2) Medium Base 100w max.  
**T24 7716502EN3-962**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.





**LARGE FOUR LIGHT  
SEMI-FLUSH / PENDANT**

DAMP

D: 25" H: 18.5"  
6' wire pre-laced through 3' chain

**T24 7716504-839**  
(4) Medium Base 100w max.

**T24 7716504EN3-839**  
(4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.




**MEDIUM  
THREE LIGHT PENDANT**

DAMP

D: 18.625" H: 20.625"  
10' wire pre-laced through 6' chain

**T24 6616503-839**  
(3) Medium Base 100w max.

**T24 6616503EN3-839**  
(3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**MEDIUM THREE LIGHT  
SEMI-FLUSH / PENDANT**

DAMP

D: 18.625" H: 16.375"  
6' wire pre-laced through 3' chain

**T24 7716503-839**  
(3) Medium Base 100w max.

**T24 7716503EN3-839**  
(3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**SMALL TWO LIGHT  
SEMI-FLUSH / PENDANT**

DAMP

D: 13.875" H: 12.375"  
6' wire pre-laced through 3' chain

**T24 7716502-839**  
(2) Medium Base 100w max.

**T24 7716502EN3-839**  
(2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



CONVERTS TO  
SEMI-FLUSH  
H:17"

**LARGE FOUR LIGHT  
SEMI-FLUSH / PENDANT**

DAMP

D: 25" H: 18.5"  
6' wire pre-laced through 3' chain

**T24 7716504-710**  
(4) Medium Base 100w max.

**T24 7716504EN3-710**  
**EN★** (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**MEDIUM  
THREE LIGHT PENDANT**

DAMP

D: 18.625" H: 20.625"  
10' wire pre-laced through 6' chain

**T24 6616503-710**  
(3) Medium Base 100w max.

**T24 6616503EN3-710**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



CONVERTS TO  
SEMI-FLUSH  
H:14.875"

**MEDIUM THREE LIGHT  
SEMI-FLUSH / PENDANT**

DAMP

D: 18.625" H: 16.375"  
6' wire pre-laced through 3' chain

**T24 7716503-710**  
(3) Medium Base 100w max.

**T24 7716503EN3-710**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



CONVERTS TO  
SEMI-FLUSH  
H:11.375"

**SMALL TWO LIGHT  
SEMI-FLUSH / PENDANT**

DAMP

D: 13.875" H: 12.375"  
6' wire pre-laced through 3' chain

**T24 7716502-710**  
(2) Medium Base 100w max.

**T24 7716502EN3-710**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



CONVERTS TO  
SEMI-FLUSH  
H:17"

**LARGE FOUR LIGHT  
SEMI-FLUSH / PENDANT**

DAMP

D: 25" H: 18.5"  
6' wire pre-laced through 3' chain

**T24 7716504-782**  
(4) Medium Base 100w max.

**T24 7716504EN3-782**  
**EN★** (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**MEDIUM  
THREE LIGHT PENDANT**

DAMP

D: 18.625" H: 20.625"  
10' wire pre-laced through 6' chain

**T24 6616503-782**  
(3) Medium Base 100w max.

**T24 6616503EN3-782**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



CONVERTS TO  
SEMI-FLUSH  
H:14.875"

**MEDIUM THREE LIGHT  
SEMI-FLUSH / PENDANT**

DAMP

D: 18.625" H: 16.375"  
6' wire pre-laced through 3' chain

**T24 7716503-782**  
(3) Medium Base 100w max.

**T24 7716503EN3-782**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



CONVERTS TO  
SEMI-FLUSH  
H:11.375"


**SMALL TWO LIGHT  
SEMI-FLUSH / PENDANT**

DAMP

D: 13.875" H: 12.375"  
6' wire pre-laced through 3' chain

**T24 7716502-782**  
(2) Medium Base 100w max.

**T24 7716502EN3-782**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



## GEREON

A distinctive mesh lampshade in the Gereon Collection harkens back to the industrial days of machine innovation, adding a rugged look of workmanship that transforms an interior's identity. At once stylistic and utilitarian, Gereon is available in a finely textured Black finish with medium base sockets.



LARGE FOUR LIGHT PENDANT DAMP

D: 24"H: 10.5"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6528504-12**  
(4) Medium Base 60w max.



BLACK FINISH

MEDIUM THREE LIGHT PENDANT DAMP

D: 19" H: 9.375"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6528503-12**  
(3) Medium Base 60w max.



BLACK FINISH



CONVERTS TO  
SEMI-FLUSH  
H:11"



TWO LIGHT SEMI-FLUSH CONVERTIBLE PENDANT DAMP

D: 16" H: 11.75"  
6' wire pre-laced through 3' chain

**T24 7728502-12**  
(2) Medium Base 60w max.



ONE LIGHT MINI-PENDANT DAMP

D: 8" H: 12"  
10' wire, (3) 12" stems, (1) 6" stem  
and sloped ceiling mounting hardware

**T24 6128501-12**  
(1) Medium Base 60w max.


RECOMMENDED PRODUCTS



LED VINTAGE LAMP  
97500S, p.594



GEREON WALL SCONCE  
4128501-12, p.347  
Black Finish



WEATHERED COPPER FINISH


**LARGE  
ONE LIGHT PENDANT**

DAMP

D: 13.875" H: 11.375"  
10' of wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6746501-44**  
(1) Medium Base 60w max.

**T24 6746501EN3-44**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



HEIRLOOM BRONZE FINISH

**LARGE  
ONE LIGHT PENDANT**

DAMP

D: 13.875" H: 11.375"  
10' of wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6746501-782**  
(1) Medium Base 60w max.

**T24 6746501EN3-782**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

RECOMMENDED PRODUCTS



**LED VINTAGE LAMP**  
**97500S**, p.594



WEATHERED COPPER FINISH



HEIRLOOM BRONZE FINISH



WEATHERED COPPER FINISH



HEIRLOOM BRONZE FINISH

**MEDIUM ONE  
LIGHT PENDANT**

DAMP

D: 10.125" H: 11.25"  
10' of wire, (3) 12" stems, (1) 6" stem  
and sloped ceiling mounting hardware

**T24 6646501-44**  
(1) Medium Base 60w max.

**T24 6646501EN3-44**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

**MEDIUM ONE  
LIGHT PENDANT**

DAMP

D: 10.125" H: 11.25"  
10' of wire, (3) 12" stems, (1) 6" stem  
and sloped ceiling mounting hardware

**T24 6646501-782**  
(1) Medium Base 60w max.

**T24 6646501EN3-782**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

**ONE LIGHT  
MINI-PENDANT**

DAMP

D: 7.5" H: 9.25"  
10' of wire, (3) 12" stems, (1) 6" stem  
and sloped ceiling mounting hardware

**T24 6146501-44**  
(1) Medium Base 60w max.

**T24 6146501EN3-44**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

**ONE LIGHT  
MINI-PENDANT**

DAMP

D: 7.5" H: 9.25"  
10' of wire, (3) 12" stems, (1) 6" stem  
and sloped ceiling mounting hardware

**T24 6146501-782**  
(1) Medium Base 60w max.

**T24 6146501EN3-782**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



BRUSHED NICKEL FINISH  
CLEAR SEEDED GLASS

**ONE LIGHT PENDANT** DAMP  
D: 7.125" H: 13 "  
10' of wire, (3) 12" stems, (1) 6" stem  
and sloped ceiling mounting hardware  
**T24 6536901-962**  
(1) Medium Base 60w max.



HEIRLOOM BRONZE FINISH  
CLEAR SEEDED GLASS

**ONE LIGHT PENDANT** DAMP  
D: 7.125" H: 13 "  
10' of wire, (3) 12" stems, (1) 6" stem  
and sloped ceiling mounting hardware  
**T24 6536901-782**  
(1) Medium Base 60w max.

RECOMMENDED PRODUCTS



**LED VINTAGE LAMP**  
**97500S**, p.594

ARILDA



BRUSHED NICKEL FINISH  
CLEAR GLASS

**ONE LIGHT PENDANT** DAMP  
D: 9" H: 19"  
10' wire, (3) 12" stems, (1) 6" stem  
and sloped ceiling mounting hardware  
**T24 6537001-962**  
(1) Medium Base 60w max.



HEIRLOOM BRONZE FINISH  
CLEAR GLASS

**ONE LIGHT PENDANT** DAMP  
D: 9" H: 19"  
10' wire, (3) 12" stems, (1) 6" stem  
and sloped ceiling mounting hardware  
**T24 6537001-782**  
(1) Medium Base 60w max.

RECOMMENDED PRODUCTS



**LED VINTAGE LAMP**  
**97500S**, p.594



# GOODING

The Gooding Pendant features an oversized, mid-century modern interpretation of the timeless schoolhouse-style fixture. Available in two sizes and two finishes.





BRUSHED NICKEL FINISH  
OPAL GLASS

**LARGE TWO LIGHT  
PENDANT** DAMP

D: 22.5" H: 8.5"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6625702-962**  
(2) Medium Base 60w max.

**T24 6625702EN3-962**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



BRUSHED NICKEL FINISH  
OPAL GLASS

**MEDIUM ONE LIGHT  
PENDANT** DAMP

D: 19" H: 7.25"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6525701-962**  
(1) Medium Base 100w max.

**T24 6525701EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



HEIRLOOM BRONZE FINISH  
OPAL GLASS

**LARGE TWO LIGHT  
PENDANT** DAMP

D: 22.5" H: 8.5"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6625702-782**  
(2) Medium Base 60w max.

**T24 6625702EN3-782**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



HEIRLOOM BRONZE FINISH  
OPAL GLASS

**MEDIUM ONE LIGHT  
PENDANT** DAMP

D: 19" H: 7.25"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6525701-782**  
(1) Medium Base 100w max.

**T24 6525701EN3-782**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

# LONOKE

The Lonoke Collection is a scene stealing addition to any foyer, kitchen or dining room. The cylindrical profile features historically inspired strapping detail which is updated by the use of the open, airy frame. It is especially striking when used in pairs or multiples.



STARDUST FINISH W/  
CERUSED OAK ACCENTS

## LARGE FOUR LIGHT HALL / FOYER

DAMP

D: 19" H: 29.75"  
10' wire pre-laced through 6' chain

**T24 5340704-846**  
(4) Candelabra Base 60w max.

**T24 5340704EN-846**  
**EN★** (4) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



STARDUST FINISH W/  
CERUSED OAK ACCENTS

## MEDIUM THREE LIGHT HALL / FOYER

DAMP

D: 14.25" H: 23.25"  
10' wire pre-laced through 6' chain

**T24 5240703-846**  
(3) Candelabra Base 60w max.

**T24 5240703EN-846**  
**EN★** (3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



STARDUST FINISH W/  
CERUSED OAK ACCENTS

## SMALL THREE LIGHT HALL / FOYER

DAMP

D: 10.5" H: 19.5"  
10' wire pre-laced through 6' chain

**T24 5140703-846**  
(3) Candelabra Base 60w max.

**T24 5140703EN-846**  
**EN★** (3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



HEIRLOOM BRONZE FINISH

## LARGE FOUR LIGHT HALL / FOYER

DAMP

D: 19" H: 29.75"  
10' wire pre-laced through 6' chain

**T24 5340704-782**  
(4) Candelabra Base 60w max.

**T24 5340704EN-782**  
**EN★** (4) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



HEIRLOOM BRONZE FINISH

## MEDIUM THREE LIGHT HALL / FOYER

DAMP

D: 14.25" H: 23.25"  
10' wire pre-laced through 6' chain

**T24 5240703-782**  
(3) Candelabra Base 60w max.

**T24 5240703EN-782**  
**EN★** (3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



HEIRLOOM BRONZE FINISH

## SMALL THREE LIGHT HALL / FOYER

DAMP

D: 10.5" H: 19.5"  
10' wire pre-laced through 6' chain

**T24 5140703-782**  
(3) Candelabra Base 60w max.

**T24 5140703EN-782**  
**EN★** (3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.

### RECOMMENDED PRODUCTS



LED CANDELABRA LAMP  
LTB10C35027B, p.594





## DAWES

This chic pendant will gracefully take center stage in any foyer, kitchen or dining room. Light shines through a Clear Seeded glass shade, making the Dawes Pendant an airy, unobtrusive but definitive style statement.







**THREE LIGHT HALL / FOYER**

D: 15.75" H: 23.5"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 5126003-962**  
(3) Medium Base 75w max.

BRUSHED NICKEL FINISH  
CLEAR SEEDED GLASS



**THREE LIGHT HALL / FOYER**

D: 15.75" H: 23.5"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 5126003-710**  
(3) Medium Base 75w max.

BURNT SIENNA FINISH  
CLEAR SEEDED GLASS

RECOMMENDED PRODUCTS



**LED VINTAGE LAMP**  
**97500S**, p.594



# LABETTE

The Labette Collection features a beautiful four-sided, lantern silhouette that will surely bring character to any setting. The open frame adds a lightness to this stately fixture which is often installed in multiples for a more dramatic effect.



HEIRLOOM BRONZE FINISH

## LARGE FOUR LIGHT HALL / FOYER

DAMP

L: 14" W: 14" H: 27.25"  
10' wire pre-laced through 6' chain

**T24 5340604-782**  
(4) Candelabra Base 60w max.

**T24 5340604EN-782**  
(4) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



HEIRLOOM BRONZE FINISH

## MEDIUM THREE LIGHT HALL / FOYER

DAMP

L: 12" W: 12" H: 23.5"  
10' wire pre-laced through 6' chain

**T24 5240603-782**  
(3) Candelabra Base 60w max.

**T24 5240603EN-782**  
(3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



HEIRLOOM BRONZE FINISH

## SMALL THREE LIGHT HALL / FOYER

DAMP

L: 10" W: 10" H: 19.75"  
10' wire pre-laced through 6' chain

**T24 5140603-782**  
(3) Candelabra Base 60w max.

**T24 5140603EN-782**  
(3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



BLACK FINISH

## LARGE FOUR LIGHT HALL / FOYER

DAMP

L: 14" W: 14" H: 27.25"  
10' wire pre-laced through 6' chain

**T24 5340604-12**  
(4) Candelabra Base 60w max.

**T24 5340604EN-12**  
(3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



BLACK FINISH

## MEDIUM THREE LIGHT HALL / FOYER

DAMP

L: 12" W: 12" H: 23.5"  
10' wire pre-laced through 6' chain

**T24 5240603-12**  
(3) Candelabra Base 60w max.

**T24 5240603EN-12**  
(3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



BLACK FINISH

## SMALL THREE LIGHT HALL / FOYER

DAMP

L: 10" W: 10" H: 19.75"  
10' wire pre-laced through 6' chain

**T24 5140603-12**  
(3) Candelabra Base 60w max.

**T24 5140603EN-12**  
(3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.

### RECOMMENDED PRODUCTS



**LED CANDELABRA LAMP**  
LTB10C35027B, p.594



**LED TUBE LAMP**  
97531S, p.594  
97532S, p.594



# PERRYTON

The transitional Perryton Collection is inspired by stately, carriage lanterns. The updated open frame is formed with sleek square steel tubing, and each pendant is a generously proportioned, minimalist silhouette completed in a Blacksmith finish. Damp rated, Perryton can be an ideal focal point for a covered patio or porch.





BLACKSMITH FINISH

## EIGHT LIGHT HALL / FOYER

DAMP

L: 19" W: 19" H: 30.75"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 5115008-839**  
(8) Candelabra Base 60w max.

**T24 5115008EN-839**  
(8) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



HEIRLOOM BRONZE FINISH


## EIGHT LIGHT HALL / FOYER

DAMP

L: 19" W: 19" H: 30.75"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 5115008-782**  
(8) Candelabra Base 60w max.

**T24 5115008EN-782**  
(8) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



**EIGHT LIGHT  
ISLAND PENDANT**

DAMP

L: 40" W: 12" H: 16.75"  
10' wire, (6) 12" stems, (2) 6" stems

**T24 6615008-839**  
(8) Candelabra Base 60w max.

**T24 6615008EN-839**  
**EN★** (8) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



**LARGE FOUR LIGHT  
HALL / FOYER**

DAMP

L: 15.5" W: 15.5" H: 23.25"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 5115004-839**  
(4) Candelabra Base 60w max.

**T24 5115004EN-839**  
**EN★** (4) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



**SMALL FOUR LIGHT  
HALL / FOYER**

DAMP

L: 12.25" W: 12.25" H: 18.5"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 5215004-839**  
(4) Candelabra Base 60w max.

**T24 5215004EN-839**  
**EN★** (4) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.

RECOMMENDED PRODUCTS



**LED CANDELABRA LAMP**  
**LTB10C35027B**, p.594



**EIGHT LIGHT ISLAND PENDANT**

DAMP

L: 40" W: 12" H: 16.75"  
10' wire, (6) 12" stems, (2) 6" stems

**T24 6615008-782**  
(8) Candelabra Base 60w max.

**T24 6615008EN-782**  
**EN★** (8) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



**LARGE FOUR LIGHT HALL / FOYER**

DAMP

L: 15.5" W: 15.5" H: 23.25"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 5115004-782**  
(4) Candelabra Base 60w max.

**T24 5115004EN-782**  
**EN★** (4) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



**SMALL FOUR LIGHT HALL / FOYER**

DAMP

L: 12.25" W: 12.25" H: 18.5"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 5215004-782**  
(4) Candelabra Base 60w max.

**T24 5215004EN-782**  
**EN★** (4) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.

RECOMMENDED PRODUCTS



**LED CANDELABRA LAMP**  
**LTB10C35027B**, p.594



# HUNTSVILLE

The charming Huntsville Collection features an updated pendant reminiscent of traditional gas lanterns used in the eighteenth century. The open silhouette and top chimney detail create a warm and inviting look. Pendants are often paired or clustered together in a large foyer, over a kitchen island or dining room table.





HEIRLOOM BRONZE FINISH

THREE LIGHT HALL / FOYER DAMP

L: 14" W: 14" H: 23.5"  
12' wire pre-laced through 10' chain

**T24 5136103-782**  
(3) Candelabra Base 60w max.

**T24 5136103EN-782**  
**EN★** (3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.

RECOMMENDED PRODUCTS



LED CANDELABRA LAMP  
LTB10C35027B, p.594



BLACKSMITH FINISH

THREE LIGHT HALL / FOYER DAMP

L: 14" W: 14" H: 23.5"  
12' wire pre-laced through 10' chain

**T24 5136103-839**  
(3) Candelabra Base 60w max.

**T24 5136103EN-839**  
**EN★** (4) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.

# LOCKHEART

The traditional Lockheart Collection is inspired by historic carriage lights which have been updated with trapezoid-shaped glass for a more transitional aesthetic. While often placed in entryways and halls, this silhouette is increasingly being selected by designers to enhance kitchen islands, dining areas and living rooms.



## EIGHT LIGHT HALL / FOYER

L: 18" W: 18" H: 32.75"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 5119408-782**  
(8) Candelabra Base 60w max.

**T24 5119408EN-782**  
**EN★** (8) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



HEIRLOOM BRONZE FINISH  
CLEAR GLASS

## EIGHT LIGHT HALL / FOYER

L: 18" W: 18" H: 32.75"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 5119408-839**  
(8) Candelabra Base 60w max.

**T24 5119408EN-839**  
**EN★** (8) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



BLACKSMITH FINISH  
CLEAR GLASS



HEIRLOOM BRONZE FINISH  
CLEAR GLASS

## FOUR LIGHT HALL / FOYER

L: 13.75" W: 13.75" H: 23.25"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 5119404-782**  
(4) Candelabra Base 60w max.

**T24 5119404EN-782**  
**EN★** (4) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



BLACKSMITH FINISH  
CLEAR GLASS

## FOUR LIGHT HALL / FOYER

L: 13.75" W: 13.75" H: 23.25"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 5119404-839**  
(4) Candelabra Base 60w max.

**T24 5119404EN-839**  
**EN★** (4) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.

### RECOMMENDED PRODUCTS



**LED CANDELABRA LAMP**  
LTB10C35027B, p.594



# TURBINIO

Touched with a Mediterranean influence, the Turbinio Collection features a dramatic cage-within-a-cage design. The Blacksmith finish creates a rustic yet sophisticated feel for these large-scale pendants.





**TEN LIGHT HALL / FOYER** DAMP

D: 37" H: 46.75"  
12' wire pre-laced through 10' chain

**T24 5116410-839**  
(10) Candelabra Base 60w max.

**T24 5116410EN-839**  
**EN★** (10) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



**EIGHT LIGHT HALL / FOYER**

D: 29.5" H: 37.75"  
12' wire pre-laced through 10' chain

**T24 5116408-839**  
(8) Candelabra Base 60w max.

**T24 5116408EN-839**  
**EN★** (8) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



**SIX LIGHT HALL / FOYER**

D: 22.25" H: 31.25"  
12' wire pre-laced through 10' chain

**T24 5116406-839**  
(6) Candelabra Base 60w max.

**T24 5116406EN-839**  
**EN★** (6) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



**FOUR LIGHT HALL / FOYER**

D: 15" H: 21.5"  
12' wire pre-laced through 10' chain

**T24 5116404-839**  
(4) Candelabra Base 60w max.

**T24 5116404EN-839**  
**EN★** (4) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.

**RECOMMENDED PRODUCTS**



**LED CANDELABRA LAMP**  
LTB10C35027B, p.594



# BRETTON

The Bretton Collection features a classic six-sided lantern silhouette. Offered in Brushed Nickel and Heirloom Bronze finishes, all with Clear glass, the fixtures' charming traditional style and candelabra bulbs will fill any home with generous amounts of illumination.



BRUSHED NICKEL FINISH  
CLEAR GLASS

SIX LIGHT HALL / FOYER

D: 16.75" H: 29.75"  
12' wire, 88" chain

**T24 5233-962**  
(6) Candelabra Base 60w max.

**T24 5233EN-962**  
(6) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



BRUSHED NICKEL FINISH  
CLEAR GLASS

THREE LIGHT SEMI-FLUSH  
CONVERTIBLE PENDANT

D: 9.5" H: 16"  
12' wire, 4' chain

**T24 5231-962**  
(3) Candelabra Base 40w max.

**T24 5231EN-962**  
(3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



CONVERTS TO  
SEMI-FLUSH  
H: 15.25"



BRUSHED NICKEL FINISH  
CLEAR GLASS

TWO LIGHT SEMI-FLUSH  
CONVERTIBLE PENDANT

D: 7.25" H: 12"  
12' wire, 4' chain

**T24 5232-962**  
(2) Candelabra Base 40w max.

**T24 5232EN-962**  
(2) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



CONVERTS TO  
SEMI-FLUSH  
H: 11.25"



HEIRLOOM BRONZE FINISH  
CLEAR GLASS

SIX LIGHT HALL / FOYER

D: 16.75" H: 29.75"  
12' wire, 88" chain

**T24 5233-782**  
(6) Candelabra Base 60w max.

**T24 5233EN-782**  
(6) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



HEIRLOOM BRONZE FINISH  
CLEAR GLASS

THREE LIGHT SEMI-FLUSH  
CONVERTIBLE PENDANT


D: 9.5" H: 16"  
12' wire, 4' chain

**T24 5231-782**  
(3) Candelabra Base 40w max.

**T24 5231EN-782**  
(3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



CONVERTS TO  
SEMI-FLUSH  
H: 15.25"



HEIRLOOM BRONZE FINISH  
CLEAR GLASS

TWO LIGHT SEMI-FLUSH  
CONVERTIBLE PENDANT

D: 7.25" H: 12"  
12' wire, 4' chain

**T24 5232-782**  
(2) Candelabra Base 40w max.

**T24 5232EN-782**  
(2) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



CONVERTS TO  
SEMI-FLUSH  
H: 11.25"

RECOMMENDED PRODUCTS



**BRETTON  
CEILING**, p.329  
Brushed Nickel Finish  
Heirloom Bronze Finish



**LED CANDELABRA LAMP**  
LTB10C35027B, p.594



Product Shown: Jourdanton Three Light Pendant in  
Brushed Nickel with Stainless Steel Outer Shade



## JOURDANTON

The Jourdanton Collection features perforated metal outer shades with a classic Ogee design detail surrounding faux silk inner shades. Frosted glass diffusers evenly distribute the light, and the versatile Brushed Nickel finish highlights the transitional design.





BRUSHED NICKEL FINISH  
STAINLESS STEEL OUTER SHADE & CREAM FAUX SILK INNER SHADE  
SATIN ETCHED GLASS DIFFUSER

FOUR LIGHT ISLAND PENDANT DAMP

L: 45.25" W: 12.25" H: 8.25"  
10' wire, (6) 12" stems, (2) 6" stems

T24 **6615504-962**  
(4) Medium Base 60w max.

T24 **6615504EN3-962**  
EN★ (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



WITH SATIN ETCHED GLASS DIFFUSER

FOUR LIGHT PENDANT DAMP

D: 24.5" H: 8.25"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

T24 **6515504-962**  
(4) Medium Base 60w max.

T24 **6515504EN3-962**  
EN★ (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



WITH SATIN ETCHED GLASS DIFFUSER

THREE LIGHT PENDANT DAMP

D: 20.75" H: 8.25"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

T24 **6515503-962**  
(3) Medium Base 60w max.

T24 **6515503EN3-962**  
EN★ (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



CONVERTS TO  
SEMI-FLUSH  
H: 11.75"

WITH SATIN ETCHED GLASS DIFFUSER

TWO LIGHT SEMI-FLUSH  
CONVERTIBLE PENDANT DAMP

D: 15" H: 13.5"  
6' wire pre-laced through 3' chain

T24 **7715502-962**  
(2) Medium Base 60w max.

T24 **7715502EN3-962**  
EN★ (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



ONE LIGHT MINI-PENDANT DAMP

D: 7.5" H: 8.5"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

T24 **6115501-962**  
(1) Medium Base 60w max.

T24 **6115501EN3-962**  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

Product Shown: Dayna Large Four Light Pendant in Brushed Nickel with Cream Faux Silk Shade

# DAYNA

The sleek, fabric shades and smooth acrylic diffusers of the Dayna Collection combine to create a warm glow. Finished-off with decorative metal finials to secure the White Acrylic diffusers in place, these fixtures convey a tailored look while creating both ambient and task lighting.




BRUSHED NICKEL FINISH  
CREAM FAUX SILK SHADE, WHITE ACRYLIC DIFFUSER

### FOUR LIGHT ISLAND PENDANT

L: 36" W: 16.5" H: 14"  
10' wire, (6) 12" stems, (2) 6" stems

**T24 65266-962**  
(4) Medium Base 100w max.

**T24 65266EN3-962**  
**EN★** (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



BURNT SIENNA FINISH  
BEIGE FAUX LINEN SHADE, WHITE ACRYLIC DIFFUSER

### FOUR LIGHT ISLAND PENDANT

L: 36" W: 16.5" H: 14"  
10' wire, (6) 12" stems, (2) 6" stems

**T24 65266-710**  
(4) Medium Base 100w max.

**T24 65266EN3-710**  
**EN★** (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



FOUR LIGHT PENDANT

D: 24" H: 13"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 65262-962**  
(4) Medium Base 100w max.

**T24 65262EN3-962**  
**EN★** (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



THREE LIGHT PENDANT

D: 19" H: 10.5"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 65263-962**  
(3) Medium Base 100w max.

**T24 65263EN3-962**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



TWO LIGHT PENDANT

D: 14" H: 9"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 65264-962**  
(2) Medium Base 100w max.

**T24 65264EN3-962**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



TWO LIGHT FLUSH /  
SEMI-FLUSH CONVERTIBLE

D: 14" H: 8.5"

**T24 77262-962**  
(2) Medium Base 100w max.

**T24 77262EN3-962**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

RECOMMENDED PRODUCTS



**GEARY PENDANTS**, p.256  
Brushed Nickel Finish





FOUR LIGHT PENDANT

D: 24" H: 13"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 65262-710**  
(4) Medium Base 100w max.

**T24 65262EN3-710**  
**EN★** (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



THREE LIGHT PENDANT

D: 19" H: 10.5"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 65263-710**  
(3) Medium Base 100w max.

**T24 65263EN3-710**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



TWO LIGHT PENDANT

D: 14" H: 9"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 65264-710**  
(2) Medium Base 100w max.

**T24 65264EN3-710**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



TWO LIGHT FLUSH /  
SEMI-FLUSH CONVERTIBLE

D: 14" H: 8.5"

**T24 77262-710**  
(2) Medium Base 100w max.

**T24 77262EN3-710**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

RECOMMENDED PRODUCTS



GEARY PENDANTS, p.256  
Burnt Sienna Finish

Product Shown: (2) Stone Street Three Light Pendants in Brushed Nickel

## STONE STREET

The design details of the Stone Street pendants give these oversized fixtures an authentic, industrial look contrasted nicely by the soft, flared curves of the overall silhouette. A frosted glass diffuser softens the downlight, producing a warm glow.



BRUSHED NICKEL FINISH  
SATIN ETCHED GLASS DIFFUSER

THREE LIGHT PENDANT DAMP

D: 21.75" H: 19.5"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6514403-962**  
(3) Medium Base 60w max.

**T24 6514403EN3-962**  
(3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



BURNT SIENNA FINISH  
SATIN ETCHED GLASS DIFFUSER

THREE LIGHT PENDANT DAMP

D: 21.75" H: 19.5"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6514403-710**  
(3) Medium Base 60w max.

**T24 6514403EN3-710**  
(3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



SATIN BRONZE FINISH  
SATIN ETCHED GLASS DIFFUSER

THREE LIGHT PENDANT DAMP

D: 21.75" H: 19.5"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6514403-848**  
(3) Medium Base 60w max.

**T24 6514403EN3-848**  
(3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

# STONE STREET



BRUSHED NICKEL FINISH  
SATIN ETCHED GLASS DIFFUSER

## TWO LIGHT PENDANT

DAMP

D: 17.25" H: 15.5"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6514402-962**  
(2) Medium Base 60w max.

**T24 6514402EN3-962**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



BURNT SIENNA FINISH  
SATIN ETCHED GLASS DIFFUSER

## TWO LIGHT PENDANT

DAMP

D: 17.25" H: 15.5"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6514402-710**  
(2) Medium Base 60w max.

**T24 6514402EN3-710**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



SATIN BRONZE FINISH  
SATIN ETCHED GLASS DIFFUSER

## TWO LIGHT PENDANT

DAMP

D: 17.25" H: 15.5"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6514402-848**  
(2) Medium Base 60w max.

**T24 6514402EN3-848**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



BRUSHED NICKEL FINISH  
SATIN ETCHED GLASS DIFFUSER

## ONE LIGHT PENDANT

DAMP

D: 13.25" H: 12"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6514401-962**  
(1) Medium Base 75w max.

**T24 6514401EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



BURNT SIENNA FINISH  
SATIN ETCHED GLASS DIFFUSER

## ONE LIGHT PENDANT

DAMP

D: 13.25" H: 12"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6514401-710**  
(1) Medium Base 75w max.

**T24 6514401EN3-710**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



SATIN BRONZE FINISH  
SATIN ETCHED GLASS DIFFUSER

## ONE LIGHT PENDANT

DAMP

D: 13.25" H: 12"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 6514401-848**  
(1) Medium Base 75w max.

**T24 6514401EN3-848**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.









# HUDSON STREET

Simple, yet bold, the Hudson Street pendants complement a wide array of décor from shabby chic to country farmhouse to sleek contemporary. As if salvaged directly from a turn of the 19th century factory, this “industrial artifact” will add a rich ambience to any 21st century setting.

## HUDSON STREET



SATIN ALUMINUM FINISH

### ONE LIGHT PENDANT

DAMP

D: 15.75" H: 15"  
12' black field adjustable cord

**T24 6525401-04**  
(1) Medium Base 100w max.

**T24 6525401EN3-04**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



STARDUST FINISH

### ONE LIGHT PENDANT

DAMP

D: 15.75" H: 15"  
12' black field adjustable cord

**T24 6525401-846**  
(1) Medium Base 100w max.

**T24 6525401EN3-846**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



BURNT SIENNA FINISH

### ONE LIGHT PENDANT

DAMP

D: 15.75" H: 15"  
12' black field adjustable cord

**T24 6525401-710**  
(1) Medium Base 100w max.

**T24 6525401EN3-710**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

## DIVISION STREET



BRUSHED NICKEL FINISH

### ONE LIGHT PENDANT

DAMP

D: 15" H: 14"  
12' black field adjustable cord

**T24 6517401-962**  
(1) Medium Base 100w max.

**T24 6517401EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**T24 6517493S-962**  
**WOD** LED: 3000K, 14 watts,  
**EN★** 1000 gross lumens



STARDUST FINISH

### ONE LIGHT PENDANT

DAMP

D: 15" H: 14"  
12' black field adjustable cord

**T24 6517401-846**  
(1) Medium Base 100w max.

**T24 6517401EN3-846**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**T24 6517493S-846**  
**WOD** LED: 3000K, 14 watts,  
**EN★** 1000 gross lumens



BURNT SIENNA FINISH

### ONE LIGHT PENDANT

DAMP

D: 15" H: 14"  
12' black field adjustable cord

**T24 6517401-710**  
(1) Medium Base 100w max.

**T24 6517401EN3-710**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**T24 6517493S-710**  
**WOD** LED: 3000K, 14 watts,  
**EN★** 1000 gross lumens



# FREDRICKSBURG

The traditional Fredricksburg Collection is an authentic take on the classic station light, perfect to adorn a coastal hideaway, country home, urban abode or even used indoors to enhance rustic décor. Compliant with Dark Sky standards, the fixtures purposefully direct light downward, limiting any light leak out the sides.



INDOOR / OUTDOOR  
PENDANT

D: 13.25" H: 11.5"  
10' wire, (3) 12" stems, (1) 6" stem  
and sloped ceiling mounting hardware

**T24** **6247701-04**  
(1) Medium Base 100w max.

**T24** **6247701EN3-04**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**T24** **6247793S-04**  
**WOD** LED: 3000K, 14 watts,  
**EN★** 1000 gross lumens



SATIN ALUMINUM FINISH

OUTDOOR PENDANT

D: 13.25" H: 11.5"  
10' wire, (3) 12" stems, (1) 6" stem  
and sloped ceiling mounting hardware

**T24** **6247701-44**  
(1) Medium Base 100w max.

**T24** **6247701EN3-44**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**T24** **6247793S-44**  
**WOD** LED: 3000K, 14 watts,  
**EN★** 1000 gross lumens



WEATHERED COPPER FINISH

RECOMMENDED PRODUCTS



**FREDRICKSBURG  
OUTDOOR**, p.461  
Satin Aluminum Finish  
Weathered Copper Finish

Product Shown: (2) Pratt Street Metal Three Light Pendants in Autumn Bronze

## PRATT STREET METAL

Inspired by industrial lighting, the hard-working, large-scale Pratt Street metal pendants put light where you need it, while making a significant design statement and are fully enclosed with a prismatic diffuser at the bottom to spread light output evenly and alleviate glare.



BRUSHED NICKEL FINISH  
PRISMATIC GLASS DIFFUSER

LARGE PENDANT DAMP

D: 16" H: 13.25"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 65087-962**  
(3) Medium Base 75w max.

**T24 65087EN3-962**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

**T24 6508793S-962**  
**WOD** LED: 3000K, 28 watts,  
**EN★** 2000 gross lumens



AUTUMN BRONZE FINISH  
PRISMATIC GLASS DIFFUSER

LARGE PENDANT DAMP

D: 16" H: 13.25"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 65087-715**  
(3) Medium Base 75w max.

**T24 65087EN3-715**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

**T24 6508793S-715**  
**WOD** LED: 3000K, 28 watts,  
**EN★** 2000 gross lumens



SATIN BRONZE FINISH  
PRISMATIC GLASS DIFFUSER

LARGE PENDANT DAMP

D: 16" H: 13.25"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 65087-848**  
(3) Medium Base 75w max.

**T24 65087EN3-848**  
**EN★** (3) (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

**T24 6508793S-848**  
**WOD** LED: 3000K, 28 watts,  
**EN★** 2000 gross lumens



BRUSHED NICKEL FINISH  
PRISMATIC GLASS DIFFUSER

MEDIUM PENDANT DAMP

D: 13" H: 9.75"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

- T24 **65086-962**  
(2) Medium Base 75w max.
- T24 **65086EN3-962**  
EN★ (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.
- T24 **6508693S-962**  
WOD LED: 3000K, 14 watts,  
EN★ 1000 gross lumens  
LED



AUTUMN BRONZE FINISH  
PRISMATIC GLASS DIFFUSER

MEDIUM PENDANT DAMP

D: 13" H: 9.75"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

- T24 **65086-715**  
(2) Medium Base 75w max.
- T24 **65086EN3-715**  
EN★ (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.
- T24 **6508693S-715**  
WOD LED: 3000K, 14 watts,  
EN★ 1000 gross lumens  
LED



SATIN BRONZE FINISH  
PRISMATIC GLASS DIFFUSER

MEDIUM PENDANT DAMP

D: 13" H: 9.75"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

- T24 **65086-848**  
(2) Medium Base 75w max.
- T24 **65086EN3-848**  
EN★ (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.
- T24 **6508693S-848**  
WOD LED: 3000K, 14 watts,  
EN★ 1000 gross lumens  
LED



BRUSHED NICKEL FINISH  
PRISMATIC GLASS DIFFUSER

SMALL PENDANT DAMP

D: 9.5" H: 8.5"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

- T24 **65085-962**  
(1) Medium Base 75w max.
- T24 **65085EN3-962**  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.
- T24 **6508593S-962**  
WOD LED: 3000K, 14 watts,  
EN★ 1000 gross lumens  
LED



AUTUMN BRONZE FINISH  
PRISMATIC GLASS DIFFUSER

SMALL PENDANT DAMP

D: 9.5" H: 8.5"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

- T24 **65085-710**  
(1) Medium Base 75w max.
- T24 **65085EN3-710**  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.
- T24 **6508593S-710**  
WOD LED: 3000K, 14 watts,  
EN★ 1000 gross lumens  
LED



SATIN BRONZE FINISH  
PRISMATIC GLASS DIFFUSER

SMALL PENDANT DAMP

D: 9.5" H: 8.5"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

- T24 **65085-848**  
(1) Medium Base 75w max.
- T24 **65085EN3-848**  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.
- T24 **6508593S-848**  
WOD LED: 3000K, 14 watts,  
EN★ 1000 gross lumens  
LED

RECOMMENDED PRODUCTS



**PRATT STREET METAL  
WALL SCONCE**, p.376  
Heirloom Bronze Finish  
Autumn Bronze Finish  
Satin Bronze Finish







Product Shown: Pratt Street Prismatic Three Light Pendant in Autumn Bronze

# PRATT STREET PRISMATIC

Inspired by industrial lighting, the hard-working, large-scale Pratt Street prismatic glass pendants put light where you need it, while making a significant design statement and are fully enclosed with a prismatic diffuser at the bottom to spread light output evenly and alleviate glare.

# PRATT STREET PRISMATIC



BRUSHED NICKEL FINISH  
PRISMATIC GLASS & DIFFUSER

### LARGE PENDANT

DAMP

D: 16.25" H: 10"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 65062-962**  
(3) Medium Base 75w max.

**T24 65062EN3-962**  
(3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



BRUSHED NICKEL FINISH  
PRISMATIC GLASS & DIFFUSER

### MEDIUM PENDANT

DAMP

D: 12.75" H: 8.5"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 65061-962**  
(2) Medium Base 75w max.

**T24 65061EN3-962**  
(2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



BRUSHED NICKEL FINISH  
PRISMATIC GLASS & DIFFUSER

### SMALL PENDANT

DAMP

D: 11" H: 7.25"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 65060-962**  
(1) Medium Base 75w max.

**T24 65060EN3-962**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



AUTUMN BRONZE FINISH  
PRISMATIC GLASS & DIFFUSER

### LARGE PENDANT

DAMP

D: 16.25" H: 10"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 65062-715**  
(3) Medium Base 75w max.

**T24 65062EN3-715**  
(3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



AUTUMN BRONZE FINISH  
PRISMATIC GLASS & DIFFUSER

### MEDIUM PENDANT

DAMP

D: 12.75" H: 8.5"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 65061-715**  
(2) Medium Base 75w max.

**T24 65061EN3-715**  
(2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



AUTUMN BRONZE FINISH  
PRISMATIC GLASS & DIFFUSER

### SMALL PENDANT

DAMP

D: 11" H: 7.25"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24 65060-715**  
(1) Medium Base 75w max.

**T24 65060EN3-715**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

#### RECOMMENDED PRODUCTS



**PRATT STREET  
PRISMATIC  
WALL SCONCE, p.377**  
Brushed Nickel Finish  
Autumn Bronze Finish



Product Shown: (2) Sebring One Light Mini-Pendants in Weathered Copper



# SEBRING

This industrial and nautically inspired Sebring Collection coordinates perfectly in coastal locations, while adding eye catching contrast to facades of any kind. The two distinctive finish options create wholly different looks.





BRUSHED STAINLESS FINISH, WHITE INSIDE  
CLEAR SEEDED GLASS

### PENDANT DAMP

D: 16.75" H: 15"  
10' wire, (3) 12" stems, 12" chain

**T24 6658-98**  
(1) Medium Base 100w max.

**T24 665893S-98**  
**WOD** LED: 3000K, 14 watts,  
**EN★** 1000 gross lumens



BRUSHED STAINLESS FINISH, WHITE INSIDE  
CLEAR SEEDED GLASS

### MINI-PENDANT DAMP

D: 8" H: 9"  
10' wire, (3) 12" stems, 12" chain

**T24 6150-98**  
(1) Medium Base 100w max.

**T24 615093S-98**  
**WOD** LED: 3000K, 9 watts,  
**EN★** 700 gross lumens



WEATHERED COPPER FINISH  
CLEAR SEEDED GLASS

### PENDANT DAMP

D: 16.75" H: 15"  
10' wire, (3) 12" stems, 12" chain

**T24 6658-44**  
(1) Medium Base 100w max.

**T24 665893S-44**  
**WOD** LED: 3000K, 14 watts,  
**EN★** 1000 gross lumens



WEATHERED COPPER FINISH  
CLEAR SEEDED GLASS

### MINI-PENDANT DAMP

D: 8" H: 9"  
10' wire, (3) 12" stems, 12" chain

**T24 6150-44**  
(1) Medium Base 100w max.

**T24 615093S-44**  
**WOD** LED: 3000K, 9 watts,  
**EN★** 700 gross lumens

#### RECOMMENDED PRODUCTS



**SEBRING  
OUTDOOR**, p.482  
Black Finish  
Brushed Stainless Finish  
Weathered Copper Finish



# HARAMBEE

The geometric, architectural lines of the Harambee Collection bring visual interest to any modern interior coupled with soft, glowing light through the triangular glass panes. Inspired by east African design motifs, Harambee is a Swahili word for “all pull together.”



ANTIQUE BRUSHED NICKEL FINISH  
SEEDED WATER GLASS

**LARGE ONE  
LIGHT PENDANT** DAMP  
D: 12" H: 20.75"  
12' wire pre-laced through 10' chain

**T24 6641401-965**  
(1) Medium Base 100w max.

**T24 6641401EN3-965**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ANTIQUE BRUSHED NICKEL FINISH  
SEEDED WATER GLASS

**SMALL ONE  
LIGHT PENDANT** DAMP  
D: 8" H: 14.75"  
12' wire pre-laced through 10' chain

**T24 6541401-965**  
(1) Medium Base 100w max.

**T24 6541401EN3-965**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



HEIRLOOM BRONZE FINISH  
MERCURY GLASS

**LARGE ONE  
LIGHT PENDANT** DAMP  
D: 12" H: 20.75"  
12' wire pre-laced through 10' chain

**T24 6641401-782**  
(1) Medium Base 100w max.

**T24 6641401EN3-782**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



HEIRLOOM BRONZE FINISH  
MERCURY GLASS

**SMALL ONE  
LIGHT PENDANT** DAMP  
D: 8" H: 14.75"  
12' wire pre-laced through 10' chain

**T24 6541401-782**  
(1) Medium Base 100w max.

**T24 6541401EN3-782**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

RECOMMENDED PRODUCTS



**HARAMBEE WALL  
SCONCE**, p.377  
Antique Brushed Nickel  
Heirloom Bronze Finish



Product Shown: (2) Havenwood Three Light Pendants in Chrome

# HAVENWOOD

The pendants of the Havenwood Collection take a modern twist on the traditional interior lantern, using a glass sphere instead of the classic cylindrical profile. The clean lines and elegantly simple silhouette make a statement, whether installed as a single pendant or in multiples.





CHROME FINISH  
CLEAR GLASS

## SIX LIGHT PENDANT

DAMP

D: 21" H: 41.25"  
12' wire pre-laced through 10' chain

**T24 6511906-05**  
(6) Candelabra Base 60w max.

**T24 6511906EN-05**  
**EN★** (6) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



CHROME FINISH  
CLEAR GLASS

## FOUR LIGHT PENDANT

DAMP

D: 17.5" H: 34.25"  
12' wire pre-laced through 10' chain

**T24 6511904-05**  
(4) Candelabra Base 60w max.

**T24 6511904EN-05**  
**EN★** (4) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



CHROME FINISH  
CLEAR GLASS

## THREE LIGHT PENDANT

DAMP

D: 14.5" H: 26.75"  
12' wire pre-laced through 10' chain

**T24 6511903-05**  
(3) Candelabra Base 60w max.

**T24 6511903EN-05**  
**EN★** (3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



AUTUMN BRONZE FINISH  
CLEAR GLASS

## SIX LIGHT PENDANT

DAMP

D: 21" H: 41.25"  
12' wire pre-laced through 10' chain

**T24 6511906-715**  
(6) Candelabra Base 60w max.

**T24 6511906EN-715**  
**EN★** (6) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



AUTUMN BRONZE FINISH  
CLEAR GLASS

## FOUR LIGHT PENDANT

DAMP

D: 17.5" H: 34.25"  
12' wire pre-laced through 10' chain

**T24 6511904-715**  
(4) Candelabra Base 60w max.

**T24 6511904EN-715**  
**EN★** (4) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



AUTUMN BRONZE FINISH  
CLEAR GLASS

## THREE LIGHT PENDANT

DAMP

D: 14.5" H: 26.75"  
12' wire pre-laced through 10' chain

**T24 6511903-715**  
(3) Candelabra Base 60w max.

**T24 6511903EN-715**  
**EN★** (3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.

### RECOMMENDED PRODUCTS



**LED CANDELABRA LAMP**  
LTB10C35027B, p.594

Product Shown: (1) Small & (1) Large Three Light Pendant in Autumn Bronze

## WESTMINSTER

The inverted bell jar silhouette of the Westminster Collection is universally familiar yet all together fresh. The perfect accent to a multitude of styles. In addition to their traditional application as an entryway light, lanterns of this style are increasingly used for lighting kitchen islands and dining rooms.

Sea Gull Lighting



**LARGE THREE  
LIGHT PENDANT**

D: 14" H: 28.75"  
12' wire pre-laced through 10' chain

**T24 65047-715**  
(3) Candelabra Base 60w max.

**T24 65047EN-715**  
**EN★** (3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



**SMALL THREE  
LIGHT PENDANT**

D: 11.75" H: 24"  
12' wire pre-laced through 10' chain

**T24 65046-715**  
(3) Candelabra Base 60w max.

**T24 65046EN-715**  
**EN★** (3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



**TWO LIGHT SEMI-FLUSH  
CONVERTIBLE PENDANT**

D: 8.5" H: 15.75"  
12' wire pre-laced through 10' chain

**T24 77046-715**  
(2) Candelabra Base 60w max.

**T24 77046EN-715**  
**EN★** (2) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.

RECOMMENDED PRODUCT



**LED CANDELABRA LAMP**  
**LTB10C35027B**, p.594



# PAINTED SHADE PENDANTS



WHITE FINISH  
WHITE INSIDE

### ONE LIGHT PENDANT

D: 15.75" H: 8.25"  
4.5' white field adjustable cord

- T24 6519-15**  
(1) Medium Base 150w max.
- T24 6519EN3-15**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.
- WOD 651991S-15**  
(1) Med. Base LED 2700K,  
14w, 100 lumen lamp incl.



RED FINISH  
WHITE INSIDE

### ONE LIGHT PENDANT

D: 15.75" H: 8.25"  
4.5' white field adjustable cord

- T24 6519-21**  
(1) Medium Base 150w max.
- T24 6519EN3-21**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.
- WOD 651991S-21**  
(1) Med. Base LED 2700K,  
14w, 100 lumen lamp incl.



EMERALD GREEN FINISH  
WHITE INSIDE

### ONE LIGHT PENDANT

D: 15.75" H: 8.25"  
4.5' white field adjustable cord

- T24 6519-95**  
(1) Medium Base 150w max.
- T24 6519EN3-95**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.
- WOD 651991S-95**  
(1) Med. Base LED 2700K,  
14w, 100 lumen lamp incl.



PAINTED BRUSHED STAINLESS FINISH  
WHITE INSIDE

### ONE LIGHT PENDANT

D: 15.75" H: 8.25"  
4.5' black field adjustable cord

- T24 6519-98**  
(1) Medium Base 150w max.
- T24 6519EN3-98**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.
- WOD 651991S-98**  
(1) Med. Base LED 2700K,  
14w, 100 lumen lamp incl.



PAINTED ANTIQUE BRUSHED COPPER FINISH  
WHITE INSIDE

### ONE LIGHT PENDANT

D: 15.75" H: 8.25"  
4.5' black field adjustable cord

- T24 6519-63**  
(1) Medium Base 150w max.
- T24 6519EN3-63**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.
- WOD 651991S-63**  
(1) Med. Base LED 2700K,  
14w, 100 lumen lamp incl.





ANTIQUE BRUSHED NICKEL FINISH  
ETCHED GLASS, WHITE INSIDE

## ONE LIGHT MINI-PENDANT

D: 7.75" H: 7"  
10' wire, (3) 12" stems, 12" chain

**T24 61180-965**  
(1) Medium Base 100w max.

**T24 61180EN3-965**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



BURNT SIENNA FINISH  
CAFE TINT GLASS

## ONE LIGHT MINI-PENDANT

D: 7.75" H: 7"  
10' wire, (3) 12" stems, 12" chain

**T24 61180-710**  
(1) Medium Base 100w max.

**T24 61180EN3-710**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

### RECOMMENDED PRODUCTS



**COORDINATED  
CEILING FAN**  
**15030EN3-965**, p.424



**COORDINATED  
CEILING FAN**  
**15161EN3-191**, p.421



**MONTREAL BATH**, p.387  
Antique Brushed Nickel Finish  
Burnt Sienna Finish

# METROPOLIS



BRUSHED NICKEL FINISH  
SATIN ETCHED GLASS



CONVERTS TO  
SEMI-FLUSH  
H: 12.25"

## ONE LIGHT HALL / FOYER

D: 8.5" H: 14"  
12' wire pre-laced through 10' chain

**T24 51035-962**  
(1) Medium Base 100w max.

**T24 51035EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

### RECOMMENDED PRODUCTS



**COORDINATED  
CEILING FAN**  
**15040EN3-962**, p.424



**CEILING FLUSH  
MOUNTS**, p.326  
Brushed Nickel Finish



**METROPOLIS BATH**, p.412  
Multiple Finishes

SOMERTON



BLACKSMITH FINISH  
CAFE TINT GLASS

THREE LIGHT  
HALL / FOYER

D: 16" H: 28"  
12' wire pre-laced through 10' chain

**T24** **51375-839**  
(3) Medium Base 100w max.

**T24** **51375EN3-839**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



ANTIQUE BRUSHED NICKEL FINISH  
SATIN ETCHED GLASS

THREE LIGHT  
HALL / FOYER

D: 16" H: 28"  
12' wire pre-laced through 10' chain

**T24** **51375-965**  
(3) Medium Base 100w max.

**T24** **51375EN3-965**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



BLACKSMITH FINISH  
CAFE TINT GLASS

ONE LIGHT  
MINI-PENDANT

D: 9" H: 7.75"  
10' wire, (3) 12" stems, 12" chain

**T24** **61375-839**  
(1) Medium Base 100w max.

**T24** **61375EN3-839**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ANTIQUE BRUSHED NICKEL FINISH  
SATIN ETCHED GLASS

ONE LIGHT  
MINI-PENDANT

D: 9" H: 7.75"  
10' wire, (3) 12" stems, 12" chain

**T24** **61375-839**  
(1) Medium Base 100w max.

**T24** **61375EN3-839**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

DENHELM



BRUSHED NICKEL FINISH  
ETCHED GLASS, WHITE INSIDE

ONE LIGHT MINI-PENDANT

L: 5.75" W: 5.75" H: 7.75"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24** **6150401-962**  
(1) Medium Base 100w max.

**T24** **6150401EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



BURNT SIENNA FINISH  
ETCHED GLASS, WHITE INSIDE

ONE LIGHT MINI-PENDANT

L: 5.75" W: 5.75" H: 7.75"  
10' wire, (3) 12" stems, (1) 6" stem and  
sloped ceiling mounting hardware

**T24** **6150401-710**  
(1) Medium Base 100w max.

**T24** **6150401EN3-710**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

RECOMMENDED PRODUCTS



**DENHELM BATH**, p.363  
Brushed Nickel Finish  
Chrome Finish  
Burnt Sienna Finish

# LOOKING FOR ADDITIONAL PENDANTS?

This section is only a sampling of the pendants and mini-pendants we offer. You will find the balance listed in the Indoor Collections section of this catalog.

Below is a listing of collections which contain pendants or mini-pendants. If you are not sure which collection will match your desired style, you can also refer to the Visual Index starting on p.10 for a quick look at the styles and types of fixtures offered in each collection.

## COLLECTION BASED PENDANTS

Academy	p.190	Hanford	p.166
Alturas	p.114	Holman	p.242
Bannock	p.104	Kerrville	p.140
Belton	p.172	Metcalf	p.180
Canfield	p.50	Nance	p.98
Carondelet	p.208	Oslo	p.128
Centra	p.164	Parkfield	p.198
Chatauqua	p.122	Seville	p.76
Corbeille	p.232	Sfera	p.186
Corsicana	p.120	Stirling	p.154
Driscoll	p.160	Sussex	p.220
Dunning	p.204	Towner	p.92
Elsa	p.62	Wheaton	p.236
Emmons	p.86	Windgate	p.226
Englehorn	p.136	Winnetka	p.148
Goliad	p.178		



ACADEMY MEDIUM  
PENDANT



CARONDELET ONE LIGHT  
MINI-PENDANT



ALTURAS THREE  
LIGHT PENDANT







# CEILING COLLECTIONS

---

While ceiling-mounted lighting traditionally illuminates small areas like foyers, staircases and bedrooms, they can still make a big impact.

Find ceiling fixtures for both function and decoration with Sea Gull Lighting.

Every part of a property deserves proper light.

# MULTI-PORT CANOPIES

Mounted on standard 4" junction boxes, the Multi-Port Canopies easily enable 3-light and 5-light corded pendant installations to create dramatic fixtures which are perfectly customized for their environment.

## MULTI-PORT CANOPIES



SATIN BRONZE FINISH

### FIVE LIGHT CLUSTER CANOPY

D: 12.25" H: 2"  
7449405-848

DAMP



### PREASSEMBLED TOWNER FIVE LIGHT CLUSTER

5141305-848,  
5141305EN3-848,  
p.97

### UNASSEMBLED TOWNER MINI PENDANT

6141301-848,  
6141301EN3-848,  
p.97



### UNASSEMBLED DRISCOLL MINI PENDANT

6140401-848,  
p.163



SATIN BRONZE FINISH

### THREE LIGHT CLUSTER CANOPY

D: 12.25" H: 2"  
7449403-848

DAMP



### PREASSEMBLED TOWNER THREE LIGHT CLUSTER

5141303-848,  
5141303EN3-848,  
p.97

### UNASSEMBLED TOWNER MINI PENDANT

6141301-848,  
6141301EN3-848,  
p.97



### UNASSEMBLED DRISCOLL MINI PENDANT

6140401-848,  
p.163

# MULTI-PORT CANOPIES



BRUSHED NICKEL FINISH [-962]

## FIVE LIGHT CLUSTER CANOPY

D: 12.25" H: 2"  
7449405-962

DAMP



TOWNER FIVE LIGHT CLUSTER  
BRUSHED NICKEL FINISH  
PREASSEMBLED  
p.95

TOWNER ONE LIGHT  
MINI-PENDANT  
BRUSHED NICKEL FINISH  
UNASSEMBLED  
p.95



DRISCOLL MINI-PENDANT  
BRUSHED NICKEL FINISH  
UNASSEMBLED  
p.162



SMALL LEO - HANGING GLOBE  
SATIN ALUMINUM FINISH /  
CLEAR SEEDED GLASS  
UNASSEMBLED  
p.255



SMALL LEO - HANGING GLOBE  
SATIN ALUMINUM FINISH /  
WHITE GLASS  
UNASSEMBLED  
p.255



WHITE FINISH [-15]

## FIVE LIGHT CLUSTER CANOPY

D: 12.25" H: 2"  
7449405-15

DAMP



SMALL LEO - HANGING GLOBE  
WHITE FINISH /  
WHITE GLASS  
UNASSEMBLED  
p.255



# MULTI-PORT CANOPIES

TOWNER THREE LIGHT CLUSTER  
BRUSHED NICKEL FINISH  
PREASSEMBLED  
p.95

TOWNER ONE LIGHT  
MINI-PENDANT  
BRUSHED NICKEL FINISH  
UNASSEMBLED  
p.95



DRISCOLL MINI-PENDANT  
BRUSHED NICKEL FINISH  
UNASSEMBLED  
p.162



SMALL LEO -  
HANGING GLOBE  
SATIN ALUMINUM FINISH /  
CLEAR SEEDED GLASS  
UNASSEMBLED  
p.255



BRUSHED NICKEL FINISH [-962]

## THREE LIGHT CLUSTER CANOPY

DAMP

D: 9.5" H: 2"  
7449403-962

SMALL LEO - HANGING GLOBE  
SATIN ALUMINUM FINISH /  
WHITE GLASS  
UNASSEMBLED  
p.255



MEDIUM LEO -  
HANGING GLOBE  
SATIN ALUMINUM FINISH /  
CLEAR SEEDED GLASS  
UNASSEMBLED  
p.255



MEDIUM LEO -  
HANGING GLOBE  
SATIN ALUMINUM FINISH /  
WHITE GLASS  
UNASSEMBLED  
p.255



MEDIUM HANGING GLOBE  
WHITE FINISH /  
WHITE GLASS  
UNASSEMBLED  
p.255



SMALL HANGING GLOBE  
WHITE FINISH /  
WHITE GLASS  
UNASSEMBLED  
p.255



WHITE FINISH [-15]

## THREE LIGHT CLUSTER CANOPY

DAMP

D: 9.5" H: 2"  
7449403-15

Product Shown: Nash Medium LED Ceiling Flush Mount in Brushed Nickel  
& (2) Parkfield One Light Wall / Bath in Brushed Nickel



## SMALL CEILING FLUSH MOUNT DAMP

D: 11.5" H: 4"

- T24 75434-05**  
(1) Medium Base 60w max.
- T24 75434EN3-05**  
**EN★** (1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.
- T24 7543493S-05**  
**WOD** LED: 3000K, 14 watts, 1000 gross lumens

## MEDIUM CEILING FLUSH MOUNT DAMP

D: 14" H: 4.5"

- T24 75435-05**  
(2) Medium Base 60w max.
- T24 75435EN3-05**  
**EN★** (2) Med. Base LED 3000K, 9.5w, 800 lumen lamps incl.
- T24 7543593S-05**  
**WOD** LED: 3000K, 14 watts, 1000 gross lumens

## LARGE CEILING FLUSH MOUNT DAMP

D: 16.75" H: 5.5"

- T24 75436-05**  
(3) Medium Base 60w max.
- T24 75436EN3-05**  
**EN★** (3) Med. Base LED 3000K, 9.5w, 800 lumen lamps incl.
- T24 7543693S-05**  
**WOD** LED: 3000K, 28 watts, 2000 gross lumens



CHROME FINISH  
SATIN ETCHED GLASS

## SMALL CEILING FLUSH MOUNT DAMP

D: 11.5" H: 4"

- T24 75434-15**  
(1) Medium Base 60w max.
- T24 75434EN3-15**  
**EN★** (1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.
- T24 7543493S-15**  
**WOD** LED: 3000K, 14 watts, 1000 gross lumens

## MEDIUM CEILING FLUSH MOUNT DAMP

D: 14" H: 4.5"

- T24 75435-15**  
(2) Medium Base 60w max.
- T24 75435EN3-15**  
**EN★** (2) Med. Base LED 3000K, 9.5w, 800 lumen lamps incl.
- T24 7543593S-15**  
**WOD** LED: 3000K, 14 watts, 1000 gross lumens

## LARGE CEILING FLUSH MOUNT DAMP

D: 16.75" H: 5.5"

- T24 75436-15**  
(3) Medium Base 60w max.
- T24 75436EN3-15**  
**EN★** (3) Med. Base LED 3000K, 9.5w, 800 lumen lamps incl.
- T24 7543693S-15**  
**WOD** LED: 3000K, 28 watts, 2000 gross lumens



WHITE FINISH  
SATIN ETCHED GLASS

## SMALL CEILING FLUSH MOUNT DAMP

D: 11.5" H: 4"

- T24 75434-962**  
(1) Medium Base 60w max.
- T24 75434EN3-962**  
**EN★** (1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.
- T24 7543493S-962**  
**WOD** LED: 3000K, 14 watts, 1000 gross lumens

## MEDIUM CEILING FLUSH MOUNT DAMP

D: 14" H: 4.5"

- T24 75435-962**  
(2) Medium Base 60w max.
- T24 75435EN3-962**  
**EN★** (2) Med. Base LED 3000K, 9.5w, 800 lumen lamps incl.
- T24 7543593S-962**  
**WOD** LED: 3000K, 14 watts, 1000 gross lumens

## LARGE CEILING FLUSH MOUNT DAMP

D: 16.75" H: 5.5"

- T24 75436-962**  
(3) Medium Base 60w max.
- T24 75436EN3-962**  
**EN★** (3) Med. Base LED 3000K, 9.5w, 800 lumen lamps incl.
- T24 7543693S-962**  
**WOD** LED: 3000K, 28 watts, 2000 gross lumens



BRUSHED NICKEL FINISH  
SATIN ETCHED GLASS

## SMALL CEILING FLUSH MOUNT DAMP

D: 11.5" H: 4"

- AMBER SCAVO GLASS
- T24 75444-782**  
(1) Medium Base 60w max.
  - T24 75444EN3-782**  
**EN★** (1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.
  - T24 7544493S-782**  
**WOD** LED: 3000K, 14 watts, 1000 gross lumens
- SATIN ETCHED GLASS
- **75434-782**
  - **75434EN3-782**
  - **7543493S-782**

## MEDIUM CEILING FLUSH MOUNT DAMP

D: 14" H: 4.5"

- AMBER SCAVO GLASS
- T24 75445-782**  
(2) Medium Base 60w max.
  - T24 75445EN3-782**  
**EN★** (2) Med. Base LED 3000K, 9.5w, 800 lumen lamps incl.
  - T24 7544593S-782**  
**WOD** LED: 3000K, 14 watts, 1000 gross lumens
- SATIN ETCHED GLASS
- **75435-782**
  - **75435EN3-782**
  - **7543593S-782**

## LARGE CEILING FLUSH MOUNT DAMP

D: 16.75" H: 5.5"

- AMBER SCAVO GLASS
- T24 75446-782**  
(3) Medium Base 60w max.
  - T24 75446EN3-782**  
**EN★** (3) Med. Base LED 3000K, 9.5w, 800 lumen lamps incl.
  - T24 7544693S-782**  
**WOD** LED: 3000K, 28 watts, 2000 gross lumens
- SATIN ETCHED GLASS
- **75436-782**
  - **75436EN3-782**
  - **7543693S-782**



HEIRLOOM BRONZE FINISH  
AMBER SCAVO GLASS



HEIRLOOM BRONZE FINISH  
SATIN ETCHED GLASS

## SMALL CEILING FLUSH MOUNT DAMP

D: 11.5" H: 4"

- T24 75434-848**  
(1) Medium Base 60w max.
- T24 75434EN3-848**  
**EN★** (1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.
- T24 7543493S-848**  
**WOD** LED: 3000K, 14 watts, 1000 gross lumens

## MEDIUM CEILING FLUSH MOUNT DAMP

D: 14" H: 4.5"

- T24 75435-848**  
(2) Medium Base 60w max.
- T24 75435EN3-848**  
**EN★** (2) Med. Base LED 3000K, 9.5w, 800 lumen lamps incl.
- T24 7543593S-848**  
**WOD** LED: 3000K, 14 watts, 1000 gross lumens

## LARGE CEILING FLUSH MOUNT DAMP

D: 16.75" H: 5.5"

- T24 75436-848**  
(3) Medium Base 60w max.
- T24 75436EN3-848**  
**EN★** (3) Med. Base LED 3000K, 9.5w, 800 lumen lamps incl.
- T24 7543693S-848**  
**WOD** LED: 3000K, 28 watts, 2000 gross lumens



SATIN BRONZE FINISH  
SATIN ETCHED GLASS

# CEILING



CHROME FINISH  
SATIN ETCHED GLASS

## SMALL CEILING FLUSH MOUNT

DAMP

D: 10.5" H: 5.5"

**T24 77063-05**  
(1) Medium Base 60w max.

**T24 77063EN3-05**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**T24 7716393S-05**  
**WOD** LED: 3000K, 14 watts,  
**EN★** 1000 gross lumens

## MEDIUM CEILING FLUSH MOUNT

DAMP

D: 12.5" H: 5.5"

**T24 77064-05**  
(2) Medium Base 60w max.

**T24 77064EN3-05**  
(2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

**T24 7716493S-05**  
**WOD** LED: 3000K, 14 watts,  
**EN★** 1000 gross lumens

## LARGE CEILING FLUSH MOUNT

DAMP

D: 14.5" H: 6.5"

**T24 77065-05**  
(3) Medium Base 60w max.

**T24 77065EN3-05**  
(3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

**T24 7716593S-05**  
**WOD** LED: 3000K, 28 watts,  
**EN★** 2000 gross lumens



BRUSHED NICKEL FINISH  
SATIN ETCHED GLASS

## SMALL CEILING FLUSH MOUNT

DAMP

D: 10.5" H: 5.5"

**T24 77063-962**  
(1) Medium Base 60w max.

**T24 77063EN3-962**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**T24 7716393S-962**  
**WOD** LED: 3000K, 14 watts,  
**EN★** 1000 gross lumens

## MEDIUM CEILING FLUSH MOUNT

DAMP

D: 12.5" H: 5.5"

**T24 77064-962**  
(2) Medium Base 60w max.

**T24 77064EN3-962**  
(2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

**T24 7716493S-962**  
**WOD** LED: 3000K, 14 watts,  
**EN★** 1000 gross lumens

## LARGE CEILING FLUSH MOUNT

DAMP

D: 14.5" H: 6.5"

**T24 77065-962**  
(3) Medium Base 60w max.

**T24 77065EN3-962**  
(3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

**T24 7716593S-962**  
**WOD** LED: 3000K, 28 watts,  
**EN★** 2000 gross lumens



ANTIQUE BRUSHED NICKEL FINISH  
SATIN ETCHED GLASS

## SMALL CEILING FLUSH MOUNT

DAMP

D: 10.5" H: 5.5"

**T24 77063-965**  
(1) Medium Base 60w max.

**T24 77063EN3-965**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**T24 7716393S-965**  
**WOD** LED: 3000K, 14 watts,  
**EN★** 1000 gross lumens

## MEDIUM CEILING FLUSH MOUNT

DAMP

D: 12.5" H: 5.5"

**T24 77064-965**  
(2) Medium Base 60w max.

**T24 77064EN3-965**  
(2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

**T24 7716493S-965**  
**WOD** LED: 3000K, 14 watts,  
**EN★** 1000 gross lumens

## LARGE CEILING FLUSH MOUNT

DAMP

D: 14.5" H: 6.5"

**T24 77065-965**  
(3) Medium Base 60w max.

**T24 77065EN3-965**  
(3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

**T24 7716593S-965**  
**WOD** LED: 3000K, 28 watts,  
**EN★** 2000 gross lumens



WHITE FINISH  
WHITE ACRYLIC DIFFUSER

## HAYLEE SMALL WALL / CEILING FLUSH MOUNT

DAMP ADA

D: 11" H: 3.25" E: 3.25"

**EN★ 7925EN3-15**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

## HAYLEE MEDIUM WALL / CEILING FLUSH MOUNT

DAMP ADA

D: 11" H: 3.25" E: 3.25"

**EN★ 7926EN3-15**  
(2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

## HAYLEE LARGE WALL / CEILING FLUSH MOUNT

DAMP ADA

D: 14" H: 3.25" E: 3.25"

**EN★ 59232EN3-15**  
(3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



## SMALL CEILING FLUSH MOUNT

DAMP

D: 10.5" H: 5.5"

- T24 77063-782**  
(1) Medium Base 60w max.
- T24 77063EN3-782**  
(1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.
- T24 7716393S-782**  
LED: 3000K, 14 watts, 1000 gross lumens

## MEDIUM CEILING FLUSH MOUNT

DAMP

D: 12.5" H: 5.5"

- T24 77064-782**  
(2) Medium Base 60w max.
- T24 77064EN3-782**  
(2) Med. Base LED 3000K, 9.5w, 800 lumen lamps incl.
- T24 7716493S-782**  
LED: 3000K, 14 watts, 1000 gross lumens

## LARGE CEILING FLUSH MOUNT

DAMP

D: 14.5" H: 6.5"

- T24 77065-782**  
(3) Medium Base 60w max.
- T24 77065EN3-782**  
(3) Med. Base LED 3000K, 9.5w, 800 lumen lamps incl.
- T24 7716593S-782**  
LED: 3000K, 28 watts, 2000 gross lumens



HEIRLOOM BRONZE FINISH  
SATIN ETCHED GLASS

## SMALL CEILING FLUSH MOUNT

DAMP

D: 10.5" H: 5.5"

- T24 77063-839**  
(1) Medium Base 60w max.
- T24 77063EN3-839**  
(1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.
- T24 7716393S-839**  
LED: 3000K, 14 watts, 1000 gross lumens

## MEDIUM CEILING FLUSH MOUNT

DAMP

D: 12.5" H: 5.5"

- T24 77064-839**  
(2) Medium Base 60w max.
- T24 77064EN3-839**  
(2) Med. Base LED 3000K, 9.5w, 800 lumen lamps incl.
- T24 7716493S-839**  
LED: 3000K, 14 watts, 1000 gross lumens

## LARGE CEILING FLUSH MOUNT

DAMP

D: 14.5" H: 6.5"

- T24 77065-839**  
(3) Medium Base 60w max.
- T24 77065EN3-839**  
(3) Med. Base LED 3000K, 9.5w, 800 lumen lamps incl.
- T24 7716593S-839**  
LED: 3000K, 28 watts, 2000 gross lumens



BLACKSMITH FINISH  
SATIN ETCHED GLASS

## SMALL CEILING FLUSH MOUNT

DAMP

D: 10.5" H: 5.5"

- SATIN ETCHED GLASS
- T24 77263-710**  
(1) Medium Base 60w max.
  - T24 77263EN3-710**  
(1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.
  - T24 7726393S-710**  
LED: 3000K, 14 watts, 1000 gross lumens

- AMBER SCAVO GLASS
- 77063-710**
  - 77063EN3-710**
  - 7716393S-710**

## MEDIUM CEILING FLUSH MOUNT

DAMP

D: 12.5" H: 5.5"

- SATIN ETCHED GLASS
- T24 77264-710**  
(2) Medium Base 60w max.
  - T24 77264EN3-710**  
(2) Med. Base LED 3000K, 9.5w, 800 lumen lamps incl.
  - T24 7726493S-710**  
LED: 3000K, 14 watts, 1000 gross lumens

- AMBER SCAVO GLASS
- 77064-710**
  - 77064EN3-710**
  - 7716493S-710**

## LARGE CEILING FLUSH MOUNT

DAMP

D: 14.5" H: 6.5"

- SATIN ETCHED GLASS
- T24 77265-710**  
(3) Medium Base 60w max.
  - T24 77265EN3-710**  
(3) Med. Base LED 3000K, 9.5w, 800 lumen lamps incl.
  - T24 7726593S-710**  
LED: 3000K, 28 watts, 2000 gross lumens

- AMBER SCAVO GLASS
- 77065-710**
  - 77065EN3-710**
  - 7716593S-710**



BURNT SIENNA FINISH  
SATIN ETCHED GLASS



BURNT SIENNA FINISH  
AMBER SCAVO GLASS

## HOLLY ONE LIGHT WALL / CEILING FLUSH MOUNT

DAMP ADA

D: 12" H: 3.5" E: 3.5"

- EN★ 5901EN3-15**  
(1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.

## HOLLY TWO LIGHT WALL / CEILING FLUSH MOUNT

DAMP ADA

D: 12" H: 3.5" E: 3.5"

- EN★ 5902EN3-15**  
(2) Med. Base LED 3000K, 9.5w, 800 lumen lamps incl.

## HOLLY THREE LIGHT WALL / CEILING FLUSH MOUNT

DAMP ADA

D: 13.75" H: 3.5" E: 3.5"

- EN★ 59055EN3-15**  
(3) Med. Base LED 3000K, 9.5w, 800 lumen lamps incl.



WHITE FINISH  
WHITE ACRYLIC DIFFUSER



WHITE FINISH  
SMOOTH WHITE GLASS

SMALL WALL / CEILING  
FLUSH MOUNT DAMP

D: 7.75" H: 5.25" E: 5.25"

**T24 5326-15**  
(1) Medium Base 60w max.

**T24 5326EN3-15**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

MEDIUM WALL / CEILING  
FLUSH MOUNT DAMP

D: 9.5" H: 5.75" E: 5.75"

**T24 5328-15**  
(2) Medium Base 60w max.

**T24 5328EN3-15**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



BRUSHED NICKEL FINISH  
SMOOTH WHITE GLASS

SMALL WALL / CEILING  
FLUSH MOUNT DAMP

D: 7.75" H: 5.25" E: 5.25"

**T24 5326-962**  
(1) Medium Base 60w max.

**T24 5326EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

MEDIUM WALL / CEILING  
FLUSH MOUNT DAMP

D: 9.5" H: 5.75" E: 5.75"

**T24 5328-962**  
(2) Medium Base 60w max.

**T24 5328EN3-962**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



HEIRLOOM BRONZE FINISH  
SMOOTH WHITE GLASS

SMALL WALL / CEILING  
FLUSH MOUNT DAMP

D: 7.75" H: 5.25" E: 5.25"

**T24 5326-782**  
(1) Medium Base 60w max.

**T24 5326EN3-782**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

MEDIUM WALL / CEILING  
FLUSH MOUNT DAMP

D: 9.5" H: 5.75" E: 5.75"

**T24 5328-782**  
(2) Medium Base 60w max.

**T24 5328EN3-782**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



BRUSHED NICKEL FINISH  
CLEAR BEVELED GLASS



BRUSHED NICKEL FINISH  
CLEAR BEVELED GLASS



HEIRLOOM BRONZE FINISH  
CLEAR BEVELED GLASS



HEIRLOOM BRONZE FINISH  
CLEAR BEVELED GLASS

**TWO LIGHT CEILING  
FLUSH MOUNT** DAMP  
L: 7" W: 8" H: 6"

- T24 7647-962**  
(2) Candelabra Base 40w max.
- T24 7647EN-962**  
**EN★** (2) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.

**THREE LIGHT CEILING  
FLUSH MOUNT** DAMP  
L: 8.75" W: 10" H: 6"

- T24 7648-962**  
(3) Candelabra Base 40w max.
- T24 7648EN-962**  
**EN★** (3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.

**TWO LIGHT CEILING  
FLUSH MOUNT** DAMP  
L: 7" W: 8" H: 6"

- T24 7647-782**  
(2) Candelabra Base 40w max.
- T24 7647EN-782**  
**EN★** (2) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.

**THREE LIGHT CEILING  
FLUSH MOUNT** DAMP  
L: 8.75" W: 10" H: 6"

- T24 7648-782**  
(3) Candelabra Base 40w max.
- T24 7648EN-782**  
**EN★** (3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.

RECOMMENDED PRODUCT



**BRETTON PENDANTS**, p.285  
Brushed Nickel Finish  
Heirloom Bronze Finish

GRANDOVER



BRUSHED NICKEL FINISH  
CLEAR BEVELED GLASS



BRUSHED NICKEL FINISH  
CLEAR BEVELED GLASS



POLISHED BRASS FINISH  
CLEAR BEVELED GLASS



POLISHED BRASS FINISH  
CLEAR BEVELED GLASS

**THREE LIGHT CEILING  
FLUSH MOUNT** DAMP  
D: 9" H: 6"

- T24 7661-962**  
(3) Candelabra Base 25w max.

**FOUR LIGHT CEILING  
FLUSH MOUNT** DAMP  
D: 11" H: 6.5"

- T24 7662-962**  
(4) Candelabra Base 25w max.

**THREE LIGHT CEILING  
FLUSH MOUNT** DAMP  
D: 9" H: 6"

- T24 7661-02**  
(3) Candelabra Base 25w max.

**FOUR LIGHT CEILING  
FLUSH MOUNT** DAMP  
D: 11" H: 6.5"

- T24 7662-02**  
(4) Candelabra Base 25w max.

# WINDGATE



WHITE FINISH  
ALABASTER GLASS

## ONE LIGHT CEILING FLUSH MOUNT DAMP

D: 11.5" H: 4.5"

**T24 75940-15**  
(1) Medium Base 100w max.

**T24 75940EN3-15**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

## TWO LIGHT CEILING FLUSH MOUNT DAMP

D: 13" H: 5.25"

**T24 75942-15**  
(2) Medium Base 60w max.

**T24 75942EN3-15**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

## THREE LIGHT CEILING FLUSH MOUNT DAMP

D: 15" H: 5.5"

**T24 75943-15**  
(3) Medium Base 60w max.

**T24 75943EN3-15**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



BRUSHED NICKEL FINISH  
ALABASTER GLASS

## ONE LIGHT CEILING FLUSH MOUNT DAMP

D: 11.5" H: 4.5"

**T24 75940-962**  
(1) Medium Base 100w max.

**T24 75940EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

## TWO LIGHT CEILING FLUSH MOUNT DAMP

D: 13" H: 5.25"

**T24 75942-962**  
(2) Medium Base 60w max.

**T24 75942EN3-962**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

## THREE LIGHT CEILING FLUSH MOUNT DAMP

D: 15" H: 5.5"

**T24 75943-962**  
(3) Medium Base 60w max.

**T24 75943EN3-962**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



HEIRLOOM BRONZE FINISH  
ALABASTER GLASS

## ONE LIGHT CEILING FLUSH MOUNT DAMP

D: 11.5" H: 4.5"

**T24 75940-782**  
(1) Medium Base 100w max.

**T24 75940EN3-782**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

## TWO LIGHT CEILING FLUSH MOUNT DAMP

D: 13" H: 5.25"

**T24 75942-782**  
(2) Medium Base 60w max.

**T24 75942EN3-782**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

## THREE LIGHT CEILING FLUSH MOUNT DAMP

D: 15" H: 5.5"

**T24 75943-782**  
(3) Medium Base 60w max.

**T24 75943EN3-782**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

### RECOMMENDED PRODUCTS



**WINDGATE INDOOR**, p.226  
Brushed Nickel Finish  
Heirloom Bronze Finish



**WINDGATE BATH**, p.380  
Chrome Finish  
Brushed Nickel Finish  
Heirloom Bronze Finish





BRUSHED NICKEL FINISH  
SATIN ETCHED GLASS

### MEDIUM CEILING FLUSH MOUNT

DAMP

D: 12.25" H: 4"

**T24 7543502-962**  
(2) Medium Base 60w max.

**T24 7543502EN3-962**  
(2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

**T24 7443593S-962**  
**WOD** LED: 3000K, 14 watts,  
**EN★** 1000 gross lumens



BRUSHED NICKEL FINISH  
SATIN ETCHED GLASS

### LARGE CEILING FLUSH MOUNT

DAMP

D: 16.25" H: 4"

**T24 7543503-962**  
(3) Medium Base 60w max.

**T24 7543503EN3-962**  
(3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

**T24 7643593S-962**  
**WOD** LED: 3000K, 28 watts,  
**EN★** 2000 gross lumens

## TOMKIN



WHITE FINISH  
WHITE GLASS

### TOMKIN ONE LIGHT CEILING FLUSH MOUNT

DAMP

D: 6" H: 7.5"

**T24 5366-15**  
(1) Medium Base 60w max.

**T24 5366EN3-15**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



HEIRLOOM BRONZE FINISH  
WHITE GLASS

### TOMKIN ONE LIGHT CEILING FLUSH MOUNT

DAMP

D: 6" H: 7.5"

**T24 5366-782**  
(1) Medium Base 60w max.

**T24 5366EN3-782**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



WHITE FINISH  
WHITE GLASS, PULL CHAIN

### TOMKIN ONE LIGHT CEILING FLUSH MOUNT

DAMP

D: 6" H: 7.5"

**T24 5367PC-15**  
(1) Medium Base 60w max.

**T24 5367PCEN3-15**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



BRUSHED NICKEL FINISH  
WHITE GLASS

### TOMKIN ONE LIGHT CEILING FLUSH MOUNT

DAMP

D: 6" H: 7.5"

**T24 5366-962**  
(1) Medium Base 60w max.

**T24 5366EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

# NEXUS



BRUSHED NICKEL FINISH  
WHITE ACRYLIC DIFFUSER

## OVAL LED CEILING FLUSH MOUNT

DAMP

L: 32.25" W: 18.25" H: 5"

**T24 5935091S-962**  
LED: 2700K, 44 watts,  
3600 gross lumens



BRUSHED NICKEL FINISH  
WHITE ACRYLIC DIFFUSER

## LARGE CEILING FLUSH MOUNT

DAMP

D: 20" H: 4.25"

**T24 5925193S-962**  
LED: 3000K, 42 watts,  
3000 gross lumens



BRUSHED NICKEL FINISH  
WHITE ACRYLIC DIFFUSER

## MEDIUM CEILING FLUSH MOUNT

DAMP

D: 14.75" H: 3.75"

**T24 5925093S-962**  
LED: 3000K, 28 watts,  
2000 gross lumens

### RECOMMENDED PRODUCT



NEXUS WALL  
SCONCE, p.412  
Brushed Nickel Finish

# ETERNITY



BRUSHED NICKEL FINISH  
CLEAR HIGHLIGHTED SATIN ETCHED GLASS

## LARGE CEILING FLUSH MOUNT

DAMP

D: 18" H: 5.75"

**75115-962**  
(3) Medium Base 60w max.

**T24 7511591SEN3-962**  
EN★ (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



BRUSHED NICKEL FINISH  
CLEAR HIGHLIGHTED SATIN ETCHED GLASS

## MEDIUM CEILING FLUSH MOUNT

DAMP

D: 14" H: 5"

**75114-962**  
(2) Medium Base 60w max.

**T24 75114EN3-962**  
EN★ (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

### RECOMMENDED PRODUCT



ETERNITY WALL  
SCONCE, p.410  
Brushed Nickel Finish



WHITE FINISH

## 120V TWO LIGHT TRACK LIGHTING KIT

L: 24" W: 4.75" H: 9.5"

**T24 2670-15**  
(2) Medium Base 75w max.



WHITE FINISH

## 120V THREE LIGHT TRACK LIGHTING KIT

L: 48.5" W: 4.75" H: 10.5"

**T24 2674-15**  
(3) Medium Base 75w max.

### CONFIGURATION OPTIONS



ADJUSTABLE HEADS



BRUSHED NICKEL FINISH  
SATIN WHITE GLASS

## FOUR LIGHT TRACK LIGHTING KIT

L: 48" W: 4.75" H: 13.25"

**T24 2530404-962**  
(4) Med. Base 60w max.

**T24 2530404EN3-962**  
**EN★** (4) Med. Base LED 3000K, 9.5w, 800 lumen lamps incl.

### CONFIGURATION OPTIONS



ADJUSTABLE ARMS AND HEADS



BURNT SIENNA FINISH  
SATIN WHITE GLASS

## FOUR LIGHT TRACK LIGHTING KIT

L: 48" W: 6" H: 14"

**T24 2520404-710**  
(4) Med. Base 60w max.

**T24 2520404EN3-710**  
**EN★** (4) Med. Base LED 3000K, 9.5w, 800 lumen lamps incl.

### CONFIGURATION OPTIONS



ADJUSTABLE HEADS

# DROP LENS FLUORESCENT



WHITE FINISH  
WHITE ACRYLIC DIFFUSER

## FOUR LIGHT CEILING FLUSH MOUNT DAMP

L: 27.75" W: 27.75" H: 3.5"

**T24 59360LE-15**  
**EN★** (4) Medium Bi-Pin T8 17w max.  
120V NPF Electronic Ballast



WHITE FINISH  
WHITE ACRYLIC DIFFUSER

## FOUR LIGHT CEILING FLUSH MOUNT DAMP

L: 51.75" W: 18.5" H: 3.5"

**T24 59361LE-15**  
**EN★** (4) Medium Bi-Pin T8 32w max.  
120V NPF Electronic Ballast



OIL RUBBED BRONZE FINISH  
WHITE ACRYLIC DIFFUSER

## FOUR LIGHT CEILING FLUSH MOUNT DAMP

L: 27.75" W: 27.75" H: 3.5"

**T24 59360LE-790**  
**EN★** (4) Medium Bi-Pin T8 17w max.  
120V NPF Electronic Ballast



OIL RUBBED BRONZE FINISH  
WHITE ACRYLIC DIFFUSER

## FOUR LIGHT CEILING FLUSH MOUNT DAMP

L: 51.75" W: 18.5" H: 3.5"

**T24 59361LE-790**  
**EN★** (4) Medium Bi-Pin T8 32w max.  
120V NPF Electronic Ballast



**TWO LIGHT CEILING  
FLUSH MOUNT** DAMP

**T24 59136LE-15**  
**EN★** (2) Medium Bi-Pin T8 17w max.  
120V NPF Electronic Ballast

**T24 5913691S-15**  
**LED** LED: 2700K, 14 watts,  
**EN★** 1200 gross lumens



WHITE FINISH  
CLEAR TEXTURED ACRYLIC DIFFUSER

**TWO LIGHT CEILING  
FLUSH MOUNT** DAMP

**T24 59132LE-15**  
(2) Medium Bi-Pin T8 32w max.  
120V NPF Electronic Ballast

**T24 5913291S-15**  
**LED** LED: 2700K, 25 watts,  
**EN★** 2200 gross lumens



WHITE FINISH  
CLEAR TEXTURED ACRYLIC DIFFUSER

**TWO LIGHT CEILING  
FLUSH MOUNT** DAMP

**T24 59270LE-15**  
**FL** (2) Medium Bi-Pin T8 32w max.  
120V NPF Electronic Ballast



WHITE FINISH  
WHITE ACRYLIC DIFFUSER

**FOUR LIGHT CEILING  
FLUSH MOUNT** DAMP

**T24 59271LE-15**  
**FL** (4) Medium Bi-Pin T8 32w max.  
120V NPF Electronic Ballast



WHITE FINISH  
WHITE ACRYLIC DIFFUSER

# LINEAR FLUORESCENT



BRUSHED STAINLESS FINISH  
WHITE ACRYLIC DIFFUSER

## TWO LIGHT CEILING FLUSH MOUNT DAMP

L: 48" W: 10" H: 3"

**T24 5962LE-98**  
**FL** (2) Medium Bi-Pin T8 32w max.  
120V NPF Electronic Ballast



WHITE FINISH  
CLEAR TEXTURED ACRYLIC DIFFUSER

## FOUR LIGHT CEILING FLUSH MOUNT DAMP

L: 48" W: 14" H: 3.25"

**T24 5986LE-15**  
**FL** (4) Medium Bi-Pin T8 32w max.  
120V NPF Electronic Ballast



BRUSHED NICKEL FINISH  
WHITE ACRYLIC DIFFUSER

## MIDLAND TWO LIGHT CEILING FLUSH MOUNT DAMP

L: 48.5" W: 11.5" H: 4.75"

**T24 59216LE-962**  
**FL** (2) Medium Bi-Pin T8 32w max.  
120V NPF Electronic Ballast

### RECOMMENDED PRODUCTS



MIDLAND  
WALL / BATH, p.414  
Brushed Nickel Finish

# LOOKING FOR ADDITIONAL CEILING FIXTURES?

This section is only a sampling of the ceiling fixtures we offer. You will find additional options located in the Indoor Collections section of this catalog.

At right is a listing of our collections which contain ceiling fixtures. If you are not sure which collection best matches your tastes, you can refer to the Visual Index starting on p.10 for a quick look at the styles and types of fixtures offered in each collection.

## ADDITIONAL CEILING FIXTURES

Academy	p.190	Jourdanton	p.286
Alturas	p.114	Kerrville	p.140
Bannock	p.104	Metcalf	p.180
Carondelet	p.208	Nance	p.98
Centra	p.164	Oslo	p.128
Corbeille	p.232	Parkfield	p.198
Dayna	p.288	Sfera	p.186
Dunning	p.204	Stirling	p.154
Emmons	p.86	Sussex	p.220
Englehorn	p.136	Traverse Unlimited	p.550
Geary	p.256	Wheaton	p.236
Hanford	p.166	Windgate	p.226
Hettinger	p.80	Winnetka	p.148
Holman	p.242		



STIRLING TWO LIGHT SEMI-FLUSH  
CONVERTIBLE PENDANT



SFERA THREE LIGHT CEILING  
FLUSH MOUNT



WINNETKA TWO LIGHT  
CEILING FLUSH MOUNT



ACADEMY SMALL CEILING  
SEMI-FLUSH MOUNT

## BATHSTART

Product Shown: (2) Hettinger Three Light Wall / Bath in Brushed Nickel





# WALL / BATH COLLECTIONS

---

These collections offer designs that not only coordinate well with many different bathroom styles, but also provide beautiful illumination whether you are getting ready in the morning or taking a relaxing bath after a long day.



# CANFIELD



ONE LIGHT WALL / BATH – BRUSHED NICKEL FINISH [-962]  
ETCHED GLASS, WHITE INSIDE



TWO LIGHT WALL / BATH – BURNT SIENNA FINISH [-710]  
ETCHED GLASS, WHITE INSIDE



THREE LIGHT WALL / BATH – BRUSHED NICKEL FINISH [-962]  
ETCHED GLASS, WHITE INSIDE



FOUR LIGHT WALL / BATH – BURNT SIENNA FINISH [-710]  
ETCHED GLASS, WHITE INSIDE

## MOUNTING OPTIONS



MOUNTS UP  
OR DOWN  
(ALL FINISHES)

## RECOMMENDED PRODUCTS



CANFIELD INDOOR, p.50  
Brushed Nickel Finish  
Burnt Sienna Finish

### ONE LIGHT WALL / BATH

DAMP

W: 5.5" H: 8.25" E: 7.25"  
Height from center of outlet box  
up: 4.375" down: 3.875"

BRUSHED NICKEL

**T24 4128801-962**  
(1) Medium Base 100w max.

**T24 4128801EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

BURNT SIENNA

**4128801-710**

**4128801EN3-710**

### TWO LIGHT WALL / BATH

DAMP

W: 14.25" H: 8.375" E: 7.25"  
Height from center of outlet box  
up: 5.75" down: 2.5"

BRUSHED NICKEL

**T24 4428802-962**  
(2) Medium Base 100w max.

**T24 4428802EN3-962**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

BURNT SIENNA

**4428802-710**

**4428802EN3-710**

### THREE LIGHT WALL / BATH

DAMP

W: 23.125" H: 8.375" E: 7.25"  
Height from center of outlet box  
up: 5.75" down: 2.5"

BRUSHED NICKEL

**T24 4428803-962**  
(3) Medium Base 100w max.

**T24 4428803EN3-962**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

BURNT SIENNA

**4428803-710**

**4428803EN3-710**

### FOUR LIGHT WALL / BATH

DAMP

W: 31.875" H: 8.375" E: 7.25"  
Height from center of outlet box  
up: 5.75" down: 2.5"

BRUSHED NICKEL

**T24 4428804-962**  
(4) Medium Base 100w max.

**T24 4428804EN3-962**  
**EN★** (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

BURNT SIENNA

**4428804-710**

**4428804EN3-710**



ONE LIGHT WALL / BATH – BRUSHED NICKEL FINISH [962]  
SATIN ETCHED GLASS



TWO LIGHT WALL / BATH – HEIRLOOM BRONZE FINISH [-782]  
SATIN ETCHED GLASS



THREE LIGHT WALL / BATH – BRUSHED NICKEL FINISH [962]  
SATIN ETCHED GLASS



FOUR LIGHT WALL / BATH – HEIRLOOM BRONZE FINISH [-782]  
SATIN ETCHED GLASS

MOUNTING OPTIONS



MOUNTS UP  
OR DOWN  
(ALL FINISHES)

ONE LIGHT  
WALL / BATH DAMP

W: 6.3125" H: 9.125" E: 8.75"  
Height from center of outlet box  
up: 4.875" down: 4.25"

BRUSHED NICKEL

**T24 4150501-962**  
(1) Medium Base 100w max.

**T24 4150501EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

HEIRLOOM BRONZE

**4150501-782**  
**4150501EN3-782**

TWO LIGHT  
WALL / BATH DAMP

W: 14.5" H: 8.4375" E: 8.75"  
Height from center of outlet box  
up: 5.125" down: 3.3125"

BRUSHED NICKEL

**T24 4450502-962**  
(2) Medium Base 100w max.

**T24 4450502EN3-962**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

HEIRLOOM BRONZE

**4450502-782**  
**4450502EN3-782**

THREE LIGHT  
WALL / BATH DAMP

W: 22.75" H: 8.4375" E: 8.75"  
Height from center of outlet box  
up: 5.125" down: 3.3125"

BRUSHED NICKEL

**T24 4450503-962**  
(3) Medium Base 100w max.

**T24 4450503EN3-962**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

HEIRLOOM BRONZE

**4450503-782**  
**4450503EN3-782**

FOUR LIGHT  
WALL / BATH DAMP

W: 30.75" H: 8.4375" E: 8.75"  
Height from center of outlet box  
up: 5.125" down: 3.3125"

BRUSHED NICKEL

**T24 4450504-962**  
(4) Medium Base 100w max.

**T24 4450504EN3-962**  
**EN★** (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

HEIRLOOM BRONZE

**4450504-782**  
**4450504EN3-782**



ONE LIGHT WALL / BATH – HEIRLOOM BRONZE FINISH [-782]  
CLEAR SEEDED GLASS



TWO LIGHT WALL / BATH – HEIRLOOM BRONZE FINISH [-782]  
CLEAR SEEDED GLASS



THREE LIGHT WALL / BATH – HEIRLOOM BRONZE FINISH [-782]  
CLEAR SEEDED GLASS



FOUR LIGHT WALL / BATH – HEIRLOOM BRONZE FINISH [-782]  
CLEAR SEEDED GLASS

RECOMMENDED PRODUCTS



ELSA INDOOR, p.62  
Heirloom Bronze Finish



LED VINTAGE LAMP  
97500S, p.594

ONE LIGHT  
WALL / BATH

DAMP

W: 6" H: 9.25" E: 7.875"  
Height from center of outlet box  
up: 4.75" down: 4.5"

T24 4120301-782  
(1) Medium Base 75w max.

TWO LIGHT  
WALL / BATH

DAMP

W: 10" H: 9.25" E: 7.875"  
Height from center of outlet box  
up: 4.75" down: 4.5"

T24 4420302-782  
(2) Medium Base 75w max.

THREE LIGHT  
WALL / BATH

DAMP

W: 24" H: 9.25" E: 7.875"  
Height from center of outlet box  
up: 4.75" down: 4.5"

T24 4420303-782  
(3) Medium Base 75w max.

FOUR LIGHT  
WALL / BATH

DAMP

W: 33" H: 9.25" E: 7.875"  
Height from center of outlet box  
up: 4.75" down: 4.5"

T24 4420304-782  
(4) Medium Base 75w max.





ONE LIGHT WALL / BATH – BRUSHED NICKEL FINISH [962]  
ETCHED GLASS, WHITE INSIDE



TWO LIGHT WALL / BATH – BURNT SIENNA FINISH [-710]  
ETCHED GLASS, WHITE INSIDE



THREE LIGHT WALL / BATH – BRUSHED NICKEL FINISH [962]  
ETCHED GLASS, WHITE INSIDE



FOUR LIGHT WALL / BATH – BURNT SIENNA FINISH [-710]  
ETCHED GLASS, WHITE INSIDE

## MOUNTING OPTIONS



MOUNTS UP  
OR DOWN  
(ALL FINISHES)

## RECOMMENDED PRODUCTS



FRANPORT INDOOR, p.66  
Brushed Nickel Finish  
Burnt Sienna Finish

ONE LIGHT  
WALL / BATH

DAMP

W: 5" H: 8" E: 6.875"  
Height from center of outlet box  
up: 4" down: 4"

BRUSHED NICKEL

**T24 4128901-962**  
(1) Medium Base 100w max.

**T24 4128901EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

BURNT SIENNA

■ **4128901-710**

■ **4128901EN3-710**

TWO LIGHT  
WALL / BATH

DAMP

W: 13.25" H: 8.25" E: 6.25"  
Height from center of outlet box  
up: 5.75" down: 2.5"

BRUSHED NICKEL

**T24 4428902-962**  
(2) Medium Base 100w max.

**T24 4428902EN3-962**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

BURNT SIENNA

■ **4428902-710**

■ **4428902EN3-710**

THREE LIGHT  
WALL / BATH

DAMP

W: 21" H: 8.25" E: 6.25"  
Height from center of outlet box  
up: 5.75" down: 2.5"

BRUSHED NICKEL

**T24 4428903-962**  
(3) Medium Base 100w max.

**T24 4428903EN3-962**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

BURNT SIENNA

■ **4428903-710**

■ **4428903EN3-710**

FOUR LIGHT  
WALL / BATH

DAMP

W: 29.375" H: 8.25" E: 6.25"  
Height from center of outlet box  
up: 5.75" down: 2.5"

BRUSHED NICKEL

**T24 4428904-962**  
(4) Medium Base 100w max.

**T24 4428904EN3-962**  
**EN★** (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

BURNT SIENNA

■ **4428904-710**

■ **4428904EN3-710**



ONE LIGHT WALL / BATH  
BRUSHED NICKEL FINISH [-962]  
ETCHED GLASS, WHITE INSIDE



TWO LIGHT WALL / BATH – BURNT SIENNA FINISH [-710]  
ETCHED GLASS, WHITE INSIDE



THREE LIGHT WALL / BATH – BRUSHED NICKEL FINISH [-962]  
ETCHED GLASS, WHITE INSIDE

ONE LIGHT  
WALL / BATH

DAMP

W: 4.75" H: 8.5" E: 6.625"  
Height from center of outlet box  
up: 3.375" down: 5.125"

BRUSHED NICKEL

**T24 4120201-962**  
(1) Medium Base 75w max.

**T24 4120201EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

BURNT SIENNA

■ **4120201-710**

■ ■ **4120201EN3-710**

TWO LIGHT  
WALL / BATH

DAMP

W: 13.5" H: 8.5" E: 6.625"  
Height from center of outlet box  
up: 3.375" down: 5.125"

BRUSHED NICKEL

**T24 4420202-962**  
(2) Medium Base 75w max.

**T24 4420202EN3-962**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

BURNT SIENNA

■ **4420202-710**

■ ■ **4420202EN3-710**

THREE LIGHT  
WALL / BATH

DAMP

W: 21" H: 8.5" E: 6.625"  
Height from center of outlet box  
up: 3.375" down: 5.125"

BRUSHED NICKEL

**T24 4420203-962**  
(3) Medium Base 75w max.

**T24 4420203EN3-962**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

BURNT SIENNA

■ **4420203-710**

■ ■ **4420203EN3-710**



FOUR LIGHT WALL / BATH – BURNT SIENNA FINISH [-710]  
ETCHED GLASS, WHITE INSIDE



FIVE LIGHT WALL / BATH – BRUSHED NICKEL FINISH [-962]  
ETCHED GLASS, WHITE INSIDE

MOUNTING OPTIONS



MOUNTS UP  
OR DOWN  
(ALL FINISHES)

RECOMMENDED PRODUCTS



SEVILLE INDOOR, p.76  
Brushed Nickel Finish  
Burnt Sienna Finish

FOUR LIGHT WALL / BATH DAMP

W: 28.375" H: 8..5" E: 6.625"  
Height from center of outlet box  
up: 3.375" down: 5.125"

BRUSHED NICKEL

T24 **4420204-962**  
(4) Medium Base 75w max.

T24 **4420204EN3-962**  
EN★ (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

BURNT SIENNA

■ **4420204-710**  
■ **4420204EN3-710**

FIVE LIGHT WALL / BATH DAMP

W: 35.875" H: 8..5" E: 6.625"  
Height from center of outlet box  
up: 3.375" down: 5.125"

BRUSHED NICKEL

T24 **4420205-962**  
(5) Medium Base 75w max.

T24 **4420205EN3-962**  
EN★ (5) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

BURNT SIENNA

■ **4420205-710**  
■ **4420205EN3-710**



ONE LIGHT WALL / BATH – CHROME FINISH [-05]  
ETCHED GLASS, WHITE INSIDE



THREE LIGHT WALL / BATH – BURNT SIENNA FINISH [-710]  
ETCHED GLASS, WHITE INSIDE



THREE LIGHT WALL / BATH – CHROME FINISH [-05]  
ETCHED GLASS, WHITE INSIDE



FOUR LIGHT WALL / BATH – BURNT SIENNA FINISH [-710]  
ETCHED GLASS, WHITE INSIDE

MOUNTING OPTIONS



MOUNTS UP  
OR DOWN  
(ALL FINISHES)

ONE LIGHT  
WALL / BATH

DAMP

W: 5" H: 8" E: 6.875"  
Height from center of outlet box  
up: 4" down: 4"

CHROME

**T24** 4123001-05  
(1) Medium Base 100w max.

**T24** 4123001EN3-05  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

BURNT SIENNA

■ 4423001-710  
■ 4423001EN3-710

TWO LIGHT  
WALL / BATH

DAMP

W: 13.25" H: 8.125" E: 6.25"  
Height from center of outlet box  
up: 5.75" down: 2.5"

CHROME

**T24** 4423002-05  
(2) Medium Base 100w max.

**T24** 4423002EN3-05  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

BURNT SIENNA

■ 4423002-710  
■ 4423002EN3-710

THREE LIGHT  
WALL / BATH

DAMP

W: 21" H: 8.125" E: 6.25"  
Height from center of outlet box  
up: 5.75" down: 2.5"

CHROME

**T24** 4423003-05  
(3) Medium Base 100w max.

**T24** 4423003EN3-05  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

BURNT SIENNA

■ 4423003-710  
■ 4423003EN3-710

FOUR LIGHT  
WALL / BATH

DAMP

W: 29.375" H: 8.125" E: 6.25"  
Height from center of outlet box  
up: 5.75" down: 2.5"

CHROME

**T24** 4423004-05  
(4) Medium Base 100w max.

**T24** 4423004EN3-05  
**EN★** (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

BURNT SIENNA

■ 4423004-710  
■ 4423004EN3-710



## COWEN



OBSIDIAN MIST FINISH [-802]

### ONE LIGHT WALL / BATH

DAMP

W: 8" H: 12" E: 4.25"  
Height from center of outlet box  
up: 6"

T24 4128601-802  
(1) Medium Base 60w max.

#### RECOMMENDED PRODUCTS



COWEN INDOOR, p.56  
Obsidian Mist Finish



LED VINTAGE LAMP  
97500S, p.594

## GEREON



BLACK FINISH [-12]

### ONE LIGHT WALL / BATH

DAMP ADA

W: 8" H: 12" E: 4"  
Height from center of outlet box  
up: 6"

T24 4128501-12  
(1) Medium Base 60w max.

#### RECOMMENDED PRODUCTS



GEREON PENDANTS, p.262  
Black Finish



LED VINTAGE LAMP  
97500S, p.594

## MOFFET STREET



WASHED PINE FINISH [-865]

### ONE LIGHT WALL / BATH

DAMP

W: 7" H: 12" E: 6"  
Height from center of outlet box  
up: 6"

T24 4134501-865  
(1) Candelabra Base 60w max.

T24 4134501EN-865  
EN★ (1) Cand. Base LED 2700K,  
3.5w, 350 lumen lamp incl.

#### RECOMMENDED PRODUCTS



MOFFET STREET  
INDOOR, p.72  
Washed Pine Finish



LED CANDELABRA LAMP  
LTB10C35027B, p.594

## TOWNER



BRUSHED NICKEL FINISH [-962]  
BLACK STEEL SHADE



SATIN BRONZE FINISH [-848]  
BLACK STEEL SHADE

### ONE LIGHT WALL / BATH

DAMP

W: 7" H: 8.375" E: 8"  
Height from center of outlet box  
up: 2.375" down: 6"

T24 4141301-962  
(1) Medium Base 60w max.

T24 4141301EN3-962  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

SATIN BRONZE  
● 4141301-848  
● 4141301EN3-848

#### MOUNTING OPTIONS



MOUNTS UP  
OR DOWN  
(ALL FINISHES)

#### RECOMMENDED PRODUCTS



TOWNER INDOOR, p.92  
Brushed Nickel Finish  
Satin Bronze Finish



# HETTINGER

The Hettinger Collection combines a traditional look with chic, modern charm. The minimalism of the cylindrical glass shades balances nicely with the semi-circular motif of the fixture arms.





ONE LIGHT WALL / BATH – CHROME FINISH [-05]  
ETCHED GLASS, WHITE INSIDE



TWO LIGHT WALL / BATH – BRUSHED NICKEL FINISH [-962]  
ETCHED GLASS, WHITE INSIDE



THREE LIGHT WALL / BATH – BURNT SIENNA FINISH [-710]  
ETCHED GLASS, WHITE INSIDE



FOUR LIGHT WALL / BATH – CHROME FINISH [-05]  
ETCHED GLASS, WHITE INSIDE

## MOUNTING OPTIONS



MOUNTS UP  
OR DOWN  
(ALL FINISHES)

## RECOMMENDED PRODUCTS



HETTINGER INDOOR, p.80  
Brushed Nickel Finish  
Burnt Sienna Finish

### ONE LIGHT WALL / BATH

DAMP

W: 4.5" H: 8" E: 5"  
Height from center of outlet box  
up: 5.75" down: 2.25"

CHROME

**T24** 4139101-05  
(1) Medium Base 100w max.

**T24** 4139101EN3-05  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

BRUSHED NICKEL

■ 4139101-962

■ 4139101EN3-962

BURNT SIENNA

■ 4139101-710

■ 4139101EN3-710

### TWO LIGHT WALL / BATH

DAMP

W: 13.5" H: 8" E: 5.75"  
Height from center of outlet box  
up: 5.75" down: 2.25"

CHROME

**T24** 4439102-05  
(2) Medium Base 100w max.

**T24** 4439102EN3-05  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

BRUSHED NICKEL

■ 4439102-962

■ 4439102EN3-962

BURNT SIENNA

■ 4439102-710

■ 4439102EN3-710

### THREE LIGHT WALL / BATH

DAMP

W: 20.5" H: 8" E: 6.25"  
Height from center of outlet box  
up: 5.75" down: 2.25"

CHROME

**T24** 4439103-05  
(3) Medium Base 100w max.

**T24** 4439103EN3-05  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

BRUSHED NICKEL

■ 4439103-962

■ 4439103EN3-962

BURNT SIENNA

■ 4439103-710

■ 4439103EN3-710

### FOUR LIGHT WALL / BATH

DAMP

W: 29" H: 8" E: 6.25"  
Height from center of outlet box  
up: 5.75" down: 2.25"

CHROME

**T24** 4439104-05  
(4) Medium Base 100w max.

**T24** 4439104EN3-05  
**EN★** (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

BRUSHED NICKEL

■ 4439104-962

■ 4439104EN3-962

BURNT SIENNA

■ 4439104-710

■ 4439104EN3-710





## ALTURAS

The minimalist Alturas collection draws the eye to the soft, warm glow emitted from the cylindrical Satin Etched glass shades mounted on sleek, arched structures.





ONE LIGHT WALL / BATH – CHROME FINISH [-05]  
ETCHED GLASS, WHITE INSIDE



TWO LIGHT WALL / BATH – BRUSHED NICKEL FINISH [-962]  
ETCHED GLASS, WHITE INSIDE



THREE LIGHT WALL / BATH – SATIN BRONZE FINISH [-848]  
ETCHED GLASS, WHITE INSIDE



FOUR LIGHT WALL / BATH – CHROME FINISH [-05]  
ETCHED GLASS, WHITE INSIDE

## MOUNTING OPTIONS



MOUNTS UP  
OR DOWN  
(ALL FINISHES)

## RECOMMENDED PRODUCTS



ALTURAS INDOOR, p.114  
Brushed Nickel Finish  
Satin Bronze Finish

### ONE LIGHT WALL / BATH DAMP

W: 4.5" H: 8.75" E: 6.25"  
Height from center of outlet box  
up: 5.75" down: 3"

CHROME

**T24** 4124601-05  
(1) Medium Base 100w max.

**T24** 4124601EN3-05  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

BRUSHED NICKEL

■ 4124601-962  
■ 4124601EN3-962

SATIN BRONZE

■ 4124601-848  
■ 4124601EN3-848

### TWO LIGHT WALL / BATH DAMP

W: 13.5" H: 9.25" E: 6.5"  
Height from center of outlet box  
up: 6.25" down: 3"

CHROME

**T24** 4424602-05  
(2) Medium Base 100w max.

**T24** 4424602EN3-05  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

BRUSHED NICKEL

■ 4424602-962  
■ 4424602EN3-962

SATIN BRONZE

■ 4424602-848  
■ 4424602EN3-848

### THREE LIGHT WALL / BATH DAMP

W: 22" H: 9.25" E: 7.5"  
Height from center of outlet box  
up: 6.25" down: 3"

CHROME

**T24** 4424603-05  
(3) Medium Base 100w max.

**T24** 4424603EN3-05  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

BRUSHED NICKEL

■ 4424603-962  
■ 4424603EN3-962

SATIN BRONZE

■ 4424603-848  
■ 4424603EN3-848

### FOUR LIGHT WALL / BATH DAMP

W: 30.5" H: 9.25" E: 7.25"  
Height from center of outlet box  
up: 6.25" down: 3"

CHROME

**T24** 4424604-05  
(4) Medium Base 100w max.

**T24** 4424604EN3-05  
**EN★** (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

BRUSHED NICKEL

■ 4424604-962  
■ 4424604EN3-962

SATIN BRONZE

■ 4424604-848  
■ 4424604EN3-848



## OSLO

The Oslo Collection has a sleek design with smooth and clean lines. The linear body structure contrasts nicely with the soft curves of the Opal Etched glass shades, creating a contemporary and minimalist aesthetic overall. Many of the fixtures can be installed facing both up or down for full versatility.



ONE LIGHT WALL / BATH – CHROME FINISH [-05]  
CASED OPAL ETCHED GLASS



TWO LIGHT WALL / BATH – BLACKSMITH FINISH [-839]  
CASED OPAL ETCHED GLASS



THREE LIGHT WALL / BATH – BRUSHED NICKEL FINISH [-962]  
CASED OPAL ETCHED GLASS



FOUR LIGHT WALL / BATH – CHROME FINISH [-05]  
CASED OPAL ETCHED GLASS

## MOUNTING OPTIONS



MOUNTS UP  
OR DOWN  
(ALL FINISHES)

## RECOMMENDED PRODUCTS



OSLO INDOOR, p.128  
Brushed Nickel Finish  
Chrome Finish  
Blacksmith Finish

ONE LIGHT  
WALL / BATH

DAMP

W: 4.75" H: 8.75" E: 5.5"  
Height from center of outlet box  
up: 4.75" down: 4"

CHROME

**T24** 41160-05  
(1) Medium Base 100w max.

**T24** 41160EN3-05  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

BLACKSMITH

■ 41160-839

■ 41160EN3-839

BRUSHED NICKEL

■ 41160-962

■ 41160EN3-962

TWO LIGHT  
WALL / BATH

DAMP

W: 12.5" H: 8.5" E: 5.5"  
Height from center of outlet box  
up: 6.25" down: 2.25"

CHROME

**T24** 41161-05  
(2) Medium Base 100w max.

**T24** 41161EN3-05  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

BLACKSMITH

■ 41161-839

■ 41161EN3-839

BRUSHED NICKEL

■ 41161-962

■ 41161EN3-962

THREE LIGHT  
WALL / BATH

DAMP

W: 20" H: 8.5" E: 5.5"  
Height from center of outlet box  
up: 6.25" down: 2.25"

CHROME

**T24** 41162-05  
(3) Medium Base 100w max.

**T24** 41162EN3-05  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

BLACKSMITH

■ 41162-839

■ 41162EN3-839

BRUSHED NICKEL

■ 41162-962

■ 41162EN3-962

FOUR LIGHT  
WALL / BATH

DAMP

W: 27.5" H: 8.5" E: 5.5"  
Height from center of outlet box  
up: 6.25" down: 2.25"

CHROME

**T24** 41163-05  
(4) Medium Base 100w max.

**T24** 41163EN3-05  
**EN★** (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

BLACKSMITH

■ 41163-839

■ 41163EN3-839

BRUSHED NICKEL

■ 41163-962

■ 41163EN3-962



# KERRVILLE

With a simple, airy appearance, the Kerrville collection embraces its modern design roots while enhancing virtually any home's decor. Tubular steel arms extend outward and curve to present beautiful tapered, Satin Etched glass shades.





ONE LIGHT WALL / BATH – CHROME FINISH [-05]  
SATIN ETCHED GLASS



TWO LIGHT WALL / BATH – HEIRLOOM BRONZE FINISH [-782]  
SATIN ETCHED GLASS



THREE LIGHT WALL / BATH – BRUSHED NICKEL FINISH [-962]  
SATIN ETCHED GLASS



FOUR LIGHT WALL / BATH – CHROME FINISH [-05]  
SATIN ETCHED GLASS

MOUNTING OPTIONS



MOUNTS UP  
OR DOWN  
(ALL FINISHES)

RECOMMENDED PRODUCTS



KERRVILLE INDOOR, p.140  
Brushed Nickel Finish  
Heirloom Bronze Finish  
Chrome Finish

ONE LIGHT  
WALL / BATH DAMP

W: 4.75" H: 9.75" E: 6.75"  
Height from center of outlet box  
up: 5.75" down: 4"

CHROME

**T24** 4415201-05  
(1) Medium Base 100w max.

**T24** 4415201EN3-05  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

HEIRLOOM BRONZE

■ 4415201-782  
■ 4415201EN3-782

BRUSHED NICKEL

■ 4415201-962  
■ 4415201EN3-962

TWO LIGHT  
WALL / BATH DAMP

W: 12" H: 9" E: 6.75"  
Height from center of outlet box  
up: 6.75" down: 2.25"

CHROME

**T24** 4415202-05  
(2) Medium Base 100w max.

**T24** 4415202EN3-05  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

HEIRLOOM BRONZE

■ 4415202-782  
■ 4415202EN3-782

BRUSHED NICKEL

■ 4415202-962  
■ 4415202EN3-962

THREE LIGHT  
WALL / BATH DAMP

W: 18" H: 9" E: 6.75"  
Height from center of outlet box  
up: 6.75" down: 2.25"

CHROME

**T24** 4415203-05  
(3) Medium Base 100w max.

**T24** 4415203EN3-05  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

HEIRLOOM BRONZE

■ 4415203-782  
■ 4415202EN3-782

BRUSHED NICKEL

■ 4415203-962  
■ 4415202EN3-962

FOUR LIGHT  
WALL / BATH DAMP

W: 24.75" H: 9" E: 6.75"  
Height from center of outlet box  
up: 6.75" down: 2.25"

CHROME

**T24** 4415204-05  
(4) Medium Base 100w max.

**T24** 4415204EN3-05  
**EN★** (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

HEIRLOOM BRONZE

■ 4415204-782  
■ 4415204EN3-782

BRUSHED NICKEL

■ 4415204-962  
■ 4415204EN3-962



## WINNETKA

The Winnetka Collection has a clean design which lends itself to a modern-mission style. Geometric, cylindrical shades are highlighted by the subtle ornamentation of the stepped detail on the adjacent socket housing. The transitional aesthetic has a tailored and streamlined look with a contemporary flare.



ONE LIGHT WALL / BATH – BRUSHED NICKEL FINISH [-962]  
SATIN ETCHED GLASS



TWO LIGHT WALL / BATH – BLACKSMITH FINISH [-839]  
SATIN ETCHED GLASS



THREE LIGHT WALL / BATH – BRUSHED NICKEL FINISH [-962]  
SATIN ETCHED GLASS



FOUR LIGHT WALL / BATH – BLACKSMITH FINISH [-839]  
SATIN ETCHED GLASS

## MOUNTING OPTIONS



MOUNTS UP  
OR DOWN  
(ALL FINISHES)

## RECOMMENDED PRODUCTS



WINNETKA INDOOR, p.148  
Brushed Nickel Finish  
Blacksmith Finish

### ONE LIGHT WALL / BATH

DAMP

W: 6" H: 9.25" E: 7.5"  
Height from center of outlet box  
up: 4" down: 5.25"

BRUSHED NICKEL

**T24 44660-962**  
(1) Medium Base 100w max.

**T24 44660EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

BLACKSMITH  
**44660-839**

**44660EN3-839**

### TWO LIGHT WALL / BATH

DAMP

W: 14" H: 9.25" E: 8.5"  
Height from center of outlet box  
up: 4" down: 5.25"

BRUSHED NICKEL

**T24 44661-962**  
(2) Medium Base 100w max.

**T24 44661EN3-962**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

BLACKSMITH  
**44661-839**

**44661EN3-839**

### THREE LIGHT WALL / BATH

DAMP

W: 23" H: 9.25" E: 8.5"  
Height from center of outlet box  
up: 4" down: 5.25"

BRUSHED NICKEL

**T24 44662-962**  
(3) Medium Base 100w max.

**T24 44662EN3-962**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

BLACKSMITH  
**44662-839**

**44662EN3-839**

### FOUR LIGHT WALL / BATH

DAMP

W: 32" H: 9.25" E: 8.5"  
Height from center of outlet box  
up: 4" down: 5.25"

BRUSHED NICKEL

**T24 44663-962**  
(4) Medium Base 100w max.

**T24 44663EN3-962**  
**EN★** (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

BLACKSMITH  
**44663-839**

**44663EN3-839**





ONE LIGHT WALL / BATH



TWO LIGHT WALL / BATH



THREE LIGHT WALL / BATH



FOUR LIGHT WALL / BATH

MOUNTING OPTIONS



MOUNTS UP  
OR DOWN

RECOMMENDED PRODUCTS



ENGLEHORN  
INDOOR, p.136  
Chrome Finish

ONE LIGHT  
WALL / BATH

DAMP

W: 5" H: 13" E: 7"  
Height from center of outlet box  
up: 10.5" down: 2.5"

T24 4413401-05  
(1) Medium Base 75w max.

T24 4413401EN3-05  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

TWO LIGHT  
WALL / BATH

DAMP

W: 14.5" H: 12.75" E: 6"  
Height from center of outlet box  
up: 10.25" down: 2.5"

T24 4413402-05  
(2) Medium Base 75w max.

T24 4413402EN3-05  
EN★ (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

THREE LIGHT  
WALL / BATH

DAMP

W: 24.5" H: 11.75" E: 6"  
Height from center of outlet box  
up: 9.25" down: 2.5"

T24 4413403-05  
(3) Medium Base 75w max.

T24 4413403EN3-05  
EN★ (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

FOUR LIGHT  
WALL / BATH

DAMP

W: 34.5" H: 12.75" E: 6"  
Height from center of outlet box  
up: 10.25" down: 2.5"

T24 4413404-05  
(4) Medium Base 75w max.

T24 4413404EN3-05  
EN★ (4) Med. Base LED 3000K,  
9w, 800 lumen lamps incl.





ONE LIGHT WALL / BATH – CHROME FINISH [-05]  
CASED OPAL ETCHED GLASS



TWO LIGHT WALL / BATH – BRUSHED NICKEL FINISH [-962]  
CASED OPAL ETCHED GLASS



THREE LIGHT WALL / BATH – BURNT SIENNA FINISH [-710]  
CASED OPAL ETCHED GLASS



FOUR LIGHT WALL / BATH – CHROME FINISH [-05]  
CASED OPAL ETCHED GLASS

## MOUNTING OPTIONS



MOUNTS UP  
OR DOWN  
(ALL FINISHES)

## RECOMMENDED PRODUCTS



STIRLING INDOOR, p.154  
Brushed Nickel Finish  
Burnt Sienna Finish

### ONE LIGHT WALL / BATH

DAMP

W: 5.5" H: 11.25" E: 6.75"  
Height from center of outlet box  
up: 6.25" down: 5"

CHROME

T24 44952-05  
(1) Medium Base 100w max.

T24 44952EN3-05  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

BRUSHED NICKEL

■ 44952-962  
■ 44952EN3-962

BURNT SIENNA

■ 44952-710  
■ 44952EN3-710

### TWO LIGHT WALL / BATH

DAMP

W: 13" H: 11.25" E: 7"  
Height from center of outlet box  
up: 6.25" down: 5"

CHROME

T24 44953-05  
(2) Medium Base 100w max.

T24 44953EN3-05  
EN★ (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

BRUSHED NICKEL

■ 44953-962  
■ 44953EN3-962

BURNT SIENNA

■ 44953-710  
■ 44953EN3-710

### THREE LIGHT WALL / BATH

DAMP

W: 22" H: 11.25" E: 7"  
Height from center of outlet box  
up: 6.25" down: 5"

CHROME

T24 44954-05  
(3) Medium Base 100w max.

T24 44954EN3-05  
EN★ (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

BRUSHED NICKEL

■ 44954-962  
■ 44954EN3-962

BURNT SIENNA

■ 44954-710  
■ 44954EN3-710

### FOUR LIGHT WALL / BATH

DAMP

W: 31" H: 11.25" E: 7"  
Height from center of outlet box  
up: 6.25" down: 5"

CHROME

T24 44955-05  
(4) Medium Base 100w max.

T24 44955EN3-05  
EN★ (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

BRUSHED NICKEL

■ 44955-962  
■ 44955EN3-962

BURNT SIENNA

■ 44955-710  
■ 44955EN3-710



ONE LIGHT WALL / BATH – BRUSHED NICKEL FINISH [-962]  
OFF-WHITE FAUX SILK FABRIC



TWO LIGHT WALL / BATH – HEIRLOOM BRONZE FINISH [-782]  
OFF-WHITE FAUX SILK FABRIC



THREE LIGHT WALL / BATH – BRUSHED NICKEL FINISH [-962]  
OFF-WHITE FAUX SILK FABRIC

RECOMMENDED PRODUCTS



**NANCE INDOOR**, p.98  
Brushed Nickel Finish  
Heirloom Bronze Finish

ONE LIGHT  
WALL / BATH

DAMP

W: 5" H: 8.75" E: 6.25"  
Height from center of outlet box  
up: 6"

BRUSHED NICKEL

**T24 4128001-962**  
(1) Candelabra Base 60w max.

**T24 4128001EN-962**  
**EN★** (1) Cand. Base LED 2700K,  
3.5w, 350 lumen lamp incl.

HEIRLOOM BRONZE

**4128001-782**  
**4128001EN-782**

TWO LIGHT  
WALL / BATH

DAMP

W: 15.25" H: 8.75" E: 6.25"  
Height from center of outlet box  
up: 6"

BRUSHED NICKEL

**T24 4428002-962**  
(2) Candelabra Base 60w max.

**T24 4428002EN-962**  
**EN★** (2) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.

HEIRLOOM BRONZE

**4428002-782**  
**4428002EN-782**

THREE LIGHT  
WALL / BATH

DAMP

W: 22" H: 8.75" E: 6.25"  
Height from center of outlet box  
up: 6"

BRUSHED NICKEL

**T24 4428003-962**  
(3) Candelabra Base 60w max.

**T24 4428003EN-962**  
**EN★** (3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.

HEIRLOOM BRONZE

**4428003-782**  
**4428003EN-782**



ONE LIGHT WALL / BATH – CHROME FINISH [-05]  
ETCHED GLASS, WHITE INSIDE



TWO LIGHT WALL / BATH – BRUSHED NICKEL FINISH [-962]  
ETCHED GLASS, WHITE INSIDE



THREE LIGHT WALL / BATH – SATIN BRONZE FINISH [-848]  
ETCHED GLASS, WHITE INSIDE



FOUR LIGHT WALL / BATH – CHROME FINISH [-05]  
ETCHED GLASS, WHITE INSIDE

#### MOUNTING OPTIONS



MOUNTS UP  
OR DOWN  
(ALL FINISHES)

#### RECOMMENDED PRODUCTS



DRISCOLL INDOOR, p.160  
Brushed Nickel Finish  
Satin Bronze Finish

#### ONE LIGHT WALL / BATH

DAMP

W: 5.25" H: 11.75" E: 6.75"  
Height from center of outlet box  
up: 8.75"

CHROME

**T24** 4140401-05  
(1) Medium Base 100w max.

**T24** 4140401EN3-05  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

BRUSHED NICKEL

■ 4140401-962

■ 4140401EN3-962

SATIN BRONZE

■ 4140401-848

■ 4140401EN3-848

#### TWO LIGHT WALL / BATH

DAMP

W: 15.5" H: 12" E: 7"  
Height from center of outlet box  
up: 8.75" down: 3.25"

CHROME

**T24** 4440402-05  
(2) Medium Base 100w max.

**T24** 4440402EN3-05  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

BRUSHED NICKEL

■ 4440402-962

■ 4440402EN3-962

SATIN BRONZE

■ 4440402-848

■ 4440402EN3-848

#### THREE LIGHT WALL / BATH

DAMP

W: 24.5" H: 12" E: 7"  
Height from center of outlet box  
up: 8.75" down: 3.25"

CHROME

**T24** 4440403-05  
(3) Medium Base 100w max.

**T24** 4440403EN3-05  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

BRUSHED NICKEL

■ 4440403-962

■ 4440403EN3-962

SATIN BRONZE

■ 4440403-848

■ 4440403EN3-848

#### FOUR LIGHT WALL / BATH

DAMP

W: 30.75" H: 12" E: 7"  
Height from center of outlet box  
up: 8.75" down: 3.25"

CHROME

**T24** 4440404-05  
(4) Medium Base 100w max.

**T24** 4440404EN3-05  
**EN★** (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

BRUSHED NICKEL

■ 4440404-962

■ 4440404EN3-962

SATIN BRONZE

■ 4440404-848

■ 4440404EN3-848



## DENHELM

Inspired by the Craftsman style, the Denhelm Collection has a strong presence with its robust, angular design and substantial, die-cast zinc construction. The four-sided, Etched White glass shades bring another tailored detail to the overall design.





ONE LIGHT WALL / BATH – CHROME FINISH [-05]  
ETCHED GLASS, WHITE INSIDE



TWO LIGHT WALL / BATH – BRUSHED NICKEL FINISH [-962]  
ETCHED GLASS, WHITE INSIDE



THREE LIGHT WALL / BATH – BURNT SIENNA FINISH [-710]  
ETCHED GLASS, WHITE INSIDE



FOUR LIGHT WALL / BATH – CHROME FINISH [-05]  
ETCHED GLASS, WHITE INSIDE

## MOUNTING OPTIONS



MOUNTS UP  
OR DOWN  
(ALL FINISHES)

## RECOMMENDED PRODUCTS



DENHELM PENDANT, p.316  
Brushed Nickel Finish  
Burnt Sienna Finish

### ONE LIGHT WALL / BATH

DAMP

W: 5.75" H: 10" E: 7"  
Height from center of outlet box  
up: 7.5" down: 2.5"

CHROME

**T24** 4150401-05  
(1) Medium Base 100w max.

**T24** 4150401EN3-05  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

BRUSHED NICKEL

■ 4150401-962  
■ 4150401EN3-962

BURNT SIENNA

■ 4150401-710  
■ 4150401EN3-710

### TWO LIGHT WALL / BATH

DAMP

W: 16.5" H: 10" E: 7.5"  
Height from center of outlet box  
up: 7.5" down: 2.5"

CHROME

**T24** 4450402-05  
(2) Medium Base 100w max.

**T24** 4450402EN3-05  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

BRUSHED NICKEL

■ 4450402-962  
■ 4450402EN3-962

BURNT SIENNA

■ 4450402-710  
■ 4450402EN3-710

### THREE LIGHT WALL / BATH

DAMP

W: 24.25" H: 10" E: 7.5"  
Height from center of outlet box  
up: 7.5" down: 2.5"

CHROME

**T24** 4450403-05  
(3) Medium Base 100w max.

**T24** 4450403EN3-05  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

BRUSHED NICKEL

■ 4450403-962  
■ 4450403EN3-962

BURNT SIENNA

■ 4450403-710  
■ 4450403EN3-710

### FOUR LIGHT WALL / BATH

DAMP

W: 31.75" H: 10" E: 7.5"  
Height from center of outlet box  
up: 7.5" down: 2.5"

CHROME

**T24** 4450404-05  
(4) Medium Base 100w max.

**T24** 4450404EN3-05  
**EN★** (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

BRUSHED NICKEL

■ 4450404-962  
■ 4450404EN3-962

BURNT SIENNA

■ 4450404-710  
■ 4450404EN3-710

# HANFORD



ONE LIGHT WALL / BATH – BRUSHED NICKEL FINISH [-962]  
SATIN ETCHED GLASS



TWO LIGHT WALL / BATH – BURNT SIENNA FINISH [-710]  
SATIN ETCHED GLASS



THREE LIGHT WALL / BATH – BRUSHED NICKEL FINISH [-962]  
SATIN ETCHED GLASS



FOUR LIGHT WALL / BATH – BURNT SIENNA FINISH [-710]  
SATIN ETCHED GLASS

## MOUNTING OPTIONS



MOUNTS UP  
OR DOWN  
(ALL FINISHES)

## RECOMMENDED PRODUCTS



HANFORD INDOOR, p.166  
Brushed Nickel Finish  
Burnt Sienna Finish

### ONE LIGHT WALL / BATH

DAMP

W: 5.25" H: 10.25" E: 6.75"  
Height from center of outlet box  
up: 7.25" down: 3"

BRUSHED NICKEL

**T24 4124501-962**  
(1) Medium Base 100w max.

**T24 4124501EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

BURNT SIENNA

■ **4124501-710**

■ **4124501EN3-710**

### TWO LIGHT WALL / BATH

DAMP

W: 14.5" H: 9.75" E: 6.5"  
Height from center of outlet box  
up: 6" down: 3.75"

BRUSHED NICKEL

**T24 4424502-962**  
(2) Medium Base 100w max.

**T24 4424502EN3-962**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

BURNT SIENNA

■ **4424502-710**

■ **4424502EN3-710**

### THREE LIGHT WALL / BATH

DAMP

W: 24" H: 10.75" E: 6.5"  
Height from center of outlet box  
up: 6" down: 4.75"

BRUSHED NICKEL

**T24 4424503-962**  
(3) Medium Base 100w max.

**T24 4424503EN3-962**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

BURNT SIENNA

■ **4424503-710**

■ **4424503EN3-710**

### FOUR LIGHT WALL / BATH

DAMP

W: 33.5" H: 11.25" E: 6.5"  
Height from center of outlet box  
up: 6" down: 5.25"

BRUSHED NICKEL

**T24 4424504-962**  
(4) Medium Base 100w max.

**T24 4424504EN3-962**  
**EN★** (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

BURNT SIENNA

■ **4424504-710**

■ **4424504EN3-710**



ONE LIGHT WALL / BATH – BRUSHED NICKEL FINISH [-962]  
CLEAR SEEDED GLASS



TWO LIGHT WALL / BATH – HEIRLOOM BRONZE FINISH [-782]  
CLEAR SEEDED GLASS



THREE LIGHT WALL / BATH – BRUSHED NICKEL FINISH [-962]  
CLEAR SEEDED GLASS



FOUR LIGHT WALL / BATH – HEIRLOOM BRONZE FINISH [-782]  
CLEAR SEEDED GLASS

MOUNTING OPTIONS



MOUNTS UP  
OR DOWN  
(ALL FINISHES)

RECOMMENDED PRODUCTS



BELTON INDOOR, p.172  
Brushed Nickel Finish  
Heirloom Bronze Finish



LED VINTAGE LAMP  
97500S, p.594

ONE LIGHT  
WALL / BATH DAMP

W: 5.5" H: 9.75" E: 6.75"  
Height from center of outlet box  
up: 5.5" down: 4.25"

BRUSHED NICKEL  
**T24 4114501-962**  
(1) Medium Base 60w max.

HEIRLOOM BRONZE  
**4114501-782**

TWO LIGHT  
WALL / BATH DAMP

W: 15" H: 10.75" E: 6.75"  
Height from center of outlet box  
up: 8.5" down: 2.25"

BRUSHED NICKEL  
**T24 4414502-962**  
(2) Medium Base 60w max.

HEIRLOOM BRONZE  
**4414502-782**

THREE LIGHT  
WALL / BATH DAMP

W: 21" H: 10.75" E: 6.75"  
Height from center of outlet box  
up: 8.5" down: 2.25"

BRUSHED NICKEL  
**T24 4414503-962**  
(3) Medium Base 60w max.

HEIRLOOM BRONZE  
**4414503-782**

FOUR LIGHT  
WALL / BATH DAMP

W: 28.75" H: 10.75" E: 6.75"  
Height from center of outlet box  
up: 8.5" down: 2.25"

BRUSHED NICKEL  
**T24 4414504-962**  
(4) Medium Base 60w max.

HEIRLOOM BRONZE  
**4414504-782**

# BAYFIELD

The Bayfield Collection delivers simplicity with flair. The transitional design is a subtle combination of clean lines and flared, angular glass shades to bring style and warmth to the bathroom no matter the budget.





ONE LIGHT WALL / BATH – CHROME FINISH [-05]  
ETCHED GLASS, WHITE INSIDE



TWO LIGHT WALL / BATH – BRUSHED NICKEL FINISH [-962]  
ETCHED GLASS, WHITE INSIDE



THREE LIGHT WALL / BATH – BURNT SIENNA FINISH [-710]  
ETCHED GLASS, WHITE INSIDE



FOUR LIGHT WALL / BATH – CHROME FINISH [-05]  
ETCHED GLASS, WHITE INSIDE

## MOUNTING OPTIONS



MOUNTS UP  
OR DOWN  
(ALL FINISHES)

### ONE LIGHT WALL / BATH

DAMP

W: 5" H: 7.75" E: 6.25"  
Height from center of outlet box  
up: 4.5" down: 3.25"

CHROME

**T24 4411601-05**  
(1) Medium Base 100w max.

**T24 4411601EN3-05**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

BRUSHED NICKEL

**4411601-962**  
**4411601EN3-962**

BURNT SIENNA

**4411601-710**  
**4411601EN3-710**

### TWO LIGHT WALL / BATH

DAMP

W: 13.25" H: 7.75" E: 6.75"  
Height from center of outlet box  
up: 5.5" down: 2.25"

CHROME

**T24 4411602-05**  
(2) Medium Base 100w max.

**T24 4411602EN3-05**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

BRUSHED NICKEL

**4411602-962**  
**4411602EN3-962**

BURNT SIENNA

**4411602-710**  
**4411602EN3-710**

### THREE LIGHT WALL / BATH

DAMP

W: 20" H: 7.75" E: 6.75"  
Height from center of outlet box  
up: 5.5" down: 2.25"

CHROME

**T24 4411603-05**  
(3) Medium Base 100w max.

**T24 4411603EN3-05**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

BRUSHED NICKEL

**4411603-962**  
**4411603EN3-962**

BURNT SIENNA

**4411603-710**  
**4411603EN3-710**

### FOUR LIGHT WALL / BATH

DAMP

W: 27.5" H: 7.75" E: 6.75"  
Height from center of outlet box  
up: 5.5" down: 2.25"

CHROME

**T24 4411604-05**  
(4) Medium Base 100w max.

**T24 4411604EN3-05**  
**EN★** (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

BRUSHED NICKEL

**4411604-962**  
**4411604EN3-962**

BURNT SIENNA

**4411604-710**  
**4411604EN3-710**

# METCALF



ONE LIGHT WALL / BATH – BRUSHED NICKEL FINISH [-962]  
SATIN ETCHED GLASS



TWO LIGHT WALL / BATH – AUTUMN BRONZE FINISH [-715]  
SATIN ETCHED GLASS



THREE LIGHT WALL / BATH – BRUSHED NICKEL FINISH [-962]  
SATIN ETCHED GLASS



FOUR LIGHT WALL / BATH – AUTUMN BRONZE FINISH [-715]  
SATIN ETCHED GLASS

## MOUNTING OPTIONS



MOUNTS UP  
OR DOWN  
(ALL FINISHES)

## RECOMMENDED PRODUCTS



METCALF INDOOR, p.180  
Brushed Nickel Finish  
Autumn Bronze Finish

### ONE LIGHT WALL / BATH

DAMP

W: 6.25" H: 10.75" E: 7.25"  
Height from center of outlet box  
up: 8.25" down: 2.5"

BRUSHED NICKEL

**T24 4113201-962**  
(1) Medium Base 100w max.

**T24 4113201EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

AUTUMN BRONZE

**4113201-715**

**4113201EN3-715**

### TWO LIGHT WALL / BATH

DAMP

W: 15.5" H: 11" E: 7.25"  
Height from center of outlet box  
up: 8.5" down: 2.5"

BRUSHED NICKEL

**T24 4413202-962**  
(2) Medium Base 100w max.

**T24 4413202EN3-962**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

AUTUMN BRONZE

**4413202-715**

**4413202EN3-715**

### THREE LIGHT WALL / BATH

DAMP

W: 25" H: 11" E: 7.25"  
Height from center of outlet box  
up: 8.5" down: 2.5"

BRUSHED NICKEL

**T24 4413203-962**  
(3) Medium Base 100w max.

**T24 4413203EN3-962**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

AUTUMN BRONZE

**4413203-715**

**4413203EN3-715**

### FOUR LIGHT WALL / BATH

DAMP

W: 34.5" H: 11" E: 7.25"  
Height from center of outlet box  
up: 8.5" down: 2.5"

BRUSHED NICKEL

**T24 4413204-962**  
(4) Medium Base 100w max.

**T24 4413204EN3-962**  
**EN★** (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

AUTUMN BRONZE

**4413204-715**

**4413204EN3-715**



ONE LIGHT WALL / BATH – AUTUMN BRONZE FINISH [-715]  
MERCURY GLASS



TWO LIGHT WALL / BATH – AUTUMN BRONZE FINISH [-715]  
SMOKY AMBER GLASS



THREE LIGHT WALL / BATH – AUTUMN BRONZE FINISH [-715]  
MERCURY GLASS



FOUR LIGHT WALL / BATH – AUTUMN BRONZE FINISH [-715]  
SMOKY AMBER GLASS

## MOUNTING OPTIONS



MOUNTS UP  
OR DOWN  
(ALL GLASS)

## RECOMMENDED PRODUCTS



SFERA INDOOR, p.186  
with Mercury Glass  
with Cafe Tint Glass

### ONE LIGHT WALL / BATH

DAMP

W: 5" H: 11" E: 6"  
Height from center of outlet box  
up: 8.5" down: 2.5"

MERCURY GLASS

**T24 4410401-715**  
(1) Medium Base 100w max.

**T24 4410401EN3-715**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

SMOKY AMBER GLASS

■ **44191401-715**  
■ **44191401EN3-715**

### TWO LIGHT WALL / BATH

DAMP

W: 14.25" H: 11" E: 6.5"  
Height from center of outlet box  
up: 8.5" down: 2.5"

MERCURY GLASS

**T24 4410402-715**  
(2) Medium Base 100w max.

**T24 4410402EN3-715**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

SMOKY AMBER GLASS

■ **4491402-715**  
■ **4491402EN3-715**

### THREE LIGHT WALL / BATH

DAMP

W: 24" H: 11" E: 6.75"  
Height from center of outlet box  
up: 8.5" down: 2.5"

MERCURY GLASS

**T24 4410403-715**  
(3) Medium Base 100w max.

**T24 4410403EN3-715**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

SMOKY AMBER GLASS

■ **4491403-715**  
■ **4491403EN3-715**

### FOUR LIGHT WALL / BATH

DAMP

W: 34" H: 11" E: 6.75"  
Height from center of outlet box  
up: 8.5" down: 2.5"

MERCURY GLASS

**T24 4410404-715**  
(4) Medium Base 100w max.

**T24 4410404EN3-715**  
**EN★** (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

SMOKY AMBER GLASS

■ **4491404-715**  
■ **4491404EN3-715**



# ACADEMY

The classic schoolhouse-inspired fixture profile has been an American icon for almost 90 years. The Academy Collection is today's interpretation of these utilitarian lights which have enjoyed resurgence in popularity given their clean, versatile design.





ONE LIGHT WALL / BATH – CHROME FINISH [-05]  
ETCHED GLASS, WHITE INSIDE



TWO LIGHT WALL / BATH – BRUSHED NICKEL FINISH [-962]  
ETCHED GLASS, WHITE INSIDE



THREE LIGHT WALL / BATH – HEIRLOOM BRONZE FINISH [-782]  
ETCHED GLASS, WHITE INSIDE



FOUR LIGHT WALL / BATH – CHROME FINISH [-05]  
ETCHED GLASS, WHITE INSIDE

## RECOMMENDED PRODUCTS



ACADEMY INDOOR, p.190  
Brushed Nickel Finish  
Heirloom Bronze Finish  
Chrome Finish

ONE LIGHT  
WALL / BATH

DAMP

W: 6.75" H: 10" E: 10"  
Height from center of outlet box  
up: 3"

CHROME

**T24 44436-05**  
(1) Medium Base 60w max.

**T24 44436EN3-05**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

BRUSHED NICKEL

■ **44436-962**  
■ **44436EN3-962**

HEIRLOOM BRONZE

■ **44436-782**  
■ **44436EN3-782**

TWO LIGHT  
WALL / BATH

DAMP

W: 17.25" H: 10" E: 10"  
Height from center of outlet box  
up: 3"

CHROME

**T24 44437-05**  
(2) Medium Base 60w max.

**T24 44437EN3-05**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

BRUSHED NICKEL

■ **44437-962**  
■ **44437EN3-962**

HEIRLOOM BRONZE

■ **44437-782**  
■ **44437EN3-782**

THREE LIGHT  
WALL / BATH

DAMP

W: 23.25" H: 10" E: 10"  
Height from center of outlet box  
up: 3"

CHROME

**T24 44438-05**  
(3) Medium Base 60w max.

**T24 44438EN3-05**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

BRUSHED NICKEL

■ **44438-962**  
■ **44438EN3-962**

HEIRLOOM BRONZE

■ **44438-782**  
■ **44438EN3-782**

FOUR LIGHT  
WALL / BATH

DAMP

W: 31.5" H: 10" E: 10"  
Height from center of outlet box  
up: 3"

CHROME

**T24 44439-05**  
(4) Medium Base 60w max.

**T24 44439EN3-05**  
**EN★** (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

BRUSHED NICKEL

■ **44439-962**  
■ **44439EN3-962**

HEIRLOOM BRONZE

■ **44439-782**  
■ **44439EN3-782**



## PARKFIELD

The subtle details of the Parkfield collection make this transitional design perfect for a wide range of décor. The four-sided glass shades and the supporting sockets feature a graduated step detail which creates a more masculine, tailored look.



ONE LIGHT WALL / BATH – BRUSHED NICKEL FINISH [-962]  
ETCHED GLASS, WHITE INSIDE



TWO LIGHT WALL / BATH – FLEMISH BRONZE FINISH [-845]  
CREME PARCHMENT GLASS



THREE LIGHT WALL / BATH – BRUSHED NICKEL FINISH [-962]  
ETCHED GLASS, WHITE INSIDE



FOUR LIGHT WALL / BATH – FLEMISH BRONZE FINISH [-845]  
CREME PARCHMENT GLASS

## MOUNTING OPTIONS



MOUNTS UP  
OR DOWN  
(ALL FINISHES)

## RECOMMENDED PRODUCTS



**PARKFIELD INDOOR**, p.198  
Brushed Nickel Finish  
Flemish Bronze Finish

### ONE LIGHT WALL / BATH

DAMP

W: 5.5" H: 10" E: 6"  
Height from center of outlet box  
up: 7.25" down: 2.75"

BRUSHED NICKEL

**T24 4113001-962**  
(1) Medium Base 75w max.

**T24 4113001EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

FLEMISH BRONZE

■ **4113001-845**  
■ **4113001EN3-845**

### TWO LIGHT WALL / BATH

DAMP

W: 14.75" H: 9.75" E: 6"  
Height from center of outlet box  
up: 7" down: 2.75"

BRUSHED NICKEL

**T24 4413002-962**  
(2) Medium Base 75w max.

**T24 4413002EN3-962**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

FLEMISH BRONZE

■ **4413002-845**  
■ **4413002EN3-845**

### THREE LIGHT WALL / BATH

DAMP

W: 24" H: 9.75" E: 6"  
Height from center of outlet box  
up: 7" down: 2.75"

BRUSHED NICKEL

**T24 4413003-962**  
(3) Medium Base 75w max.

**T24 4413003EN3-962**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

FLEMISH BRONZE

■ **4413003-845**  
■ **4413003EN3-845**

### FOUR LIGHT WALL / BATH

DAMP

W: 30.75" H: 9.75" E: 6"  
Height from center of outlet box  
up: 7" down: 2.75"

BRUSHED NICKEL

**T24 4413004-962**  
(4) Medium Base 75w max.

**T24 4413004EN3-962**  
**EN★** (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

FLEMISH BRONZE

■ **4413004-845**  
■ **4413004EN3-845**



ONE LIGHT WALL / BATH



TWO LIGHT WALL / BATH



THREE LIGHT WALL / BATH



FOUR LIGHT WALL / BATH

RECOMMENDED PRODUCTS



MORILL INDOOR, p.98  
Blacksmith Finish



LED VINTAGE LAMP  
97500S, p.594

ONE LIGHT  
WALL / BATH

DAMP

W: 5" H: 8.25" E: 7.25"  
Height from center of outlet box  
up: 3.75"

T24 4127801-839  
(1) Medium Base 60w max.

TWO LIGHT  
WALL / BATH

DAMP

W: 13.25" H: 8.25" E: 7.75"  
Height from center of outlet box  
up: 3.75"

T24 4427802-839  
(2) Medium Base 60w max.

THREE LIGHT  
WALL / BATH

DAMP

W: 20.5" H: 8.25" E: 7.75"  
Height from center of outlet box  
up: 3.75"

T24 4427803-839  
(3) Medium Base 60w max.

FOUR LIGHT  
WALL / BATH

DAMP

W: 28.5" H: 8.25" E: 7.75"  
Height from center of outlet box  
up: 3.75"

T24 4427804-839  
(4) Medium Base 60w max.





ONE LIGHT WALL / BATH



TWO LIGHT WALL / BATH



THREE LIGHT WALL / BATH



FOUR LIGHT WALL / BATH

MOUNTING OPTIONS



MOUNTS UP  
OR DOWN

RECOMMENDED PRODUCTS



DUNNING INDOOR, p.204  
Stardust Finish



LONOKE PENDANTS, p.268  
Stardust Finish  
Heirloom Bronze Finish

ONE LIGHT  
WALL / BATH

DAMP

W: 5" H: 8.25" E: 6"  
Height from center of outlet box  
up: 5.75" down: 2.5"

**T24 4413301-846**  
(1) Medium Base 100w max.

**T24 4413301EN3-846**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

TWO LIGHT  
WALL / BATH

DAMP

W: 14" H: 8.25" E: 6"  
Height from center of outlet box  
up: 5.75" down: 2.5"

**T24 4413302-846**  
(2) Medium Base 100w max.

**T24 4413302EN3-846**  
(2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

THREE LIGHT  
WALL / BATH

DAMP

W: 21" H: 8.25" E: 6"  
Height from center of outlet box  
up: 5.75" down: 2.5"

**T24 4413303-846**  
(3) Medium Base 100w max.

**T24 4413303EN3-846**  
(3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

FOUR LIGHT  
WALL / BATH

DAMP

W: 26.25" H: 8.25" E: 6"  
Height from center of outlet box  
up: 5.75" down: 2.5"

**T24 4413304-846**  
(4) Medium Base 100w max.

**T24 4413304EN3-846**  
(4) Med. Base LED 3000K,  
9w, 800 lumen lamps incl.

# PRATT STREET SCONCES



BRUSHED NICKEL FINISH  
PRISMATIC GLASS DIFFUSER

### ONE LIGHT WALL SCONCE

DAMP

W: 9.5" H: 10.5" E: 11.25"  
Height from center of outlet box  
up: 5"

**T24 41085-962**  
(1) Medium Base 60w max.

**T24 41085EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**T24 4108593S-962**  
**WOD** LED: 3000K, 14 watts,  
**EN★** 1000 gross lumens



AUTUMN BRONZE FINISH  
PRISMATIC GLASS DIFFUSER

### ONE LIGHT WALL SCONCE

DAMP

W: 9.5" H: 10.5" E: 11.25"  
Height from center of outlet box  
up: 5"

**T24 41085-715**  
(1) Medium Base 60w max.

**T24 41085EN3-715**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**T24 4108593S-715**  
**WOD** LED: 3000K, 14 watts,  
**EN★** 1000 gross lumens



SATIN BRONZE FINISH  
PRISMATIC GLASS DIFFUSER

### ONE LIGHT WALL SCONCE

DAMP

W: 9.5" H: 10.5" E: 11.25"  
Height from center of outlet box  
up: 5"

**T24 41085-848**  
(1) Medium Base 60w max.

**T24 41085EN3-848**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**T24 4108593S-848**  
**WOD** LED: 3000K, 14 watts,  
**EN★** 1000 gross lumens

### RECOMMENDED PRODUCTS



**PRATT STREET METAL  
PENDANTS, p.300**  
Brushed Nickel Finish  
Autumn Bronze Finish  
Satin Bronze Finish

# PRATT STREET SCONCES



BRUSHED NICKEL FINISH  
PRISMATIC GLASS & DIFFUSER

## ONE LIGHT WALL SCONCE

DAMP

W: 11" H: 10.75" E: 12.25"  
Height from center of outlet box  
up: 5"

**T24 41060-962**  
(1) Medium Base 60w max.

**T24 41060EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



AUTUMN BRONZE FINISH  
PRISMATIC GLASS & DIFFUSER

## ONE LIGHT WALL SCONCE

DAMP

W: 11" H: 10.75" E: 12.25"  
Height from center of outlet box  
up: 5"

**T24 41060-715**  
(1) Medium Base 60w max.

**T24 41060EN3-715**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

### RECOMMENDED PRODUCTS



**PRATT STREET  
PRISMATIC  
PENDANTS**, p.305  
Brushed Nickel Finish  
Autumn Bronze Finish

# HARAMBEE



ANTIQUE BRUSHED NICKEL FINISH  
SEEDED WATER GLASS

## ONE LIGHT WALL / BATH

DAMP ADA

W: 8" H: 12" E: 4"  
Height from center of outlet box  
up: 6"

**T24 4141401-965**  
(1) Medium Base 60w max.

**T24 4141401EN3-965**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



HEIRLOOM BRONZE FINISH  
MERCURY GLASS

## ONE LIGHT WALL / BATH

DAMP ADA

W: 8" H: 12" E: 4"  
Height from center of outlet box  
up: 6"

**T24 4141401-782**  
(1) Medium Base 60w max.

**T24 4141401EN3-782**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

### RECOMMENDED PRODUCTS



**HARAMBEE  
PENDANTS**, p.308  
Antique Brushed Nickel Finish  
Heirloom Bronze Finish



# CARONDELET

The dazzling and timeless Carondelet Collection features a dense cascade of faceted, linear glass crystals and delivers the ultimate sparkle without the fuss of traditional crystal. The sleek, contemporary silhouette adds drama and excitement to any room—without upstaging the surrounding furnishings and décor.





ONE LIGHT WALL / BATH – ANTIQUE BRUSHED NICKEL FINISH [-965]  
CRYSTAL GLASS



TWO LIGHT WALL / BATH – BURNT SIENNA FINISH [-710]  
CRYSTAL GLASS



THREE LIGHT WALL / BATH – ANTIQUE BRUSHED NICKEL FINISH [-965]  
CRYSTAL GLASS



FOUR LIGHT WALL / BATH – BURNT SIENNA FINISH [-710]  
CRYSTAL GLASS

RECOMMENDED PRODUCTS



CARONDELET  
INDOOR, p.208  
Antique Brushed Nickel Finish  
Burnt Sienna Finish

ONE LIGHT  
WALL / BATH

DAMP

W: 8.5" H: 8.5" E: 4.75"  
Height from center of outlet box  
up: 4.25"

ANTIQUÉ BRUSHED NICKEL

**T24 4414001-965**  
(1) Medium Base 100w max.

**T24 4414001EN3-965**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

BURNT SIENNA

**4414001-710**  
**4414001EN3-710**

TWO LIGHT  
WALL / BATH

DAMP

W: 13.5" H: 6" E: 5"  
Height from center of outlet box  
up: 3"

ANTIQUÉ BRUSHED NICKEL

**T24 4414002-965**  
(2) Medium Base 100w max.

**T24 4414002EN3-965**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

BURNT SIENNA

**4414002-710**  
**4414002EN3-710**

THREE LIGHT  
WALL / BATH

DAMP

W: 20.25" H: 6" E: 5"  
Height from center of outlet box  
up: 3"

ANTIQUÉ BRUSHED NICKEL

**T24 4414003-965**  
(3) Medium Base 100w max.

**T24 4414003EN3-965**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

BURNT SIENNA

**4414003-710**  
**4414003EN3-710**

FOUR LIGHT  
WALL / BATH

DAMP

W: 26.25" H: 6" E: 5"  
Height from center of outlet box  
up: 3"

ANTIQUÉ BRUSHED NICKEL

**T24 4414004-965**  
(4) Medium Base 100w max.

**T24 4414004EN3-965**  
**EN★** (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

BURNT SIENNA

**4414004-710**  
**4414004EN3-710**

# WINDGATE



ONE LIGHT WALL / BATH – CHROME FINISH [-05]  
ALABASTER GLASS



TWO LIGHT WALL / BATH – BRUSHED NICKEL FINISH [-962]  
ALABASTER GLASS



THREE LIGHT WALL / BATH – HEIRLOOM BRONZE FINISH [-782]  
ALABASTER GLASS



FOUR LIGHT WALL / BATH – CHROME FINISH [-05]  
ALABASTER GLASS

## MOUNTING OPTIONS



MOUNTS UP  
OR DOWN  
(ALL FINISHES)

## RECOMMENDED PRODUCTS



WINDGATE INDOOR, p.226  
Brushed Nickel Finish  
Heirloom Bronze Finish

### ONE LIGHT WALL / BATH

DAMP

W: 5.5" H: 9" E: 8"  
Height from center of outlet box  
up: 4" down: 5"

CHROME

T24 41939-05  
(1) Medium Base 100w max.

T24 41939EN3-05  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

BRUSHED NICKEL

■ 41939-962  
■ 41939EN3-962

HEIRLOOM BRONZE

■ 41939-782  
■ 41939EN3-782

### TWO LIGHT WALL / BATH

DAMP

W: 12.5" H: 8.25" E: 8"  
Height from center of outlet box  
up: 3.25" down: 5"

CHROME

T24 44940-05  
(2) Medium Base 100w max.

T24 44940EN3-05  
EN★ (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

BRUSHED NICKEL

■ 44940-962  
■ 44940EN3-962

HEIRLOOM BRONZE

■ 44940-782  
■ 44940EN3-782

### THREE LIGHT WALL / BATH

DAMP

W: 24.25" H: 8.25" E: 8"  
Height from center of outlet box  
up: 3.25" down: 5"

CHROME

T24 44941-05  
(3) Medium Base 100w max.

T24 44941EN3-05  
EN★ (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

BRUSHED NICKEL

■ 44941-962  
■ 44941EN3-962

HEIRLOOM BRONZE

■ 44941-782  
■ 44941EN3-782

### FOUR LIGHT WALL / BATH

DAMP

W: 30.25" H: 8.25" E: 8"  
Height from center of outlet box  
up: 3.25" down: 5"

CHROME

T24 44942-05  
(4) Medium Base 100w max.

T24 44942EN3-05  
EN★ (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

BRUSHED NICKEL

■ 44942-962  
■ 44942EN3-962

HEIRLOOM BRONZE

■ 44942-782  
■ 44942EN3-782



ONE LIGHT WALL / BATH – BRUSHED NICKEL FINISH [-962]  
SATIN ETCHED GLASS



TWO LIGHT WALL / BATH – HEIRLOOM BRONZE FINISH [-782]  
SATIN ETCHED GLASS



THREE LIGHT WALL / BATH – BRUSHED NICKEL FINISH [-962]  
SATIN ETCHED GLASS



FOUR LIGHT WALL / BATH – HEIRLOOM BRONZE FINISH [-782]  
SATIN ETCHED GLASS

## MOUNTING OPTIONS



MOUNTS UP  
OR DOWN  
(ALL FINISHES)

## RECOMMENDED PRODUCTS



**BANNOCK INDOOR**, p.104  
Brushed Nickel Finish  
Heirloom Bronze Finish

### ONE LIGHT WALL / BATH

DAMP

W: 5" H: 8.75" E: 7.25"  
Height from center of outlet box  
up: 6.25" down: 2.5"

BRUSHED NICKEL

**T24 4416601-962**  
(1) Medium Base 75w max.

**T24 4416601EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

HEIRLOOM BRONZE  
■ **4416601-782**  
■ **4416601EN3-782**

### TWO LIGHT WALL / BATH

DAMP

W: 13.25" H: 8.75" E: 6.25"  
Height from center of outlet box  
up: 6.25" down: 2.5"

BRUSHED NICKEL

**T24 4416602-962**  
(2) Medium Base 75w max.

**T24 4416602EN3-962**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

HEIRLOOM BRONZE  
■ **4416602-782**  
■ **4416602EN3-782**

### THREE LIGHT WALL / BATH

DAMP

W: 21" H: 8.75" E: 6.25"  
Height from center of outlet box  
up: 6.25" down: 2.5"

BRUSHED NICKEL

**T24 4416603-962**  
(3) Medium Base 75w max.

**T24 4416603EN3-962**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

HEIRLOOM BRONZE  
■ **4416603-782**  
■ **4416603EN3-782**

### FOUR LIGHT WALL / BATH

DAMP

W: 29" H: 8.75" E: 6.25"  
Height from center of outlet box  
up: 6.25" down: 2.5"

BRUSHED NICKEL

**T24 4416604-962**  
(4) Medium Base 75w max.

**T24 4416604EN3-962**  
**EN★** (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

HEIRLOOM BRONZE  
■ **4416604-782**  
■ **4416604EN3-782**



ONE LIGHT WALL / BATH – CHROME FINISH [-05]  
SATIN ETCHED GLASS



TWO LIGHT WALL / BATH – ANTIQUE BRUSHED NICKEL FINISH [-965]  
SATIN ETCHED GLASS



THREE LIGHT WALL / BATH – HEIRLOOM BRONZE FINISH [-782]  
SMOKY AMBER GLASS

MOUNTING OPTIONS



MOUNTS UP  
OR DOWN  
(ALL FINISHES)

ONE LIGHT  
WALL / BATH

DAMP

W: 6.5" H: 9" E: 8.5"  
Height from center of outlet box  
up: 4.5" down: 4.5"

CHROME

**T24 44850-05**  
(1) Medium Base 100w max.

**T24 44850EN3-05**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

ANTIQUE BRUSHED NICKEL

■ **44850-965**  
■ **44850EN3-965**

HEIRLOOM BRONZE

■ **44850-782**  
■ **44850EN3-782**

TWO LIGHT  
WALL / BATH

DAMP

W: 15.25" H: 9" E: 8.5"  
Height from center of outlet box  
up: 4.5" down: 4.5"

CHROME

**T24 44851-05**  
(2) Medium Base 100w max.

**T24 44851EN3-05**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

ANTIQUE BRUSHED NICKEL

■ **44851-965**  
■ **44851EN3-965**

HEIRLOOM BRONZE

■ **44851-782**  
■ **44851EN3-782**

THREE LIGHT  
WALL / BATH

DAMP

W: 24" H: 9" E: 8.5"  
Height from center of outlet box  
up: 4.5" down: 4.5"

CHROME

**T24 44852-05**  
(3) Medium Base 100w max.

**T24 44852EN3-05**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

ANTIQUE BRUSHED NICKEL

■ **44852-965**  
■ **44852EN3-965**

HEIRLOOM BRONZE

■ **44852-782**  
■ **44852EN3-782**





FOUR LIGHT WALL / BATH – CHROME FINISH [-05]  
SATIN ETCHED GLASS



FIVE LIGHT WALL / BATH – ANTIQUE BRUSHED NICKEL FINISH [-965]  
SATIN ETCHED GLASS



SIX LIGHT WALL / BATH – HEIRLOOM BRONZE FINISH [-782]  
SMOKY AMBER GLASS

#### FOUR LIGHT WALL / BATH

DAMP

W: 32.5" H: 9" E: 8.5"  
Height from center of outlet box  
up: 4.5" down: 4.5"

CHROME

**T24 44853-05**  
(4) Medium Base 100w max.

**T24 44853EN3-05**  
**EN★** (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

ANTIQUÉ BRUSHED NICKEL

■ 44853-965

■ 44853EN3-965

HEIRLOOM BRONZE

■ 44853-782

■ 44853EN3-782

#### FIVE LIGHT WALL / BATH

DAMP

W: 41.25" H: 9" E: 8.5"  
Height from center of outlet box  
up: 4.5" down: 4.5"

CHROME

**T24 44854-05**  
(5) Medium Base 100w max.

**T24 44854EN3-05**  
**EN★** (5) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

ANTIQUÉ BRUSHED NICKEL

■ 44854-965

■ 44854EN3-965

HEIRLOOM BRONZE

■ 44854-782

■ 44854EN3-782

#### SIX LIGHT WALL / BATH

DAMP

W: 50" H: 9" E: 8.5"  
Height from center of outlet box  
up: 4.5" down: 4.5"

CHROME

**T24 44855-05**  
(6) Medium Base 100w max.

**T24 44855EN3-05**  
**EN★** (6) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

ANTIQUÉ BRUSHED NICKEL

■ 44855-965

■ 44855EN3-965

HEIRLOOM BRONZE

■ 44855-782

■ 44855EN3-782



# SUSSEX

The Sussex Collection is a perfect crossover from cottage style into urban chic. The Sussex collection's retro appeal softens and warms up contemporary spaces, while retaining an up-to-date decor. Look to Sussex when balance and unity are required in an interior design.



ONE LIGHT WALL / BATH – CHROME FINISH [-05]  
SATIN WHITE GLASS



TWO LIGHT WALL / BATH – BRUSHED NICKEL FINISH [-962]  
SATIN WHITE GLASS



THREE LIGHT WALL / BATH – HEIRLOOM BRONZE FINISH [-782]  
SATIN ETCHED GLASS



FOUR LIGHT WALL / BATH – CHROME FINISH [-05]  
SATIN WHITE GLASS

MOUNTING OPTIONS



MOUNTS UP  
OR DOWN  
(ALL FINISHES)

RECOMMENDED PRODUCTS



SUSSEX INDOOR, p.220  
Brushed Nickel Finish  
Heirloom Bronze Finish

ONE LIGHT  
WALL / BATH DAMP

W: 7.5" H: 10.25" E: 10.25"  
Height from center of outlet box  
up: 7" down: 3.25"

BRUSHED NICKEL

**T24 44060-962**  
(1) Medium Base 100w max.

**T24 44060EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

CHROME

■ **44060-05**  
■ **44060EN3-05**

HEIRLOOM BRONZE

■ **44060-782**  
■ **44060EN3-782**

TWO LIGHT  
WALL / BATH DAMP

W: 18" H: 10.25" E: 10.25"  
Height from center of outlet box  
up: 7" down: 3.25"

BRUSHED NICKEL

**T24 44061-962**  
(2) Medium Base 100w max.

**T24 44061EN3-962**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

CHROME

■ **44061-05**  
■ **44061EN3-05**

HEIRLOOM BRONZE

■ **44061-782**  
■ **44061EN3-782**

THREE LIGHT  
WALL / BATH DAMP

W: 24" H: 10.25" E: 10.25"  
Height from center of outlet box  
up: 7" down: 3.25"

BRUSHED NICKEL

**T24 44062-962**  
(3) Medium Base 100w max.

**T24 44062EN3-962**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

CHROME

■ **44062-05**  
■ **44062EN3-05**

HEIRLOOM BRONZE

■ **44062-782**  
■ **44062EN3-782**

FOUR LIGHT  
WALL / BATH DAMP

W: 32.25" H: 10.25" E: 10.25"  
Height from center of outlet box  
up: 7" down: 3.25"

BRUSHED NICKEL

**T24 44063-962**  
(4) Medium Base 100w max.

**T24 44063EN3-962**  
**EN★** (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

CHROME

■ **44063-05**  
■ **44063EN3-05**

HEIRLOOM BRONZE

■ **44063-782**  
■ **44063EN3-782**





# MONTREAL

The Montreal Collection features a flowing body structure and beautifully flared glass shades which complement each other to create an updated, transitional aesthetic, which is then finished off with a delicate finial to add a touch of formality to the overall silhouette.





ONE LIGHT WALL / BATH – ANTIQUE BRUSHED NICKEL FINISH [-965]  
ETCHED GLASS, WHITE INSIDE



TWO LIGHT WALL / BATH – BURNT SIENNA FINISH [-710]  
CAFE TINT GLASS



THREE LIGHT WALL / BATH – ANTIQUE BRUSHED NICKEL FINISH [-965]  
ETCHED GLASS, WHITE INSIDE



FOUR LIGHT WALL / BATH – BURNT SIENNA FINISH [-710]  
CAFE TINT GLASS

## MOUNTING OPTIONS



MOUNTS UP  
OR DOWN  
(ALL FINISHES)

### ONE LIGHT WALL / BATH

DAMP

W: 7.75" H: 8.5" E: 9.75"  
Height from center of outlet box  
up: 4" down: 4.5"

ANTIQUÉ BRUSHED NICKEL

**T24 41180-965**  
(1) Medium Base 100w max.

**T24 41180EN3-965**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

BURNT SIENNA

**41180-710**  
**41180EN3-710**

### TWO LIGHT WALL / BATH

DAMP

W: 17.5" H: 8.25" E: 9.75"  
Height from center of outlet box  
up: 5.25" down: 3"

ANTIQUÉ BRUSHED NICKEL

**T24 41181-965**  
(2) Medium Base 100w max.

**T24 41181EN3-965**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

BURNT SIENNA

**41181-710**  
**41181EN3-710**

### THREE LIGHT WALL / BATH

DAMP

W: 27" H: 8.25" E: 9.75"  
Height from center of outlet box  
up: 5.25" down: 3"

ANTIQUÉ BRUSHED NICKEL

**T24 41182-965**  
(3) Medium Base 100w max.

**T24 41182EN3-965**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

BURNT SIENNA

**41182-710**  
**41182EN3-710**

### FOUR LIGHT WALL / BATH

DAMP

W: 36.75" H: 8.25" E: 9.75"  
Height from center of outlet box  
up: 5.25" down: 3"

ANTIQUÉ BRUSHED NICKEL

**T24 41183-965**  
(4) Medium Base 100w max.

**T24 41183EN3-965**  
**EN★** (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

BURNT SIENNA

**41183-710**  
**41183EN3-710**



## WHEATON

The Wheaton Collection delivers versatility. The Satin Etched glass can be coupled with either a Brushed Nickel finish for a soft contemporary feel or an Heirloom Bronze finish for a more rustic charm. The tulip shaped glass shades are contrasted smartly by the stepped detail of the socket housing.



ONE LIGHT WALL / BATH – BRUSHED NICKEL FINISH [-962]  
SATIN ETCHED GLASS



TWO LIGHT WALL / BATH – HEIRLOOM BRONZE FINISH [-782]  
SATIN ETCHED GLASS



THREE LIGHT WALL / BATH – BRUSHED NICKEL FINISH [-962]  
SATIN ETCHED GLASS



FOUR LIGHT WALL / BATH – HEIRLOOM BRONZE FINISH [-782]  
SATIN ETCHED GLASS

## MOUNTING OPTIONS



MOUNTS UP  
OR DOWN  
(ALL FINISHES)



## RECOMMENDED PRODUCTS



WHEATON INDOOR, p.236  
Brushed Nickel Finish  
Heirloom Bronze Finish

### ONE LIGHT WALL / BATH

DAMP

W: 6.5" H: 7.75" E: 8.25"  
Height from center of outlet box  
up: 3.75" down: 4"

BRUSHED NICKEL

**T24 44625-962**  
(1) Medium Base 100w max.

**T24 44625EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

HEIRLOOM BRONZE  
■ **44625-782**  
■ **44625EN3-782**

### TWO LIGHT WALL / BATH

DAMP

W: 15.25" H: 7.75" E: 8.25"  
Height from center of outlet box  
up: 3.75" down: 4"

BRUSHED NICKEL

**T24 44626-962**  
(2) Medium Base 100w max.

**T24 44626EN3-962**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

HEIRLOOM BRONZE  
■ **44626-782**  
■ **44626EN3-782**

### THREE LIGHT WALL / BATH

DAMP

W: 23.75" H: 7.75" E: 8.25"  
Height from center of outlet box  
up: 3.75" down: 4"

BRUSHED NICKEL

**T24 44627-962**  
(3) Medium Base 100w max.

**T24 44627EN3-962**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

HEIRLOOM BRONZE  
■ **44627-782**  
■ **44627EN3-782**

### FOUR LIGHT WALL / BATH

DAMP

W: 32.5" H: 7.75" E: 8.25"  
Height from center of outlet box  
up: 3.75" down: 4"

BRUSHED NICKEL

**T24 44628-962**  
(4) Medium Base 100w max.

**T24 44628EN3-962**  
**EN★** (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

HEIRLOOM BRONZE  
■ **44628-782**  
■ **44628EN3-782**





ONE LIGHT WALL / BATH – BRUSHED NICKEL FINISH [-962]  
SATIN ETCHED GLASS



TWO LIGHT WALL / BATH – HEIRLOOM BRONZE FINISH [-782]  
SATIN ETCHED GLASS



THREE LIGHT WALL / BATH – BRUSHED NICKEL FINISH [-962]  
SATIN ETCHED GLASS



FOUR LIGHT WALL / BATH – HEIRLOOM BRONZE FINISH [-782]  
SATIN ETCHED GLASS

MOUNTING OPTIONS



MOUNTS UP  
OR DOWN  
(ALL FINISHES)

RECOMMENDED PRODUCTS



HOLMAN INDOOR, p.242  
Brushed Nickel Finish  
Bell Metal Bronze Finish

ONE LIGHT  
WALL / BATH

DAMP

W: 5.25" H: 10.25" E: 7.25"  
Height from center of outlet box  
up: 6.5" down: 3.75"

BRUSHED NICKEL

**T24 41806-962**  
(1) Medium Base 60w max.

**T24 41806EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

HEIRLOOM BRONZE

**41806-782**  
**41806EN3-782**

TWO LIGHT  
WALL / BATH

DAMP

W: 11.75" H: 9" E: 7.25"  
Height from center of outlet box  
up: 6.5" down: 2.5"

BRUSHED NICKEL

**T24 44806-962**  
(2) Medium Base 60w max.

**T24 44806EN3-962**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

HEIRLOOM BRONZE

**44806-782**  
**44806EN3-782**

THREE LIGHT  
WALL / BATH

DAMP

W: 18" H: 9" E: 7.25"  
Height from center of outlet box  
up: 6.5" down: 2.5"

BRUSHED NICKEL

**T24 44807-962**  
(3) Medium Base 60w max.

**T24 44807EN3-962**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

HEIRLOOM BRONZE

**44807-782**  
**44807EN3-782**

FOUR LIGHT  
WALL / BATH

DAMP

W: 24.5" H: 9" E: 7.25"  
Height from center of outlet box  
up: 6.5" down: 2.5"

BRUSHED NICKEL

**T24 44808-962**  
(4) Medium Base 60w max.

**T24 44808EN3-962**  
**EN★** (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

HEIRLOOM BRONZE

**44808-782**  
**44808EN3-782**





ONE LIGHT WALL / BATH – BRUSHED NICKEL FINISH [-962]  
SATIN ETCHED GLASS



TWO LIGHT WALL / BATH – HEIRLOOM BRONZE FINISH [-782]  
SATIN ETCHED GLASS



THREE LIGHT WALL / BATH – BRUSHED NICKEL FINISH [-962]  
SATIN ETCHED GLASS



FOUR LIGHT WALL / BATH – HEIRLOOM BRONZE FINISH [-782]  
SATIN ETCHED GLASS

MOUNTING OPTIONS



MOUNTS UP  
OR DOWN  
(ALL FINISHES)

RECOMMENDED PRODUCTS



EMMONS INDOOR, p.86  
Brushed Nickel Finish  
Heirloom Bronze Finish

ONE LIGHT  
WALL / BATH DAMP

W: 6" H: 6.25" E: 7.5"  
Height from center of outlet box  
up: 3.75" down: 2.5"

BRUSHED NICKEL

**T24 4139001-962**  
(1) Medium Base 100w max.

**T24 4139001EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

HEIRLOOM BRONZE  
■ **4139001-782**  
■ **4139001EN3-782**

TWO LIGHT  
WALL / BATH DAMP

W: 14.75" H: 6.25" E: 7.5"  
Height from center of outlet box  
up: 3.75" down: 2.5"

BRUSHED NICKEL

**T24 4439002-962**  
(2) Medium Base 100w max.

**T24 4439002EN3-962**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

HEIRLOOM BRONZE  
■ **4439002-782**  
■ **4439002EN3-782**

THREE LIGHT  
WALL / BATH DAMP

W: 23.25" H: 6.25" E: 7.5"  
Height from center of outlet box  
up: 3.75" down: 2.5"

BRUSHED NICKEL

**T24 4439003-962**  
(3) Medium Base 100w max.

**T24 4439003EN3-962**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

HEIRLOOM BRONZE  
■ **4439003-782**  
■ **4439003EN3-782**

FOUR LIGHT  
WALL / BATH DAMP

W: 32" H: 6.25" E: 7.5"  
Height from center of outlet box  
up: 3.75" down: 2.5"

BRUSHED NICKEL

**T24 4439004-962**  
(4) Medium Base 100w max.

**T24 4439004EN3-962**  
**EN★** (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

HEIRLOOM BRONZE  
■ **4439004-782**  
■ **4439004EN3-782**



TWO LIGHT WALL / BATH



THREE LIGHT WALL / BATH



FOUR LIGHT WALL / BATH

MOUNTING OPTIONS



MOUNTS UP  
OR DOWN

TWO LIGHT  
WALL / BATH

DAMP

W: 13" H: 7.75" E: 7.5"  
Height from center of outlet box  
up: 3.5" down: 4.25"

T24 40010-773  
(2) Medium Base 100w max.

T24 40010EN3-773  
EN★ (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

THREE LIGHT  
WALL / BATH

DAMP

W: 18.25" H: 7.75" E: 7.5"  
Height from center of outlet box  
up: 3.5" down: 4.25"

T24 40011-773  
(3) Medium Base 100w max.

T24 40011EN3-773  
EN★ (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

FOUR LIGHT  
WALL / BATH

DAMP

W: 24.75" H: 7.75" E: 8.25"  
Height from center of outlet box  
up: 3.5" down: 4.25"

T24 40012-773  
(4) Medium Base 100w max.

T24 40012EN3-773  
EN★ (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



TWO LIGHT WALL / BATH



THREE LIGHT WALL / BATH



FOUR LIGHT WALL / BATH

MOUNTING OPTIONS



MOUNTS UP  
OR DOWN

TWO LIGHT  
WALL / BATH

DAMP

W: 13.25" H: 10.5" E: 8.25"  
Height from center of outlet box  
up: 7.75" down: 2.75"

**T24** **40124-05**  
(2) Medium Base 100w max.

**T24** **40124EN3-305**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

THREE LIGHT  
WALL / BATH

DAMP

W: 18.75" H: 10.5" E: 8.25"  
Height from center of outlet box  
up: 7.75" down: 2.75"

**T24** **40125-05**  
(3) Medium Base 100w max.

**T24** **40125EN3-05**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

FOUR LIGHT  
WALL / BATH

DAMP

W: 25.5" H: 10.5" E: 8.25"  
Height from center of outlet box  
up: 7.75" down: 2.75"

**T24** **40126-05**  
(4) Medium Base 100w max.

**T24** **40126EN3-05**  
**EN★** (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



TWO LIGHT WALL / BATH



THREE LIGHT WALL / BATH



FOUR LIGHT WALL / BATH

**TWO LIGHT  
WALL / BATH**

DAMP

W: 12" H: 8.25" E: 7.5"  
Height from center of outlet box  
down: 2.75"

**T24 44019-962**  
(2) Medium Base 100w max.

**T24 44019EN3-962**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

**THREE LIGHT  
WALL / BATH**

DAMP

W: 17" H: 8.25" E: 8.5"  
Height from center of outlet box  
down: 3"

**T24 44020-962**  
(3) Medium Base 100w max.

**T24 44020EN3-962**  
**EN★** (3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

**FOUR LIGHT  
WALL / BATH**

DAMP

W: 23.5" H: 8" E: 8.25"  
Height from center of outlet box  
down: 2.75"

**T24 44021-962**  
(4) Medium Base 100w max.

**T24 44021EN3-962**  
**EN★** (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.





TWO LIGHT WALL / BATH – CHROME FINISH [-05]  
CLEAR RIBBED GLASS



THREE LIGHT WALL / BATH – POLISHED BRASS FINISH [-02]  
CLEAR RIBBED GLASS



FOUR LIGHT WALL / BATH – CHROME FINISH [-05]  
CLEAR RIBBED GLASS

TWO LIGHT  
WALL / BATH

DAMP

W: 12" H: 8.25" E: 7.5"  
Height from center of outlet box  
down: 3"

CHROME

T24

4871-05

(2) Medium Base 100w max.

T24

4871EN3-05

(2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

EN★

POLISHED BRASS

4871-02

4871EN3-02

THREE LIGHT  
WALL / BATH

DAMP

W: 17" H: 8" E: 8.5"  
Height from center of outlet box  
down: 3"

CHROME

T24

4872-05

(3) Medium Base 100w max.

T24

4872EN3-05

(3) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

EN★

POLISHED BRASS

4872-02

4872EN3-02

FOUR LIGHT  
WALL / BATH

DAMP

W: 23.5" H: 8.25" E: 8"  
Height from center of outlet box  
down: 3"

CHROME

T24

4873-05

(4) Medium Base 100w max.

T24

4873EN3-05

(4) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

EN★

POLISHED BRASS

4873-02


4873EN3-02



SMALL LED WALL / BATH




MEDIUM LED WALL / BATH



LARGE LED WALL / BATH

MOUNTING OPTIONS



MOUNTS  
VERTICALLY OR  
HORIZONTALLY

**SMALL LED WALL / BATH**

DAMP ADA

W: 18.625" H: 5" E: 3.875  
Height from center of outlet box  
horizontal: 2.5" vertical: 9.375"

**T24** **4416191S-962**  
**EN★** LED, 3000K, 16.5 watts,  
1450 gross lumens

**MEDIUM LED WALL / BATH**

DAMP ADA

W: 23.75" H: 5" E: 3.875  
Height from center of outlet box  
horizontal: 2.5" vertical: 11.875"

**T24** **4516191S-962**  
**EN★** LED, 3000K, 22 watts,  
1950 gross lumens

**LARGE LED WALL / BATH**


DAMP ADA

W: 35.875" H: 5" E: 3.875  
Height from center of outlet box  
horizontal: 2.5" vertical: 18"

**T24** **4616191S-962**  
**EN★** LED, 3000K, 33 watts,  
2950 gross lumens



SMALL LED WALL / BATH



MEDIUM LED WALL / BATH



LARGE LED WALL / BATH

MOUNTING OPTIONS



MOUNTS  
VERTICALLY OR  
HORIZONTALLY

SMALL LED  
WALL / BATH

DAMP

W: 19.625" H: 4.5" E: 4"  
Height from center of outlet box  
horizontal: 2.25" vertical: 9.75"

**T24** **4434691S-962**  
**EN★** LED, 3000K, 16.5 watts,  
1450 gross lumens

MEDIUM LED  
WALL / BATH

DAMP

W: 24.75" H: 4.5" E: 4"  
Height from center of outlet box  
horizontal: 2.25" vertical: 12.375"

**T24** **4534691S-962**  
**EN★** LED, 3000K, 22 watts,  
1950 gross lumens

LARGE LED  
WALL / BATH

DAMP

W: 36.875" H: 4.5" E: 4"  
Height from center of outlet box  
horizontal: 2.25" vertical: 12.375"

**T24** **4734691S-962**  
**EN★** LED, 3000K, 33 watts,  
2950 gross lumens



SMALL LED WALL / BATH



MEDIUM LED WALL / BATH



LARGE LED WALL / BATH

MOUNTING OPTIONS



SMALL  
MOUNTS UP  
OR DOWN



LARGE AND  
MEDIUM MOUNT  
VERTICALLY OR  
HORIZONTALLY

SMALL LED  
WALL / BATH

DAMP ADA

W: 4.5" H: 8" E: 4"  
Height from center of outlet box  
up: 4.5" down: 3.5"

T24 4122991S-962  
LED: 2700K, watts,  
900 gross lumens

MEDIUM LED  
WALL / BATH

DAMP

W: 23.25" H: 4.25" E: 5"  
Height from center of outlet box  
horizontal: 2.25" vertical: 11.75"

T24 4422991S-962  
LED: 2700K, 22 watts,  
1800 gross lumens

LARGE LED  
WALL / BATH

DAMP

W: 36" H: 4.25" E: 5"  
Height from center of outlet box  
horizontal: 2.25" vertical: 18"

T24 4522991S-962  
LED: 2700K, 33 watts,  
2700 gross lumens





SMALL LED WALL / BATH



MEDIUM LED WALL / BATH



LARGE LED WALL / BATH



EXTRA LARGE LED WALL / BATH

MOUNTING OPTIONS



MOUNTS  
VERTICALLY OR  
HORIZONTALLY

SMALL LED  
WALL / BATH

DAMP ADA

W: 19.25" H: 4.75" E: 3.5"  
Height from center of outlet box  
horizontal: 2.5" vertical: 9.75"

T24 4435591S-962  
LED LED: 2700K, 16.5 watts,  
1350 gross lumens

MEDIUM LED  
WALL / BATH

DAMP ADA

W: 25" H: 4.75" E: 3.5"  
Height from center of outlet box  
horizontal: 2.5" vertical: 12.5"

T24 4535591S-962  
LED LED: 2700K, 22 watts,  
1800 gross lumens

LARGE LED  
WALL / BATH

DAMP ADA

W: 36.5" H: 4.75" E: 3.75"  
Height from center of outlet box  
horizontal: 2.5" vertical: 18.25"

T24 4635591S-962  
LED LED: 2700K, 33 watts,  
2700 gross lumens

EXTRA LARGE LED  
WALL / BATH

DAMP ADA

W: 47.25" H: 4.75" E: 4"  
Height from center of outlet box  
horizontal: 2.5" vertical: 23.75"

T24 4735591S-962  
LED LED: 2700K, 44 watts,  
3600 gross lumens



# ASPERMONT

The Aspermont Collection features four sizes of a sleek, minimalist profile, with clean lines suitable for modern décor, and has energy efficient LED shining through linear acrylic diffusers.



SMALL LED WALL / BATH



MEDIUM LED WALL / BATH




LARGE LED WALL / BATH



EXTRA LARGE LED WALL / BATH

MOUNTING OPTIONS



MOUNTS  
VERTICALLY OR  
HORIZONTALLY

SMALL LED WALL / BATH

DAMP ADA

W: 19.75" H: 4.5" E: 4"  
Height from center of outlet box  
horizontal: 2.25" vertical: 10"

T24 4435891S-962  
LED: 2700K, 16.5 watts,  
1350 gross lumens

MEDIUM LED WALL / BATH

DAMP ADA

W: 25.5" H: 4.5" E: 4"  
Height from center of outlet box  
horizontal: 2.25" vertical: 12.75"

T24 4535891S-962  
LED: 2700K, 22 watts,  
1800 gross lumens

LARGE LED WALL / BATH

DAMP ADA

W: 37.25" H: 4.5" E: 4"  
Height from center of outlet box  
horizontal: 2.25" vertical: 18.75"

T24 4635891S-962  
LED: 2700K, 33 watts,  
2700 gross lumens

EXTRA LARGE LED WALL / BATH

DAMP ADA

W: 49.25" H: 4.5" E: 4"  
Height from center of outlet box  
horizontal: 2.25" vertical: 24.75"

T24 4735891S-962  
LED: 2700K, 44 watts,  
3600 gross lumens





## BRAUNFELS

The Braunfels Collection provides a striking, post-modern profile with its sleek, linear aluminum body offset by subtle end cap details. An updated, layered effect is created as the integrated linear LED is housed within a Frosted Acrylic diffuser which is then encased by a Clear Acrylic outer shade.





SMALL LED WALL / BATH – SATIN ALUMINUM FINISH [-04]  
FROSTED ACRYLIC DIFFUSER & CLEAR OUTER ACRYLIC SHADE



MEDIUM LED WALL / BATH – BURNT SIENNA FINISH [-710]  
FROSTED ACRYLIC DIFFUSER & CLEAR OUTER ACRYLIC SHADE



LARGE LED WALL / BATH – SATIN ALUMINUM FINISH [-04]  
FROSTED ACRYLIC DIFFUSER & CLEAR OUTER ACRYLIC SHADE



EXTRA LARGE LED WALL / BATH – BURNT SIENNA FINISH [-710]  
FROSTED ACRYLIC DIFFUSER & CLEAR OUTER ACRYLIC SHADE

## MOUNTING OPTIONS



MOUNTS  
VERTICALLY OR  
HORIZONTALLY  
(ALL FINISHES)

### SMALL LED WALL / BATH

DAMP ADA

W: 20" H: 5" E: 3.75"  
Height from center of outlet box  
horizontal: 2.5" vertical: 10"

SATIN ALUMINUM

**T24 4435791S-04**  
**LED** LED: 2700K, 16.5 watts,  
1350 gross lumens

BURNT SIENNA

■ **4435791S-710**

### MEDIUM LED WALL / BATH

DAMP ADA

W: 26" H: 5" E: 3.75"  
Height from center of outlet box  
horizontal: 2.5" vertical: 13"

SATIN ALUMINUM

**T24 4535791S-04**  
**LED** LED: 2700K, 22 watts,  
1800 gross lumens

BURNT SIENNA

■ **4535791S-710**

### LARGE LED WALL / BATH

DAMP ADA

W: 38" H: 5" E: 3.75"  
Height from center of outlet box  
horizontal: 2.5" vertical: 19"

SATIN ALUMINUM

**T24 4635791S-04**  
**LED** LED: 2700K, 33 watts,  
2700 gross lumens

BURNT SIENNA

■ **4635791S-710**

### EXTRA LARGE LED WALL / BATH

DAMP ADA

W: 50" H: 5" E: 3.75"  
Height from center of outlet box  
horizontal: 2.5" vertical: 25"

SATIN ALUMINUM

**T24 4735791S-04**  
**LED** LED: 2700K, 44 watts,  
3600 gross lumens

BURNT SIENNA

■ **4735791S-710**



## EASTLAND

Art Deco details are combined with the latest in LED technology in the transitional Eastland collection. The linear housing, cast domed end caps and frosted acrylic diffuser create an updated, inviting and versatile silhouette, while the integrated linear LED provides superior quality, dimmable, warm light which is extremely energy efficient.



SMALL LED WALL / BATH



MEDIUM LED WALL / BATH



LARGE LED WALL / BATH



EXTRA LARGE LED WALL / BATH

MOUNTING OPTIONS



MOUNTS  
VERTICALLY OR  
HORIZONTALLY

SMALL LED  
WALL / BATH

DAMP ADA

W: 22.5" H: 5" E: 3.75"  
Height from center of outlet box  
horizontal: 2.5" vertical: 11.25"

T24 4435691S-04  
LED: 2700K, 16.5 watts,  
1350 gross lumens

MEDIUM LED  
WALL / BATH

DAMP ADA

W: 28.75" H: 5" E: 3.75"  
Height from center of outlet box  
horizontal: 2.5" vertical: 14.5"

T24 4535691S-04  
LED: 2700K, 22 watts,  
1800 gross lumens

LARGE LED  
WALL / BATH

DAMP ADA

W: 41" H: 5" E: 3.75"  
Height from center of outlet box  
horizontal: 2.5" vertical: 20.5"

T24 4635691S-04  
LED: 2700K, 33 watts,  
2700 gross lumens

EXTRA LARGE LED  
WALL / BATH

DAMP ADA

W: 53" H: 5" E: 3.75"  
Height from center of outlet box  
horizontal: 2.5" vertical: 26.5"

T24 4735691S-04  
LED: 2700K, 44 watts,  
3600 gross lumens






## VALVERDE

Sleek and modern, these contemporary cylindrical, linear vanity fixtures are made of White Acrylic and Aluminum. Mounted vertically or horizontally, the Valverde Collection offers the incredible advantage of fully dimmable, warm white LED lighting.






SMALL LED WALL / BATH



MEDIUM LED WALL / BATH



LARGE LED WALL / BATH

MOUNTING OPTIONS



MOUNTS  
VERTICALLY OR  
HORIZONTALLY

SMALL LED  
WALL / BATH

DAMP

W: 11.5" H: 5.5" E: 4.25"  
Height from center of outlet box  
horizontal: 2.75" vertical: 5.75"

**T24** **4122891S-04**  
**LED** LED: 2700K, 11 watts,  
900 gross lumens

MEDIUM LED  
WALL / BATH

DAMP

W: 25.5" H: 5.5" E: 4.25"  
Height from center of outlet box  
horizontal: 2.75" vertical: 12.25"

**T24** **4422891S-04**  
**LED** LED: 2700K, 22 watts,  
1800 gross lumens

LARGE LED  
WALL / BATH

DAMP

W: 37.25" H: 6.75" E: 4.25"  
Height from center of outlet box  
horizontal: 3.5" vertical: 18.75"

**T24** **4522891S-04**  
**LED** LED: 2700K, 33 watts,  
2700 gross lumens

# CENTER STAGE



THREE LIGHT WALL / BATH – CHROME FINISH [-05]



FOUR LIGHT WALL / BATH – BRUSHED STAINLESS FINISH [-98]



FIVE LIGHT WALL / BATH – CHROME FINISH [-05]




SIX LIGHT WALL / BATH – BRUSHED STAINLESS FINISH [-98]



EIGHT LIGHT WALL / BATH – CHROME FINISH [-05]

## MOUNTING OPTIONS



MOUNTS  
VERTICALLY OR  
HORIZONTALLY  
(ALL FINISHES)

### THREE LIGHT WALL / BATH

DAMP

W: 18" H: 4.25" E: 2.25"  
Height from center of outlet box  
horizontal: 2.25" vertical: 9"

CHROME

**T24 4737-05**  
(3) Medium Base  
G25 100w max.

BRUSHED STAINLESS  
■ **4737-98**

### FOUR LIGHT WALL / BATH

DAMP

W: 24" H: 4.25" E: 2.25"  
Height from center of outlet box  
horizontal: 2.25" vertical: 12"

CHROME

**T24 4738-05**  
(4) Medium Base  
G25 100w max.

BRUSHED STAINLESS  
■ **4738-98**

### FIVE LIGHT WALL / BATH

DAMP

W: 30" H: 4.25" E: 2.25"  
Height from center of outlet box  
horizontal: 2.25" vertical: 15"

CHROME

**T24 4735-05**  
(5) Medium Base  
G25 100w max.

BRUSHED STAINLESS  
■ **4735-98**

### SIX LIGHT WALL / BATH

DAMP

W: 36" H: 4.25" E: 2.25"  
Height from center of outlet box  
horizontal: 2.25" vertical: 18"

CHROME

**T24 4739-05**  
(6) Medium Base  
G25 100w max.

BRUSHED STAINLESS  
■ **4739-98**

### EIGHT LIGHT WALL / BATH

DAMP

W: 48" H: 4.25" E: 2.25"  
Height from center of outlet box  
horizontal: 2.25" vertical: 24"

CHROME

**T24 4740-05**  
(8) Medium Base  
G25 100w max.

BRUSHED STAINLESS  
■ **4740-98**



FOUR LIGHT WALL / BATH – CHROME FINISH [-05]



SIX LIGHT WALL / BATH – BRUSHED NICKEL FINISH [-962]



EIGHT LIGHT WALL / BATH – CHROME FINISH [-05]

MOUNTING OPTIONS



MOUNTS  
VERTICALLY OR  
HORIZONTALLY  
(ALL FINISHES)

**FOUR LIGHT  
WALL / BATH**

DAMP

W: 24" H: 4.75" E: 2.5"  
Height from center of outlet box  
horizontal: 2.5" vertical: 12"

CHROME

**T24 4701-05**  
(4) Medium Base G25 100w max.

BRUSHED NICKEL  
**4701-962**

**SIX LIGHT  
WALL / BATH**

DAMP

W: 36" H: 4.75" E: 2.5"  
Height from center of outlet box  
horizontal: 2.5" vertical: 18"

CHROME

**T24 4702-05**  
(6) Medium Base G25 100w max.

BRUSHED NICKEL  
**4702-962**

**EIGHT LIGHT  
WALL / BATH**

DAMP

W: 48" H: 4.75" E: 2.5"  
Height from center of outlet box  
horizontal: 2.5" vertical: 24"

CHROME

**T24 4703-05**  
(8) Medium Base G25 100w max.

BRUSHED NICKEL  
**4703-962**

# ADA SCONCES



BRUSHED NICKEL FINISH  
WHITE ACRYLIC DIFFUSER

## LED WALL / BATH SCONCE

W: 11.75" H: 8.75" E: 4"  
Height from center of outlet box: 6.75"

**WOD** **4933991S-962**  
LED: 2700K, 14 watts,  
1000 gross lumens

**DAMP** **ADA**  
UL ONLY



BRUSHED NICKEL FINISH  
SATIN WHITE ACRYLIC DIFFUSER

## ONE LIGHT WALL / BATH SCONCE

W: 6" H: 12.5" E: 3.5"  
Height from center of outlet box: 6.25"

**T24** **4934093S-962**  
**WOD** LED: 3000K, 14 watts,  
**EN★** 1000 gross lumens

**DAMP** **ADA**  
UL ONLY



BRUSHED NICKEL FINISH  
FROSTED GLASS

## TWO LIGHT WALL / BATH SCONCE

W: 15.75" H: 10" E: 4"  
Height from center of outlet box up: 5.75"

**T24** **49170EN3-962**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**DAMP** **ADA**



BRUSHED NICKEL FINISH  
SATIN WHITE ACRYLIC DIFFUSER

## ONE LIGHT WALL / BATH SCONCE

W: 9.5" H: 10.5" E: 4"  
Height from center of outlet box up: 5.25"

**T24** **4933593S-962**  
**WOD** LED: 3000K, 14 watts,  
**EN★** 1000 gross lumens

**DAMP** **ADA**  
UL ONLY



BRUSHED NICKEL FINISH  
WHITE GLASS

## ONE LIGHT WALL / BATH SCONCE

W: 15" H: 7.5" E: 4"  
Height from center of outlet box up: 3"

**T24** **4135-962**  
(1) Medium Base 100w max.

**T24** **4135EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**WOD** **413591S-962**  
LED: 2700K, 14 watts,  
1000 gross lumens

**DAMP** **ADA**



BRUSHED NICKEL FINISH  
CLEAR HIGHLIGHTED SATIN ETCHED GLASS

## ETERNITY ONE LIGHT WALL / BATH SCONCE

W: 9.5" H: 9.25" E: 4"  
Height from center of outlet box up: 4.25"

**T24** **41115-962**  
(1) Medium Base 100w max.

**T24** **41115EN3-962**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**WOD** **4111493S-962**  
LED: 3000K, 9 watts,  
700 gross lumens

**DAMP** **ADA**





BRUSHED NICKEL FINISH  
SATIN WHITE ACRYLIC DIFFUSER

## ONE LIGHT WALL / BATH SCONCE

W: 7.5" H: 13.5" E: 3.25"  
Height from center of outlet box: 6.75"

**WOD** 4933197S-962  
LED: 2700K, 14 watts,  
1000 gross lumens

**DAMP** **ADA**  
UL  
ONLY



BURNT SIENNA FINISH  
SATIN WHITE ACRYLIC DIFFUSER

## ONE LIGHT WALL / BATH SCONCE

W: 7.5" H: 13.5" E: 3.25"  
Height from center of outlet box: 6.75"

**WOD** 4933197S-710  
LED: 2700K, 14 watts,  
1000 gross lumens

**DAMP** **ADA**  
UL  
ONLY



WHITE FINISH  
WHITE GLASS

## ONE LIGHT WALL / BATH SCONCE

W: 11.5" H: 5.75" E: 4"  
Height from center of outlet box up: 2.5"

**T24** 4148-15  
(1) Medium Base 100w max.  
**T24** 4148EN3-15  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**T24** 414893S-15  
**WOD** LED: 3000K, 14 watts,  
**EN★** 1000 gross lumens



BRUSHED NICKEL FINISH  
OPAL CASED ETCHED GLASS

## ONE LIGHT WALL / BATH SCONCE

W: 8" H: 10.5" E: 4"  
Height from center of outlet box  
up: 5.75"

**T24** 49119-962  
(1) Medium Base 60w max.

**T24** 49119EN3-962  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**WOD** 4911997S-962  
LED: 2700K, 14 watts,  
1000 gross lumens

**DAMP** **ADA**



HEIRLOOM BRONZE FINISH  
OPAL CASED ETCHED GLASS

## ONE LIGHT WALL / BATH SCONCE

W: 8" H: 10.5" E: 4"  
Height from center of outlet box  
up: 5.75"

**T24** 49119-782  
(1) Medium Base 60w max.

**T24** 49119EN3-782  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**WOD** 4911997S-782  
LED: 2700K, 14 watts,  
1000 gross lumens

**DAMP** **ADA**



HEIRLOOM BRONZE FINISH  
AMBER SCAVO GLASS

## ONE LIGHT WALL / BATH SCONCE

W: 8" H: 10.25" E: 4"  
Height from center of outlet box  
up: 5.75"

**T24** 49139-782  
(1) Medium Base 60w max.

**T24** 49139EN3-782  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**DAMP** **ADA**

# ADA SCONCES




BRUSHED NICKEL FINISH  
WHITE ACRYLIC DIFFUSER

## NEXUS ONE LIGHT WALL / BATH SCONCE

DAMP ADA

W: 14.75" H: 7.25" E: 3.75"  
Height from center of outlet box  
up: 2.5"

T24 4915193S-962  
WOD LED: 3000K, 14 watts,  
EN★ 1000 gross lumens



BRUSHED NICKEL FINISH  
WHITE ACRYLIC DIFFUSER

## NEXUS TWO LIGHT WALL / BATH SCONCE

DAMP ADA

W: 20" H: 10" E: 4"  
Height from center of outlet box  
up: 2.75"

T24 4915093S-962  
WOD LED: 3000K, 28 watts,  
EN★ 2000 gross lumens



WHITE FINISH  
WHITE ACRYLIC DIFFUSER

## ONE LIGHT WALL / BATH SCONCE

DAMP ADA

W: 13.75" H: 6.25" E: 4"  
Height from center of outlet box  
up: 3.75"

EN★ 4938EN3-15  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



WITH BRUSHED NICKEL &  
HEIRLOOM BRONZE ENDCAPS

## METROPOLIS ONE LIGHT WALL SCONCE

DAMP ADA

W: 8" H: 8.25" E: 4"  
Height from center of outlet box up: 3.25"

T24 41036-999  
(1) Medium Base 100w max.

T24 41036EN3-999  
EN★ (1) Med. Base LED 3000K,  
9w, 800 lumen lamp incl.



WHITE FINISH  
WHITE GLASS

## ONE LIGHT WALL / BATH SCONCE

DAMP

W: 10.75" H: 5.25" E: 4.25"  
Height from center of outlet box  
up: 2.5"

**T24 4123-15**  
(1) Medium Base 100w max.

**T24 4123EN3-15**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**WOD 412397S-15**  
LED: 2700K, 9 watts,  
700 gross lumens



WHITE FINISH  
WHITE ACRYLIC DIFFUSER

## ONE LIGHT WALL / BATH SCONCE

DAMP

W: 13.75" H: 6.75" E: 5.25"  
Height from center of outlet box  
up: 4"

**T24 4138-15**  
(1) Medium Base 100w max.

**T24 4138EN3-15**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ANTIQUE BRONZE FINISH  
NUAGE CREME GLASS

## ONE LIGHT WALL / BATH SCONCE

DAMP

W: 10" H: 10" E: 5"  
Height from center of outlet box  
up: 4.75"

**T24 4108-71**  
(1) Medium Base 100w max.

**T24 4108EN3-71**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



BLACKSMITH FINISH  
HAMMERTONE GLASS

## ONE LIGHT WALL / BATH SCONCE

DAMP

W: 8" H: 8.5" E: 4.5"  
Height from center of outlet box  
up: 3"

**T24 41640-839**  
(1) Medium Base 100w max.

**T24 41640EN3-839**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**SMALL TWO LIGHT  
WALL / BATH**

DAMP ADA

W: 23.5" H: 4.5" E: 4"  
Height from center of outlet box  
horizontal: 2.25" vertical: 11.75"

**T24** **49215BLE-962**  
**FL** (2) Mini Bi-Pin T5 14w  
lamps included  
120V NPF Electronic Ballast



**MEDIUM  
TWO LIGHT  
WALL / BATH**

DAMP ADA

W: 35.5" H: 4.5" E: 4"  
Height from center of outlet box  
horizontal: 2.25" vertical: 17.75"

**T24** **49216BLE-962**  
**FL** (2) Mini Bi-Pin T5 21w  
lamps included  
120V NPF Electronic Ballast

**MOUNTING OPTIONS**



**MOUNTS  
VERTICALLY OR  
HORIZONTALLY**

**RECOMMENDED PRODUCTS**



**MIDLAND CEILING,**  
p.336  
Brushed Nickel Finish

WALL / BATH



SMALL TWO LIGHT WALL / BATH - CHROME FINISH END CAPS  
WHITE ACRYLIC DIFFUSER

**SMALL  
TWO LIGHT  
WALL / BATH**

DAMP

W: 24" H: 3.25" E: 5.25"  
Height from center of outlet box  
up: 1.75"

**T24** **49013LE-05**  
**FL** (2) Medium Bi-Pin T8 17w max.  
120V HPF Electronic Ballast



MEDIUM TWO LIGHT WALL / BATH - CHROME FINISH END CAPS  
WHITE ACRYLIC DIFFUSER

**MEDIUM  
TWO LIGHT  
WALL / BATH**

DAMP

W: 36" H: 3.25" E: 5.25"  
Height from center of outlet box  
up: 1.75"

**T24** **49014LE-05**  
**FL** (2) Medium Bi-Pin T8 25w max.  
120V HPF Electronic Ballast



LARGE TWO LIGHT WALL / BATH - CHROME FINISH END CAPS  
WHITE ACRYLIC DIFFUSER

**LARGE  
TWO LIGHT  
WALL / BATH**

DAMP

W: 48" H: 3.25" E: 5.25"  
Height from center of outlet box  
up: 1.75"

**T24** **49015LE-05**  
**FL** (2) Medium Bi-Pin T8 32w max.  
120V HPF Electronic Ballast





TWO LIGHT MULTI-VOLT - WHITE FINISH  
WHITE ACRYLIC DIFFUSER

## TWO LIGHT MULTI-VOLT CEILING / WALL MOUNT DAMP

W: 24.25" H: 4.5" E: 4.5"  
Height from center of outlet box  
horizontal: 2.25" vertical: 12.25"

**T24 49024LE-15**  
**FL** (2) Medium Bi-Pin T8 17w max.  
120/277V HPF Electronic Ballast



TWO LIGHT MULTI-VOLT - WHITE FINISH  
WHITE ACRYLIC DIFFUSER

## TWO LIGHT MULTI-VOLT CEILING / WALL MOUNT DAMP

W: 48.25" H: 4.5" E: 4.5"  
Height from center of outlet box  
horizontal: 2.25" vertical: 24.25"

**T24 49026LE-15**  
**FL** (2) Medium Bi-Pin T8 32w max.  
120/277V HPF Electronic Ballast




ONE LIGHT WALL / BATH - WHITE FINISH  
WHITE ACRYLIC DIFFUSER

## ONE LIGHT WALL / BATH DAMP ADA

W: 13.75" H: 6.75" E: 3.5"  
Height from center of outlet box  
horizontal: 3.5" vertical: 7"

**EN★ 4939EN3-68**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



THREE LIGHT WALL / BATH - WHITE FINISH  
WHITE ACRYLIC DIFFUSER

## THREE LIGHT WALL / BATH DAMP ADA

W: 25.75" H: 6.75" E: 3.5"  
Height from center of outlet box  
horizontal: 3.5" vertical: 13"

**EN★ 4940EN3-68**  
(3) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



TWO LIGHT WALL / BATH - WHITE FINISH  
WHITE ACRYLIC DIFFUSER

## TWO LIGHT WALL / BATH DAMP

W: 38.75" H: 6" E: 4.75"  
Height from center of outlet box  
horizontal: 3" vertical: 19.5"

**T24 4910LE-68**  
**FL** (2) Medium Bi-Pin T8 25w max.  
120V NPF Electronic Ballast

### MOUNTING OPTIONS



MOUNTS  
VERTICALLY OR  
HORIZONTALLY



ONE LIGHT WALL / BATH - SMOOTH WHITE STEEL FINISH  
WHITE U-CHANNEL GLASS



TWO LIGHT WALL / BATH - SMOOTH WHITE STEEL FINISH  
WHITE U-CHANNEL GLASS



FOUR LIGHT WALL / BATH - SMOOTH WHITE STEEL FINISH  
WHITE U-CHANNEL GLASS

ONE LIGHT WALL / BATH DAMP

W: 4.5" H: 7.5" E: 4.75"  
Height from center of outlet box  
up: 4.5"

**T24 4449-15**  
(1) Medium Base 75w max.

**T24 4449EN3-15**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

TWO LIGHT WALL / BATH DAMP

W: 15" H: 4.5" E: 5"  
Height from center of outlet box  
up: 2.25"

**T24 4453-15**  
(2) Medium Base 75w max.

**T24 4453EN3-15**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

FOUR LIGHT WALL / BATH DAMP

W: 24" H: 4.5" E: 5"  
Height from center of outlet box  
up: 2.25"

**T24 4455-15**  
(4) Medium Base 60w max.

**T24 4455EN3-15**  
**EN★** (4) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

# LOOKING FOR ADDITIONAL WALL / BATH FIXTURES?

This section is only a sampling of the wall and bath fixtures we offer. You will find additional options spread throughout multiple sections of this catalog.

Below is a listing of the other collections and their corresponding page numbers where you can find additional fixtures to help meet your needs.

## ADDITIONAL WALL / BATH FIXTURES

Centra	p.164
Ellington	p.216
Stirling	p.154



STIRLING ONE LIGHT  
WALL SCONCE



ONE LIGHT OUTDOOR  
WALL LANTERN



TWO LIGHT  
WALL / BATH







# CEILING FANS

---

Ceiling fans are a great way to cost-effectively control the temperature in your home. In the summer months they help you circulate cool air, and in the winter they help heat your space by redirecting warm air down from the ceiling. For added functionality, all of our ceiling fans can be used with a light kit to add general illumination in a room.

# QUALITY PRO DELUXE 52"



EN★ 15162EN-15  
WHITE FINISH  
WHITE FINISH BLADES  
WHITE FAUX ALABASTER GLASS



EN★ 15160EN-255  
BRUSHED PEWTER FINISH  
WALNUT FINISH BLADES  
WHITE FAUX ALABASTER GLASS

### FEATURES

**5 Blade fan**

5 extra-wide 130mm, high quality plywood blades.

**Pull chain activated**

Includes three speed reversible motor with pull chain control.

**Integrated light fixture**

(3) 40w lamps included.

**Flush mount capable**

All Quality Pro Deluxe fans include hardware required for flush mount installation.

**Optional remote & accessories**

All fans can be customized to complement any décor by selecting from a variety of accessories, available on p.433. For optional remote control, select category A or B on p.432.

**Lifetime motor warranty**

### ENERGY INFORMATION

**Energy information at average speed**

Airflow	Electricity	Efficiency	Yearly Energy Cost
3,269 CFM	37 watts	87 CFM / watt	\$11 / year
<i>cubic feet per minute</i>	<i>excludes lights</i>	<i>cubic feet per minute per watt</i>	


**Energy information at high speed**

Airflow	Electricity	Efficiency
4,224 CFM	56 watts	75 CFM / watt
<i>cubic feet per minute</i>	<i>excludes lights</i>	<i>cubic feet per minute per watt</i>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51-176 CFM/watt at high speed.




**EN★ 15163EN3-191**  
ROMAN BRONZE FINISH  
ROMAN BRONZE / AMERICAN WALNUT DUAL FINISH BLADES  
WHITE FAUX ALABASTER GLASS



DUAL FINISH  
BLADES



**EN★ 15161EN3-191**  
ROMAN BRONZE FINISH  
ROMAN BRONZE / AMERICAN WALNUT DUAL FINISH BLADES  
CHAMPAGNE SCAVO GLASS



DUAL FINISH  
BLADES

SPECIFICATIONS

Dimensions	D: 52" H: 15.8"	Motor size	153mm x 12mm	Blade Pitch	11°
Min. ceiling height	7.88'	Wattage	(3) Candelabra Base LED 3.5w, 350 Lumens, 2700k lamps included		

COORDINATED COLLECTIONS



QUALITY PRO DELUXE **15161EN3-191** coordinates with the following indoor collections:

<b>ELLINGTON</b> , p.216	Burnt Sienna [-710]	<b>SFERA</b> , p.186	Autumn Bronze w/Cafe Tint Glass [-715]
<b>PARKFIELD</b> , p.198	Flemish Bronze [-845]	<b>STIRLING</b> , p.154	Burnt Sienna [-710]

## QUALITY MAX 52"

---



**15030-15**  
WHITE FINISH  
WHITE FINISH BLADES




**15030-05**  
CHROME FINISH  
SILVER FINISH BLADES



**15030-839**  
BLACKSMITH FINISH  
BLACK FINISH BLADES



**15030-962**  
BRUSHED NICKEL FINISH  
MAHOGANY DARK / OAK DUAL FINISH BLADES



DUAL FINISH  
BLADES



**15030-782**  
HEIRLOOM BRONZE FINISH  
WALNUT GRAIN FINISH BLADES



FEATURES

5 Blade fan

5 extra-wide 139mm, high quality plywood blades.

Pull chain activated

Includes three speed reversible motor with pull chain control.

Light kit available

Light kit not included, order optional light kit 16148EN3, 16120EN or 16021EN3 in the selected finish on p.430.

Flush mount capable

All Quality Max fans include hardware required for flush mount installation.

Optional remote & accessories

All fans can be customized to complement any décor by selecting from a variety of accessories, available on p.433. For optional remote control, select category A, B or D on p.432.

Lifetime motor warranty

ENERGY INFORMATION

Energy information at average speed

Airflow	Electricity	Efficiency	Yearly Energy Cost
3,263 CFM	39 watts	84 CFM / watt	\$11 / year
<i>cubic feet per minute</i>	<i>excludes lights</i>	<i>cubic feet per minute per watt</i>	

Energy information at high speed

Airflow	Electricity	Efficiency
6,182 CFM	66 watts	94 CFM / watt
<i>cubic feet per minute</i>	<i>excludes lights</i>	<i>cubic feet per minute per watt</i>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51-176 CFM/watt at high speed.

SPECIFICATIONS			
Dimensions	D: 52" H: 12.75"	Motor size	153mm x 15mm
Min. ceiling height	7.99'	Blade Pitch	11°
		Wattage	Varies based on light kit selected

COORDINATED COLLECTIONS

QUALITY MAX 15030-05 coordinates with the following indoor collections:

ACADEMY, p.190

ENGLEHORN, p.136

OSLO, p.128

Chrome [-05]

Chrome [-05]

Chrome [-05]

QUALITY MAX 15030-782 coordinates with the following indoor collections:

CARONDELET, p.208

METCALF, p.180

SFERA, p.186

Burnt Sienna [-710]

Autumn Bronze [-715]

Autumn Bronze [-715]

QUALITY MAX 15030-962 coordinates with the following indoor collections:

DRISCOLL, p.160

METCALF, p.180

Brushed Nickel [-962]

Brushed Nickel [-962]

QUALITY MAX 15030-839 coordinates with the following indoor collections:

CHATAUQUA, p.122

GOLIAD, p.178

ELSA, p.62

MORILL, p.110

OSLO, p.128

RAVENWOOD MANOR, p.196

WINNETKA, p.148

Stardust [-846]

Blacksmith [-839]

Heirloom Bronze [-782]

Blacksmith [-839]

Blacksmith [-839]

Stardust [-846]

Blacksmith [-839]

LED & Replacement Lamps: p.594 Ceiling Fan Accessories: p.433

SeaGullLighting.com 423

## QUALITY MAX PLUS 52"



**15030EN3-15**  
WHITE FINISH  
WHITE FINISH BLADES



**15030EN3-965**  
ANTIQUE BRUSHED NICKEL FINISH  
TEAK WOOD GRAIN FINISH BLADES



**15030EN3-782**  
HEIRLOOM BRONZE FINISH  
WALNUT GRAIN FINISH BLADES



**15030EN3-962**  
BRUSHED NICKEL FINISH  
MAHOGANY DARK / OAK DUAL FINISH BLADES



DUAL FINISH  
BLADES



**15040EN3-962**  
BRUSHED NICKEL FINISH  
CERUSED OAK / EBONY DUAL FINISH BLADES



DUAL FINISH  
BLADES



**15040EN3-782**  
HEIRLOOM BRONZE FINISH  
CERUSED OAK / EBONY DUAL FINISH BLADES



DUAL FINISH  
BLADES

## FEATURES

### 5 Blade fan

5 extra-wide 139mm, high quality plywood blades.

### Pull chain activated

Includes three-speed reversible motor with pull chain control.

### Integrated light fixture

Replacement lamps available on p.594.

### Flush mount capable

All Quality Max Plus fans include hardware required for flush mount installation.

### Optional remote & accessories

All fans can be customized to complement any décor by selecting from a variety of accessories, available on p.433. For optional remote control, select category A or D on p.432.

### Lifetime motor warranty

## ENERGY INFORMATION

### Energy information at average speed

Airflow	Electricity	Efficiency	Yearly Energy Cost
3,237 CFM	39 watts	82 CFM / watt	\$11 / year
<i>cubic feet per minute</i>	<i>excludes lights</i>	<i>cubic feet per minute per watt</i>	

### Energy information at high speed

Airflow	Electricity	Efficiency
5,996 CFM	65 watts	92 CFM / watt
<i>cubic feet per minute</i>	<i>excludes lights</i>	<i>cubic feet per minute per watt</i>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51-176 CFM/watt at high speed.

## SPECIFICATIONS

Dimensions	D: 52" H: 19.1"	Motor size	153mm x 15mm	Blade Pitch	11"
Min. ceiling height	7.99'	Wattage	(2) Med. Base LED 3000K, 9.5w, 800 lumen lamps included		

## COORDINATED COLLECTIONS

QUALITY MAX PLUS 15030EN3-965 coordinates with the following indoor collections:

CARONDELET, p.208	Antiqued Brushed Nickel [-965]
MONTREAL, p.315	Antiqued Brushed Nickel [-965]

QUALITY MAX PLUS 15030EN3-962 coordinates with the following indoor collections:

PARKFIELD, p.198	Brushed Nickel [-962]
------------------	-----------------------

QUALITY MAX PLUS 15040EN3-782 coordinates with the following indoor collections:

ACADEMY, p.190	Heirloom Bronze [-782]
BANNOCK, p.104	Heirloom Bronze [-782]
BELTON, p.172	Heirloom Bronze [-782]
CANFIELD, p.50	Burnt Sienna [-710]
CHATAUQUA, p.122	Antique Bronze [-71]
CORBEILLE, p.232	Stardust [-846]
CORSICANA, p.120	Heirloom Bronze [-782]
DUNNING, p.204	Stardust [-846]
EMMONS, p.86	Heirloom Bronze [-782]
FRANPORT, p.66	Burnt Sienna [-710]
HANFORD, p.166	Burnt Sienna [-710]
HETTINGER, p.80	Burnt Sienna [-710]
HOLMAN, p.242	Heirloom Bronze [-782]
KERRVILLE, p.140	Heirloom Bronze [-782]
NANCE, p.98	Heirloom Bronze [-782]
SEVILLE, p.76	Burnt Sienna [-710]
SUSSEX, p.220	Heirloom Bronze [-782]
WHEATON, p.236	Heirloom Bronze [-782]
WINDGATE, p.226	Heirloom Bronze [-782]

QUALITY MAX PLUS 15030EN3-15 coordinates with the following indoor collections:

ALTURAS, p.114	Satin Bronze [-848]
DRISCOLL, p.160	Satin Bronze [-848]
TOWNER, p.92	Satin Bronze [-848]

QUALITY MAX PLUS 15040EN3-962 coordinates with the following indoor collections:

ACADEMY, p.190	Brushed Nickel [-962]
ALTURAS, p.114	Brushed Nickel [-962]
BANNOCK, p.104	Brushed Nickel [-962]
BELTON, p.172	Brushed Nickel [-962]
CANFIELD, p.50	Brushed Nickel [-962]
CENTRA, p.164	Brushed Stainless [-98]
EMMONS, p.86	Brushed Nickel [-962]
FRANPORT, p.66	Brushed Nickel [-962]
HANFORD, p.166	Brushed Nickel [-962]
HETTINGER, p.80	Brushed Nickel [-962]
HOLMAN, p.242	Brushed Nickel [-962]
KERRVILLE, p.140	Brushed Nickel [-962]
METROPOLIS, p.315	Brushed Nickel [-962]
NANCE, p.98	Brushed Nickel [-962]
OSLO, p.128	Brushed Nickel [-962]
SEVILLE, p.76	Brushed Nickel [-962]
STIRLING, p.154	Brushed Nickel [-962]
SUSSEX, p.220	Brushed Nickel [-962]
TOWNER, p.92	Brushed Nickel [-962]
WHEATON, p.236	Brushed Nickel [-962]
WINDGATE, p.226	Brushed Nickel [-962]
WINNETKA, p.148	Brushed Nickel [-962]

# LONG BEACH 52"



EN★ 1540-15  
WHITE POWDERCOAT FINISH  
WHITE FINISH ABS RESIN BLADES



EN★ 1540-10  
BRONZE POWDERCOAT FINISH  
OAK FINISH ABS RESIN BLADES

### FEATURES

**5 Blade fan**

5 durable, all weather ABS resin blades.

**Pull chain activated**

Includes three speed reversible motor with pull chain control.

**Easy maintenance**

Housing is easy to clean, fan features rust-proof stainless steel hardware. Waterproof design with rubber sealed switches and wiring.

**Light kit available**

Light kit not included, order optional light kit 16149BL in the selected finish on p.450.

**Optional remote & accessories**

All fans can be customized to complement any décor by selecting from a variety of accessories, available on p.453. For optional remote control, select category A on p.452.

**Lifetime motor warranty**

### SPECIFICATIONS

Dimensions	D: 52" H: 14"
Blade pitch	12°
Wattage	Varies based on light kit selected
Min. ceiling height	7.6'
Motor size	153mm x 17mm

**Energy information at high speed**

Airflow	Electricity use	Efficiency
5,502 CFM	62 watts	89 CFM/watt
<i>cubic feet per minute</i>	<i>excludes lights</i>	<i>cubic feet per minute per watt</i>

*Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51-176 CFM/watt at high speed.*





1525-15  
WHITE POWDERCOAT FINISH  
WHITE FINISH ABS RESIN BLADES

FEATURES

5 Blade fan

5 durable, all weather ABS resin blades.

Pull chain activated

Includes three speed reversible motor with pull chain control.

Easy maintenance

Housing is easy to clean, fan features rust-proof stainless steel hardware. Waterproof design with rubber sealed switches and wiring.

Light kit available

Light kit not included, order optional light kit 16149EN3 in the selected finish on p.430.

Flush mount capable

For flush mount installation, order flush mount canopy 1631 in the selected finish on p.432.

Optional remote & accessories

All fans can be customized to complement any décor by selecting from a variety of accessories, available on p.433. For optional remote control, select category A on p.432.

Lifetime motor warranty

ENERGY INFORMATION

Energy information at average speed

Airflow	Electricity	Efficiency	Yearly Energy Cost
3,145 CFM	32 watts	98 CFM / watt	\$9 / year
<i>cubic feet per minute</i>	<i>excludes lights</i>	<i>cubic feet per minute per watt</i>	

Energy information at high speed

Airflow	Electricity	Efficiency
3,817 CFM	46 watts	83 CFM / watt
<i>cubic feet per minute</i>	<i>excludes lights</i>	<i>cubic feet per minute per watt</i>

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71-86 CFM/watt at high speed.

SPECIFICATIONS			
Dimensions	D: 42" H: 13.25"	Motor size	153mm x 13mm
		Blade Pitch	12°
Min. ceiling height	7.85'	Wattage	Varies based on light kit selected

# PANORAMA 42" & 52"



EN★ 15045-191  
ROMAN BRONZE FINISH  
OAK FINISH ABS RESIN BLADES



EN★ 15046-191  
ROMAN BRONZE FINISH  
OAK FINISH ABS RESIN BLADES

## FEATURES

### 5 Blade fan

5 durable, all weather ABS resin blades.

### Pull chain activated

Includes three speed reversible motor with pull chain control.

### Easy maintenance

Housing is easy to clean, fan features rust-proof stainless steel hardware. Waterproof design with rubber sealed switches and wiring.

### Light kit available

Light kit not included, order optional light kit 16149EN3 in the selected finish on p.430.

### Optional remote & accessories

All fans can be customized to complement any décor by selecting from a variety of accessories, available on p.433. For optional remote control, select category A on p.432.

### Lifetime motor warranty

## ENERGY INFORMATION

### Energy information at average speed

Airflow	Electricity	Efficiency	Yearly Energy Cost
15045-191 3,145 CFM	32 watts	98 CFM/watt	\$9
15046-191 5,062 CFM	39 watts	82 CFM/watt	\$11
<i>cubic feet per minute</i>	<i>excludes lights</i>	<i>cubic feet per minute per watt</i>	

### Energy information at high speed

Airflow	Electricity	Efficiency
15045-191 3,841 CFM	46 watts	84 CFM/watt
15046-191 5,240 CFM	62 watts	85 CFM/watt
<i>cubic feet per minute</i>	<i>excludes lights</i>	<i>cubic feet per minute per watt</i>

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approximately 71-86 CFM/watt at high speed.

49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51-176 CFM/watt at high speed.

## SPECIFICATIONS

Dimensions	15045-191 D: 42" H: 12.5" / 15046-191 D: 52" H: 12.75"	Motor size	153mm x 15mm	Blade Pitch	12°
Min. ceiling height	7.6'	Wattage	Varies based on light kit selected		

Product Shown: Quality Max 52" Indoor Fan in Heirloom Bronze

CEILING FANS



# LIGHT KITS

## ONE LIGHT CEILING FAN LIGHT KIT\*

D: 10.75" H: 3.5"  
T24 (1) Med. Base LED 3000K,  
EN★ 9.5w, 800 lumen lamps incl.

Compatible with Quality Max ceiling fans



16148EN3-15  
WHITE FINISH  
WHITE GLASS



16148EN3-05  
CHROME FINISH  
WHITE GLASS



16148EN3-962  
BRUSHED NICKEL FINISH  
WHITE GLASS



16148EN3-782  
HEIRLOOM BRONZE FINISH  
WHITE GLASS



16148EN3-839  
BLACKSMITH FINISH  
WHITE GLASS

## TWO LIGHT CEILING FAN LIGHT KIT\*

D: 12.25" H: 6.75"  
T24 (2) Med. Base LED 3000K,  
EN★ 9.5w, 800 lumen lamps incl.

Compatible with Quality Max ceiling fans



16021EN3-33  
SATIN ETCHED GLASS

## THREE LIGHT CEILING FAN LIGHT KIT

D: 12" H: 7"  
T24 (3) LED 2700k  
EN★ 3.5w lamps included

Compatible with Quality Max ceiling fans



16120EN-33  
SATIN ETCHED GLASS

## TWO LIGHT CEILING FAN LIGHT KIT\* WET

D: 10" H: 5"  
T24 (2) Med. Base LED 3000K,  
EN★ 9.5w, 800 lumen lamps incl.

Compatible with all Long Beach, Panorama and Bayou ceiling fans



16149EN3-15  
WHITE POWDERCOAT  
OPAL GLASS



16149EN3-10  
BRONZE POWDERCOAT  
OPAL GLASS



16149EN3-191  
ROMAN BRONZE POWDERCOAT  
OPAL GLASS

\* WARNING: All light kits shown here can only be used with an on/off switch, not with a dimming control system.



FOUR LIGHT CEILING  
FAN LIGHT KIT

D: 6.5" H: 3"  
**EN★** (4) Candelabra Base 40w lamps included  
Glass sold separately (see below)

Compatible with Quality Max ceiling fans



**1615EN-782**  
HEIRLOOM BRONZE FINISH



**1615EN-962**  
BRUSHED NICKEL FINISH



**1615EN-15**  
WHITE FINISH

GLASS CHOICES

All neck sizes 2.25", compatible  
with all 16150 and 16151 series  
fitters above.



**1633-681**  
STRATUS WHITE  
D: 5.5" H: 5.25"



**1664-692**  
ETCHED WHITE ALABASTER  
D: 5.5" H: 5.25"



**1666-33**  
SATIN WHITE  
D: 4.75" H: 5.25"



**1676-32**  
CLEAR RIBBED  
D: 4.25" H: 5"



**1676-33**  
SATIN WHITE  
D: 4.25" H: 5"

# CONTROLS

CATEGORY

A

## FAN WALL CONTROL

1601-15

- Ivory and white knobs included
- Three speed settings
- Not for fans operated by remote



CATEGORY

B

## COMBO REMOTE CONTROL KIT

16002-15

- For fans with manual reverse and incandescent light source
- Canopy installed receiver converts pull chain fan to remote capability
- Motor speed, reverse and downlight control
- White face plate included
- "Clam-shell" design enclosure for use as hand-held option
- Battery operated transmitter included, no hardwiring required



TRANSMITTER



RECEIVER



INCLUDES ENCLOSURE FOR HAND-HELD USE

CATEGORY

C

## REMOTE CONTROL TRANSMITTER

16005-15

- Transmitter accessory / companion for use with existing or installed fans with receiver
- Delivers added flexibility of use as a wall mount remote or hand-held unit
- Reverse motor and downlight control
- White face plate included
- "Clam-shell" design enclosure for use as hand-held option
- Battery operated, no hardwiring required



TRANSMITTER



INCLUDES ENCLOSURE FOR HAND-HELD USE

CATEGORY

D

## COMBO REMOTE CONTROL KIT

16006-15

- For fans with manual reverse and fluorescent light source
- Canopy installed receiver converts pull chain fan to remote capability
- Motor speed and on/off downlight control
- White face plate included
- "Clam-shell" design enclosure for use as hand-held option
- Battery operated, no hardwiring required



TRANSMITTER



RECEIVER




INCLUDES ENCLOSURE FOR HAND-HELD USE




SHOWN IN  
ROMAN BRONZE

FLUSH MOUNT CANOPY


For lower ceilings, this flush mount canopy can easily be mounted directly on the top of most Sea Gull Lighting models, bringing your fan closer to the ceiling.



**1631-15**  
WHITE FINISH




**1631-05**  
CHROME FINISH




**1631-962**  
BRUSHED NICKEL  
FINISH




**1631-965**  
ANTIQUE BRUSHED  
NICKEL FINISH




**1631-839**  
BLACKSMITH  
FINISH



**1631-191**  
ROMAN BRONZE  
FINISH




**1631-782**  
HEIRLOOM BRONZE  
FINISH




SHOWN IN  
CHROME

SLOPED CEILING ADAPTER


For extreme sloped or vaulted ceilings (up to 46° pitch). This adapter can easily be mounted onto any Sea Gull Lighting ceiling fan.



**1630-15**  
WHITE FINISH



**1630-05**  
CHROME FINISH




**1630-962**  
BRUSHED NICKEL  
FINISH



**1630-965**  
ANTIQUE BRUSHED  
NICKEL FINISH




**1630-255**  
BRUSHED PEWTER  
FINISH




**1630-839**  
BLACKSMITH  
FINISH



**1630-10**  
BRONZE FINISH



**1630-191**  
ROMAN BRONZE  
FINISH












**1630-782**  
HEIRLOOM  
BRONZE FINISH

DOWNRODS

Downrods offer added flexibility in placing fans in the exact setting desired. Decorative .5" diameter downrods are threaded on one end with pre-drilled holes on both ends. The threaded end of the downrod should be installed in the ball, inside the ceiling canopy.

For optimum performance, we recommend that your ceiling fan is installed with the blades suspended between 8' and 9' above the floor.

Using the chart, select from an extensive list of finishes and sizes for the correct downrod to match your fan finish and ceiling height.

Ceiling height	9'	10'	11'	12'	13'	15'
Suggested length	12"	18"	24"	36"	48"	72"
 White	1610-15	1611-15	1612-15	1613-15	1614-15	1617-15
 Chrome	1610-05	1611-05	1612-05	1613-05	1614-05	1617-05
 Brushed Nickel	1610-962	1611-962	1612-962	1613-962	1614-962	1617-962
 Antique Brushed Nickel	1610-965	1611-965	1612-965	1613-965	1614-965	1617-965
 Brushed Pewter	1610-255	1611-255	1612-255	1613-255	1614-255	1617-255
 Bronze	1610-10	1611-10	1612-10	1613-10	1614-10	1617-10
 Roman Bronze	1610-191	1611-191	1612-191	1613-191	1614-191	1617-191
 Heirloom Bronze	1610-782	1611-782	1612-782	1613-782	1614-782	1617-782
 Blacksmith	1610-839	1611-839	1612-839	1613-839	1614-839	1617-839



Product Shown: Chatham Two Light Outdoor Post Lantern in Oxidized Bronze







# OUTDOOR COLLECTIONS

---

Outdoor lighting provides beauty and security to its surroundings. Sea Gull Lighting enhances exterior spaces with attractive collections to suit a wide variety of styles. Keeping an eye on longevity, Sea Gull has introduced collections built to withstand all weather, including coastal, dry or harsh winter environments.

Find the final pieces to perfect any outdoor setting.


**NOTE:** Items marked with **T24** do not qualify if used indoors.



# INTRODUCING STONESTRONG COMPOSITE

After years of lighting your way indoors, Sea Gull Lighting is moving outside – as in illuminating on your front porch, gazebo, deck, patio and other outside spaces where you greet and entertain family and friends. With the introduction of four new collections of outdoor lighting fixtures made from an extremely durable material called StoneStrong, you now get the best of both worlds: The versatility, styles and range of price points you’ve come to expect from Sea Gull Lighting, coupled with the rugged, no-nonsense durability of this remarkable proprietary material.

As its name implies, StoneStrong is a material especially well-suited for harsh climates where prolonged exposure to salty air, rain, sun, snow and humidity – even debris and pollutants – is the rule, not the exception. No matter what Mother Nature dishes out, StoneStrong takes it in stride while illuminating your favorite outdoor areas.



SEA GULL LIGHTING OFFERS STONESTRONG MATERIAL IN FOUR FINISHES:  
BLACK [-12], ANTIQUE BRONZE [-71], PAINTED BRUSHED NICKEL [-753] AND WEATHERED COPPER [-44]



CALDER p.438  
Shown in  
Black [-12]



GALVYN p.442  
Shown in  
Antique Bronze [-71]



GAELAN p.440  
Shown in  
Painted Brushed Nickel [-753]



MELITO p.446  
Shown in  
Weathered Copper [-44]

The secret to StoneStrong's durability is its ingredients: emery rock, ground marble and a latex composite that's all bonded together with an industrial adhesive. The emery rock provides strength, the ground marble brings the longevity and the latex composite contributes durability. But in plain language, here's all you really need to know: It's rustproof. It resists corrosion, fading, fire, acids and alkalis. And it's twice as strong as the tensile strength of resin.

StoneStrong doesn't flinch in the face of high heat or extreme cold, either; it's designed to withstand temperatures ranging from -20°F up to 120°F. That's not all: StoneStrong scored a five – the top rating – in a 500-hour test for surface hardness and ultraviolet protection conducted by SGS Laboratories. (To put that in perspective, 500 hours is the equivalent of five years of exposure.) Better yet, it's eco-friendly, too; StoneStrong complies with the Restriction of Hazardous Substances (RoHS) directive set by the European Union.

In coastal regions or other areas where prolonged exposure to challenging elements comes with the territory, StoneStrong fixtures keep shining bright. Yet despite all these brute-strength attributes, StoneStrong can be as decorative as it is durable. Its unique properties allow our designers to create innovative custom lamp designs that feature finer details and richer textures compared to other materials, such as aluminum and resins.

Go ahead and make the move outdoors. With Sea Gull Lighting fixtures made from StoneStrong, the chances of illuminating your outdoor living space with durable lighting options – even under extreme conditions – just got a little brighter.

## 5 YEAR WARRANTY

SEA GULL LIGHTING STONESTRONG PRODUCTS  
ARE BACKED BY A 5-YEAR WARRANTY





BLACK FINISH  
SATIN ETCHED GLASS

**LARGE ONE LIGHT  
OUTDOOR  
WALL LANTERN**

WET SS

W: 10" H: 16.5" E: 11.375"  
Height from the center of outlet box  
up: 5.25"

**T24 8750701-12**  
(1) Medium Base 75w max.

**T24 8750701EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



BLACK FINISH  
SATIN ETCHED GLASS

**MEDIUM ONE LIGHT  
OUTDOOR  
WALL LANTERN**

WET SS

W: 7.875" H: 13.25" E: 9.125"  
Height from the center of outlet box  
up: 4.125"

**T24 8650701-12**  
(1) Medium Base 75w max.

**T24 8650701EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



BLACK FINISH  
SATIN ETCHED GLASS

**SMALL ONE LIGHT  
OUTDOOR  
WALL LANTERN**

WET SS

W: 6" H: 10" E: 7.25"  
Height from the center of outlet box  
up: 3.875"

**T24 8550701-12**  
(1) Medium Base 75w max.

**T24 8550701EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ANTIQUE BRONZE FINISH  
SATIN ETCHED GLASS

**LARGE ONE LIGHT  
OUTDOOR  
WALL LANTERN**

WET SS

W: 10" H: 16.5" E: 11.375"  
Height from the center of outlet box  
up: 5.25"

**T24 8750701-71**  
(1) Medium Base 75w max.

**T24 8750701EN3-71**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ANTIQUE BRONZE FINISH  
SATIN ETCHED GLASS

**MEDIUM ONE LIGHT  
OUTDOOR  
WALL LANTERN**

WET SS

W: 7.875" H: 13.25" E: 9.125"  
Height from the center of outlet box  
up: 4.125"

**T24 8650701-71**  
(1) Medium Base 75w max.

**T24 8650701EN3-71**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ANTIQUE BRONZE FINISH  
SATIN ETCHED GLASS

**SMALL ONE LIGHT  
OUTDOOR  
WALL LANTERN**

WET SS

W: 6" H: 10" E: 7.25"  
Height from the center of outlet box  
up: 3.875"

**T24 8550701-71**  
(1) Medium Base 75w max.

**T24 8550701EN3-71**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.





BLACK FINISH  
SATIN ETCHED GLASS

**OUTDOOR PENDANT**

DAMP SS

D: 10" H: 16.125"

10' wire pre-laced through 3' chain

**T24 6250701-12**  
(1) Medium Base 75w max.

**T24 6250701EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



BLACK FINISH  
SATIN ETCHED GLASS

**ONE LIGHT OUTDOOR  
POST LANTERN**

WET SS

D: 10" H: 20"

**T24 8250701-12**  
(1) Medium Base 75w max.

**T24 8250701EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ANTIQUE BRONZE FINISH  
SATIN ETCHED GLASS

**OUTDOOR PENDANT**

DAMP SS

D: 10" H: 16.125"

10' wire pre-laced through 3' chain

**T24 6250701-71**  
(1) Medium Base 75w max.

**T24 6250701EN3-71**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ANTIQUE BRONZE FINISH  
SATIN ETCHED GLASS

**ONE LIGHT OUTDOOR  
POST LANTERN**

WET SS

D: 10" H: 20"

**T24 8250701-71**  
(1) Medium Base 75w max.

**T24 8250701EN3-71**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



BLACK FINISH  
WHITE GLASS

## LARGE ONE LIGHT OUTDOOR WALL LANTERN

WET SS

W: 8.5" H: 16.75" E: 8.75"

Height from center of outlet box  
up: 8.375"

**T24 8747401-12**  
(1) Medium Base 75w max.

**T24 8747401EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



PAINTED BRUSHED NICKEL FINISH  
CLEAR RIBBED GLASS

## LARGE ONE LIGHT OUTDOOR WALL LANTERN

WET SS

W: 8.5" H: 16.75" E: 8.75"

Height from center of outlet box  
up: 8.375"

**T24 8747431-753**  
(1) Medium Base 75w max.

**T24 8747431EN3-753**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



BLACK FINISH  
WHITE GLASS

## MEDIUM ONE LIGHT OUTDOOR WALL LANTERN

WET SS

W: 7" H: 15.25" E: 7.375"

Height from center of outlet box  
up: 7.75"

**T24 8647401-12**  
(1) Medium Base 75w max.

**T24 8647401EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



PAINTED BRUSHED NICKEL FINISH  
CLEAR RIBBED GLASS

## MEDIUM ONE LIGHT OUTDOOR WALL LANTERN

WET SS

W: 7" H: 15.25" E: 7.375"

Height from center of outlet box  
up: 7.75"

**T24 8647431-753**  
(1) Medium Base 75w max.

**T24 8647431EN3-753**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



BLACK FINISH  
WHITE GLASS

**SMALL ONE LIGHT  
OUTDOOR  
WALL LANTERN**

W: 5.375" H: 10.25" E: 5.875"  
Height from center of outlet box  
up: 6.5"

**T24 8547401-12**  
(1) Medium Base 75w max.

**T24 8547401EN3-12**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



PAINTED BRUSHED NICKEL FINISH  
CLEAR RIBBED GLASS

**SMALL ONE LIGHT  
OUTDOOR  
WALL LANTERN**

W: 5.375" H: 10.25" E: 5.875"  
Height from center of outlet box  
up: 6.5"

**T24 8547431-753**  
(1) Medium Base 75w max.

**T24 8547431EN3-753**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



BLACK FINISH  
WHITE GLASS

**OUTDOOR PENDANT**

L: 8.5" W: 8.5" H: 16.75"  
10' wire pre-laced through 3' chain

**T24 6247401-12**  
(1) Medium Base 75w max.

**T24 6247401EN3-12**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



PAINTED BRUSHED NICKEL FINISH  
CLEAR RIBBED GLASS

**OUTDOOR PENDANT**

L: 8.5" W: 8.5" H: 16.75"  
10' wire pre-laced through 3' chain

**T24 6247431-753**  
(1) Medium Base 75w max.

**T24 6247431EN3-753**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



# GALVYN

High tech construction meets classical style in the Galvyn Collection. Traditional hexagonal tapered lanterns and etched glass panels quietly diffuse light over state of the art StoneStrong composite material built to withstand outdoor elements for years. Choose from a variety of sizes and silhouettes. Available in Black and Antique Bronze finishes.





BLACK FINISH  
SATIN ETCHED GLASS

EXTRA LARGE ONE LIGHT  
OUTDOOR WALL LANTERN

WET SS

W: 12.625" H: 22.625" E: 12.75"  
Height from center of outlet box  
up: 4"

T24 8829301-12  
(1) Medium Base 75w max.

T24 8829301EN3-12  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ANTIQUE BRONZE FINISH  
SATIN ETCHED GLASS

EXTRA LARGE ONE LIGHT  
OUTDOOR WALL LANTERN

WET SS

W: 12.625" H: 22.625" E: 12.75"  
Height from center of outlet box  
up: 4"

T24 8829301-71  
(1) Medium Base 75w max.

T24 8829301EN3-71  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**LARGE ONE LIGHT  
OUTDOOR WALL LANTERN**

WET SS

W: 9.875" H: 18.75" E: 10.375"  
Height from center of outlet box up: 4"

**T24 8729301-12**  
(1) Medium Base 75w max.

**T24 8729301EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**MEDIUM ONE LIGHT  
OUTDOOR WALL LANTERN**

WET SS

W: 8.125" H: 14.125" E: 8.625"  
Height from center of outlet box up: 4"

**T24 8629301-12**  
(1) Medium Base 75w max.

**T24 8629301EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**SMALL ONE LIGHT  
OUTDOOR WALL LANTERN**

WET SS

W: 6.625" H: 11.875" E: 6.875"  
Height from center of outlet box up: 3"

**T24 8529301-12**  
(1) Medium Base 75w max.

**T24 8529301EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**OUTDOOR PENDANT**

DAMP SS

D: 9.875" H: 19.625"  
10' of wire pre-laced through 3' of chain

**T24 6229301-12**  
(1) Medium Base 75w max.

**T24 6229301EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**ONE LIGHT OUTDOOR  
POST LANTERN**

WET SS

D: 9.875" H: 20.625"

**T24 8229301-12**  
(1) Medium Base 75w max.

**T24 8229301EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**LARGE ONE LIGHT  
OUTDOOR WALL LANTERN**

WET SS

W: 9.875" H: 18.75" E: 10.375"  
Height from center of outlet box up: 4"

**T24 8729301-71**  
(1) Medium Base 75w max.

**T24 8729301EN3-71**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**MEDIUM ONE LIGHT  
OUTDOOR WALL LANTERN**

WET SS

W: 8.125" H: 14.125" E: 8.625"  
Height from center of outlet box up: 4"

**T24 8629301-71**  
(1) Medium Base 75w max.

**T24 8629301EN3-71**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**SMALL ONE LIGHT  
OUTDOOR WALL LANTERN**

WET SS

W: 6.625" H: 11.875" E: 6.875"  
Height from center of outlet box up: 3"

**T24 8529301-71**  
(1) Medium Base 75w max.

**T24 8529301EN3-71**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**OUTDOOR PENDANT**

DAMP SS

D: 9.875" H: 19.625"  
10' of wire pre-laced through 3' of chain

**T24 6229301-71**  
(1) Medium Base 75w max.

**T24 6229301EN3-71**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**ONE LIGHT OUTDOOR  
POST LANTERN**

WET SS

D: 9.875" H: 20.625"

**T24 8229301-71**  
(1) Medium Base 75w max.

**T24 8229301EN3-71**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



Product Shown: Melito Large One Light Outdoor Wall Lantern in Black



## MELITO

Bring your style statement outside with the Melito Collection. A decorative external cutout pattern plays between positive and negative spaces. Pockets of light escape, creating dramatic patterns of light and shadow. The proprietary StoneStrong composite material provides strong and rust-free exterior lighting. Available in Black and Antique Bronze finishes.





BLACK FINISH  
SATIN ETCHED GLASS

**LARGE ONE LIGHT  
OUTDOOR WALL LANTERN**

WET SS

W: 9" H: 18" E: 6.5"  
Height from center of outlet box  
up: 4.75"

**T24 8719601-12**  
(1) Medium Base 75w max.

**T24 8719601EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



BLACK FINISH  
SATIN ETCHED GLASS

**MEDIUM ONE LIGHT  
OUTDOOR WALL LANTERN**

WET SS

W: 7" H: 13" E: 5.75"  
Height from center of outlet box  
up: 3.625"

**T24 8619601-12**  
(1) Medium Base 75w max.

**T24 8619601EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



BLACK FINISH  
SATIN ETCHED GLASS

**SMALL ONE LIGHT  
OUTDOOR WALL LANTERN**

WET SS

W: 6" H: 9" E: 5"  
Height from center of outlet box  
up: 3.75"

**T24 8519601-12**  
(1) Medium Base max.

**T24 8519601EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



WEATHERED COPPER FINISH  
SATIN ETCHED GLASS

**LARGE ONE LIGHT  
OUTDOOR WALL LANTERN**

WET SS

W: 9" H: 18" E: 6.5"  
Height from center of outlet box  
up: 4.75"

**T24 8719601-44**  
(1) Medium Base 75w max.

**T24 8719601EN3-44**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



WEATHERED COPPER FINISH  
SATIN ETCHED GLASS

**MEDIUM ONE LIGHT  
OUTDOOR WALL LANTERN**

WET SS

W: 7" H: 13" E: 5.75"  
Height from center of outlet box  
up: 3.625"

**T24 8619601-44**  
(1) Medium Base 75w max.

**T24 8619601EN3-44**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



WEATHERED COPPER FINISH  
SATIN ETCHED GLASS

**SMALL ONE LIGHT  
OUTDOOR WALL LANTERN**

WET SS

W: 6" H: 9" E: 5"  
Height from center of outlet box  
up: 3.75"

**T24 8519601-44**  
(1) Medium Base 75w max.

**T24 8519601EN3-44**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



# MARINUS

Showcase a classic look with rugged flair in the Marinus Collection. Through the clear glass exterior, light shines with brightness and longevity. With a vintage-style bulb inside of clear glass, it's sure to enhance the nostalgic touch you're looking for. The simple textured Black finish of the Marinus is designed to enhance your home's curb-appeal.



BLACKSMITH FINISH  
CLEAR GLASS

LARGE ONE LIGHT  
OUTDOOR  
WALL LANTERN WET

W: 9" H: 15.5" E: 7.625"  
Height from center of outlet box  
up: 6.875"

T24 **8737101-839**  
(1) Medium Base 75w max.



BLACKSMITH FINISH  
CLEAR GLASS

MEDIUM ONE LIGHT  
OUTDOOR  
WALL LANTERN WET

W: 7.75" H: 13.75" E: 6.75"  
Height from center of outlet box  
up: 6"

T24 **8637101-839**  
(1) Medium Base 75w max.

RECOMMENDED PRODUCTS



LED VINTAGE LAMP  
97500S, p.594



BLACKSMITH FINISH  
CLEAR GLASS

SMALL ONE LIGHT  
OUTDOOR  
WALL LANTERN WET

W: 6" H: 11.625" E: 5.625"  
Height from center of outlet box  
up: 4.875"

T24 **8537101-839**  
(1) Medium Base 75w max.



Product Shown: Crittenden One Light Outdoor Wall Lantern in Satin Aluminum



# CRITTENDEN

The Crittenden Collection is inspired by the simple lines of mid-century modern design and boasts durable, all-aluminum construction. It will make a bold minimalist statement whether used indoor or outdoor.







SATIN ALUMINUM FINISH

**ONE LIGHT OUTDOOR  
WALL LANTERN**



W: 10" H: 8.5" E: 11.5"

Height from center of outlet box  
up: 2.5"

**T24 8538501-04**  
(1) Medium Base 75w max.

**T24 8538501EN3-04**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



BLACK FINISH

**ONE LIGHT OUTDOOR  
WALL LANTERN**



W: 10" H: 8.5" E: 11.5"

Height from center of outlet box  
up: 2.5"

**T24 8538501-12**  
(1) Medium Base 75w max.

**T24 8538501EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

Product Shown: Renville Small One Light Outdoor Wall Lantern in Black



# RENVILLE

The Renville Collection offers modern outdoor fixtures with clean contemporary lines to make a sleek design statement whether used indoor or outdoor.



SATIN ALUMINUM FINISH  
SATIN ETCHED GLASS

**LARGE ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 7" H: 10.25" E: 8"

Height from center of outlet box  
up: 3.5"

**T24 8638601-04**  
(1) Medium Base 100w max.

**T24 8638601EN3-04**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



SATIN ALUMINUM FINISH  
SATIN ETCHED GLASS

**SMALL ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 5.25" H: 7.5" E: 5.75"

Height from center of outlet box  
up: 2.5"

**T24 8538601-04**  
(1) Medium Base 60w max.

**T24 8538601EN3-04**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ANTIQUE BRONZE FINISH  
SATIN ETCHED GLASS

**LARGE ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 7" H: 10.25" E: 8"  
Height from center of outlet box  
up: 3.5"

**T24 8638601-71**  
(1) Medium Base 100w max.

**T24 8638601EN3-71**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ANTIQUE BRONZE FINISH  
SATIN ETCHED GLASS

**SMALL ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 5.25" H: 7.5" E: 5.75"  
Height from center of outlet box  
up: 2.5"

**T24 8538601-71**  
(1) Medium Base 60w max.

**T24 8538601EN3-71**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



BLACK FINISH  
SATIN ETCHED GLASS

**LARGE ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 7" H: 10.25" E: 8"  
Height from center of outlet box  
up: 3.5"

**T24 8638601-12**  
(1) Medium Base 100w max.

**T24 8638601EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



BLACK FINISH  
SATIN ETCHED GLASS

**SMALL ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 5.25" H: 7.5" E: 5.75"  
Height from center of outlet box  
up: 2.5"

**T24 8538601-12**  
(1) Medium Base 60w max.

**T24 8538601EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.







Product Shown: Sevier Small One Light Uplight Outdoor Wall Lantern in Black



## SEVIER

The Sevier Collection brings timeless design to new heights with its traditional design details found in classic outdoor fixtures as well as an open bottom for easy maintenance.



ANTIQUE BRONZE FINISH  
CLEAR GLASS

**LARGE ONE LIGHT  
UPLIGHT OUTDOOR  
WALL LANTERN**

WET

W: 9.5" H: 21.75" E: 8.75"  
Height from center of outlet box  
up: 18.75"

**T24 8638701-71**  
(1) Medium Base 100w max.



BLACK FINISH  
CLEAR GLASS

**LARGE ONE LIGHT  
UPLIGHT OUTDOOR  
WALL LANTERN**

WET

W: 9.5" H: 21.75" E: 8.75"  
Height from center of outlet box  
up: 18.75"

**T24 8638701-12**  
(1) Medium Base 100w max.



**LARGE ONE LIGHT  
DOWNLIGHT OUTDOOR  
WALL LANTERN**

WET

W: 9.5" H: 18.75" E: 8.75"  
Height from center of outlet box  
up: 2.75"

**T24 8438701-71**  
(1) Medium Base 100w max.



**SMALL ONE LIGHT  
UPLIGHT OUTDOOR  
WALL LANTERN**

WET

W: 6.5" H: 16.25" E: 7.75"  
Height from center of outlet box  
up: 13.5"

**T24 8538701-71**  
(1) Medium Base 100w max.



**SMALL ONE LIGHT  
DOWNLIGHT OUTDOOR  
WALL LANTERN**

WET

W: 6.5" H: 12.5" E: 7.75"  
Height from center of outlet box  
up: 2.75"

**T24 8338701-71**  
(1) Medium Base 100w max.



**ONE LIGHT  
OUTDOOR PENDANT**

DAMP

D: 9.5" H: 16.75"  
6' wire pre-laced through 3' chain

**T24 6238701-71**  
(1) Medium Base 100w max.



**ONE LIGHT OUTDOOR  
POST LANTERN**

WET

D: 9.5" H: 27.25"

**T24 8238701-71**  
(1) Medium Base 100w max.





**LARGE ONE LIGHT  
DOWNLIGHT OUTDOOR  
WALL LANTERN**

WET

W: 9.5" H: 18.75" E: 8.75"  
Height from center of outlet box  
up: 2.75"

**T24 8438701-12**  
(1) Medium Base 100w max.



**SMALL ONE LIGHT  
UPLIGHT OUTDOOR  
WALL LANTERN**

WET

W: 6.5" H: 16.25" E: 7.75"  
Height from center of outlet box  
up: 13.5"

**T24 8538701-12**  
(1) Medium Base 100w max.



**SMALL ONE LIGHT  
DOWNLIGHT OUTDOOR  
WALL LANTERN**

WET

W: 6.5" H: 12.5" E: 7.75"  
Height from center of outlet box  
up: 2.75"

**T24 8338701-12**  
(1) Medium Base 100w max.



**ONE LIGHT  
OUTDOOR PENDANT**

DAMP

D: 9.5" H: 16.75"  
6' wire pre-laced through 3' chain

**T24 6238701-12**  
(1) Medium Base 100w max.



**ONE LIGHT OUTDOOR  
POST LANTERN**

WET

D: 9.5" H: 27.25"

**T24 8238701-12**  
(1) Medium Base 100w max.

Product Shown: Fredricksburg Large Outdoor Wall Lantern in Weathered Copper



# FREDRICKSBURG

The traditional Fredricksburg Collection is an authentic take on the classic station light, perfect to adorn a coastal hideaway, country home, urban abode or even used indoors to enhance rustic décor. Compliant with Dark Sky standards, the fixtures purposefully direct light downward, limiting any light leak out the sides.





SATIN ALUMINUM FINISH

OUTDOOR PENDANT DAMP

D: 13.25" H: 11.5"  
10' wire, (3) 12" stems, (1) 6" stem  
and sloped ceiling mounting hardware

- T24 **6247701-04**  
EN★ (1) Medium Base 100w max.
- T24 **6247701EN3-04**  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.
- T24 **6247793S-04**  
WOD LED: 3000K, 14 watts,  
EN★ 1000 gross lumens



SATIN ALUMINUM FINISH

LARGE OUTDOOR WALL LANTERN WET

W: 13.25" H: 16" E: 15.25"  
Height from center of outlet box up: 7.5"

- T24 **8647701-04**  
EN★ (1) Medium Base 100w max.
- T24 **8647701EN3-04**  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.
- T24 **8647793S-04**  
WOD LED: 3000K, 14 watts,  
EN★ 1000 gross lumens



SATIN ALUMINUM FINISH

SMALL OUTDOOR WALL LANTERN WET

W: 10" H: 12" E: 11.75"  
Height from center of outlet box up: 5.75"

- T24 **8547701-04**  
EN★ (1) Medium Base 100w max.
- T24 **8547701EN3-04**  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.
- T24 **8547793S-04**  
WOD LED: 3000K, 14 watts,  
EN★ 1000 gross lumens



WEATHERED COPPER FINISH

OUTDOOR PENDANT DAMP

D: 13.25" H: 11.5"  
10' wire, (3) 12" stems, (1) 6" stem  
and sloped ceiling mounting hardware

- T24 **6247701-44**  
EN★ (1) Medium Base 100w max.
- T24 **6247701EN3-44**  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.
- T24 **6247793S-44**  
WOD LED: 3000K, 14 watts,  
EN★ 1000 gross lumens



WEATHERED COPPER FINISH

LARGE OUTDOOR WALL LANTERN WET

W: 13.25" H: 16" E: 15.25"  
Height from center of outlet box up: 7.5"

- T24 **8647701-44**  
EN★ (1) Medium Base 100w max.
- T24 **8647701EN3-44**  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.
- T24 **8647793S-44**  
WOD LED: 3000K, 14 watts,  
EN★ 1000 gross lumens



WEATHERED COPPER FINISH

SMALL OUTDOOR WALL LANTERN WET

W: 10" H: 12" E: 11.75"  
Height from center of outlet box up: 5.75"

- T24 **8547701-44**  
EN★ (1) Medium Base 100w max.
- T24 **8547701EN3-44**  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.
- T24 **8547793S-44**  
WOD LED: 3000K, 14 watts,  
EN★ 1000 gross lumens



325

# CONROE

Inspired by the traditional Colonial lanterns, the design of the Conroe Collection is created using bent aluminum at the roof and a reflective mirror detail to enhance the incandescent light gleaming through Clear glass, while the integrated LED version is finished with Clear Seeded glass. The overall construction is hand-riveted for another authentic touch.





BLACK FINISH  
CLEAR GLASS

### LARGE THREE LIGHT OUTDOOR WALL LANTERN

WET

W: 9.5" H: 16.75" E: 5.5"  
Height from center of outlet box  
up: 11.5"

**T24 8714803-12**  
(3) Candelabra Base 60w max.

**T24 8714803EN-12**  
**EN★** (3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



BLACK FINISH  
CLEAR GLASS

### MEDIUM TWO LIGHT OUTDOOR WALL LANTERN

WET

W: 7.25" H: 14.5" E: 4.25"  
Height from center of outlet box  
up: 9"

**T24 8614802-12**  
(2) Candelabra Base 60w max.

**T24 8614802EN-12**  
**EN★** (2) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



BLACK FINISH  
CLEAR GLASS

### SMALL ONE LIGHT OUTDOOR WALL LANTERN

WET ADA

W: 5" H: 11.5" E: 3.75"  
Height from center of outlet box  
up: 7"

**T24 8514801-12**  
(1) Candelabra Base 60w max.

**T24 8514801EN-12**  
**EN★** (1) Cand. Base LED 2700K,  
3.5w, 350 lumen lamp incl.

#### RECOMMENDED PRODUCTS



LED CANDELABRA LAMP  
LTB10C35027B, p.594



WEATHERED COPPER FINISH  
CLEAR GLASS

### LARGE THREE LIGHT OUTDOOR WALL LANTERN

WET

W: 9.5" H: 16.75" E: 5.5"  
Height from center of outlet box  
up: 11.5"

**T24 8714803-44**  
(3) Candelabra Base 60w max.

**T24 8714803EN-44**  
**EN★** (3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



WEATHERED COPPER FINISH  
CLEAR GLASS

### MEDIUM TWO LIGHT OUTDOOR WALL LANTERN

WET

W: 7.25" H: 14.5" E: 4.25"  
Height from center of outlet box  
up: 9"

**T24 8614802-44**  
(2) Candelabra Base 60w max.

**T24 8614802EN-44**  
**EN★** (2) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



WEATHERED COPPER FINISH  
CLEAR GLASS

### SMALL ONE LIGHT OUTDOOR WALL LANTERN

WET ADA

W: 5" H: 11.5" E: 3.75"  
Height from center of outlet box  
up: 7"

**T24 8514801-44**  
(1) Candelabra Base 60w max.

**T24 8514801EN-44**  
**EN★** (1) Cand. Base LED 2700K,  
3.5w, 350 lumen lamp incl.



BLACK FINISH  
CLEAR SEEDED GLASS

LARGE THREE LIGHT  
OUTDOOR  
WALL LANTERN

WET

W: 9.5" H: 16.75" E: 5.5"  
Height from center of outlet box  
up: 11.5"

T24 8714891S-12  
WOD LED: 2700K, 14 watts,  
1000 Gross Lumens



BLACK FINISH  
CLEAR SEEDED GLASS

MEDIUM TWO LIGHT  
OUTDOOR  
WALL LANTERN

WET

W: 7.25" H: 14.5" E: 4.25"  
Height from center of outlet box  
up: 9"

T24 8614891S-12  
WOD LED: 2700K, 14 watts,  
1000 Gross Lumens



BLACK FINISH  
CLEAR SEEDED GLASS

SMALL ONE LIGHT  
OUTDOOR  
WALL LANTERN

WET ADA

W: 5" H: 11.5" E: 3.75"  
Height from center of outlet box  
up: 7"

T24 8514891S-12  
WOD LED: 2700K, 9 watts,  
700 Gross Lumens



WEATHERED COPPER FINISH  
CLEAR GLASS

LARGE THREE LIGHT  
OUTDOOR  
WALL LANTERN

WET

W: 9.5" H: 16.75" E: 5.5"  
Height from center of outlet box  
up: 11.5"

T24 8714891S-44  
WOD LED: 2700K, 14 watts,  
1000 Gross Lumens



WEATHERED COPPER FINISH  
CLEAR GLASS

MEDIUM TWO LIGHT  
OUTDOOR  
WALL LANTERN

WET

W: 7.25" H: 14.5" E: 4.25"  
Height from center of outlet box  
up: 9"

T24 8614891S-44  
WOD LED: 2700K, 14 watts,  
1000 Gross Lumens



WEATHERED COPPER FINISH  
CLEAR GLASS

SMALL ONE LIGHT  
OUTDOOR  
WALL LANTERN

WET ADA

W: 5" H: 11.5" E: 3.75"  
Height from center of outlet box  
up: 7"

T24 8514891S-44  
WOD LED: 2700K, 9 watts,  
700 Gross Lumens







Product Shown: Crowell One Light Outdoor Post Lantern in Antique Bronze



# CROWELL

The transitional Crowell Collection conveys Art Deco influences with its linear, vertical details and clean, overall design. Their handsome scale gives these fixtures real presence without competing with the residential architecture they adorn.





BLACK FINISH  
SATIN ETCHED GLASS

### LARGE OUTDOOR WALL LANTERN

WET

D: 12" H: 19.5" E: 14"  
Height from center of outlet box  
up: 6"

**T24 8847901-12**  
(1) Medium Base 100w max.

**T24 8847901EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**T24 8847901DEN3-12**  
**EN★** (1) Med. Base LED 3000K,  
**☾** 9.5w, 800 lumen lamp incl.

**T24 8847991S-12**  
**WOD** LED: 2700K, 14 watts,  
1000 gross lumens

**T24 8847991DS-12**  
**WOD** LED: 2700K, 14 watts,  
**☾** 1000 gross lumens



ANTIQUE BRONZE FINISH  
CREME PARCHMENT GLASS

### LARGE OUTDOOR WALL LANTERN

WET

D: 12" H: 19.5" E: 14"  
Height from center of outlet box  
up: 6"

**T24 8847901-71**  
(1) Medium Base 100w max.

**T24 8847901EN3-71**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**T24 8847901DEN3-71**  
**EN★** (1) Med. Base LED 3000K,  
**☾** 9.5w, 800 lumen lamp incl.

**T24 8847991S-71**  
**WOD** LED: 2700K, 14 watts,  
1000 gross lumens

**T24 8847991DS-71**  
**WOD** LED: 2700K, 14 watts,  
**☾** 1000 gross lumens

**MEDIUM OUTDOOR WALL LANTERN****WET**

D: 9" H: 15" E: 11"

Height from center of outlet box up: 5"

**T24 8747901-71**  
(1) Medium Base 100w max.

**T24 8747901EN3-71**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**T24 8747901DEN3-71**  
**EN★** (1) Med. Base LED 3000K,  
**☾** 9.5w, 800 lumen lamp incl.

**T24 8747991S-71**  
**WOD** LED: 2700K, 14 watts,  
1000 gross lumens

**T24 8747991DS-71**  
**WOD** LED: 2700K, 14 watts,  
**☾** 1000 gross lumens

**SMALL OUTDOOR WALL LANTERN****WET**

D: 6" H: 10" E: 7.5"

Height from center of outlet box up: 3.25"

**T24 8547901-71**  
(1) Medium Base 60w max.

**T24 8547901EN3-71**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**T24 8547901DEN3-71**  
**EN★** (1) Med. Base LED 3000K,  
**☾** 9.5w, 800 lumen lamp incl.

**T24 8547997S-71**  
**WOD** LED: 2700K, 9 watts,  
700 gross lumens

**T24 8547997DS-71**  
**WOD** LED: 2700K, 9 watts,  
**☾** 700 gross lumens

**OUTDOOR PENDANT****DAMP**

D: 9" H: 15.75"

6' wire pre-laced through 3' chain

**T24 6247901-71**  
(1) Medium Base 100w max.

**T24 6247901EN3-71**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**T24 6247991S-71**  
**WOD** LED: 2700K, 14 watts,  
1000 gross lumens

**OUTDOOR POST LANTERN****WET**

D: 9" H: 17"

**T24 8247901-71**  
(1) Medium Base 100w max.

**T24 8247901EN3-71**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**T24 8247991S-71**  
**WOD** LED: 2700K, 14 watts,  
1000 gross lumens

**OUTDOOR CEILING FLUSH MOUNT****DAMP**

D: 14.25" H: 7"

**T24 7847902-71**  
(2) Medium Base 60w max.

**T24 7847902EN3-71**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

**T24 7847991S-71**  
**WOD** LED: 2700K, 28 watts,  
2000 gross lumens



**MEDIUM OUTDOOR WALL LANTERN**

WET

D: 9" H: 15" E: 11"  
Height from center of outlet box up: 5"

**T24 8747901-12**  
(1) Medium Base 100w max.

**T24 8747901EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**T24 8747901DEN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**T24 8747991S-12**  
**WOD** LED: 2700K, 14 watts,  
1000 gross lumens

**T24 8747991DS-12**  
**WOD** LED: 2700K, 14 watts,  
1000 gross lumens



**SMALL OUTDOOR WALL LANTERN**

WET

D: 6" H: 10" E: 7.5"  
Height from center of outlet box up: 3.25"

**T24 8547901-12**  
(1) Medium Base 60w max.

**T24 8547901EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**T24 8547901DEN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**T24 8547997S-12**  
**WOD** LED: 2700K, 9 watts,  
700 gross lumens

**T24 8547997DS-12**  
**WOD** LED: 2700K, 9 watts,  
700 gross lumens



**OUTDOOR PENDANT**

DAMP

D: 9" H: 15.75"  
6' wire pre-laced through 3' chain

**T24 6247901-12**  
(1) Medium Base 100w max.

**T24 6247901EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**T24 6247991S-12**  
**WOD** LED: 2700K, 14 watts,  
1000 gross lumens



**OUTDOOR POST LANTERN**

WET

D: 9" H: 17"

**T24 8247901-12**  
(1) Medium Base 100w max.

**T24 8247901EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**T24 8247991S-12**  
**WOD** LED: 2700K, 14 watts,  
1000 gross lumens



**OUTDOOR CEILING FLUSH MOUNT**

DAMP

D: 14.25" H: 7"

**T24 7847902-12**  
(2) Medium Base 60w max.

**T24 7847902EN3-12**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

**T24 7847991S-12**  
**WOD** LED: 2700K, 28 watts,  
2000 gross lumens





## CHILDRESS

The stately Childress Collection is rich with design elements contributing to its traditional silhouette. A shepherd's crook, chamfered roof line, cut-corner square body with Satin Etched glass and a small bottom finial all add detail and visual interest. Made of durable cast aluminum, a stepped-edge backplate completes the traditional look.





ANTIQUE BRONZE FINISH  
SATIN ETCHED GLASS

EXTRA LARGE  
OUTDOOR  
WALL LANTERN

WET

W: 15" H: 35.5" E: 19.25"  
Height from center of outlet box  
up: 18.25"

T24 8836302-71  
(2) Medium Base 100w max.

T24 8836302EN3-71  
EN★ (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



BLACK FINISH  
SATIN ETCHED GLASS

EXTRA LARGE  
OUTDOOR  
WALL LANTERN

WET

W: 15" H: 35.5" E: 19.25"  
Height from center of outlet box  
up: 18.25"

T24 8836302-12  
(2) Medium Base 100w max.

T24 8836302EN3-12  
EN★ (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



LARGE OUTDOOR WALL LANTERN WET

W: 9" H: 21.25" E: 11.75"  
Height from center of outlet box up: 10.25"

- T24 **8736301-71**  
(1) Medium Base 100w max.
- T24 **8736301EN3-71**  
EN★ (1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.
- T24 **8736391S-71**  
WOD LED: 2700K, 14 watts, 1000 gross lumens



MEDIUM OUTDOOR WALL LANTERN WET

W: 6.5" H: 14.75" E: 8.5"  
Height from center of outlet box up: 7.75"

- T24 **8636301-71**  
(1) Medium Base 100w max.
- T24 **8636301EN3-71**  
EN★ (1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.
- T24 **8636391S-71**  
WOD LED: 2700K, 14 watts, 1000 gross lumens



SMALL OUTDOOR WALL LANTERN WET

W: 5.5" H: 12.75" E: 7.75"  
Height from center of outlet box up: 7"

- T24 **8536301-71**  
(1) Medium Base 60w max.
- T24 **8536301EN3-71**  
EN★ (1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.
- T24 **8536391S-71**  
WOD LED: 2700K, 9 watts, 700 gross lumens



OUTDOOR PENDANT DAMP

D: 9" H: 19.25"  
6' wire pre-laced through 3' chain

- T24 **6236301-71**  
(1) Medium Base 100w max.
- T24 **6236301EN3-71**  
EN★ (1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.
- T24 **6236391S-71**  
WOD LED: 2700K, 14 watts, 1000 gross lumens



OUTDOOR POST LANTERN WET

D: 9" H: 20.5"

- T24 **8236301-71**  
(1) Medium Base 100w max.
- T24 **8236301EN3-71**  
EN★ (1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.
- T24 **8236391S-71**  
WOD LED: 2700K, 14 watts, 1000 gross lumens



OUTDOOR CEILING FLUSH MOUNT DAMP

L: 13.5" W: 13.5" H: 8.25"

- T24 **7836302-71**  
(2) Medium Base 60w max.
- T24 **7836302EN3-71**  
EN★ (2) Med. Base LED 3000K, 9.5w, 800 lumen lamps incl.
- T24 **7836391S-71**  
WOD LED: 2700K, 28 watts, 2000 gross lumens



**LARGE OUTDOOR WALL LANTERN** WET

W: 9" H: 21.25" E: 11.75"  
Height from center of outlet box up: 10.25"

**T24 8736301-12**  
(1) Medium Base 100w max.

**T24 8736301EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**T24 8736391S-12**  
**WOD** LED: 2700K, 14 watts,  
1000 gross lumens



**MEDIUM OUTDOOR WALL LANTERN** WET

W: 6.5" H: 14.75" E: 8.5"  
Height from center of outlet box up: 7.75"

**T24 8636301-12**  
(1) Medium Base 100w max.

**T24 8636301EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**T24 8636391S-12**  
**WOD** LED: 2700K, 14 watts,  
1000 gross lumens



**SMALL OUTDOOR WALL LANTERN** WET

W: 5.5" H: 12.75" E: 7.75"  
Height from center of outlet box up: 7"

**T24 8536301-12**  
(1) Medium Base 60w max.

**T24 8536301EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**T24 8536391S-12**  
**WOD** LED: 2700K, 9 watts,  
700 gross lumens



**OUTDOOR PENDANT** DAMP

D: 9" H: 19.25"  
6' wire pre-laced through 3' chain

**T24 6236301-12**  
(1) Medium Base 100w max.

**T24 6236301EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**T24 6236391S-12**  
**WOD** LED: 2700K, 14 watts,  
1000 gross lumens



**OUTDOOR POST LANTERN** WET

D: 9" H: 20.5"

**T24 8236301-12**  
(1) Medium Base 100w max.

**T24 8236301EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**T24 8236391S-12**  
**WOD** LED: 2700K, 14 watts,  
1000 gross lumens



**OUTDOOR CEILING FLUSH MOUNT** DAMP

L: 13.5" W: 13.5" H: 8.25"

**T24 7836302-12**  
(2) Medium Base 60w max.

**T24 7836302EN3-12**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.

**T24 7836391S-12**  
**WOD** LED: 2700K, 28 watts,  
2000 gross lumens



Product Shown: Hunnington Large One Light Outdoor Wall Lantern in Black with Clear Seeded Glass



# HUNNINGTON

A bit of Shaker minimalism mixed with Arts and Crafts styling defines the transitional Hunnington Collection. Equally at home in the city or the country, this timeless style will enhance the appearance of a home's entrance with its clean, crisp lines.





WEATHERED PEWTER FINISH  
ETCHED SEEDED GLASS

LARGE OUTDOOR WALL LANTERN WET

W: 9" H: 14" E: 10.5"  
Height from center of outlet box up: 3.25"

T24 **89031-57**  
(1) Medium Base 100w max.

T24 **89031EN3-57**  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

T24 **8903197S-57**  
WOD LED: 2700K, 14 watts,  
EN★ 1000 gross lumens



BLACK FINISH  
ETCHED SEEDED GLASS

LARGE OUTDOOR WALL LANTERN WET

W: 9" H: 14" E: 10.5"  
Height from center of outlet box up: 3.25"

T24 **89031-12**  
(1) Medium Base 100w max.

T24 **89031EN3-12**  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

T24 **8903197S-12**  
WOD LED: 2700K, 14 watts,  
EN★ 1000 gross lumens



WEATHERED PEWTER FINISH  
CLEAR SEEDED GLASS

LARGE OUTDOOR WALL LANTERN WET

W: 9" H: 14" E: 10.5"  
Height from center of outlet box up: 3.25"

T24 **88027-57**  
(1) Medium Base 100w max.



BLACK FINISH  
CLEAR SEEDED GLASS

LARGE OUTDOOR WALL LANTERN WET

W: 9" H: 14" E: 10.5"  
Height from center of outlet box up: 3.25"

T24 **88027-12**  
(1) Medium Base 100w max.



ETCHED SEEDED GLASS

SMALL OUTDOOR WALL LANTERN

WET

W: 7" H: 11" E: 8.5"  
Height from center of outlet  
box up: 3.25"

- T24 89029-57  
(1) Medium Base 100w max.
- T24 89029EN3-57  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.
- T24 8902997S-57  
WOD EN★ LED: 2700K, 9 watts,  
700 gross lumens



ETCHED SEEDED GLASS

OUTDOOR PENDANT

DAMP

L: 9" W: 9" H: 13.75"  
12' wire pre-laced through 10' chain

- T24 69029-57  
(1) Medium Base 100w max.
- T24 69029EN3-57  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.
- T24 6902997S-57  
WOD EN★ LED: 2700K, 14 watts,  
1000 gross lumens



ETCHED SEEDED GLASS

OUTDOOR CEILING FLUSH MOUNT

DAMP

L: 9" W: 9" H: 6.25"

- T24 79039-57  
(1) Medium Base 100w max.
- T24 79039EN3-57  
EN★ (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.
- T24 7903997S-57  
WOD EN★ LED: 2700K, 14 watts,  
1000 gross lumens



ETCHED SEEDED GLASS

OUTDOOR POST LANTERN

WET

L: 9" W: 9" H: 15"

- T24 89129-57  
(1) Medium Base 100w max.
- T24 89129EN3-57  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



CLEAR SEEDED GLASS

SMALL OUTDOOR WALL LANTERN

WET

W: 7" H: 11" E: 8.5"  
Height from center of outlet  
box up: 3.25"

- T24 88025-57  
(1) Medium Base 60w max.



CLEAR SEEDED GLASS

OUTDOOR PENDANT

DAMP

L: 9" W: 9" H: 13.75"  
12' wire pre-laced through 10' chain

- T24 62027-57  
(1) Medium Base 100w max.



CLEAR SEEDED GLASS

OUTDOOR CEILING FLUSH MOUNT

DAMP

L: 9" W: 9" H: 6.25"

- T24 78027-57  
(2) Medium Base 75w max.



CLEAR SEEDED GLASS

OUTDOOR POST LANTERN

WET

L: 9" W: 9" H: 15"

- T24 82027-57  
(1) Medium Base 100w max.



ETCHED SEEDED GLASS

**SMALL OUTDOOR WALL LANTERN**

WET

W: 7" H: 11" E: 8.5"  
Height from center of outlet box up: 3.25"

- T24 89029-12  
(1) Medium Base 100w max.
- T24 89029EN3-12  
EN★ (1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.
- T24 8902997S-12  
WOD EN★ LED: 2700K, 9 watts, 700 gross lumens



ETCHED SEEDED GLASS

**OUTDOOR PENDANT**

DAMP

L: 9" W: 9" H: 13.75"  
12' wire pre-laced through 10' chain

- T24 69029-12  
(1) Medium Base 100w max.
- T24 69029EN3-12  
EN★ (1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.
- T24 6902997S-12  
WOD EN★ LED: 2700K, 14 watts, 1000 gross lumens



ETCHED SEEDED GLASS

**OUTDOOR CEILING FLUSH MOUNT**

DAMP

L: 9" W: 9" H: 6.25"

- T24 79039-12  
(1) Medium Base 100w max.
- T24 79039EN3-12  
EN★ (2) Med. Base LED 3000K, 9.5w, 800 lumen lamps incl.
- T24 7903997S-12  
WOD EN★ LED: 2700K, 14 watts, 1000 gross lumens



ETCHED SEEDED GLASS

**OUTDOOR POST LANTERN**

WET

L: 9" W: 9" H: 15"

- T24 89129-12  
(1) Medium Base 100w max.
- T24 89129EN3-12  
EN★ (1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.



CLEAR SEEDED GLASS

**SMALL OUTDOOR WALL LANTERN**

WET

W: 7" H: 11" E: 8.5"  
Height from center of outlet box up: 3.25"

- T24 88025-12  
(1) Medium Base 60w max.



CLEAR SEEDED GLASS

**OUTDOOR PENDANT**

DAMP

L: 9" W: 9" H: 13.75"  
12' wire pre-laced through 10' chain

- T24 62027-12  
(1) Medium Base 100w max.



CLEAR SEEDED GLASS

**OUTDOOR CEILING FLUSH MOUNT**

DAMP

L: 9" W: 9" H: 6.25"

- T24 78027-12  
(2) Medium Base 75w max.



CLEAR SEEDED GLASS

**OUTDOOR POST LANTERN**

WET

L: 9" W: 9" H: 15"

- T24 82027-12  
(1) Medium Base 100w max.



**LARGE OUTDOOR WALL LANTERN** WET

W: 8.5" H: 16.75" E: 10.75"  
Height from center of outlet box up: 6"

**T24 8624451-71**  
(1) Medium Base 100w max.

**T24 8624451EN3-71**  
**EN★** (1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.

**T24 8624451DEN3-71**  
**EN★** (1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.



**SMALL OUTDOOR WALL LANTERN** WET

W: 6" H: 12.25" E: 8"  
Height from center of outlet box up: 4.75"

**T24 8524451-71**  
(1) Medium Base 100w max.

**T24 8524451EN3-71**  
**EN★** (1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.

**T24 8524451DEN3-71**  
**EN★** (1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.



**OUTDOOR PENDANT** DAMP

D: 10.25" H: 18.25"  
10' wire pre-laced through 3' chain

**T24 6224451-71**  
(1) Medium Base 100w max.

**T24 6224451EN3-71**  
**EN★** (1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.



**OUTDOOR POST LANTERN** WET

D: 10.25" H: 22.25"

**T24 8224451-71**  
(1) Medium Base 100w max.

**T24 8224451EN3-71**  
**EN★** (1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.



**OUTDOOR FLUSH MOUNT** DAMP

D: 12.25" H: 5.5"

**T24 7824452-71**  
(2) Medium Base 75w max.

**T24 7824452EN3-71**  
**EN★** (2) Med. Base LED 3000K, 9.5w, 800 lumen lamps incl.





**LARGE OUTDOOR WALL LANTERN** WET  
W: 8.5" H: 16.75" E: 10.75"  
Height from center of outlet box up: 6"  
**T24 8624401-71**  
(1) Medium Base 100w max.



**SMALL OUTDOOR WALL LANTERN** WET  
W: 6" H: 12.25" E: 8"  
Height from center of outlet box up: 4.75"  
**T24 8524401-71**  
(1) Medium Base 100w max.



**OUTDOOR PENDANT** DAMP  
D: 10.25" H: 18.25"  
10' wire pre-laced through 3' chain  
**T24 6224401-71**  
(1) Medium Base 100w max.



**OUTDOOR POST LANTERN** WET  
D: 10.25" H: 22.25"  
**T24 8224401-71**  
(1) Medium Base 100w max.



**OUTDOOR FLUSH MOUNT** DAMP  
D: 12.25" H: 5.5"  
**T24 7824402-71**  
(2) Medium Base 75w max.



**LARGE OUTDOOR WALL LANTERN** WET

W: 8.5" H: 16.75" E: 10.75"  
Height from center of outlet box up: 6"

**T24 8624451-12**  
(1) Medium Base 100w max.

**T24 8624451EN3-12**  
**EN★** (1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.

**T24 8624451DEN3-12**  
**EN★** (1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.



**SMALL OUTDOOR WALL LANTERN** WET

W: 6" H: 12.25" E: 8"  
Height from center of outlet box up: 4.75"

**T24 8524451-12**  
(1) Medium Base 100w max.

**T24 8524451EN3-12**  
**EN★** (1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.

**T24 8524451DEN3-12**  
**EN★** (1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.



**OUTDOOR PENDANT** DAMP

D: 10.25" H: 18.25"  
10' wire pre-laced through 3' chain

**T24 6224451-12**  
(1) Medium Base 100w max.

**T24 6224451EN3-12**  
**EN★** (1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.



**OUTDOOR POST LANTERN** WET

D: 10.25" H: 22.25"

**T24 8224451-12**  
(1) Medium Base 100w max.

**T24 8224451EN3-12**  
**EN★** (1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.



**OUTDOOR FLUSH MOUNT** DAMP

D: 12.25" H: 5.5"

**T24 7824452-12**  
(2) Medium Base 75w max.

**T24 7824452EN3-12**  
**EN★** (2) Med. Base LED 3000K, 9.5w, 800 lumen lamps incl.



**LARGE OUTDOOR WALL LANTERN** WET

W: 8.5" H: 16.75" E: 10.75"  
Height from center of outlet box  
up: 6"

**T24 8624401-12**  
(1) Medium Base 100w max.



**SMALL OUTDOOR WALL LANTERN** WET

W: 6" H: 12.25" E: 8"  
Height from center of outlet box  
up: 4.75"

**T24 8524401-12**  
(1) Medium Base 100w max.



**OUTDOOR PENDANT** DAMP

D: 10.25" H: 18.25"  
10' wire pre-laced through 3' chain

**T24 6224401-12**  
(1) Medium Base 100w max.



**OUTDOOR POST LANTERN** WET

D: 10.25" H: 22.25"

**T24 8224401-12**  
(1) Medium Base 100w max.



**OUTDOOR FLUSH MOUNT** DAMP

D: 12.25" H: 5.5"

**T24 7824402-12**  
(2) Medium Base 75w max.



Product Shown: Sebring Large LED Outdoor  
Wall Lantern in Black

# SEBRING

This industrial and nautically inspired Sebring Collection coordinates perfectly in coastal locations, while adding eye catching contrast to facades of any kind. The three distinctive finish options create wholly different looks.





**LARGE OUTDOOR WALL LANTERN** WET

W: 11.25" H: 15.75" E: 13.5"  
Height from center of outlet box  
up: 9.5"

- T24 8871-12**  
**EN★** (1) Medium Base 100w max.
- T24 887193S-12**  
**WOD** LED: 3000K, 14 watts,  
**EN★** 1000 gross lumens



**SMALL OUTDOOR WALL LANTERN** WET

W: 8" H: 11.25" E: 9.25"  
Height from center of outlet box  
up: 6.25"

- T24 8870-12**  
**EN★** (1) Medium Base 100w max.
- T24 887093S-12**  
**WOD** LED: 3000K, 9 watts,  
**EN★** 700 gross lumens

RECOMMENDED PRODUCTS



**SEBRING PENDANTS,**  
p.307  
Brushed Stainless Finish  
Weathered Copper Finish



**OUTDOOR POST LANTERN** WET

D: 11.25" H: 15.75" E: 16"

- T24 8269-12**  
**EN★** (1) Medium Base 100w max.
- T24 826993S-12**  
**WOD** LED: 3000K, 14 watts,  
**EN★** 1000 gross lumens



**OUTDOOR FLUSH MOUNT** DAMP

D: 11.25" H: 9.25"

- T24 8869-12**  
**EN★** (1) Medium Base 100w max.
- T24 886993S-12**  
**WOD** LED: 3000K, 14 watts,  
**EN★** 1000 gross lumens



WHITE INSIDE

**LARGE OUTDOOR WALL LANTERN** WET

W: 11.25" H: 15.75" E: 13.5"  
Height from center of outlet box up: 9.5"

- T24 **8871-98**  
EN★ (1) Medium Base 100w max.
- T24 **887193S-98**  
WOD LED: 3000K, 14 watts,  
EN★ 1000 gross lumens



WHITE INSIDE

**SMALL OUTDOOR WALL LANTERN** WET

W: 8" H: 11.25" E: 9.25"  
Height from center of outlet box up: 6.25"

- T24 **8870-98**  
EN★ (1) Medium Base 100w max.
- T24 **887093S-98**  
WOD LED: 3000K, 9 watts,  
EN★ 700 gross lumens



WHITE INSIDE

**OUTDOOR POST LANTERN** WET

D: 11.25" H: 15.75" E: 16"

- T24 **8269-98**  
EN★ (1) Medium Base 100w max.
- T24 **826993S-98**  
WOD LED: 3000K, 14 watts,  
EN★ 1000 gross lumens



WHITE INSIDE

**OUTDOOR FLUSH MOUNT** DAMP

D: 11.25" H: 9.25"

- T24 **8869-98**  
EN★ (1) Medium Base 100w max.
- T24 **886993S-98**  
WOD LED: 3000K, 14 watts,  
EN★ 1000 gross lumens

RECOMMENDED PRODUCTS



**SEBRING PENDANTS,**  
p.306  
Brushed Stainless Finish



**LARGE OUTDOOR WALL LANTERN** WET

W: 11.25" H: 15.75" E: 13.5"  
Height from center of outlet box up: 9.5"

- T24 8871-44**  
**EN★** (1) Medium Base 100w max.
- T24 887193S-44**  
**WOD** LED: 3000K, 14 watts,  
**EN★** 1000 gross lumens



**SMALL OUTDOOR WALL LANTERN** WET

W: 8" H: 11.25" E: 9.25"  
Height from center of outlet box up: 6.25"

- T24 8870-44**  
**EN★** (1) Medium Base 100w max.
- T24 887093S-44**  
**WOD** LED: 3000K, 9 watts,  
**EN★** 700 gross lumens

RECOMMENDED PRODUCTS



**SEBRING PENDANTS,**  
p.306  
Weathered Copper Finish



**OUTDOOR POST LANTERN** WET

D: 11.25" H: 15.75" E: 16"

- T24 8269-44**  
**EN★** (1) Medium Base 100w max.
- T24 826993S-44**  
**WOD** LED: 3000K, 14 watts,  
**EN★** 1000 gross lumens



**OUTDOOR FLUSH MOUNT** DAMP

D: 11.25" H: 9.25"

- T24 8869-44**  
**EN★** (1) Medium Base 100w max.
- T24 886993S-44**  
**WOD** LED: 3000K, 14 watts,  
**EN★** 1000 gross lumens



**LARGE ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 7.75" H: 23.5" E: 10.75"  
Height from center of outlet box  
up: 16"

**T24 89103-12**  
(1) Medium Base 100w max.

**T24 89103EN3-12**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**MEDIUM ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 6.25" H: 19.75" E: 10"  
Height from center of outlet box  
up: 15.25"

**T24 89102-12**  
(1) Medium Base 100w max.

**T24 89102EN3-12**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**SMALL ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 6" H: 9.75" E: 6.75"  
Height from center of outlet box  
up: 2.5"

**T24 89101-12**  
(1) Medium Base 100w max.

**T24 89101EN3-12**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ETCHED GLASS, WHITE INSIDE

**TWO LIGHT  
OUTDOOR CEILING  
FLUSH MOUNT**

DAMP

D: 12.75" H: 7.5"

**T24 79136-12**  
(2) Medium Base 60w max.

**T24 79136EN3-12**  
(2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.





**LARGE TWO  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 7.75" H: 23.5" E: 10.75"  
Height from center of outlet box  
up: 16"

**T24 88201-12**  
(2) Candelabra Base 60w max.

**T24 88201EN-12**  
(2) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



**MEDIUM ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 6.25" H: 19.75" E: 10"  
Height from center of outlet box  
up: 15.25"

**T24 88200-12**  
(1) Medium Base 100w max.

RECOMMENDED PRODUCT



**LED CANDELABRA LAMP**  
**LTB10C35027B**, p.594  
For candelabra base only



**SMALL ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 6" H: 9.75" E: 6.75"  
Height from center of outlet box  
up: 2.5"

**T24 85200-12**  
(1) Medium Base 100w max.



**TWO LIGHT OUTDOOR  
POST LANTERN**

WET

D: 7.75" H: 23"

**T24 82200-12**  
(2) Candelabra Base 60w max.

**T24 82200EN-12**  
(2) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



**TWO LIGHT  
OUTDOOR CEILING  
FLUSH MOUNT**

DAMP

D: 12.75" H: 7.5"

**T24 78136-12**  
(2) Medium Base 60w max.



## MEDFORD LAKES

The Medford Lakes Collection has simple organic lines with linear design details, contrasted with sweeping arches—which all work together to convey a subtle Asian influence. The Etched Hammered Glass with Light Amber Tint creates a warm glow and beautifully complements the Statuary Bronze finish.



**LARGE OUTDOOR WALL LANTERN**

WET

W: 11" H: 17" E: 12"  
Height from center of outlet  
box up: 9.75"

**T24 88882-51**  
(1) Medium Base 100w max.

**T24 88882EN3-51**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**MEDIUM OUTDOOR WALL LANTERN**

WET

W: 9" H: 14.25" E: 10"  
Height from center of outlet  
box up: 8.5"

**T24 88881-51**  
(1) Medium Base 100w max.

**T24 88881EN3-51**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**SMALL OUTDOOR WALL LANTERN**

WET

W: 7" H: 11" E: 8"  
Height from center of outlet  
box up: 6.5"

**T24 88880-51**  
(1) Medium Base 100w max.

**T24 88880EN3-51**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**OUTDOOR PENDANT**

DAMP

L: 11" W: 11" H: 14.75"  
10' wire pre-laced through 3' chain

**T24 60880-51**  
(1) Medium Base 100w max.

**T24 60880EN3-51**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**OUTDOOR POST LANTERN**

WET

L: 11" W: 11" H: 16.25"

**T24 82880-51**  
(1) Medium Base 100w max.

**T24 82880EN3-51**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**OUTDOOR CEILING FLUSH MOUNT**

DAMP

L: 13" W: 13" H: 7"

**T24 78880-51**  
(2) Medium Base 60w max.

**T24 78880EN3-51**  
(2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



EXTRA LARGE OUTDOOR WALL LANTERN WET

D: 13" H: 29.75" E: 16"  
Height from center of outlet box up: 11.25"

- T24 **88243-780**  
(1) Medium Base 100w max.
- T24 **88243EN3-780**  
EN★ (1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.
- T24 **8824397S-780**  
WOD LED: 2700K, 28 watts, 2000 gross lumens



LARGE OUTDOOR WALL LANTERN WET

D: 11" H: 26.25" E: 13.75"  
Height from center of outlet box up: 9.25"

- T24 **88242-780**  
(1) Medium Base 100w max.
- T24 **88242EN3-780**  
EN★ (1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.
- T24 **8824291S-780**  
WOD LED: 2700K, 14 watts, 1000 gross lumens



MEDIUM OUTDOOR WALL LANTERN WET

D: 9" H: 15.5" E: 10"  
Height from center of outlet box up: 4.5"

- T24 **88241-780**  
(1) Medium Base 100w max.
- T24 **88241EN3-780**  
EN★ (1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.
- T24 **8824191S-780**  
WOD LED: 2700K, 14 watts, 1000 gross lumens



SMALL OUTDOOR WALL LANTERN WET

D: 7" H: 10.5" E: 8"  
Height from center of outlet box up: 3"

- T24 **88240-780**  
(1) Medium Base 100w max.
- T24 **88240EN3-780**  
EN★ (1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.
- T24 **8824091S-780**  
WOD LED: 2700K, 14 watts, 1000 gross lumens
- T24 **88240D-780**  
☾ (1) Medium Base 100w max.
- T24 **88240DEN3-780**  
EN★ ☾ (1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.



OUTDOOR POST LANTERN WET

D: 11" H: 23"

- T24 **82240-780**  
(1) Medium Base 100w max.
- T24 **82240EN3-780**  
EN★ (1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.





**LARGE ONE LIGHT OUTDOOR WALL LANTERN** WET

W: 10" H: 14.5" E: 12"  
Height from center of outlet box up: 3.25"

**T24 88662-185**  
(1) Medium Base 150w max.

**T24 88662EN3-185**  
**EN★** (1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.



**MEDIUM ONE LIGHT OUTDOOR WALL LANTERN** WET

W: 8" H: 12.25" E: 9.5"  
Height from center of outlet box up: 2.75"

**T24 88661-185**  
(1) Medium Base 100w max.

**T24 88661EN3-185**  
**EN★** (1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.



**SMALL ONE LIGHT OUTDOOR WALL LANTERN** WET

W: 6" H: 10.25" E: 7.5"  
Height from center of outlet box up: 2.5"

**T24 88660-185**  
(1) Medium Base 100w max.

**T24 88660EN3-185**  
**EN★** (1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.



**ONE LIGHT OUTDOOR PENDANT** DAMP

D: 10" H: 20"  
10' wire pre-laced through 3' chain

**T24 60660-185**  
(1) Medium Base 100w max.

**T24 60660EN3-185**  
**EN★** (1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.



**ONE LIGHT OUTDOOR POST LANTERN** WET

D: 10" H: 17.75"

**T24 82660-185**  
(1) Medium Base 100w max.

**T24 82660EN3-185**  
**EN★** (1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.



**ONE LIGHT OUTDOOR CEILING FLUSH MOUNT** DAMP

D: 10" H: 7"

**T24 78660-185**  
(1) Medium Base 100w max.

**T24 78660EN3-185**  
**EN★** (1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.

**RECOMMENDED PRODUCTS**



**WINNETKA INDOOR**, p.148  
Brushed Nickel Finish  
Blacksmith Finish

Product Shown: (2) Trafalgar Two Light Outdoor Wall Lanterns in Oxidized Bronze

# TRAFALGAR

Classic cottage and coach lanterns inspired the Trafalgar Collection with its inverted bell silhouette making an impactful presentation. The candelabra based bulbs add grace and shine nicely through the Clear Seeded glass, which creates a bold contrast to the rich, Oxidized Bronze finish.



**LARGE THREE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 12.25" H: 23.5" E: 14.25"  
Height from center of outlet box  
up: 11.5"

**T24 8461-46**  
(3) Candelabra Base 40w max.

**T24 8461EN-46**  
**EN★** (3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



**MEDIUM TWO  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 9" H: 18" E: 11.5"  
Height from center of outlet box  
up: 10.5"

**T24 8460-46**  
(2) Candelabra Base 40w max.

**T24 8460EN-46**  
**EN★** (2) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



**SMALL TWO  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 7.5" H: 14.75" E: 9.75"  
Height from center of outlet box  
up: 8"

**T24 8459-46**  
(2) Candelabra Base 40w max.

**T24 8459EN-46**  
**EN★** (2) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.

RECOMMENDED PRODUCT



**LED CANDELABRA LAMP**  
**LTB10C35027B**, p.594  
For candelabra base only



**THREE LIGHT  
OUTDOOR PENDANT**

DAMP

D: 12.25" H: 20.75"  
10' wire pre-laced through 3' chain

**T24 6059-46**  
(3) Candelabra Base 40w max.

**T24 6059EN-46**  
**EN★** (3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



**THREE LIGHT OUTDOOR  
POST LANTERN**

WET

D: 12.25" H: 22.75"

**T24 8259-46**  
(3) Candelabra Base 60w max.

**T24 8259EN-46**  
**EN★** (3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



Product Shown: Prairie Large One Light Outdoor Wall Lantern in Antique Bronze



# PRAIRIE

The Prairie Collection embodies a timeless Arts and Crafts design, whose linear, geometric detailing will add distinction to homes of any style. The combination of the Antique Bronze finish with Champagne glass creates a warm, inviting aesthetic.





**LARGE ONE LIGHT  
OUTDOOR WALL LANTERN** WET

W: 10" H: 16.5" E: 10.75"  
Height from center of outlet box  
up: 5.75"

**T24 8513-71**  
(1) Medium Base 150w max.

**T24 8513EN3-71**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**MEDIUM ONE LIGHT  
OUTDOOR WALL LANTERN** WET

W: 7" H: 11.5" E: 7.75"  
Height from center of outlet box  
up: 4"

**T24 8508-71**  
(1) Medium Base 100w max.

**T24 8508EN3-71**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**SMALL ONE LIGHT  
OUTDOOR WALL LANTERN** WET

W: 4.5" H: 8.75" E: 4.75"  
Height from center of outlet box  
up: 5.25"

**T24 8408-71**  
(1) Medium Base 100w max.

**T24 8408EN3-71**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**ONE LIGHT OUTDOOR  
POST LANTERN** WET

L: 10" W: 10" H: 19"

**T24 8207-71**  
(1) Medium Base 150w max.

**T24 8207EN3-71**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

# HERMITAGE

Create a warm and inviting welcome day or night with the cylindrical, pagoda-inspired, transitional styling of the Hermitage Collection offered in three, rich finish and glass combinations to meet virtually any design theme. The traditional stepped, oval-shaped backplate finishes the look.





**LARGE OUTDOOR WALL LANTERN**

WET

W: 11" H: 19.75" E: 12.75"  
Height from center of outlet box up: 7.75"

**T24 89193-71**  
(1) Medium Base 100w max.

**T24 89193EN3-71**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**T24 89193DEN3-71**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**MEDIUM OUTDOOR WALL LANTERN**

WET

W: 9" H: 15.25" E: 10.5"  
Height from center of outlet box up: 6"

**T24 89192-71**  
(1) Medium Base 100w max.

**T24 89192EN3-71**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**T24 89192DEN3-71**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**SMALL OUTDOOR WALL LANTERN**

WET

W: 7" H: 13.5" E: 8.25"  
Height from center of outlet box up: 4.75"

**T24 89181-71**  
(1) Medium Base 100w max.

**T24 89181EN3-71**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**T24 89181DEN3-71**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**OUTDOOR PENDANT**

DAMP

D: 11" H: 18"  
10' wire pre-laced through 4' chain

**T24 69191-71**  
(1) Medium Base 100w max.

**T24 69191EN3-71**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**OUTDOOR POST LANTERN**

WET

D: 11" H: 20.25"

**T24 89298-71**  
(1) Medium Base 100w max.

**T24 89298EN3-71**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**LARGE THREE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 11" H: 20.75" E: 12.75"  
Height from center of outlet box  
up: 7.75"

**T24 88083-71**  
(3) Candelabra Base 40w max.

**T24 88083EN-71**  
(3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



**MEDIUM ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 9" H: 15.25" E: 10.5"  
Height from center of outlet box  
up: 6"

**T24 88082-71**  
(1) Medium Base 100w max.

RECOMMENDED PRODUCT



**LED CANDELABRA LAMP**  
**LTB10C35027B**, p.594  
For candelabra base only



**SMALL ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 7" H: 13.5" E: 8.25"  
Height from center of outlet box  
up: 4.75"

**T24 88081-71**  
(1) Medium Base 100w max.



**THREE LIGHT  
OUTDOOR PENDANT**

DAMP

D: 11" H: 19"  
10' wire prelac'd through 4' chain

**T24 60081-71**  
(3) Candelabra Base 40w max.

**T24 60081EN-71**  
(3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



**THREE LIGHT OUTDOOR  
POST LANTERN**

WET

D: 11" H: 20.25"

**T24 82081-71**  
(3) Candelabra Base 60w max.

**T24 82081EN-71**  
(3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.





**LARGE THREE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 11" H: 20.75" E: 12.75"  
Height from center of outlet box  
up: 7.75"

**T24 88083-965**  
(3) Candelabra Base 40w max.

**T24 88083EN-965**  
(3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



**MEDIUM ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 9" H: 15.25" E: 10.5"  
Height from center of outlet box  
up: 6"

**T24 88082-965**  
(1) Medium Base 100w max.

RECOMMENDED PRODUCT



**LED CANDELABRA LAMP**  
**LTB10C35027B**, p.594  
For candelabra base only



**SMALL ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 7" H: 13.5" E: 8.25"  
Height from center of outlet box  
up: 4.75"

**T24 88081-965**  
(1) Medium Base 100w max.



**THREE LIGHT  
OUTDOOR PENDANT**

DAMP

D: 11" H: 19"  
10' wire pre-laced through 4" chain

**T24 60081-965**  
(3) Candelabra Base 40w max.

**T24 60081EN-965**  
(3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



**THREE LIGHT OUTDOOR  
POST LANTERN**

WET

D: 11" H: 20.25"

**T24 82081-965**  
(3) Candelabra Base 60w max.

**T24 82081EN-965**  
(3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



CLEAR SEEDED GLASS WITH  
WHITE ALUMINUM BACKING



LARGE ONE  
LIGHT OUTDOOR  
WALL LANTERN

WET

W: 9.25" H: 21" E: 10"  
Height from center of outlet box  
up: 8.5"

**T24 89273-44**  
(1) Medium Base 100w max.

**T24 89273EN3-44**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

LARGE ONE  
LIGHT OUTDOOR  
WALL LANTERN

WET 

W: 9.25" H: 21" E: 10"  
Height from center of outlet box  
up: 8.5"

**T24 8463D-44**  
(1) Medium Base 100w max.

**T24 8463DEN3-44**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

SMALL ONE  
LIGHT OUTDOOR  
WALL LANTERN

WET

W: 6.75" H: 14.5" E: 7.5"  
Height from center of outlet box  
up: 6"

**T24 89062-44**  
(1) Medium Base 100w max.

**T24 89062EN3-44**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ONE LIGHT  
OUTDOOR PENDANT

DAMP

L: 9.25" W: 9.25" H: 19"  
10' wire pre-laced through 6' chain

**T24 69272-44**  
(1) Medium Base 100w max.

**T24 69272EN3-44**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ONE LIGHT OUTDOOR  
POST LANTERN

WET

L: 9.25" W: 9.25" H: 22.75"

**T24 82973-44**  
(1) Medium Base 100w max.

**T24 82973EN3-44**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



RECOMMENDED PRODUCT



**LED CANDELABRA LAMP**  
**LTB10C35027B**, p.594  
For candelabra base only

CLEAR SEEDED GLASS WITH  
WHITE ALUMINUM BACKING

**LARGE TWO  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 9.25" H: 21" E: 10"  
Height from center of outlet box  
up: 8.5"

**T24 8463-44**  
(2) Candelabra Base 40w max.

**T24 8463EN-44**  
(2) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.

**T24 846391S-44**  
**WOD** LED: 2700K, 14 watts,  
1000 gross lumens

**SMALL ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 6.75" H: 14.5" E: 7.5"  
Height from center of outlet box  
up: 6"

**T24 8462-44**  
(1) Medium Base 100w max.

**T24 846291S-44**  
**WOD** LED: 2700K, 14 watts,  
1000 gross lumens

**SMALL ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET



W: 6.75" H: 14.5" E: 7.5"  
Height from center of outlet box  
up: 6"

**T24 8462D-44**  
(1) Medium Base 100w max.

**T24 8462DEN3-44**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**TWO LIGHT  
OUTDOOR PENDANT**

DAMP

L: 9.25" W: 9.25" H: 19"  
10' wire pre-laced through 3' chain

**T24 6062-44**  
(2) Candelabra Base 40w max.

**T24 6062EN-44**  
**EN★** (2) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.

**T24 606291S-44**  
**WOD** LED: 2700K, 14 watts,  
1000 gross lumens

**TWO LIGHT OUTDOOR  
POST LANTERN**

WET

L: 9.25" W: 9.25" H: 22.75"

**T24 8262-44**  
(2) Candelabra Base 60w max.

**T24 8262EN-44**  
**EN★** (2) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



**LARGE ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 9.25" H: 21" E: 10"  
Height from center of outlet  
box up: 8.5"

**T24 89273-46**  
(1) Medium Base 100w max.

**T24 89273EN3-46**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**SMALL ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 6.75" H: 14.5" E: 7.5"  
Height from center of outlet  
box up: 6"

**T24 89062-46**  
(1) Medium Base 100w max.

**T24 89062EN3-46**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**ONE LIGHT  
OUTDOOR PENDANT**

DAMP

L: 9.25" W: 9.25" H: 19"  
10' wire pre-laced through 3' chain

**T24 69272-46**  
(1) Medium Base 100w max.

**T24 69272EN3-46**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**ONE LIGHT OUTDOOR  
POST LANTERN**

WET

L: 9.25" W: 9.25" H: 22.75"

**T24 82973-46**  
(1) Medium Base 100w max.

**T24 82973EN3-46**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.





**LARGE TWO  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 9.25" H: 21" E: 10"  
Height from center of outlet box up: 8.5"

**T24 8463-46**  
(2) Candelabra Base 40w max.

**T24 8463EN-46**  
(2) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.

**T24 846391S-46**  
LED: 2700K, 14 watts,  
1000 gross lumens



**SMALL ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 6.75" H: 14.5" E: 7.5"  
Height from center of outlet  
box up: 6"

**T24 8462-46**  
(1) Medium Base 100w max.

**T24 846291S-46**  
LED: 2700K, 14 watts,  
1000 gross lumens

RECOMMENDED PRODUCT



**LED CANDELABRA LAMP**  
**LTB10C35027B**, p.594  
For candelabra base only



**TWO LIGHT  
OUTDOOR PENDANT**

DAMP

L: 9.25" W: 9.25" H: 19"  
10' wire pre-laced through 3' chain

**T24 6062-46**  
(2) Candelabra Base 40w max.

**T24 6062EN-46**  
(2) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.

**T24 606291S-46**  
LED: 2700K, 14 watts,  
1000 gross lumens



**TWO LIGHT OUTDOOR  
POST LANTERN**

WET

L: 9.25" W: 9.25" H: 22.75"

**T24 8262-46**  
(2) Candelabra Base 60w max.

**T24 8262EN-46**  
(2) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



## BRENTWOOD

The traditional design accents and pleasant proportions of the Brentwood Collection make it a versatile selection for any home. The die cast aluminum construction makes it hearty in the elements.



BLACK POWDERCOAT FINISH  
SMOOTH WHITE GLASS

**LARGE ONE  
LIGHT OUTDOOR  
WALL LANTERN** **WET**

W: 10.25" H: 28" E: 10.75"  
Height from center of outlet box  
up: 15"

**T24 89823-12**  
(1) Medium Base 100w max.

**T24 89823EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



BLACK POWDERCOAT FINISH  
CLEAR GLASS

**LARGE ONE  
LIGHT OUTDOOR  
WALL LANTERN** **WET**

W: 10.25" H: 28" E: 10.75"  
Height from center of outlet box  
up: 15"

**T24 8823-12**  
(1) Medium Base 100w max.



**MEDIUM ONE LIGHT  
DOWNLIGHT OUTDOOR  
WALL LANTERN**

WET

W: 10.25" H: 18" E: 10.75"  
Height from center of outlet box  
up: 4.75"

**T24 89825-12**  
(1) Medium Base 100w max.

**T24 89825EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**MEDIUM ONE LIGHT  
UPLIGHT OUTDOOR  
WALL LANTERN**

WET

W: 10.25" H: 19.75" E: 10.75"  
Height from center of outlet box  
up: 15"

**T24 89824-12**  
(1) Medium Base 100w max.

**T24 89824EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**SMALL ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 7" H: 10.25" E: 7"  
Height from center of outlet box  
up: 6"

**T24 89822-12**  
(1) Medium Base 60w max.

**T24 89822EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**ONE LIGHT  
OUTDOOR PENDANT**

DAMP

D: 10.25" H: 18.75"  
10' wire pre-laced through 3' chain

**T24 69025-12**  
(1) Medium Base 100w max.

**T24 69025EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**ONE LIGHT OUTDOOR  
POST LANTERN**

WET

D: 13" H: 25.75"

**T24 89025-12**  
(1) Medium Base 100w max.

**T24 89025EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ETCHED GLASS, WHITE INSIDE

**TWO LIGHT OUTDOOR  
CEILING FLUSH MOUNT**

DAMP

D: 12.75" H: 7.5"

**T24 79136-12**  
(2) Medium Base 60w max.

**T24 79136EN3-12**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.





MEDIUM ONE LIGHT  
DOWNLIGHT OUTDOOR  
WALL LANTERN

WET

W: 10.25" H: 18" E: 10.75"  
Height from center of outlet box  
up: 4.75"

T24 8825-12  
(1) Medium Base 100w max.



MEDIUM ONE LIGHT  
UPLIGHT OUTDOOR  
WALL LANTERN

WET

W: 10.25" H: 19.75" E: 10.75"  
Height from center of outlet box  
up: 15"

T24 8824-12  
(1) Medium Base 100w max.



SMALL ONE  
LIGHT OUTDOOR  
WALL LANTERN

WET

W: 7" H: 10.25" E: 7"  
Height from center of outlet box  
up: 6"

T24 8822-12  
(1) Medium Base 60w max.



ONE LIGHT  
OUTDOOR PENDANT

DAMP

D: 10.25" H: 18.75"  
10' wire pre-laced through 3' chain

T24 6025-12  
(1) Medium Base 100w max.



THREE LIGHT OUTDOOR  
POST LANTERN

WET

D: 13" H: 25.75"

T24 8231-12  
(3) Candelabra Base 60w max.

T24 8231EN-12  
(3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.

RECOMMENDED PRODUCTS



LED CANDELABRA LAMP  
LTB10C35027B, p.594  
For candelabra base only



CLEAR BEVELED GLASS

TWO LIGHT OUTDOOR  
CEILING FLUSH MOUNT

DAMP

D: 12.75" H: 7.5"

T24 78136-12  
(2) Medium Base 60w max.



**MEDIUM ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 7.25" H: 11.75" E: 9.5"  
Height from center of outlet box  
up: 3.25"

**T24 89132-12**  
(1) Medium Base 100w max.

**T24 89132EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**SMALL ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 6" H: 10" E: 9"  
Height from center of outlet box  
up: 3.25"

**T24 89131-12**  
(1) Medium Base 100w max.

**T24 89131EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**TWO LIGHT OUTDOOR  
CEILING FLUSH MOUNT**

DAMP

L: 10.75" W: 10.75" H: 6.5"

**T24 79131-12**  
(2) Medium Base 60w max.

**T24 79131EN3-12**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**ONE LIGHT  
OUTDOOR PENDANT**

DAMP

L: 7.25" W: 7.25" H: 11.25"  
10' wire pre-laced through 6" chain

**T24 69131-12**  
(1) Medium Base 100w max.

**T24 69131EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**ONE LIGHT OUTDOOR  
POST LANTERN**

WET

L: 7.25" W: 7.25" H: 16.5"

**T24 89231-12**  
(1) Medium Base 100w max.

**T24 89231EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**MEDIUM ONE  
LIGHT OUTDOOR  
WALL LANTERN** WET

W: 7.25" H: 11.75" E: 9.5"  
Height from center of outlet box  
up: 3.25"

**T24 88132-12**  
(1) Medium Base 100w max.



**SMALL ONE  
LIGHT OUTDOOR  
WALL LANTERN** WET

W: 6" H: 10" E: 9"  
Height from center of outlet box  
up: 3.25"

**T24 88131-12**  
(1) Medium Base 100w max.



**TWO LIGHT OUTDOOR  
CEILING FLUSH MOUNT** DAMP

L: 10.75" W: 10.75" H: 6.5"

**T24 78131-12**  
(2) Medium Base 60w max.



**ONE LIGHT  
OUTDOOR PENDANT** DAMP

L: 7.25" W: 7.25" H: 11.25"  
10' wire pre-laced through 6' chain

**T24 60131-12**  
(1) Medium Base 100w max.



**ONE LIGHT OUTDOOR  
POST LANTERN** WET

L: 7.25" W: 7.25" H: 16.5"

**T24 82131-12**  
(1) Medium Base 100w max.



### LARGE THREE LIGHT OUTDOOR WALL LANTERN

WET

W: 11.75" H: 23" E: 11"  
Height from center of outlet box  
up: 10"

**T24 8040-965**  
(3) Candelabra Base 40w max.

**T24 8040EN-965**  
**EN★** (3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



### LARGE TWO LIGHT OUTDOOR WALL LANTERN

WET

W: 10" H: 20.5" E: 9.5"  
Height from center of outlet box  
up: 9.5"

**T24 8039-965**  
(2) Candelabra Base 40w max.

**T24 8039EN-965**  
**EN★** (2) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



### MEDIUM ONE LIGHT OUTDOOR WALL LANTERN

WET

W: 7.75" H: 14" E: 7.5"  
Height from center of outlet box  
up: 6.5"

**T24 8067-965**  
(1) Medium Base 100w max.



### MEDIUM ONE LIGHT OUTDOOR WALL LANTERN

WET

W: 7.75" H: 12" E: 7.5"  
Height from center of outlet box  
up: 4.5"

**T24 8038-965**  
(1) Medium Base 100w max.

#### RECOMMENDED PRODUCT



**LED CANDELABRA LAMP**  
**LTB10C35027B**, p.594  
For candelabra base only



### SMALL ONE LIGHT OUTDOOR WALL LANTERN

WET

W: 7" H: 12" E: 7"  
Height from center of outlet box  
up: 5.75"

**T24 8037-965**  
(1) Medium Base 100w max.



### THREE LIGHT OUTDOOR PENDANT

DAMP

D: 11.75" H: 20.75"  
10' wire pre-laced through 4' chain

**T24 6039-965**  
(3) Candelabra Base 40w max.

**T24 6039EN-965**  
**EN★** (3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



### THREE LIGHT OUTDOOR POST LANTERN

WET

D: 11.75" H: 24"

**T24 8239-965**  
(3) Candelabra Base 60w max.

**T24 8239EN-965**  
**EN★** (3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



### TWO LIGHT OUTDOOR POST LANTERN

WET

D: 10" H: 21.5"

**T24 8229-965**  
(2) Candelabra Base 60w max.

**T24 8229EN-965**  
**EN★** (2) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



**LARGE THREE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 11.75" H: 23" E: 11"  
Height from center of outlet box  
up: 10"

**T24 8040-02**  
(3) Candelabra Base 40w max.

**T24 8040EN-02**  
**EN★** (3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.

**LARGE TWO  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 10" H: 20.5" E: 9.5"  
Height from center of outlet box  
up: 9.5"

**T24 8039-02**  
(2) Candelabra Base 40w max.

**T24 8039EN-02**  
**EN★** (2) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.

**MEDIUM ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 7.75" H: 14" E: 7.5"  
Height from center of outlet box  
up: 6.5"

**T24 8067-02**  
(1) Medium Base 100w max.

**MEDIUM ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 7.75" H: 12" E: 7.5"  
Height from center of outlet box  
up: 4.5"

**T24 8038-02**  
(1) Medium Base 100w max.

## RECOMMENDED PRODUCT



**LED CANDELABRA LAMP**  
**LTB10C35027B**, p.594  
For candelabra base only

**SMALL ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 7" H: 12" E: 7"  
Height from center of outlet box  
up: 5.75"

**T24 8037-02**  
(1) Medium Base 100w max.

**THREE LIGHT  
OUTDOOR  
PENDANT**

DAMP

D: 11.75" H: 20.75"  
10' wire pre-laced through 4' chain

**T24 6039-02**  
(3) Candelabra Base 40w max.

**T24 6039EN-02**  
**EN★** (3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.

**THREE LIGHT  
OUTDOOR  
POST LANTERN**

WET

D: 11.75" H: 24"

**T24 8239-02**  
(3) Candelabra Base 60w max.

**T24 8239EN-02**  
**EN★** (3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.

**TWO LIGHT  
OUTDOOR  
POST LANTERN**

WET

D: 10" H: 21.5"

**T24 8229-02**  
(2) Candelabra Base 60w max.

**T24 8229EN-02**  
**EN★** (2) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



### LARGE THREE LIGHT OUTDOOR WALL LANTERN

WET

W: 11.75" H: 23" E: 11"  
Height from center of outlet box up: 10"

**T24 8040-71**  
(3) Candelabra Base 40w max.

**T24 8040EN-71**  
(3) Cand. Base LED 2700K, 3.5w, 350 lumen lamps incl.



### LARGE TWO LIGHT OUTDOOR WALL LANTERN

WET

W: 10" H: 20.5" E: 9.5"  
Height from center of outlet box up: 9.5"

**T24 8039-71**  
(2) Candelabra Base 40w max.

**T24 8039EN-71**  
(2) Cand. Base LED 2700K, 3.5w, 350 lumen lamps incl.



### MEDIUM ONE LIGHT OUTDOOR WALL LANTERN

WET

W: 7.75" H: 14" E: 7.5"  
Height from center of outlet box up: 6.5"

**T24 8067-71**  
(1) Medium Base 100w max.



### MEDIUM ONE LIGHT OUTDOOR WALL LANTERN

WET

W: 7.75" H: 12" E: 7.5"  
Height from center of outlet box up: 4.5"

**T24 8038-71**  
(1) Medium Base 100w max.

#### RECOMMENDED PRODUCT



**LED CANDELABRA LAMP**  
**LTB10C35027B**, p.594  
For candelabra base only



### SMALL ONE LIGHT OUTDOOR WALL LANTERN

WET

W: 7" H: 12" E: 7"  
Height from center of outlet box up: 5.75"

**T24 8037-71**  
(1) Medium Base 100w max.



### THREE LIGHT OUTDOOR PENDANT

DAMP

D: 11.75" H: 20.75"  
10' wire pre-laced through 4' chain

**T24 6039-71**  
(3) Candelabra Base 40w max.

**T24 6039EN-71**  
(3) Cand. Base LED 2700K, 3.5w, 350 lumen lamps incl.



### THREE LIGHT OUTDOOR POST LANTERN

WET

D: 11.75" H: 24"

**T24 8239-71**  
(3) Candelabra Base 60w max.

**T24 8239EN-71**  
(3) Cand. Base LED 2700K, 3.5w, 350 lumen lamps incl.



### TWO LIGHT OUTDOOR POST LANTERN

WET

D: 10" H: 21.5"

**T24 8229-71**  
(2) Candelabra Base 60w max.

**T24 8229EN-71**  
(2) Cand. Base LED 2700K, 3.5w, 350 lumen lamps incl.



**LARGE THREE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 11.75" H: 23" E: 11"  
Height from center of outlet box  
up: 10"

**T24 8040-12**  
(3) Candelabra Base 40w max.

**T24 8040EN-12**  
(3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



**LARGE TWO  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 10" H: 20.5" E: 9.5"  
Height from center of outlet box  
up: 9.5"

**T24 8039-12**  
(2) Candelabra Base 40w max.

**T24 8039EN-12**  
(2) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



**MEDIUM ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 7.75" H: 14" E: 7.5"  
Height from center of outlet box  
up: 6.5"

**T24 8067-12**  
(1) Medium Base 100w max.



**MEDIUM ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 7.75" H: 12" E: 7.5"  
Height from center of outlet box  
up: 4.5"

**T24 8038-12**  
(1) Medium Base 100w max.

RECOMMENDED PRODUCT



**LED CANDELABRA LAMP**  
**LTB10C35027B**, p.594  
For candelabra base only



**SMALL ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 7" H: 12" E: 7"  
Height from center of outlet box  
up: 5.75"

**T24 8037-12**  
(1) Medium Base 100w max.



**THREE LIGHT  
OUTDOOR  
PENDANT**

DAMP

D: 11.75" H: 20.75"  
10' wire pre-laced through 4' chain

**T24 6039-12**  
(3) Candelabra Base 40w max.

**T24 6039EN-12**  
(3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



**THREE LIGHT  
OUTDOOR  
POST LANTERN**

WET

D: 11.75" H: 24"

**T24 8239-12**  
(3) Candelabra Base 60w max.

**T24 8239EN-12**  
(3) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



**TWO LIGHT  
OUTDOOR  
POST LANTERN**

WET

D: 10" H: 21.5"

**T24 8229-12**  
(2) Candelabra Base 60w max.

**T24 8229EN-12**  
(2) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



### EXTRA LARGE ONE LIGHT OUTDOOR WALL LANTERN

WET

W: 8.5" H: 19.25" E: 9.5"  
Height from center of outlet box  
up: 16.5" down: 2.75"

**T24 84532-746**  
(1) Medium Base 100w max.

**T24 84532EN3-746**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



MOUNTS UP  
OR DOWN



### LARGE ONE LIGHT OUTDOOR WALL LANTERN

WET

W: 8.5" H: 15" E: 9.5"  
Height from center of outlet box  
up: 2.75"

**T24 84531-746**  
(1) Medium Base 100w max.

**T24 84531EN3-746**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



### MEDIUM ONE LIGHT OUTDOOR WALL LANTERN

WET

W: 6.5" H: 15" E: 8.5"  
Height from center of outlet box  
up: 12.25" down: 2.75"

**T24 84530-746**  
(1) Medium Base 100w max.

**T24 84530EN3-746**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



MOUNTS UP  
OR DOWN



### SMALL ONE LIGHT OUTDOOR WALL LANTERN

WET

W: 6.5" H: 11.5" E: 8.5"  
Height from center of outlet box  
up: 2.75"

**T24 84529-746**  
(1) Medium Base 100w max.

**T24 84529EN3-746**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



CONVERTS TO  
SEMI-FLUSH  
H: 9.75"

### ONE LIGHT OUTDOOR SEMI-FLUSH CONVERTIBLE PENDANT

DAMP

L: 6.5" W: 6.5" H: 10.5"  
10' wire pre-laced through 4' chain

**T24 60529-746**  
(1) Medium Base 100w max.

**T24 60529EN3-746**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



### ONE LIGHT OUTDOOR POST LANTERN

WET

L: 8.5" W: 8.5" H: 20.25"

**T24 82529-746**  
(1) Medium Base 100w max.

**T24 82529EN3-746**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.





EXTRA LARGE ONE  
LIGHT OUTDOOR  
WALL LANTERN

WET

W: 8.5" H: 19.25" E: 9.5"  
Height from center of outlet box  
up: 16.5" down: 2.75"

T24 84032-746  
(1) Medium Base 100w max.



MOUNTS UP  
OR DOWN



LARGE ONE  
LIGHT OUTDOOR  
WALL LANTERN

WET

W: 8.5" H: 15" E: 9.5"  
Height from center of outlet box  
up: 2.75"

T24 84031-746  
(1) Medium Base 100w max.



MEDIUM ONE  
LIGHT OUTDOOR  
WALL LANTERN

WET

W: 6.5" H: 15" E: 8.5"  
Height from center of outlet box  
up: 12.25" down: 2.75"

T24 84030-746  
(1) Medium Base 100w max.



MOUNTS UP  
OR DOWN



SMALL ONE  
LIGHT OUTDOOR  
WALL LANTERN

WET

W: 6.5" H: 11.5" E: 8.5"  
Height from center of outlet box  
up: 2.75"

T24 84029-746  
(1) Medium Base 100w max.



CONVERTS TO  
SEMI-FLUSH  
H: 9.75"

ONE LIGHT  
OUTDOOR SEMI-FLUSH  
CONVERTIBLE PENDANT

DAMP

L: 6.5" W: 6.5" H: 10.5"  
10' wire pre-laced through 4' chain

T24 60029-746  
(1) Medium Base 100w max.



ONE LIGHT OUTDOOR  
POST LANTERN

WET

L: 8.5" W: 8.5" H: 20.25"

T24 82029-746  
(1) Medium Base 100w max.



### EXTRA LARGE ONE LIGHT OUTDOOR WALL LANTERN

WET

W: 8.5" H: 19.25" E: 9.5"  
Height from center of outlet box  
up: 16.5" down: 2.75"

**T24 84532-12**  
(1) Medium Base 100w max.

**T24 84532EN3-12**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



MOUNTS UP  
OR DOWN



### LARGE ONE LIGHT OUTDOOR WALL LANTERN

WET

W: 8.5" H: 15" E: 9.5"  
Height from center of outlet box  
up: 2.75"

**T24 84531-12**  
(1) Medium Base 100w max.

**T24 84531EN3-12**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



### MEDIUM ONE LIGHT OUTDOOR WALL LANTERN

WET

W: 6.5" H: 15" E: 8.5"  
Height from center of outlet box  
up: 12.25" down: 2.75"

**T24 84530-12**  
(1) Medium Base 100w max.

**T24 84530EN3-12**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



MOUNTS UP  
OR DOWN



### SMALL ONE LIGHT OUTDOOR WALL LANTERN

WET

W: 6.5" H: 11.5" E: 8.5"  
Height from center of outlet box  
up: 2.75"

**T24 84529-12**  
(1) Medium Base 100w max.

**T24 84529EN3-12**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



### ONE LIGHT OUTDOOR SEMI-FLUSH CONVERTIBLE PENDANT

DAMP

L: 6.5" W: 6.5" H: 10.5"  
10' wire pre-laced through 4" chain

**T24 60529-12**  
(1) Medium Base 100w max.

**T24 60529EN3-12**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



CONVERTS TO  
SEMI-FLUSH  
H: 9.75"



### ONE LIGHT OUTDOOR POST LANTERN

WET

W: 8.5" H: 20.25"

**T24 82529-12**  
(1) Medium Base 100w max.

**T24 82529EN3-12**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**EXTRA LARGE ONE LIGHT OUTDOOR WALL LANTERN** WET

W: 8.5" H: 19.25" E: 9.5"  
Height from center of outlet box  
up: 16.5" down: 2.75

**T24 84032-12**  
(1) Medium Base 100w max.



**LARGE ONE LIGHT OUTDOOR WALL LANTERN** WET

W: 8.5" H: 15" E: 9.5"  
Height from center of outlet box  
up: 2.75"

**T24 84031-12**  
(1) Medium Base 100w max.



**MEDIUM ONE LIGHT OUTDOOR WALL LANTERN** WET

W: 6.5" H: 15" E: 8.5"  
Height from center of outlet box  
up: 12.25" down: 2.75"

**T24 84030-12**  
(1) Medium Base 100w max.



**SMALL ONE LIGHT OUTDOOR WALL LANTERN** WET

W: 6.5" H: 11.5" E: 8.5"  
Height from center of outlet box  
up: 2.75"

**T24 84029-12**  
(1) Medium Base 100w max.



**ONE LIGHT OUTDOOR SEMI-FLUSH CONVERTIBLE PENDANT** DAMP

L: 6.5" W: 6.5" H: 10.5"  
10' wire pre-laced through 4' chain

**T24 60029-12**  
(1) Medium Base 100w max.



**ONE LIGHT OUTDOOR POST LANTERN** WET

L: 8.5" W: 8.5" H: 20.25"

**T24 82029-12**  
(1) Medium Base 100w max.



**LARGE ONE  
LIGHT OUTDOOR  
WALL LANTERN** WET  
W: 10" H: 16.25" E: 12"  
Height from center of outlet box  
up: 9"  
**T24 84070-746**  
(1) Medium Base 100w max.



**MEDIUM ONE  
LIGHT OUTDOOR  
WALL LANTERN** WET  
W: 8" H: 13.25" E: 10"  
Height from center of outlet box  
up: 8.25"  
**T24 84069-746**  
(1) Medium Base 100w max.



**SMALL ONE  
LIGHT OUTDOOR  
WALL LANTERN** WET  
W: 6" H: 8.25" E: 7.75"  
Height from center of outlet box  
up: 3.25"  
**T24 84068-746**  
(1) Medium Base 100w max.



**ONE LIGHT  
OUTDOOR PENDANT** DAMP  
D: 10" H: 17"  
10' wire pre-laced through 10' chain  
**T24 60068-746**  
(1) Medium Base 100w max.



**ONE LIGHT  
OUTDOOR  
POST LANTERN** WET  
D: 10" H: 17.25"  
**T24 82068-746**  
(1) Medium Base 100w max.



**TWO LIGHT OUTDOOR  
CEILING FLUSH MOUNT** DAMP  
D: 13.25" H: 7.5"  
**T24 88068-746**  
(2) Medium Base 60w max.





**LARGE ONE LIGHT OUTDOOR WALL LANTERN** WET  
W: 10" H: 16.25" E: 12"  
Height from center of outlet box up: 9"  
**T24 84070-12**  
(1) Medium Base 100w max.



**MEDIUM ONE LIGHT OUTDOOR WALL LANTERN** WET  
W: 8" H: 13.25" E: 10"  
Height from center of outlet box up: 8.25"  
**T24 84069-12**  
(1) Medium Base 100w max.



**SMALL ONE LIGHT OUTDOOR WALL LANTERN** WET  
W: 6" H: 8.25" E: 7.75"  
Height from center of outlet box up: 3.25"  
**T24 84068-12**  
(1) Medium Base 100w max.



**ONE LIGHT OUTDOOR PENDANT** DAMP  
D: 10" H: 17"  
10' wire pre-laced through 10' chain  
**T24 60068-12**  
(1) Medium Base 100w max.



**ONE LIGHT OUTDOOR POST LANTERN** WET  
D: 10" H: 17.25"  
**T24 82068-12**  
(1) Medium Base 100w max.



**TWO LIGHT OUTDOOR CEILING FLUSH MOUNT** DAMP  
D: 13.25" H: 7.5"  
**T24 88068-12**  
(2) Medium Base 60w max.



LARGE ONE  
LIGHT OUTDOOR  
WALL LANTERN

WET

W: 10" H: 16.25" E: 12"  
Height from center of outlet box  
up: 9"

T24 84050-185  
(1) Medium Base 100w max.

T24 84050EN3-185  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



MEDIUM ONE  
LIGHT OUTDOOR  
WALL LANTERN

WET

W: 8" H: 13.25" E: 10"  
Height from center of outlet box  
up: 8.25"

T24 84049-185  
(1) Medium Base 100w max.

T24 84049EN3-185  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



SMALL ONE  
LIGHT OUTDOOR  
WALL LANTERN

WET

W: 6" H: 8.25" E: 7.75"  
Height from center of outlet box  
up: 3.25"

T24 84048-185  
(1) Medium Base 100w max.

T24 84048EN3-185  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ONE LIGHT  
OUTDOOR PENDANT

DAMP

D: 10" H: 17"  
10' wire pre-laced through 10' chain

T24 60048-185  
(1) Medium Base 100w max.

T24 60048EN3-185  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ONE LIGHT OUTDOOR  
POST LANTERN

WET

D: 10" H: 17.25"

T24 82048-185  
(1) Medium Base 100w max.

T24 82048EN3-185  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



TWO LIGHT OUTDOOR  
CEILING FLUSH MOUNT

DAMP

D: 13.25" H: 7.5"

T24 88048-185  
(2) Medium Base 60w max.

T24 88048EN3-185  
EN★ (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



**LARGE ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 10" H: 16.25" E: 12"  
Height from center of outlet box  
up: 9"

**T24 84050-12**  
(1) Medium Base 100w max.

**T24 84050EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**T24 84050P-12**  
(1) Medium Base 100w max.  
PHOTOCELL INCLUDED

**T24 84050PEN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.  
PHOTOCELL INCLUDED



**MEDIUM ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 8" H: 13.25" E: 10"  
Height from center of outlet box  
up: 8.25"

**T24 84049-12**  
(1) Medium Base 100w max.

**T24 84049EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**T24 84049P-12**  
(1) Medium Base 100w max.  
PHOTOCELL INCLUDED

**T24 84049PEN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.  
PHOTOCELL INCLUDED



**SMALL ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 6" H: 8.25" E: 7.75"  
Height from center of outlet box  
up: 3.25"

**T24 84048-12**  
(1) Medium Base 100w max.

**T24 84048EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**T24 84048P-12**  
(1) Medium Base 100w max.  
PHOTOCELL INCLUDED

**T24 84048PEN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.  
PHOTOCELL INCLUDED



**ONE LIGHT  
OUTDOOR PENDANT**

DAMP

D: 10" H: 17"  
10' wire pre-laced through 10' chain

**T24 60048P-12**  
(1) Medium Base 100w max.  
PHOTOCELL INCLUDED

**T24 60048PEN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.  
PHOTOCELL INCLUDED



**ONE LIGHT OUTDOOR  
POST LANTERN**

WET

D: 10" H: 17.25"

**T24 82048P-12**  
(1) Medium Base 100w max.  
PHOTOCELL INCLUDED

**T24 82048PEN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.  
PHOTOCELL INCLUDED



**TWO LIGHT OUTDOOR  
CEILING FLUSH MOUNT**

DAMP

D: 13.25" H: 7.5"

**T24 88048P-12**  
(2) Medium Base 60w max.  
PHOTOCELL INCLUDED

**T24 88048PEN3-12**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.  
PHOTOCELL INCLUDED



ETCHED TIFFANY GLASS WITH  
WHITE ALUMINUM BACKING



**EXTRA LARGE TWO  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 7" H: 20.25" E: 7.75"  
Height from center of outlet box  
up: 6.5"

**T24 8468-71**  
(2) Candelabra Base 40w max.

**T24 8468EN-71**  
(2) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.

**LARGE ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 7" H: 17" E: 8"  
Height from center of outlet box  
up: 6.5"

**T24 84158D-71**  
(1) Medium Base 100w max.

**T24 84158DEN3-71**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

**LARGE ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 7" H: 17" E: 8"  
Height from center of outlet box  
up: 6.5"

**T24 8458-71**  
(1) Medium Base 100w max.



**MEDIUM ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 5.25" H: 12.5" E: 5.75"  
Height from center of outlet box  
up: 6"

**T24 8457-71**  
(1) Medium Base 100w max.

**SMALL ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 4" H: 11.25" E: 5.75"  
Height from center of outlet box  
up: 6"

**T24 8456-71**  
(1) Medium Base 100w max.



**ONE LIGHT OUTDOOR  
POST LANTERN**

WET

L: 7" W: 7" H: 17.25"

**T24 8257-71**  
(1) Medium Base 100w max.

RECOMMENDED PRODUCTS



**LED CANDELABRA LAMP**  
**LTB10C35027B**, p.594  
For candelabra base only





**EXTRA LARGE ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 7" H: 20.25" W: 7.75"

Height from center of outlet box up: 6.5"

**T24 84670-71**  
(1) Medium Base 100w max.

**T24 84670EN3-71**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**LARGE ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 7" H: 17" E: 8"

Height from center of outlet box up: 6.5"

**T24 84580-71**  
(1) Medium Base 100w max.

**T24 84580EN3-71**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**MEDIUM ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 5.25" H: 12.5" E: 5.75"

Height from center of outlet box up: 6"

**T24 84570-71**  
(1) Medium Base 100w max.

**T24 84570EN3-71**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ETCHED TIFFANY GLASS WITH  
WHITE ALUMINUM BACKING

**MEDIUM ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET



W: 5.25" H: 12.5" E: 5.75"

Height from center of outlet box up: 6"

**T24 84157D-71**  
(1) Medium Base 100w max.

**T24 84157DEN3-71**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**SMALL ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 4" H: 11.25" E: 5.75"

Height from center of outlet box up: 6"

**T24 84560-71**  
(1) Medium Base 100w max.

**T24 84560EN3-71**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**ONE LIGHT OUTDOOR  
POST LANTERN**

WET

L: 7" W: 7" H: 17.25"

**T24 82570-71**  
(1) Medium Base 100w max.

**T24 82570EN3-71**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



EXTRA LARGE TWO  
LIGHT OUTDOOR  
WALL LANTERN

WET

W: 7" H: 20.25" E: 7.75"  
Height from center of outlet box up: 6.5"

T24 8468-965  
(2) Candelabra Base 40w max.

T24 8468EN-965  
(2) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



LARGE ONE  
LIGHT OUTDOOR  
WALL LANTERN

WET

W: 7" H: 17" E: 8"  
Height from center of outlet box  
up: 6.5"

T24 8458-965  
(1) Medium Base 100w max.



MEDIUM ONE  
LIGHT OUTDOOR  
WALL LANTERN

WET

W: 5.25" H: 12.5" E: 5.75"  
Height from center of outlet box  
up: 6"

T24 8457-965  
(1) Medium Base 100w max.



SMALL ONE  
LIGHT OUTDOOR  
WALL LANTERN

WET

W: 4" H: 11.25" E: 5.75"  
Height from center of outlet box  
up: 6"

T24 8456-965  
(1) Medium Base 100w max.



ONE LIGHT OUTDOOR  
POST LANTERN

WET

L: 7" W: 7" H: 17.25"

T24 8257-965  
(1) Medium Base 100w max.

RECOMMENDED PRODUCTS



LED CANDELABRA LAMP  
LTB10C35027B, p.594  
For candelabra base only



**EXTRA LARGE TWO  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 7" H: 20.25" E: 7.75"  
Height from center of outlet box  
up: 6.5"

**T24 8468-12**  
(2) Candelabra Base 40w max.

**T24 8468EN-12**  
(2) Cand. Base LED 2700K,  
3.5w, 350 lumen lamps incl.



**LARGE ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 7" H: 17" E: 8"  
Height from center of outlet box  
up: 6.5"

**T24 8458-12**  
(1) Medium Base 100w max.



ETCHED TIFFANY GLASS  
PAINTED WHITE INSIDE

**LARGE ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 7" H: 17" E: 8"  
Height from center of outlet box  
up: 6.5"

**T24 84158D-12**  
(1) Medium Base 100w max.

**T24 84158DEN3-12**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



**MEDIUM ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 5.25" H: 12.5" E: 5.75"  
Height from center of outlet box  
up: 6"

**T24 8457-12**  
(1) Medium Base 100w max.



**SMALL ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 4" H: 11.25" E: 5.75"  
Height from center of outlet box  
up: 6"

**T24 8456-12**  
(1) Medium Base 100w max.



**ONE LIGHT OUTDOOR  
POST LANTERN**

WET

L: 7" W: 7" H: 17.25"  
**T24 8257-12**  
(1) Medium Base 100w max.

RECOMMENDED PRODUCTS



**LED CANDELABRA LAMP**  
**LTB10C35027B**, p.594  
For candelabra base only



CONVERTS TO  
SEMI-FLUSH  
H: 13"

ONE LIGHT  
OUTDOOR SEMI-FLUSH  
CONVERTIBLE PENDANT

DAMP

D: 7" H: 12.5"  
10' wire pre-laced through 4' chain

T24 6008-02  
(1) Medium Base 100w max.



SMALL ONE  
LIGHT OUTDOOR  
WALL LANTERN

WET

W: 5.75" H: 10.5" E: 5.75"  
Height from center of outlet box  
up: 7.25"

T24 8507-02  
(1) Medium Base 100w max.



MEDIUM ONE  
LIGHT OUTDOOR  
WALL LANTERN

WET

W: 7" H: 12.25" E: 7.25"  
Height from center of outlet box  
up: 3.25"

T24 8509-02  
(1) Medium Base 100w max.



WITHOUT TAIL  
H: 17.75"

LARGE ONE LIGHT  
OUTDOOR WALL LANTERN

WET

W: 7" H: 25.5" E: 7"  
Height from center of outlet box  
up: 15"

T24 8510-02  
(1) Medium Base 100w max.



ONE LIGHT OUTDOOR  
POST LANTERN

WET

D: 7" H: 15.75"

T24 8209-02  
(1) Medium Base 100w max.





**ONE LIGHT  
OUTDOOR SEMI-FLUSH  
CONVERTIBLE PENDANT**

DAMP

D: 7" H: 12.5"  
10' wire pre-laced through 4' chain

**T24 6008-12**  
(1) Medium Base 100w max.



**SMALL ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 5.75" H: 10.5" E: 5.75"  
Height from center of outlet box  
up: 7.25"

**T24 8507-12**  
(1) Medium Base 100w max.




**MEDIUM ONE  
LIGHT OUTDOOR  
WALL LANTERN**

WET

W: 7" H: 12.25" E: 7.25"  
Height from center of outlet box  
up: 3.25"

**T24 8509-12**  
(1) Medium Base 100w max.



**LARGE ONE LIGHT  
OUTDOOR WALL LANTERN**

WET

W: 7" H: 25.5" E: 7"  
Height from center of outlet box  
up: 15"

**T24 8510-12**  
(1) Medium Base 100w max.



**ONE LIGHT OUTDOOR  
POST LANTERN**

WET

D: 7" H: 15.75"

**T24 8209-12**  
(1) Medium Base 100w max.

# NEW CASTLE



WHITE FINISH  
CLEAR GLASS

**ONE LIGHT OUTDOOR WALL LANTERN** WET

W: 4.25" H: 8.25" E: 5.5"  
Height from center of outlet box  
up: 2.75"

**T24 8592-15**  
(1) Medium Base 100w max.



POLISHED BRASS FINISH  
CLEAR GLASS

**ONE LIGHT OUTDOOR WALL LANTERN** WET

W: 4.25" H: 8.25" E: 5.5"  
Height from center of outlet box  
up: 2.75"

**T24 8592-02**  
(1) Medium Base 100w max.



ANTIQUE BRUSHED NICKEL FINISH  
CLEAR GLASS

**ONE LIGHT OUTDOOR WALL LANTERN** WET

W: 4.25" H: 8.25" E: 5.5"  
Height from center of outlet box  
up: 2.75"

**T24 8592-965**  
(1) Medium Base 100w max.



ANTIQUE BRONZE FINISH  
CLEAR GLASS

**ONE LIGHT OUTDOOR WALL LANTERN** WET

W: 4.25" H: 8.25" E: 5.5"  
Height from center of outlet box  
up: 2.75"

**T24 8592-71**  
(1) Medium Base 100w max.



BLACK FINISH  
CLEAR GLASS

**ONE LIGHT OUTDOOR WALL LANTERN** WET

W: 4.25" H: 8.25" E: 5.5"  
Height from center of outlet box  
up: 2.75"

**T24 8592-12**  
(1) Medium Base 100w max.



WHITE FINISH  
SATIN ETCHED GLASS

## ONE LIGHT OUTDOOR WALL LANTERN

WET

W: 4.25" H: 8.25" E: 5.5"  
Height from center of outlet box  
up: 2.75"

**T24 8592001-15**  
(1) Medium Base 100w max.

**T24 8592001EN3-15**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



POLISHED BRASS FINISH  
SATIN ETCHED GLASS

## ONE LIGHT OUTDOOR WALL LANTERN

WET

W: 4.25" H: 8.25" E: 5.5"  
Height from center of outlet box  
up: 2.75"

**T24 8592001-02**  
(1) Medium Base 100w max.

**T24 8592001EN3-02**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ANTIQUE BRUSHED NICKEL FINISH  
SATIN ETCHED GLASS

## ONE LIGHT OUTDOOR WALL LANTERN

WET

W: 4.25" H: 8.25" E: 5.5"  
Height from center of outlet box  
up: 2.75"

**T24 8592001-965**  
(1) Medium Base 100w max.

**T24 8592001EN3-965**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ANTIQUE BRONZE FINISH  
SATIN ETCHED GLASS

## ONE LIGHT OUTDOOR WALL LANTERN

WET

W: 4.25" H: 8.25" E: 5.5"  
Height from center of outlet box  
up: 2.75"

**T24 8592001-71**  
(1) Medium Base 100w max.

**T24 8592001EN3-71**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



BLACK FINISH  
SATIN ETCHED GLASS

## ONE LIGHT OUTDOOR WALL LANTERN

WET

W: 4.25" H: 8.25" E: 5.5"  
Height from center of outlet box  
up: 2.75"

**T24 8592001-12**  
(1) Medium Base 100w max.

**T24 8592001EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



SATIN ETCHED GLASS

ONE LIGHT OUTDOOR WALL LANTERN WET

W: 6.5" H: 15.5" E: 7.75"  
Height from center of outlet box  
up: 12.25"

T24 **89940-782**  
(1) Medium Base 100w max.

T24 **89940EN3-782**  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



SATIN ETCHED GLASS

ONE LIGHT OUTDOOR WALL LANTERN WET

W: 7.75" H: 17" E: 8.5"  
Height from center of outlet box  
up: 14"

T24 **89941-782**  
(1) Medium Base 100w max.

T24 **89941EN3-782**  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



CLEAR BEVELED GLASS

ONE LIGHT OUTDOOR WALL LANTERN WET

W: 6.5" H: 15.5" E: 7.75"  
Height from center of outlet box  
up: 12.25"

T24 **88940-782**  
(1) Medium Base 100w max.



CLEAR BEVELED GLASS

ONE LIGHT OUTDOOR WALL LANTERN WET

W: 7.75" H: 17" E: 8.5"  
Height from center of outlet box  
up: 14"

T24 **88941-782**  
(1) Medium Base 100w max.





SATIN ETCHED GLASS

ONE LIGHT OUTDOOR WALL LANTERN

WET

W: 6.5" H: 15.5" E: 7.75"  
Height from center of outlet box up: 12.25"

T24 89940-12  
(1) Medium Base 100w max.

T24 89940EN3-12  
(1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.



SATIN ETCHED GLASS

ONE LIGHT OUTDOOR WALL LANTERN

WET

W: 7.75" H: 17" E: 8.5"  
Height from center of outlet box up: 14"

T24 89941-12  
(1) Medium Base 100w max.

T24 89941EN3-12  
(1) Med. Base LED 3000K, 9.5w, 800 lumen lamp incl.



ETCHED GLASS, WHITE INSIDE

TWO LIGHT OUTDOOR CEILING FLUSH MOUNT

DAMP

D: 12.75" H: 7.5"

T24 79136-12  
(2) Medium Base 60w max.

T24 79136EN3-12  
(2) Med. Base LED 3000K, 9.5w, 800 lumen lamps incl.



CLEAR BEVELED GLASS

ONE LIGHT OUTDOOR WALL LANTERN

WET

W: 6.5" H: 15.5" E: 7.75"  
Height from center of outlet box up: 12.25"

T24 88940-12  
(1) Medium Base 100w max.



CLEAR BEVELED GLASS

ONE LIGHT OUTDOOR WALL LANTERN

WET

W: 7.75" H: 17" E: 8.5"  
Height from center of outlet box up: 14"

T24 88941-12  
(1) Medium Base 100w max.



CLEAR BEVELED GLASS

TWO LIGHT OUTDOOR CEILING FLUSH MOUNT

DAMP

D: 12.75" H: 7.5"

T24 78136-12  
(2) Medium Base 60w max.

# MULLBERRY HILL



WHITE FINISH  
WHITE GLASS

## ONE LIGHT OUTDOOR WALL LANTERN

WET

W: 5.75" H: 8.75" E: 4.5"  
Height from center of outlet box  
up: 5"

**T24 8788-15**  
(1) Medium Base 100w max.

**T24 8988EN3-15**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



PEWTER FINISH  
WHITE GLASS

## ONE LIGHT OUTDOOR WALL LANTERN

WET

W: 5.75" H: 8.75" E: 4.5"  
Height from center of outlet box  
up: 5"

**T24 8788-155**  
(1) Medium Base 100w max.

**T24 8988EN3-155**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



BRONZE FINISH  
WHITE GLASS

## ONE LIGHT OUTDOOR WALL LANTERN

WET

W: 5.75" H: 8.75" E: 4.5"  
Height from center of outlet box  
up: 5"

**T24 8788-10**  
(1) Medium Base 100w max.

**T24 8988EN3-10**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



BLACK FINISH  
WHITE GLASS

## ONE LIGHT OUTDOOR WALL LANTERN

WET

W: 5.75" H: 8.75" E: 4.5"  
Height from center of outlet box  
up: 5"

**T24 8788-12**  
(1) Medium Base 100w max.

**T24 8988EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



WHITE FINISH  
CLEAR BEVELED GLASS

## ONE LIGHT OUTDOOR WALL LANTERN

WET

W: 5.75" H: 8.75" E: 4.5"  
Height from center of outlet box  
up: 5"

**T24 8588-15**  
(1) Medium Base 100w max.



PEWTER FINISH  
CLEAR BEVELED GLASS

## ONE LIGHT OUTDOOR WALL LANTERN

WET

W: 5.75" H: 8.75" E: 4.5"  
Height from center of outlet box  
up: 5"

**T24 8588-155**  
(1) Medium Base 100w max.



BRONZE FINISH  
CLEAR BEVELED GLASS

## ONE LIGHT OUTDOOR WALL LANTERN

WET

W: 5.75" H: 8.75" E: 4.5"  
Height from center of outlet box  
up: 5"

**T24 8588-10**  
(1) Medium Base 100w max.



BLACK FINISH  
CLEAR BEVELED GLASS

## ONE LIGHT OUTDOOR WALL LANTERN

WET

W: 5.75" H: 8.75" E: 4.5"  
Height from center of outlet box  
up: 5"

**T24 8588-12**  
(1) Medium Base 100w max.




ONE LIGHT  
OUTDOOR  
WALL LANTERN

L: 10" W: 5" H: 3.75" E: 3.75"  
Height from center of outlet box  
horizontal: 2.5" vertical: 5"

**T24 8335-15**  
(1) Medium Base 60w max.

**T24 8335EN3-15**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

WET ADA



MOUNTS  
VERTICAL OR  
HORIZONTAL



ONE LIGHT  
OUTDOOR  
WALL LANTERN

L: 10" W: 5" H: 4" E: 4"  
Height from center of outlet box  
horizontal: 2.5" vertical: 5"

**T24 89806-15**  
(1) Medium Base 60w max.

**T24 89806EN3-15**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

WET ADA



MOUNTS  
VERTICAL OR  
HORIZONTAL



ONE LIGHT OUTDOOR  
WALL LANTERN

L: 10" W: 5" H: 4" E: 4"  
Height from center of outlet box  
up: 2.5"

**T24 89805-15**  
(1) Medium Base 60w max.

**T24 89805EN3-15**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

WET ADA



ONE LIGHT OUTDOOR  
WALL / CEILING MOUNT

D: 10" H: 5" E: 5"  
Height from center of outlet box  
up: 5"

**T24 83057-15**  
(1) Medium Base 75w max.

**T24 83057EN3-15**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

WET



ONE LIGHT OUTDOOR  
WALL / CEILING MOUNT

D: 10" H: 5" E: 5"  
Height from center of outlet box  
up: 5"

**T24 89807-15**  
(1) Medium Base 75w max.

**T24 89807EN3-15**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

WET





ONE LIGHT  
OUTDOOR  
WALL LANTERN

WET ADA

L: 10" W: 5" H: 3.75" E: 3.75"  
Height from center of outlet box  
horizontal: 2.5" vertical: 5"

T24 8335-12  
(1) Medium Base 60w max.

T24 8335EN3-12  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



MOUNTS  
VERTICAL OR  
HORIZONTAL




ONE LIGHT  
OUTDOOR  
WALL LANTERN

WET ADA

L: 10" W: 5" H: 4" E: 4"  
Height from center of outlet box  
horizontal: 2.5" vertical: 5"

T24 89806-12  
(1) Medium Base 60w max.

T24 89806EN3-12  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



MOUNTS  
VERTICAL OR  
HORIZONTAL



ONE LIGHT OUTDOOR  
WALL LANTERN

WET ADA

L: 10" W: 5" H: 4" E: 4"  
Height from center of outlet box  
up: 2.5"

T24 89805-12  
(1) Medium Base 60w max.

T24 89805EN3-12  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ONE LIGHT OUTDOOR  
WALL / CEILING MOUNT

WET

D: 10" H: 5" E: 5"  
Height from center of outlet box  
up: 5"

T24 83057-12  
(1) Medium Base 75w max.

T24 83057EN3-12  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ONE LIGHT OUTDOOR  
WALL / CEILING MOUNT


WET

D: 10" H: 5" E: 5"  
Height from center of outlet box  
up: 5"

T24 89807-12  
(1) Medium Base 75w max.

T24 89807EN3-12  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

Product Shown: Outdoor Cylinder Small Up/Down Outdoor Wall Lantern in Powder Coated Brushed Nickel





CLEAR TEMPERED GLASS DIFFUSER  
(FOR TOP)

LARGE UP/DOWN  
OUTDOOR  
WALL LANTERN

WET

W: 6" H: 18.25" E: 8.75"  
Height from center of outlet box  
up: 9.25"

- T24 8313902-10  
EN★ (2) Medium Base BR40 100w max.
- T24 8313902EN3-10  
EN★ (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.
- T24 8413997S-10  
WOD LED: 2700K, 28 watts,  
2000 gross lumens



CLEAR TEMPERED GLASS DIFFUSER  
(FOR TOP)

SMALL UP/DOWN  
OUTDOOR  
WALL LANTERN

WET

W: 5.25" H: 14.25" E: 8"  
Height from center of outlet box  
up: 7.25"

- T24 8313802-10  
EN★ (2) Medium Base BR30 65w max.
- T24 8313802EN3-10  
EN★ (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.
- T24 8413897S-10  
WOD LED: 2700K, 28 watts,  
2000 gross lumens



LARGE OUTDOOR  
WALL LANTERN

WET

W: 6" H: 9" E: 8.75"  
Height from center of outlet box  
up: 4.5"

- T24 8313901-10  
EN★ (1) Medium Base BR40 100w max.
- T24 8313901EN3-10  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.
- T24 8313997S-10  
WOD LED: 2700K, 14 watts,  
1000 gross lumens



SMALL OUTDOOR  
WALL LANTERN

WET

W: 5.25" H: 7.25" E: 8"  
Height from center of outlet box  
up: 2.75"

- T24 8313801-10  
EN★ (1) Medium Base BR30 65w max.
- T24 8313801EN3-10  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.
- T24 8313897S-10  
WOD LED: 2700K, 14 watts,  
1000 gross lumens



LARGE OUTDOOR  
CEILING FLUSH MOUNT

DAMP

D: 6" H: 9"

- T24 7813901-10  
EN★ (1) Medium Base BR40 100w max.
- T24 7813901EN3-10  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.
- T24 7813997S-10  
WOD LED: 2700K, 14 watts,  
1000 gross lumens



SMALL OUTDOOR  
CEILING FLUSH MOUNT

DAMP

D: 5.25" H: 6.75"

- T24 7813801-10  
EN★ (1) Medium Base BR30 65w max.
- T24 7813801EN3-10  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.
- T24 7813897S-10  
WOD LED: 2700K, 14 watts,  
1000 gross lumens



CLEAR TEMPERED GLASS DIFFUSER  
(FOR TOP)

**LARGE UP/DOWN  
OUTDOOR  
WALL LANTERN**

WET

W: 6" H: 18.25" E: 8.75"  
Height from center of outlet box  
up: 9.25"

- T24 8313902-753**  
EN★ (2) Medium Base BR40 100w max.
- T24 8313902EN3-753**  
EN★ (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.
- T24 8413997S-753**  
WOD LED: 2700K, 28 watts,  
EN★ 2000 gross lumens



CLEAR TEMPERED GLASS DIFFUSER  
(FOR TOP)

**SMALL UP/DOWN  
OUTDOOR  
WALL LANTERN**

WET

W: 5.25" H: 14.25" E: 8"  
Height from center of outlet box  
up: 7.25"

- T24 8313802-753**  
EN★ (2) Medium Base BR30 65w max.
- T24 8313802EN3-753**  
EN★ (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.
- T24 8413897S-753**  
WOD LED: 2700K, 28 watts,  
EN★ 2000 gross lumens



**LARGE OUTDOOR  
WALL LANTERN**

WET



W: 6" H: 9" E: 8.75"  
Height from center of outlet box  
up: 4.5"

- T24 8313901-753**  
EN★ (1) Medium Base BR40 100w max.
- T24 8313901EN3-753**  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.
- T24 8313997S-753**  
WOD LED: 2700K, 14 watts,  
EN★ 1000 gross lumens



**SMALL OUTDOOR  
WALL LANTERN**

WET



W: 5.25" H: 7.25" E: 8"  
Height from center of outlet box  
up: 2.75"

- T24 8313801-753**  
EN★ (1) Medium Base BR30 65w max.
- T24 8313801EN3-753**  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.
- T24 8313897S-753**  
WOD LED: 2700K, 14 watts,  
EN★ 1000 gross lumens



**LARGE OUTDOOR  
CEILING FLUSH MOUNT**

DAMP

D: 6" H: 9"

- T24 7813901-753**  
EN★ (1) Medium Base BR40 100w max.
- T24 7813901EN3-753**  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.
- T24 7813997S-753**  
WOD LED: 2700K, 14 watts,  
EN★ 1000 gross lumens



**SMALL OUTDOOR  
CEILING FLUSH MOUNT**

DAMP

D: 5.25" H: 6.75"

- T24 7813801-753**  
EN★ (1) Medium Base BR30 65w max.
- T24 7813801EN3-753**  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.
- T24 7813897S-753**  
WOD LED: 2700K, 14 watts,  
EN★ 1000 gross lumens





CLEAR TEMPERED GLASS DIFFUSER  
(FOR TOP)

**LARGE UP/DOWN  
OUTDOOR  
WALL LANTERN**

WET

W: 6" H: 18.25" E: 8.75"  
Height from center of outlet box  
up: 9.25"

- T24 8313902-15**  
EN★ (2) Medium Base BR40 100w max.
- T24 8313902EN3-15**  
EN★ (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.
- T24 8413997S-15**  
WOD LED: 2700K, 28 watts,  
EN★ 2000 gross lumens



CLEAR TEMPERED GLASS DIFFUSER  
(FOR TOP)

**SMALL UP/DOWN  
OUTDOOR  
WALL LANTERN**

WET

W: 5.25" H: 14.25" E: 8"  
Height from center of outlet box  
up: 7.25"

- T24 8313802-15**  
EN★ (2) Medium Base BR30 65w max.
- T24 8313802EN3-15**  
EN★ (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.
- T24 8413897S-15**  
WOD LED: 2700K, 28 watts,  
EN★ 2000 gross lumens



**LARGE OUTDOOR  
WALL LANTERN**

WET

W: 6" H: 9" E: 8.75"  
Height from center of outlet box  
up: 4.5"

- T24 8313901-15**  
EN★ (1) Medium Base BR40 100w max.
- T24 8313901EN3-15**  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.
- T24 8313997S-15**  
WOD LED: 2700K, 14 watts,  
EN★ 1000 gross lumens



**SMALL OUTDOOR  
WALL LANTERN**

WET

W: 5.25" H: 7.25" E: 8"  
Height from center of outlet box  
up: 2.75"

- T24 8313801-15**  
EN★ (1) Medium Base BR30 65w max.
- T24 8313801EN3-15**  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.
- T24 8313897S-15**  
WOD LED: 2700K, 14 watts,  
EN★ 1000 gross lumens



**LARGE OUTDOOR  
CEILING FLUSH MOUNT**

DAMP

D: 6" H: 9"

- T24 7813901-15**  
EN★ (1) Medium Base BR40 100w max.
- T24 7813901EN3-15**  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.
- T24 7813997S-15**  
WOD LED: 2700K, 14 watts,  
EN★ 1000 gross lumens



**SMALL OUTDOOR  
CEILING FLUSH MOUNT**

DAMP

D: 5.25" H: 6.75"

- T24 7813801-15**  
EN★ (1) Medium Base BR30 65w max.
- T24 7813801EN3-15**  
EN★ (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.
- T24 7813897S-15**  
WOD LED: 2700K, 14 watts,  
EN★ 1000 gross lumens

# OUTDOOR WALL LANTERNS



BLACK FINISH POLYCARBONATE  
CLEAR BEVELED ACRYLIC PANELS

## ONE LIGHT OUTDOOR WALL LANTERN WET

W: 8" H: 25" E: 9"  
Height from center of outlet box  
up: 15.25"

**T24 8765-12**  
(1) Medium Base 100w max.



WHITE FINISH POLYCARBONATE  
CLEAR BEVELED ACRYLIC PANELS

## ONE LIGHT OUTDOOR WALL LANTERN WET

W: 8" H: 25" E: 9"  
Height from center of outlet box  
up: 15.25"

**T24 8765-15**  
(1) Medium Base 100w max.

### CONFIGURATION OPTIONS



WITHOUT TAIL  
H: 20"



BLACK FINISH POLYPROPYLENE  
CLEAR BEVELED ACRYLIC DIFFUSER

## ONE LIGHT OUTDOOR WALL LANTERN WET

W: 8" H: 17.5" E: 8.5"  
Height from center of outlet box  
up: 10.75"

**T24 8720-32**  
(1) Medium Base 60w max.



WHITE FINISH POLYPROPYLENE  
CLEAR BEVELED ACRYLIC DIFFUSER

## ONE LIGHT OUTDOOR WALL LANTERN WET

W: 8" H: 17.5" E: 8.5"  
Height from center of outlet box  
up: 10.75"

**T24 8720-32**  
(1) Medium Base 60w max.

# OUTDOOR POST LANTERNS



WHITE FINISH POLYCARBONATE  
CLEAR BEVELED ACRYLIC DIFFUSER

## ONE LIGHT OUTDOOR POST LANTERN

WET

L: 8" W: 8" H: 18"

**T24 8255-15**  
(1) Medium Base 100w max.



BLACK FINISH POLYCARBONATE  
CLEAR BEVELED ACRYLIC DIFFUSER

## ONE LIGHT OUTDOOR POST LANTERN

WET

L: 8" W: 8" H: 18"

**T24 8255-12**  
(1) Medium Base 100w max.



BLACK FINISH POLYPROPYLENE  
CLEAR BEVELED ACRYLIC DIFFUSER

## ONE LIGHT OUTDOOR POST LANTERN

WET

L: 8" W: 8" H: 11"

**T24 8275-32**  
(1) Medium Base 60w max.



BLACK FINISH POLYCARBONATE  
WHITE ACRYLIC DIFFUSER

## ONE LIGHT OUTDOOR POST LANTERN

WET

D: 12" H: 13"

**T24 8252-68**  
(1) Medium Base 100w max.

**T24 8252EN3-68**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



BLACK FINISH POLYCARBONATE  
WHITE ACRYLIC DIFFUSER

## ONE LIGHT OUTDOOR POST LANTERN

WET

D: 14" H: 15"

**T24 8254-68**  
(1) Medium Base 150w max.

**T24 8254EN3-68**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



BLACK FINISH  
FROSTED ACRYLIC DIFFUSER

## ONE LIGHT OUTDOOR POST LANTERN

WET

L: 10.5 W: 10.5" H: 18"

**T24 82065-12**  
(1) Medium Base 100w max.

**T24 82065EN3-12**  
(1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

# OUTDOOR WALL LANTERNS



BLACK FINISH POLYCARBONATE  
WHITE ACRYLIC DIFFUSER

**ONE LIGHT  
OUTDOOR  
WALL LANTERN** WET

W: 6" H: 8" E: 6.75"  
Height from center of outlet box  
up: 2.75"

**T24 8955EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



BLACK FINISH  
WHITE POLYCARBONATE DIFFUSER

**ONE LIGHT  
OUTDOOR  
WALL LANTERN** WET

W: 4.5" H: 7.5" E: 5.75"  
Height from center of outlet box  
up: 2.5"

**T24 8909PEN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.  
PHOTOCELL INCLUDED



WHITE FINISH POLYCARBONATE  
CLEAR GLASS

**ONE LIGHT  
OUTDOOR  
WALL LANTERN** WET

W: 4.5" H: 6" E: 5.5"  
Height from center of outlet box  
up: 3.75"

**T24 8750-15**  
(1) Medium Base 60w max.



BLACK FINISH POLYCARBONATE  
CLEAR GLASS

**ONE LIGHT  
OUTDOOR  
WALL LANTERN** WET

W: 4.5" H: 6" E: 5.5"  
Height from center of outlet box  
up: 3.75"

**T24 8750-12**  
(1) Medium Base 60w max.



WHITE FINISH POLYCARBONATE  
WHITE GLASS

**ONE LIGHT  
OUTDOOR  
WALL LANTERN** WET

W: 6" H: 7.25" E: 7"  
Height from center of outlet box  
up: 2.25"

**T24 8753-15**  
(1) Medium Base 60w max.

**T24 8753EN3-15**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



BLACK FINISH POLYCARBONATE  
WHITE GLASS

**ONE LIGHT  
OUTDOOR  
WALL LANTERN** WET

W: 6" H: 7.25" E: 7"  
Height from center of outlet box  
up: 2.25"

**T24 8753-34**  
(1) Medium Base 60w max.

**T24 8753EN3-34**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



BLACK FINISH  
CLEAR GLASS

**ONE LIGHT  
OUTDOOR  
WALL LANTERN** WET

W: 4.5" H: 7.5" E: 5.75"  
Height from center of outlet box  
up: 2.25"

**T24 8550-12**  
(1) Medium Base 100w max.



BLACK FINISH  
SATIN ETCHED GLASS

**ONE LIGHT  
OUTDOOR  
WALL LANTERN** WET

W: 4.5" H: 7.5" E: 5.75"  
Height from center of outlet box  
up: 2.25"

**T24 8550001-12**  
(1) Medium Base 100w max.

**T24 8550001EN3-12**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



OUTDOOR WALL LANTERNS

OUTDOOR COLLECTIONS



PAINTABLE CERAMIC FINISH

ONE LIGHT  
OUTDOOR  
WALL LANTERN

WET

W: 8" H: 10" E: 5.75"  
Height from center of outlet box  
up: 4.25"

**8304701-714**  
 (1) Medium Base 75w max.

**8304701EN3-714**  
 (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



PAINTABLE CERAMIC FINISH

ONE LIGHT  
OUTDOOR  
WALL LANTERN

WET

W: 8" H: 10" E: 5.75"  
Height from center of outlet box  
up: 4.25"

**8304801-714**  
 (1) Medium Base 75w max.

**8304801EN3-714**  
 (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



PAINTABLE CERAMIC FINISH

ONE LIGHT  
OUTDOOR  
WALL LANTERN

WET

W: 8" H: 10" E: 5.75"  
Height from center of outlet box  
up: 4.25"

**83046-714**  
 (1) Medium Base 100w max.

**83046EN3-714**  
 (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



BLACK FINISH POLYCARBONATE  
WHITE POLYCARBONATE DIFFUSER

ONE LIGHT  
OUTDOOR  
WALL LANTERN

WET

W: 10.25" H: 13" E: 11"  
Height from center of outlet box  
up: 5.75"

**83055-12**  
 (1) Medium Base 60w max.

**83055EN3-12**  
 (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



WHITE FINISH POLYCARBONATE  
WHITE POLYCARBONATE DIFFUSER

ONE LIGHT  
OUTDOOR  
WALL LANTERN

WET

W: 10.25" H: 13" E: 11"  
Height from center of outlet box  
up: 5.75"

**83055-15**  
 (1) Medium Base 60w max.

**83055EN3-15**  
 (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

OUTDOOR

---



WHITE FINISH ALUMINUM

**TWO LIGHT ADJUSTABLE SWIVEL FLOOD LIGHT** WET  
W: 22" H: 12.5" E: 11.25"  
**T24 8607-15**  
(2) Medium Base BR40 120w max.



BLACK FINISH ALUMINUM

**TWO LIGHT ADJUSTABLE SWIVEL FLOOD LIGHT** WET  
W: 22" H: 12.5" E: 11.25"  
**T24 8607-12**  
(2) Medium Base BR40 120w max.



WHITE FINISH POLYCARBONATE

**TWO LIGHT ADJUSTABLE SWIVEL FLOOD LIGHT** WET  
W: 9.5" H: 11" E: 2.5"  
**T24 8642-15**  
(2) Medium Base PAR38 90w max.



BLACK FINISH POLYCARBONATE

**TWO LIGHT ADJUSTABLE SWIVEL FLOOD LIGHT** WET  
W: 9.5" H: 11" E: 2.5"  
**T24 8642-12**  
(2) Medium Base PAR38 90w max.



BLACK POWDERCOAT FINISH

**ONE LIGHT OUTDOOR PATH LIGHT** WET  
D: 5.875" H: 7"  
**T24 9226-12**  
(1) Medium Base 75w max.



EMERALD GREEN POWDERCOAT FINISH

**ONE LIGHT OUTDOOR PATH LIGHT** WET  
D: 5.875" H: 7"  
**T24 9226-95**  
(1) Medium Base 75w max.

# OUTDOOR CEILING FLUSH MOUNTS



BLACK POLYPROPYLENE  
CLEAR TEXTURED GLASS

## TWO LIGHT OUTDOOR CEILING FLUSH MOUNT

DAMP

L: 10.25" W: 10.25" H: 5.5"

**T24 7569-32**  
(2) Medium Base 60w max.

**T24 7569EN3-32**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



BLACK POLYPROPYLENE  
CLEAR TEXTURED GLASS

## ONE LIGHT OUTDOOR CEILING FLUSH MOUNT

DAMP

L: 8.25" W: 8.25" H: 4.75"

**T24 7567-32**  
(1) Medium Base 60w max.

**T24 7567EN3-32**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ANTIQUE BRONZE FINISH  
CLEAR SEEDED GLASS

## TWO LIGHT OUTDOOR CEILING FLUSH MOUNT

DAMP

D: 13" H: 5.5"

**T24 7821402-71**  
(2) Medium Base 60w max.



WHITE POLYPROPYLENE  
CLEAR TEXTURED GLASS

## TWO LIGHT OUTDOOR CEILING FLUSH MOUNT

DAMP

L: 10.25" W: 10.25" H: 5.5"

**T24 7569-15**  
(2) Medium Base 60w max.

**T24 7569EN3-15**  
**EN★** (2) Med. Base LED 3000K,  
9.5w, 800 lumen lamps incl.



WHITE POLYPROPYLENE  
CLEAR TEXTURED GLASS

## ONE LIGHT OUTDOOR CEILING FLUSH MOUNT

DAMP

L: 8.25" W: 8.25" H: 4.75"

**T24 7567-15**  
(1) Medium Base 60w max.

**T24 7567EN3-15**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



WHITE FINISH  
WHITE ACRYLIC DIFFUSER

## TWO LIGHT OUTDOOR WALL / CEILING MOUNT

DAMP ADA

L: 10.25" W: 10.25" H: 4" E: 4"

**T24 7916EN3-68**  
**EN★** (2) GU24 Base LED 3000K,  
9.5w, 800 lumen lamps incl.



ANTIQUE BRONZE FINISH  
CLEAR TEXTURED GLASS

## ONE LIGHT OUTDOOR CEILING FLUSH MOUNT

DAMP

L: 7.5" W: 7.5" H: 5.25"

**T24 75467-71**  
(1) Medium Base 60w max.

**T24 75467EN3-71**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



ANTIQUE BRUSHED NICKEL FINISH  
CLEAR TEXTURED GLASS

## ONE LIGHT OUTDOOR CEILING FLUSH MOUNT

DAMP

L: 7.5" W: 7.5" H: 5.25"

**T24 75467-965**  
(1) Medium Base 60w max.

**T24 75467EN3-965**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.



WHITE FINISH  
WHITE RIBBED POLYCARBONATE DIFFUSER

## ONE LIGHT OUTDOOR WALL / CEILING MOUNT

DAMP ADA

L: 7.5" W: 5.25" H: 4" E: 4"

**T24 4325-68**  
(1) Medium Base 60w max.

**T24 4325EN3-68**  
**EN★** (1) Med. Base LED 3000K,  
9.5w, 800 lumen lamp incl.

# OUTDOOR POSTS



BLACK FINISH

## ALUMINUM PEDESTAL MOUNT ADAPTER\*

L: 6" W: 6" H: 4.25"

8014-12

\*Only for use with lanterns up to 36" H.

WET



ANTIQUE BRONZE FINISH SHOWN

## ALUMINUM POST

D: 3" H: 84"

8101-12 BLACK

8101-15 WHITE

8101-71 ANTIQUE BRONZE

WET



WHITE FINISH SHOWN

## ALUMINUM POST WITH PHOTO CELL

D: 3" H: 84"

8112-12 BLACK

8112-15 WHITE

WET



BLACK FINISH SHOWN

## STEEL POST

D: 3" H: 84"

8102-12 BLACK

8102-15 WHITE

WET



ANTIQUE BRONZE FINISH SHOWN

## ALUMINUM POST WITH LADDER REST

D: 3" H: 84"

8105-12 BLACK

8105-15 WHITE

8105-71 ANTIQUE BRONZE

WET



WHITE FINISH SHOWN

## ALUMINUM POST WITH LADDER REST AND PHOTOCELL

D: 3" H: 84"

8114-12 BLACK

8114-15 WHITE

WET



BLACK FINISH

## STEEL POST WITH LADDER REST

D: 3" H: 84"

8106-12 BLACK

8118-12 BLACK with photocell

WET



BLACK FINISH

## CAST ALUMINUM POST

W: 10.5" H: 71" E: 9"

8120-12 BLACK

WET



120V LED



WHITE POWDERCOAT FINISH

LED ADDRESS LIGHT WET

W: 12.25" H: 7" E: 2.25"

**LED 96091S-15**  
LED: 3000K, 120V, 2 watts,  
120 gross lumens



ANTIQUE BRONZE POWDERCOAT FINISH

LED ADDRESS LIGHT WET

W: 12.25" H: 7" E: 2.25"

**LED 96091S-71**  
LED: 3000K, 120V, 2 watts,  
120 gross lumens



BLACK POWDERCOAT FINISH

LED ADDRESS LIGHT WET

W: 12.25" H: 7" E: 2.25"

**LED 96091S-12**  
LED: 3000K, 120V, 2 watts,  
120 gross lumens

LOW-VOLTAGE



WHITE POWDERCOAT FINISH

ADDRESS LIGHT WET

W: 12.5" H: 7" E: 2.25"

**9600-15**  
(2) Wedge Base T3¼ 5w 16v  
lamps included



ANTIQUE BRONZE POWDERCOAT FINISH

ADDRESS LIGHT WET

W: 12.5" H: 7" E: 2.25"

**9600-71**  
(2) Wedge Base T3¼ 5w 16v  
lamps included



BLACK POWDERCOAT FINISH

ADDRESS LIGHT WET

W: 12.5" H: 7" E: 2.25"

**9600-12**  
(2) Wedge Base T3¼ 5w 16v  
lamps included



90610-68



90611-68



90612-68



90613-68



90614-68



90615-68



90616-68



90617-68



90618-68



90616-68



90619-68



90621-68

NUMBER TILES WET

W: 2.25" H: 5"



TRANSFORMER WET

L: 2.5" W: 2.125" H: 2"

**9647**  
16V, Class II

Product Shown: (4) Traverse Unlimited Square Downlights in Satin Nickel  
& Alturas Nine Light Chandelier in Satin Bronze







# RECESSED LIGHTING

---

Recessed Lighting by Sea Gull Lighting is designed for a wide range of ceiling conditions and light sources. You can choose from incandescent, fluorescent and LED light sources for both new construction and renovation installations. In addition, we offer multiple trim options for different applications such as wall-washing or a shower light.

# TRAVERSE UNLIMITED

Sea Gull Lighting has revolutionized the world of recessed downlight with our Traverse line of LED-light modules. The Traverse lineup does more than just eliminate many of the LED pain points that used to turn off consumers. It also provides you with one-stop shopping, courtesy of four different downlight options that provide superior performance and value at various price points: the LED Unlimited, LED Lyte, LED Insert and 4 and 6-inch LED.





## SEA GULL LIGHTING TRAVERSE LED DOWNLIGHTS

Sea Gull Lighting Traverse downlights feature advanced technology that enhances job-site productivity and efficiency with quick, easy installations. At the same time, they provide consumers with eye-pleasing, long-lasting, energy-efficient and more cost-effective lighting solutions. In short, the Traverse line is exactly what you'd expect from Sea Gull Lighting, which has dominated the LED-lighting market for the last decade.

### WHAT YOU SAVE

- No need for separate junction boxes, recessed cans, or trims
- Just 4 short minutes to install (and that includes sawing the hole!)
- Only 2 tools needed for installation — a hole saw and wire clippers
- Just 1 item to order, stock and track on the job site (no need for separate housings, light sources and trims)
- Significant time and money saved given quick installation

### WHAT YOU GAIN

- High-quality, dimmable LED
- Powerful light output of 88 lumens/watt
- ENERGY STAR and CEC Title 24 compliance
- Round and square aperture options
- Three finish options
- Countless applications for both new construction and remodel projects
- 5-year warranty

So whatever your lighting needs, the Sea Gull Lighting lineup of Traverse LED downlights can fill it. And along the way, we bring to the table affordability, ease of installation, money-saving and energy-reducing efficiency, and exceptional durability and light quality.

You just might call it an ideal world of LED down lighting.

## EASY INSTALL IN 4 MINUTES OR LESS



STEP

1

Pull wire to approximate location of fixture during rough-in, leaving enough to reach the Traverse Unlimited unit at install.

STEP

2

Cut hole in ceiling where the Traverse Unlimited unit will be installed.

STEP

3

Open Traverse Unlimited's integrated junction box cover. Pull wire out through the cut hole, trim to length and strip wire ends.



STEP

4

Insert stripped wire ends into the speed connectors, supplied on the Traverse Unlimited units. Close the junction box cover.

STEP

5


Fold the spring loaded arms back against the Traverse Unlimited housing and slip unit up into cut hole.

STEP

6

Above the ceiling, spring loaded arms will release, pulling the unit up and into place.

## DIMENSIONS



### OPTIONAL RETROFIT KITS

**14795** for housings with integral "C" clips  
**14795 & 14610** for housings without integral "C" clips

## FEATURES & BENEFITS

- Designed for superior performance and value
- Economical, longer lasting alternative to standard recessed downlights
- Provides visually pleasing, color accurate illumination (90 CRI)
- Easy to install:
  - Standard 120V lighting fixture
  - 14330S mounts on 3" and 4" junction boxes
- Retrofits into most common recessed lighting housings with optional Edison base adapter (5" and 6" uses part # 14790)
- ENERGY STAR® qualified
- Wet rated for shower ceiling installations
- Dimmable down to 5%\*

## DIMMER COMPATIBILITY

<b>FORBES &amp; LOMAX</b>	FLR603P
<b>LEGRAND</b>	HCL45-3PW, ADTP600RMHW1, ADTH700RMTUW1
<b>INSTEON</b>	2477D
<b>LUTRON</b>	GL-600P-WH, S-600P, DV-600P, AY-600P-WH, D-600P-WH, TGCL-153P, DVCL-153P, DSL06-1LZ, MACL-153M, PD-6WCL, SELV-300P, DVELV-300P, NTELV-500, RRD-6NA, MAELV-600, MRF-2-6ELV, HQRD-6NA

## SPECIFICATIONS

ITEM NUMBER	<b>14520S(-xx)</b>
ITEM NAME	Traverse Lyte
FINISHES	(-15) White, (-849) Satin Nickel
COLOR TEMPERATURE	3000K
LUMENS DELIVERED	750
WATTS CONSUMED	11.5
EFFICACY	65 lm/w
COLOR RENDERING INDEX	93 CRI
BEAM SPREAD	Lambertian
RATED AVERAGE LIFE	50,000 hours to 70%
DIMMABLE <sup>1</sup>	Yes to <10%
WARM ON DIM	No
VOLTAGE	120V
POWER FACTOR	>.9
AMBIENT OPERATING TEMP.	-40°C to +35°C
CONSTRUCTION	Stamped aluminum, powder coated
LENS	Polycarbonate
WARRANTY	5 years
INSTALLATION	New construction on 3" and 4" round junction boxes, 4" square / octagon. Retrofit requires #NEW3
QUALIFICATIONS	EN★ WET T24


<sup>1</sup> Dims best with electronic low voltage (ELV) dimmers. When sizing the dimmer, de-rate it by 30% to account for in-rush current. (i.e. a standard 600 watt dimmer will have a 420 watt capacity when used with these fixtures) For list of approved dimmers go to the Tools & Downloads section of our website.

## RECESSED HOUSING COMPATIBILITY

The Traverse Lyte can be retrofit into most 5" / 6" recessed housings including the following:

<b>ALL-PRO</b>	EI500AT, EI500RAT, ET500, ET500R, EI700AT, EI700RAT, EI700ATNB, EI700, EI700R, EI700NB, ET700, ET700R, EI700U, EI700UAT, EI2700AT, EI2700, ET2700, ET2700R
<b>CAPRI</b>	CR1, PR1, QL1, R9ASIC
<b>COMMERCIAL ELECTRIC</b>	H3, H17, H18
<b>ELCO</b>	EL7ICA
<b>HALO</b>	H7ICAT, H7RICAT, H7ICT, H7RICT, H7ICATNB, H7ICTNB, H7T, H7RT, H7TNB, H7TCP, H7UICAT, H7UICAT, H27ICAT, H27RICAT, H27ICT, H27RICT, H27T, H27RT, H5ICAT, H5RICAT, H5T, H5RT, H25ICAT
<b>JUNO</b>	ICC22/R/W/S, IC23/W, IC21/R, TC2/R, IC20, IC25/W/S, TC20
<b>LIGHTOLIER</b>	11041CS/ICR/SIC/SICR, 1104ICX (with ML7RAB housing adapter)
<b>LITHONIA LIGHTING</b>	L7X, L7XP
<b>PRESCOLITE</b>	IBXS
<b>PROGRESS</b>	P87 (with ML7RAB housing adapter). Requires mounting clip accessory (sold separately). Consult factory for details.
<b>SEA GULL LIGHTING</b>	1128, 1128QC, 11028, 11028QC, 11128, 11128QC, 11118, 11018, 1128FB
<b>THOMAS</b>	PS1, PS9RM

DIMENSIONS



ROUND

SQUARE

FEATURES & BENEFITS

- Both new installs and retrofit
- Fast and seamless installation:
  - Standard 120V lighting fixture
  - Does not require a junction box
- Designed for superior performance and value
- Provides visually pleasing, color accurate illumination (90 CRI)
- ENERGY STAR® qualified
- Meets Title 24 guidelines
- Wet rated for shower ceiling installations
- IC Rated

DIMMER COMPATIBILITY

FORBES & LOMAX	FLR603P
LEGRAND	HCL45-3PW
LEVITON	DSL06-1LZ
LUTRON	SELV-300P, DVELV-300P, NTELV-500, RRD-6NA, MRF-2-6ELV-120, HQRD-6NA, TGCL-153P, SCL-153P-WH, DVCL-153P, LGCL-153P, MACL-153M, PD-6WCL, AY-600P-WH, D-600P-WH, GL-600P-WH, S-600P, DV-600P

SPECIFICATIONS

ITEM NUMBER	14300S(-xx)	14301S(-xx)
ITEM NAME	Traverse Unlimited Round	Traverse Unlimited Square
FINISHES	(-15) White, (-171) Antique Bronze and (-849) Satin Nickel	(-15) White, (-171) Antique Bronze and (-849) Satin Nickel
COLOR TEMPERATURE	3000K	3000K
LUMENS DELIVERED	750	750
WATTS CONSUMED	14 watts	14 watts
EFFICACY	55 lm/w	55 lm/w
COLOR RENDERING INDEX	90 CRI	90 CRI
BEAM SPREAD	Lambertian	Lambertian
RATED AVERAGE LIFE	50,000 hours to 70%	50,000 hours to 70%
DIMMABLE¹	Yes to 5%	Yes to 5%
WARM ON DIM	No	No
VOLTAGE	120V	120V
POWER FACTOR	>.9	>.9
AMBIENT OPERATING TEMP.	-20°C to +45°C	-20°C to +45°C
CONSTRUCTION	Spun aluminum, powder coated	Cast aluminum, powder coated
LENS	Polycarbonate	Polycarbonate
WARRANTY	5 years	5 years
INSTALLATION	New construction and Retrofit	New construction and Retrofit
QUALIFICATIONS	IC Rated EN★ WET T24	IC Rated EN★ WET T24

¹ Dims best with electronic low voltage (ELV) dimmers. When sizing the dimmer, de-rate it by 30% to account for in-rush current. (i.e. a standard 600 watt dimmer will have a 420 watt capacity when used with these fixtures) For list of approved dimmers go to the Tools & Downloads section of our website.



DIMENSIONS



FEATURES & BENEFITS

- Recessed look and feel with unparalleled efficacy of LED
- Economical, long lasting upgrade to standard recessed lighting
- Provides visually pleasing, color accurate 90CRI illumination
- Warm-on-dim technology creates progressively warmer colored light as fixture is dimmed to mimic the performance of a regular incandescent light bulb
- Easily installs into most recessed lighting housings with included Edison adapter
- Dimmable down to 5%
- IC rated with approved housings

DIMMER COMPATIBILITY

LUTRON	SELV-300P, DVELV-300P, NTELV-500, RRD-6NA, MAELV-600, MRF-2-6ELV-120, HQRD-6NA, TGCL-153P, SCL-153P, DVCL-153P, LGCL-153P, DSL06-1LZ, GL-600P, S-600P, DV-600P
FORBES & LOMAX	FLR603P

SPECIFICATIONS

ITEM NUMBER	14760S-15	14761S-15
ITEM NAME	Traverse Insert	Traverse Insert
FINISH	White	White
COLOR TEMPERATURE	2700K	3000K
LUMENS DELIVERED	715	750
WATTS CONSUMED	14 watts	14 watts
EFFICACY	51 lm/w	54 lm/w
COLOR RENDERING INDEX	90 CRI	90 CRI
BEAM SPREAD	Lambertian	Lambertian
RATED AVERAGE LIFE	50,000 hours to 70%	50,000 hours to 70%
DIMMABLE <sup>1</sup>	Yes to 5%	Yes to 5%
WARM ON DIM	Yes	Yes
VOLTAGE	120V	120V
POWER FACTOR	>.9	>.9
AMBIENT OPERATING TEMP.	-40°C to +35°C	-40°C to +35°C
WARRANTY	5 years	5 years
INSTALLATION	6" recess retrofit	6" recess retrofit
QUALIFICATIONS	WET	WET

<sup>1</sup> Dims best with electronic low voltage (ELV) dimmers. When sizing the dimmer, de-rate it by 30% to account for in-rush current. (i.e. a standard 600 watt dimmer will have a 420 watt capacity when used with these fixtures) For list of approved dimmers go to the Tools & Downloads section of our website.


RECESSED HOUSING COMPATIBILITY

The Traverse Insert can be retrofit into most 6" recessed housings including the following:

ALL-PRO	EI700AT, EI700RAT, EI700ATNB, EI700, EI700R, EI700NB, ET700, ET700R, EI700U, EI700UAT, EI2700AT, EI2700, ET2700, ET2700R
CAPRI	CR1, PR1, QL1, R9ASIC
COMMERCIAL ELECTRIC	H3, H17, H18
ELCO	EL71CA
HALO	H7ICAT, H7RICAT, H7ICT, H7RICT, H7ICATNB, H7ICTNB, H7T, H7RT, H7TNB, H7TCP, H7UIC, H7UICAT, H27ICAT, H27RICAT, H27ICT, H27RICT, H27T, H27RT
JUNO	ICC22/R/W/S, IC23/W, IC21/R, TC2/R
LIGHTOLIER	11041CS/ICR/SIC/SICR, 11041CX (with ML7RAB housing adapter)
LITHONIA LIGHTING	L7X, L7XP
PRESCOLITE	IBXS
PROGRESS	P87 (with ML7RAB housing adapter). Requires mounting clip accessory (sold separately). Consult factory for details.
SEA GULL LIGHTING	1128, 1128QC, 11028, 11028QC, 11018, 1128FB
THOMAS	PS1, PS9RM



## DIMENSIONS



## OPTIONAL RETROFIT KITS

**14791** for housings with integral "C" clips  
**14610** for housings without integral "C" clips

## FEATURES &amp; BENEFITS

- Designed for superior performance and value
- Economical, longer lasting alternative to standard recessed downlights
- Provides visually pleasing, color accurate illumination (90 CRI)
- Warm-on-dim feature creates a progressively warmer colored light as it is dimmed so you can create just the right mood for your space
- Easy to install:
  - Standard 120V lighting fixture
  - Mounts to standard 4" round / octagon junction box with 1.5 inch depth
- Retrofits into most common recessed lighting housings with optional Edison base adapter (4" uses part # 14791, 6" uses part # 14790)
- Wet rated for shower ceiling installations
- Dimmable down to 5%\*

## DIMMER COMPATIBILITY

## FOR 14705S

## LUTRON

SELV-300P, DVELV-300P,  
 NTELV-500, RRD-6NA, MAELV-600,  
 MRF-2-6ELV-120, HQRD-6NA,  
 TGCL-153P, SCL-153P, DVCL-153P,  
 LGCL-153P, DSL06-1LZ, GL-600P,  
 S-600P, DV-600P

**FORBES & LOMAX** FLR603P

## FOR 14706S &amp; 14701SC

## LUTRON

MAELV-600, MRF-2-6ELV,  
 HQRD-6NA

## SPECIFICATIONS

ITEM NUMBER	14705S-15	14706S-15	14701SC-15
ITEM NAME	Traverse 4"	Traverse 4"	Traverse 6"
FINISH	White [-15]	White [-15]	White [-15]
COLOR TEMPERATURE	2700K	3000K	3000K
LUMENS DELIVERED	475	500	750
WATTS CONSUMED	9 watts	9 watts	14.5 watts
EFFICACY	53 lm/w	56 lm/w	52 lm/w
COLOR RENDERING INDEX	90 CRI	90 CRI	90 CRI
BEAM SPREAD	Lambertian	Lambertian	Lambertian
RATED AVERAGE LIFE	50,000 hours to 70%	50,000 hours to 70%	50,000 hours to 70%
DIMMABLE <sup>1</sup>	Yes to 5%	Yes to 5%	Yes to 5%
WARM ON DIM	Yes	Yes	Yes
VOLTAGE	120V	120V	120V
POWER FACTOR	>.9	>.9	>.9
AMBIENT OPERATING TEMP.	-40°C to +35°C	-40°C to +35°C	-40°C to +35°C
CONSTRUCTION	Stamped aluminum, powder coated	Stamped aluminum, powder coated	Stamped aluminum, powder coated
LENS	Polycarbonate snap in	Polycarbonate snap in	Polycarbonate snap in
WARRANTY	5 years	5 years	5 years
INSTALLATION	4" recess retrofit and 4" square or octagonal j-box with a minimum depth of 1.5"	4" recess retrofit and 4" square or octagonal j-box with a minimum depth of 1.5"	4" recess retrofit and 4" square or octagonal j-box with a minimum depth of 1.5"
QUALIFICATIONS	WET WOD T24	WET WOD T24	WET WOD T24

<sup>1</sup> Dims best with electronic low voltage (ELV) dimmers. When sizing the dimmer, de-rate it by 30% to account for in-rush current. (i.e. a standard 600 watt dimmer will have a 420 watt capacity when used with these fixtures) For list of approved dimmers go to the Tools & Downloads section of our website.

## RECESSED HOUSING COMPATIBILITY

The Traverse 4" and 6" can be retrofit into most 4" recessed housings including the following:

<b>ALL-PRO</b>	ET400R, EI400 ATSB, ET 400 ATSB, ET400R ATSB
<b>COMMERCIAL ELECTRIC</b>	HBR2000R, HBR2000BA
<b>HALO</b>	H99RTAT, H99RT
<b>JUNO</b>	TC1R, TC1, IC1
<b>LITHONIA LIGHTING</b>	L3, L3R
<b>SEA GULL LIGHTING</b>	1105, 1115, 1179

# SELECTING YOUR HOUSING

---

Selecting the right recessed housing begins with knowing the installation method as well as understanding how the space will be used. The guide below will help you with the process of selecting your housing.

STEP

1

## REMODEL OR NEW CONSTRUCTION

A “remodel” installation typically is an existing room project where the installation is made by cutting through existing ceiling materials. The housing will not be supported by joists but by the ceiling material, such as drywall.

A “new construction” project is one that has access to the ceiling and joists; where insulation and drywall are not yet installed. New construction housings are nailed directly into the joists with adjustable bar hangers.

STEP

2

## IC OR NON-IC HOUSING

IC (insulation contact) housings can come in direct contact with insulation materials.

\* **WARNING:** Insulation should not be compressed.

Non-IC (no insulation contact) housings are for areas without insulation or where insulation can be kept a minimum of 3" away from housing.

STEP

3

## SIZE OF HOUSING

4" housings are designed for a smaller, sleek look in your ceiling. Best used in smaller spaces for a minimal look.

5" housings are designed for flexibility in light output and size.

6" housings are for the standard large aperture approach in your ceiling. Can be used in tall entryways and two-story hallways or high ceilings.

---


## ADDITIONAL CONSIDERATIONS

**AIR-TIGHT HOUSINGS** are sealed to prevent air from escaping into the ceiling/floor above; a benefit to heating/cooling efficiency.

A **RECESSED TRIM** is the “ring” blending the recessed housing, lamp and ceiling material into a clean finish.

**BAFFLES** are the cone-like piece that surrounds the inside of the housing around the bulb; they can be smooth or ridged and help shape the light and minimize glare.





1105

NEW CONSTRUCTION / NON-IC

**SAFE—THERMALLY PROTECTED, LISTED FOR DAMP LOCATION**


Non-IC housings approved for use at least 3" away from insulation.

**ADJUSTABLE HOUSING**

Housing adjusts vertically for various ceiling thicknesses.

**JUNCTION BOX**

Features snap-on covers, pry-out knockouts, riveted ground wire, and through-circuit wiring, with 4-in/4-out #12 wire.



WHITE FROSTED GLASS

**4" SHOWER TRIM****WET****1152AT-15**

(1) Medium Base PAR20 35w max.



CLEAR FRESNEL GLASS

**4" SHOWER TRIM****WET****1153AT-15**

(1) Medium Base PAR20 35w max.



WHITE FINISH

**4" MULTIPLIER TRIM****DAMP****1162AT-14**

(1) Medium Base PAR20 50w max.



WHITE FINISH

**4" EYEBALL TRIM****DAMP****1166AT-15**


(1) Medium Base PAR20 50w max.



WHITE FINISH

**4" MULTIPLIER TRIM****DAMP****1162AT-14**

(1) Medium Base PAR20 50w max.



1179

NEW CONSTRUCTION / IC AIRTIGHT

## AIRTIGHT CONSTRUCTION

Meets airtight requirements for 2.0 CFM or less air leakage.

## SAFE—THERMALLY PROTECTED, LISTED FOR DAMP LOCATION


IC housings approved for use in direct contact with insulation.

## ADJUSTABLE HOUSING

Housing adjusts vertically for various ceiling thicknesses.

## JUNCTION BOX

Features snap-on covers, pry-out knockouts, riveted ground wire, and through-circuit wiring, with 2-in/2-out #12 wire.



WHITE FROSTED GLASS

## 4" SHOWER TRIM

WET

1152AT-15

(1) Medium Base PAR20 35w max.



CLEAR FRESNEL GLASS

## 4" SHOWER TRIM

WET

1153AT-15

(1) Medium Base PAR20 35w max.



WHITE FINISH

## 4" BAFFLE TRIM

DAMP

1156AT-14

(1) Medium Base PAR20 50w max.



WHITE FINISH

## 4" EYEBALL TRIM

DAMP

1166AT-15

(1) Medium Base PAR20 50w max.



WHITE FINISH

## 4" MULTIPLIER TRIM

DAMP

1162AT-14

(1) Medium Base PAR20 50w max.




**1115**  
REMODEL / NON-IC

**SAFE – THERMALLY PROTECTED, LISTED FOR DAMP LOCATION**  
Non-IC housings approved for use at least 3" away from insulation.

**JUNCTION BOX**

Features snap-on covers, pry-out knockouts, riveted ground wire, and through-circuit wiring, with 2-in/2-out #12 wire.



WHITE FROSTED GLASS

**4" SHOWER TRIM** WET

**1152AT-15**  
(1) Medium Base PAR20 35w max.



CLEAR FRESNEL GLASS

**4" SHOWER TRIM** WET

**1153AT-15**  
(1) Medium Base PAR20 35w max.



WHITE FINISH

**4" BAFFLE TRIM** DAMP

**1156AT-14**  
(1) Medium Base PAR20 50w max.



WHITE FINISH

**4" EYEBALL TRIM** DAMP

**1166AT-15**  
(1) Medium Base PAR20 50w max.



WHITE FINISH

**4" MULTIPLIER TRIM** DAMP

**1162AT-14**  
(1) Medium Base PAR20 50w max.



1128 & 1128QC

NEW CONSTRUCTION / IC AIRTIGHT

## AIRTIGHT CONSTRUCTION

Meets airtight requirements for 2.0 CFM or less air leakage.

## SAFE—THERMALLY PROTECTED, LISTED FOR DAMP LOCATION

IC housings approved for use in direct contact with insulation.

## ADJUSTABLE HOUSING


Housing adjusts vertically for various ceiling thicknesses.

## JUNCTION BOX WITH INTEGRAL ROMEX CONNECTOR

Features quick-push and lock connector and through-circuit wiring with 4-in/4-out #12 wire.

## QUICK CONNECTORS

QC models come with quick connect wire connectors for fast connections to house wire.



WHITE FINISH



WHITE ALUMINUM RING  
WHITE GLASS DIFFUSER



WHITE DEEP CONE BAFFLE



WHITE ALUMINUM RING  
CLEAR FRESNEL GLASS

### 6" BAFFLE TRIM

**DAMP**

#### 1126-14

(1) Medium Base PAR30L 75w max.  
(1) Medium Base PAR30S 50w max.  
(1) Medium Base BR30 65w max.

### 6" SHOWER TRIM

**WET**

#### 1133AT-15

(1) Medium Base 40w max.

### 6" OPEN SHOWER TRIM

**WET**

#### 1154AT-14

(1) Medium Base PAR30L 75w max.  
(1) Medium Base PAR30S 50w max.  
(1) Medium Base PAR38 90w max.

### 6" SHOWER TRIM

**WET**

#### 1155AT-15

(1) Medium Base 40w max.



WHITE FINISH



WHITE FINISH

### 6" EYEBALL TRIM

**DAMP**

#### 1136AT-15

(1) Medium Base PAR30L 75w max.  
(1) Medium Base BR30 65w max.

### 6" BAFFLE TRIM

**DAMP**

#### 1151AT-14

(1) Medium Base PAR30L 75w max.  
(1) Medium Base PAR30S 50w max.  
(1) Medium Base BR30 65w max.  
(1) Medium Base PAR38 90w max.



**AIRTIGHT CONSTRUCTION**

Meets airtight requirements for 2.0 CFM or less air leakage.

**SAFE – THERMALLY PROTECTED,  
LISTED FOR DAMP LOCATION**

IC housings approved for use in direct contact with insulation.

**ADJUSTABLE HOUSING**



Housing adjusts vertically for various ceiling thicknesses.

**JUNCTION BOX WITH INTEGRAL  
ROMEX CONNECTOR**

Features quick-push and lock connector and through-circuit wiring with 4-in/4-out #12 wire.

**QUICK CONNECTORS**

QC models come with quick connect wire connectors for fast connections to house wire.



WHITE ALUMINUM RING  
WHITE GLASS DIFFUSER

**6" FLAT GLASS  
SHOWER TRIM****WET****11033AT-15**

(1) Medium Base 40w max.



WHITE DEEP CONE BAFFLE

**6" OPEN  
SHOWER TRIM****WET****1154AT-14**

(1) Medium Base PAR30L 75w max.  
(1) Medium Base PAR30S 50w max.  
(1) Medium Base PAR38 90w max.



WHITE FINISH

**6" BAFFLE TRIM****DAMP****1151AT-14**


(1) Medium Base PAR30L 75w max.  
(1) Medium Base PAR30S 50w max.  
(1) Medium Base BR30 65w max.  
(1) Medium Base PAR38 90w max.



WHITE FINISH

**6" EYEBALL TRIM****DAMP****1136AT-15**

(1) Medium Base PAR30L 75w max.  
(1) Medium Base BR30 65w max.



11019

NEW CONSTRUCTION / NON-IC / SHALLOW AIRTIGHT

## AIRTIGHT CONSTRUCTION

Meets airtight requirements for 2.0 CFM or less air leakage.

## SAFE – THERMALLY PROTECTED, LISTED FOR DAMP LOCATION


IC housings approved for use in direct contact with insulation.

## ADJUSTABLE HOUSING

Housing adjusts vertically for various ceiling thicknesses.

## JUNCTION BOX

Features quick-push and lock connector and through-circuit wiring with 4-in/4-out #12 wire.



WHITE DEEP CONE BAFFLE



WHITE ALUMINUM RING  
WHITE GLASS DIFFUSER



WHITE FINISH

## 6" BAFFLE TRIM DAMP

### 1158AT-14

- (1) Medium Base PAR30L 75w max.
- (1) Medium Base PAR30S 50w max.
- (1) Medium Base BR30 65w max.

## 6" FLAT GLASS SHOWER TRIM WET


### 11033AT-15

- (1) Medium Base 40w max.

## 6" EYEBALL TRIM DAMP

### 1136AT-15

- (1) Medium Base PAR30L 75w max.
- (1) Medium Base BR30 65w max.



**11018**  
REMODEL / IC AIRTIGHT

#### AIRTIGHT CONSTRUCTION

Meets airtight requirements for 2.0 CFM or less air leakage.

#### SAFE – THERMALLY PROTECTED, LISTED FOR DAMP LOCATION


IC housings approved for use in direct contact with insulation.

#### FAST, EASY INSTALLATION

Provided with mounting clips.

#### JUNCTION BOX

Features snap-on covers, pry-out knockouts, riveted ground wire, and through-circuit wiring, with 2-in/2-out #12 wire.



WHITE ALUMINUM RING  
WHITE FRESNEL GLASS DIFFUSER

#### 6" FLAT GLASS SHOWER TRIM

WET

**11033AT-15**  
(1) Medium Base 40w max.



WHITE FINISH

#### 6" BAFFLE TRIM

DAMP

**1151AT-14**  
(1) Medium Base PAR30L 75w max.  
(1) Medium Base PAR30S 50w max.  
(1) Medium Base BR30 65w max.  
(1) Medium Base PAR38 90w max.



WHITE DEEP CONE BAFFLE

#### 6" OPEN SHOWER TRIM

WET

**1154AT-14**  
(1) Medium Base PAR30L 75w max.  
(1) Medium Base PAR30S 50w max.  
(1) Medium Base PAR38 90w max.




WHITE FINISH

#### 6" EYEBALL TRIM

DAMP

**1136AT-15**  
(1) Medium Base PAR30L 75w max.  
(1) Medium Base BR30 65w max.



1109

NEW CONSTRUCTION / IC AIRTIGHT / SLOPED CEILING

## AIRTIGHT CONSTRUCTION

Meets airtight requirements for 2.0 CFM or less air leakage.

## SAFE – THERMALLY PROTECTED, LISTED FOR DAMP LOCATION


IC housings approved for use in direct contact with insulation.

## ADJUSTABLE HOUSING

Housing adjusts vertically for various ceiling thicknesses.

## JUNCTION BOX

Features quick-push and lock connector and through-circuit wiring with 4-in/4-out #12 wire.



WHITE FINISH

## 6" SLOPED TRIM

DAMP

1121-14

(1) Medium Base PAR38 75w max.



Product Shown: Pratt Street Metal Large Pendant in Brushed Nickel and Traverse 6" Recessed in White Trim

RECESSED LIGHTING









# UNDERCABINET LIGHTING

---

Transform cabinets, desks and shelves with Undercabinet lighting from Sea Gull Lighting.

Coming from a slightly obscured source, this type of light adds subtle accents to a kitchen, office or entertainment area, setting the scene in just the right way.

# JANE LED TAPE

STEP


1

CHOOSE TAPE


Jane LED Tape is perfect for a wide range of indoor applications where space is limited. Its low-profile design and flexibility allow for discrete installation in spaces like under cabinets, cove ceilings, toe-kicks, in cabinets or even in drawers. Both the Jane 100 and Jane 200 feature high quality LED diodes that meet a stringent three-step binning threshold for maintaining a consistent color of light across an entire run.



JANE 100



JANE 200



	JANE 100	JANE 100	JANE 200	JANE 200
2700K	98332S-15	98331S-15	98342S-15	98341S-15
3000K	98334S-15	98333S-15	98344S-15	98343S-15
LENGTH	40'	10'	40'	10'
FINISH	White			
VOLTAGE	24v DC			
LUMENS (@ 3000K)	100/ft	100/ft	200/ft	200/ft
POWER CONSUMPTION	2.2w/ft			
EFFICACY	45.45 lm/w	45.45 lm/w	90.9 lm/w	90.9 lm/w
COLOR RENDERING INDEX	90 CRI			
RATED AVERAGE LIFE	50,000 hours to 70%			
CERTIFICATION	IP20 Rated for Indoor Use, ENERGY STAR® Qualified			
DIMMABLE <sup>(1)</sup>	Yes, to 10%			
MAX. RUN LENGTH	40'			
INSTALLATION	Cut every 6" to fit your space. Every cut piece can be powered. Connect to transformer using connector cord. You may also connect strips together using available connector cords.			

<sup>(1)</sup> Jane LED Tape is dimmable on magnetic and electronic low voltage systems. For magnetic systems, a standard incandescent or magnetic low voltage (MLV) dimmer can be used. For electronic, an electronic low voltage (ELV) dimmer is recommended.



SELECT ACCESSORIES

STEP  
2



LED TAPE TRACK

L: 48" W: .75" H: .5"

98300-12, black finish

98300-15, white finish

Polycarbonate track for use on Jane LED Tape. Comes in 4' sections that can easily be cut to size in the field. Mounts flat or at a 45 degree angle using screws or double-sided tape.



ROUND LENS

L: 48" W: .625" H: .185"

98303-97, frosted finish

Rounded, frosted lens for use with LED tape track to protect LED tape and reduce pixelation while providing a wider beam of light. (Track not included)



FLAT LENS

L: 48" W: .625" H: .060"

98302-97, frosted finish

Flat, frosted lens for use with LED tape track to protect LED tape and reduce pixelation while providing a wider beam of light. (Track not included)

3" CONNECTOR CORD

L: 3"

98355S-15, white finish

Cord with fold-over clasps on either end for quick and secure connections between two pieces of Jane 100 or Jane 200 tape.

6" CONNECTOR CORD

L: 6"

98353S-15, white finish

Cord with fold-over clasps on either end for quick and secure connections between two pieces of Jane 100 or Jane 200 tape.

12" CONNECTOR CORD

L: 12"

98354S-15, white finish

Cord with fold-over clasps on either end for quick and secure connections between two pieces of Jane 100 or Jane 200 tape.

18" CONNECTOR CORD

L: 18"

98355S-15, white finish

Cord with fold-over clasps on either end for quick and secure connections between two pieces of Jane 100 or Jane 200 tape.

24" CONNECTOR CORD

L: 24"

98356S-15, white finish

Cord with fold-over clasps on either end for quick and secure connections between two pieces of Jane 100 or Jane 200 tape.

36" CONNECTOR CORD

L: 36"

98357S-15, white finish

Cord with fold-over clasps on either end for quick and secure connections between two pieces of Jane 100 or Jane 200 tape.

72" CONNECTOR CORD

L: 72"

98358S-15, white finish

Cord with fold-over clasps on either end for quick and secure connections between two pieces of Jane 100 or Jane 200 tape.

JOINER CONNECTOR

L: .812" W: .5" H: .187"

98351S-15, white finish

Adapter with fold-over clasps on each end for linking two pieces of Jane 100 or Jane 200 tape together with minimal gap.

96" POWER CORD

L: 96"

98350S-15, white finish

For connecting Jane LED Tape to 24v DC Transformer. Cord has bare leads on one end for easy wiring to transformer and a fold-over clasp on the other for a quick, secure connection to LED tape.

DOUBLE FACED TAPE

L: 300" W: .375" H: .031"

98450

Specially designed "High Adhesion" 3M double-faced tape for use with LED tape track. Allow a minimum of 24 hours curing.

TRACK SCREWS

#4 L: .375"

98362

Pack of 50, 3/8" long #4 Philips flat head screws for securely mounting LED tape track.

10 PACK LED TAPE CLIPS

98360-32, brushed steel finish

10 pack of metal clips for securing LED tape.

STEP

3

SELECT TRANSFORMER



60W, 24V DC, SINGLE  
OUTPUT TRANSFORMER

L: 9.375" W: 2.5" H: 1.375"

91430S-12, black finish

60w, 120v Primary, 24v DC Secondary,  
Electronic Transformer. Black Powder  
Coated Enclosure. Indoor Use Only.



105W, 24V DC, SINGLE  
OUTPUT TRANSFORMER

L: 11" W: 4" H: 2.25"

91431S-12, black finish

105w, 120v Primary, 24v DC Secondary,  
Electronic Transformer. Black Powder  
Coated Enclosure. Indoor Use Only.



150W, 24V DC, SINGLE  
OUTPUT TRANSFORMER

L: 11" W: 4" H: 2.25"

91432S-12, black finish

150w, 120v Primary, 24v DC Secondary,  
Electronic Transformer. Black Powder  
Coated Enclosure. Indoor Use Only.



200W, 24V DC, SINGLE  
OUTPUT TRANSFORMER

L: 8.78" W: 3.75" H: 4.25"

91260S-12, black finish

200w, 120v Primary, 24v DC Secondary,  
Magnetic Transformer, Black Powder  
Coated Enclosure, Wet or Dry Location



300W, 24V DC, SINGLE  
OUTPUT TRANSFORMER

L: 8.78" W: 3.75" H: 4.25"

91261S-12, black finish

300w, 120v Primary, 24v DC Secondary,  
Magnetic Transformer, Black Powder  
Coated Enclosure, Wet or Dry Location

UNDERCABINET



# VIVID 120V LED

STEP

1

CHOOSE FIXTURES


The Vivid LED Under cabinet series takes the classic xenon or fluorescent under cabinet light to the next level. Using high quality LED technology, these fixtures achieve great light output and a high level of energy efficiency at an extremely affordable price point. With local on/off switches and the ability to be dimmed down to 10% these fixtures work well for different activities or times of day.





WHITE FINISH



PAINTED ANTIQUE BRONZE FINISH



2700K	49274S(-xx)	49275S(-xx)	49276S(-xx)	49277S(-xx)	49278S(-xx)
3000K	49374S(-xx)	49375S(-xx)	49376S(-xx)	49377S(-xx)	49378S(-xx)
FINISH	[-15] White and [-171] Painted Antique Bronze				
LENGTH	7.5"	12"	18"	24"	30"
VOLTAGE	120v Direct Wire				
LUMENS (@ 3000K)	343	575	900	1245	1461
POWER CONSUMPTION	6.4w	9.7w	15.5w	20.6w	26w
EFFICACY	54 lm/w	59 lm/w	58 lm/w	60 lm/w	55 lm/w
COLOR RENDERING INDEX	90 CRI				
RATED AVERAGE LIFE	50,000 hours to 70%				
DIMMING RANGE <sup>(1)</sup>	Down to 10%				
INSTALLATION	Hard wire or plug in with optional power cord accessory. Link multiple units with optional connector cords.				
CERTIFICATION	ETL Dry location, ENERGY STAR Qualified, Title 24 Certified  				
FEATURES	Local on/off switch				

<sup>(1)</sup> Vivid 120V LED is dimmable with a standard incandescent or electronic low voltage (ELV) dimmer. When sizing dimmer consult with the dimmer manufacturer for information on de-rating the dimmer for in-rush current.



## SELECT ACCESSORIES

STEP  
2



### 3" CONNECTOR CORD

L: 3"

**95220S-12**, *black finish*

**95220S-15**, *white finish*

Use to join Vivid Undercabinet fixtures together in sequence.



### 6" CONNECTOR CORD

L: 6"

**95221S-12**, *black finish*

**95221S-15**, *white finish*

Use to join Vivid Undercabinet fixtures together in sequence.



### 12" CONNECTOR CORD

L: 12"

**95222S-12**, *black finish*

**95222S-15**, *white finish*

Use to join Vivid Undercabinet fixtures together in sequence.



### 18" CONNECTOR CORD

L: 18"

**95223S-12**, *black finish*

**95223S-15**, *white finish*

Use to join Vivid Undercabinet fixtures together in sequence.



### MALE TO MALE CONNECTOR

L: 1"

**95236S-12**, *black finish*

**95236S-15**, *white finish*

Use to join Vivid Undercabinet fixtures together in sequence with no gap in between units.



### FEMALE TO FEMALE CONNECTOR

L: 1"

**95237S-12**, *black finish*

**95237S-15**, *white finish*

Use to join a power and connector cord or two connector cords for longer runs.



### 24" POWER CORD

L: 24"

**95230S-12**, *black finish*

**95230S-15**, *white finish*

For plug-in installs where Vivid Undercabinet unit will be powered via a wall outlet.



### 72" POWER CORD

L: 72"

**95231S-12**, *black finish*

**95231S-15**, *white finish*

For plug-in installs where Vivid Undercabinet unit will be powered via a wall outlet.


# 120V XENON SELF-CONTAINED

STEP

1

CHOOSE FIXTURES

Self-Contained 120v Xenon Lighting is the perfect combination of best-in-class performance and ease of installation. Our Self-Contained Xenon Lights are fully dimmable and are equipped with a hinged glass diffuser for easy cleaning and relamping. Link units together in a continuous run of up to 560w using connector cords and direct wire using conduit adapter, or plug-in with 5' power cord and plug (connector cords and power cord sold separately, conduit adapter included.)



ITEM NUMBER	98040(-xx)	98041(-xx)	98042(-xx)	98043(-xx)
FINISH	[-15] White, [-787] Plated Bronze			
# OF LAMPS	One	Two	Three	Four
LENGTH	8"	14"	20"	16"
COLOR TEMPERATURE	2650K			
VOLTAGE	120v AC			
GROSS LUMENS <sup>(1)</sup>	420	840	1260	1680
RATED WATTS	35w	70w	105w	140w
EFFICACY	12 lm/w			
COLOR RENDERING INDEX	>90 CRI			
RATED AVERAGE LAMP LIFE	2,000 hours			
DIMMABLE <sup>(2)</sup>	Yes			
MIN. SPACING	Adjacent mounting capable (550w total on single run)			
INCLUDES	Conduit adapter, mounting screws & 35w xenon lamps			
MATERIAL	Low-profile aluminum housing with multiple knockouts and local hi/low/off switch			
CERTIFICATION	cETL, damp location <span>DAMP</span>			

<sup>(1)</sup> Gross lumen level is derived from lamp source output. Some illumination is lost through diffuser. Actual light delivered to surface will be less.

<sup>(2)</sup> Self-Contained 120v Xenon Lights are dimmable using standard incandescent dimmers. Each unit also includes an integral hi/low/off switch for multiple levels of illumination from standard wiring.

# 120V XENON SELF-CONTAINED

## SELECT CONNECTORS

STEP

2



### 6" CONNECTOR CORD

L: 6"

90842-12, black finish

90842-15, white finish

Link up to 560w max of Self-Contained 120v Xenon Lights from a single power feed.



### 12" CONNECTOR CORD

L: 12"

90843-12, black finish

90843-15, white finish

Link up to 560w max of Self-Contained 120v Xenon Lights from a single power feed.



### 18" CONNECTOR CORD

L: 18"

90844-12, black finish

90844-15, white finish

Link up to 560w max of Self-Contained 120v Xenon Lights from a single power feed.

## CHOOSE POWER CORD & CONTROLS

STEP

3



### 5' POWER CORD & PLUG

L: 6.75" W: 3" H: 1.375"

90845-12, black finish

90845-15, white finish

5' power cord & plug for Self-Contained 120v Xenon Lights. Link up to 560w of Xenon fixtures with available connector cords and then connect the power cord and plug to the first fixture in your run to energize. Self-Contained 120v Xenon Lights can also be hard-wired for power using the included conduit adapter.

## REPLACEMENT LAMP



### 120V 35W XENON LAMP


D: 0.5" L: 2.0625"

97190-32, clear finish

120v T4 35w max. Xenon G-9 lamp.  
For replacement in Self-Contained 120v Xenon Lighting.

# SELF-CONTAINED FLUORESCENT

Self-Contained Fluorescent Lighting is designed with quality and performance in mind. The low profile design is optimal for confined areas. High performance electronic ballasts and T5 lamps provide instant-on, flicker-free light. Contains multiple knockouts for ease of installation and linking units together.



ITEM NUMBER	4975BLE-15	4976BLE-15	4977BLE-15	4978BLE-15	4979BLE-15
FINISH	(-15) White				
LENGTH	12.25"	21.25"	24.5"	33.5"	42.5"
COLOR TEMPERATURE	3000K				
VOLTAGE	120v AC				
GROSS LUMENS <sup>(1)</sup>	390	855	780	1245	1710
POWER CONSUMPTION	8w	13w	16w	21w	26w
EFFICACY	49 lm/w	66 lm/w	49 lm/w	59 lm/w	66 lm/w
COLOR RENDERING INDEX	>82 CRI				
RATED AVERAGE LAMP LIFE	10,000 hours				
DIMMABLE	No				
MIN. SPACING	Adjacent mounting capable				
INCLUDES	T5 lamp				
CERTIFICATION	UL/cUL, damp location <span>DAMP</span> <span>T24</span>				

<sup>(1)</sup> Gross lumen level is derived from lamp source output. Some illumination is lost through diffuser. Actual light delivered to surface will be less.

## OPTIONAL ACCESSORY



### OPTIONAL ON/OFF SWITCH

**9027-15**, *white finish*

Snap into switch knock out on Self-Contained Fluorescent fixtures.





# LED DISK LIGHTING

STEP

1

CHOOSE INDIVIDUAL DISKS\*

LED Disk Lighting is ideal for residential, commercial and retail applications with its ample lumen output and versatility. The low-profile 12v LED Disks can easily be daisy-chain or hub-and-spoke linked to power a maximum of six disks on one transformer. Choose from plug-in or hardwire transformers, or power your disks from an Lx Cable System using our Fused Plug (9488).




ITEM NUMBER	98859SW(-xx)	98860SW(-xx)
FINISH	[-12] Black, [-15] White, [-787] Plated Bronze and [-986] Tinted Aluminum	
COLOR TEMPERATURE	2700K	3000K
VOLTAGE	12v AC	
LUMENS	160	170
POWER CONSUMPTION	4w	4w
EFFICACY	40 lm/w	43 lm/w
COLOR RENDERING INDEX	>85 CRI	
RATED AVERAGE LIFE	40,000 hours to 70%	
DIMMABLE <sup>(1)</sup>	Down to 10%	
CERTIFICATION	cETL, damp rated	
MATERIAL	Low-profile, die-cast aluminum with captive screw and 36" linking cord	
INCLUDED ACCESSORIES	36" connector cord, three cord clips	
OPTIONAL ACCESSORIES	Connector cords, connection hub	

<sup>(1)</sup> LED Disks are dimmable on magnetic and electronic low voltage systems. For magnetic systems, a standard incandescent or magnetic low voltage (MLV) dimmer can be used. For electronic, an electronic low voltage (ELV) dimmer is recommended.  
\* For pre-packaged kits, see page 583.

## PHOTOMETRICS<sup>(2)</sup>

ZONE	LUMENS	% OF LAMP
0° - 30°	56.7	32.5
0° - 40°	93.4	53.6
0° - 60°	157.7	90.4
0° - 90°	174.4	100
90° - 180°	0	0
0° - 180°	174.4	100

ANGLE	0°	45°	90°
0°	136	136	136
45°	175	146	112
55°	159	125	92
65°	142	100	69
75°	119	72	44
85°	44	25	11



<sup>(2)</sup> Photometry based on (1) 98860SW(-xx) LED Disk in 3000K CCT.

## SELECT CONNECTORS &amp; ACCESSORIES

STEP  
2

UNDERCABINET

**6" CONNECTOR CORD**

L: 6" W: .5" H: .1875"

**98643S-12**, black finish**98643S-15**, white finish

Connects LED Disk Lights together or to optional mounting hub. Can also be used for wiring to remote transformers.

**12" CONNECTOR CORD**

L: 12" W: .5" H: .1875"

**98644S-12**, black finish**98644S-15**, white finish

Connects LED Disk Lights together or to optional mounting hub. Can also be used for wiring to remote transformers.

**18" CONNECTOR CORD**

L: 18" W: .5" H: .1875"

**98645S-12**, black finish**98645S-15**, white finish

Connects LED Disk Lights together or to optional mounting hub. Can also be used for wiring to remote transformers.

**10' CONNECTOR CORD**

L: 10' W: .5" H: .1875"

**98646S-12**, black finish**98646S-15**, white finish

Connects LED Disk Lights together or to optional mounting hub. Can also be used for wiring to remote transformers.

**10 PACK CORD MOUNTING CLIPS**

L: .625" W: .375" H: .1875"

**98647S-12**, black finish**98647S-15**, white finish

Plastic clips for securing cables on install.

**CONNECTION HUB**

L: 3" W: 1.25" H: .4375"

**98641S-12**, black finish**98641S-15**, white finish

Includes one input port and 6 output ports for LED Disk Lights. 4 output ports on front and one on each side. Mounting screw included.

**MINIATURE WIRING COMPARTMENT / SPLICER**

L: 2" W: .968" H: .625"

**9459-12**, black finish**9459-15**, white finish

Polycarbonate splicer with cover for connection between transformer extension wire (i.e. Romex) and low voltage cable or LED Disk Connector. Maximum 25 amps.

# LED DISK LIGHTING

STEP

3

SELECT TRANSFORMER

### RECOMMENDED ELECTRONIC TRANSFORMERS

The transformers listed below are our recommendations for use with the LED Disk Lighting system<sup>(1)</sup>.

#### PLUG-IN<sup>(2)</sup>



BLACK FINISH

#### 30W 12V AC ZERO LOAD

L: 3.3125" W: 1.5" H: 1.25"

98640S-12, black finish 98640S-15, white finish

Transformer consumes 1-1.5w. Includes on/off switch and 8' output cord for connection to first LED Disk Light in a row or optional connection hub.

Wattage: 0w – 30w Class II

Input: 120v AC | Output: 12v AC

#### HARDWIRE<sup>(2)</sup>

The new zero-load electronic transformers provide industry leading technology in a small form factor. All of the new transformers include Radio Frequency Interference modules to eliminate interference that can occur when dimming low-voltage fixtures. These units also all feature local on/off switches and have a user replaceable secondary side of the transformer that can be swapped without an electrician or even needing to touch the primary wiring.



12V IN BLACK



12V IN BLACK



12V IN BLACK



24V IN WHITE



24V IN WHITE



24V IN WHITE

#### 30W 12V/24V ZERO-LOAD TRANSFORMER

L: 7.805" W: 1.36" H: 0.949"

12V

96620S-12, black finish

96620S-15, white finish

24V

96621S-12, black finish

96621S-15, white finish

Hardwire to power source and operate remotely or with installed switch. Secondary side features quick connection for fast install.

Wattage: 0w-30w Class II

Input: 120v AC | Output: 12v or 24v AC

Max Run: 35 ft.

#### 75W 12V/24V ZERO-LOAD TRANSFORMER

L: 7.805" W: 1.36" H: 0.949"

12V

96622S-12, black finish

96622S-15, white finish

24V

96623S-12, black finish

96623S-15, white finish

Hardwire to power source and operate remotely or with installed switch. Secondary side features quick connection for fast install.

Wattage: 0w-75w Class II

Input: 120v AC | Output: 12v or 24v AC

Max Run: 35 ft.

#### 150W 12V/24V ZERO-LOAD TRANSFORMER

L: 8.385" W: 2.53" H: 1.219"

12V

96624S-12, black finish

96624S-15, white finish

24V

96625S-12, black finish

96625S-15, white finish

Hardwire to power source and operate remotely or with installed switch. Secondary side features quick connection for fast install.

Wattage: 0w-150w Class I

Input: 120v AC | Output: 12v or 24v AC

Max Run: 35 ft.

<sup>(1)</sup> Wiring LED Disks to Transformer without Output Cord

Using an LED Disk Connector Cord, cut and remove the male end. Strip your cables and wire normally to 12v output side of your transformer. Electronic transformers require electronic low-voltage dimmers to dim properly.

<sup>(2)</sup> All LED Disk electronic transformers require pairing with an electronic low voltage (ELV) dimmer for dimming.




Our LED Disk Lighting Kits offer two and three light, all-in-one packages for added convenience. Each package includes a plug-in 12v 30w zero load transformer, a LED Disk Connection Hub and all necessary mounting components. Up to six LED Disk Lights can be powered from one transformer and connection hub.



ITEM NUMBER	98852SW(-xx)	98853SW(-xx)	98862SW(-xx)	98863SW(-xx)
FINISH	[-12] Black, [-15] White, [-787] Bronze and [-986] Tinted Aluminum			
NUMBER OF DISKS	Two	Three	Two	Three
COLOR TEMPERATURE	2700K	2700K	3000K	3000K
VOLTAGE	12v AC			
TOTAL LUMENS	320	480	340	510
TOTAL POWER CONSUMPTION	8w	12w	8w	12w
EFFICACY	40 lm/w	40 lm/w	43 lm/w	43 lm/w
COLOR RENDERING INDEX	>85 CRI			
RATED AVERAGE LIFE	40,000 hours to 70%			
DIMMABLE <sup>(1)</sup>	Yes			
CERTIFICATION	cETL, damp rated			
MATERIAL	Low-profile, die-cast aluminum with captive screw and 36" linking cord			
INCLUDED ACCESSORIES	12V AC 30w Plug-in Transformer, LED Disk Connection Hub			

<sup>(1)</sup> LED Disks are dimmable on magnetic and electronic low voltage systems. For magnetic systems, a standard incandescent or magnetic low voltage (MLV) dimmer can be used. For electronic, an electronic low voltage (ELV) dimmer is recommended.



# XENON DISK LIGHTING

STEP

1

CHOOSE INDIVIDUAL DISKS & LAMPS\*


Xenon Disk Lighting offers functional and low-profile lighting, while enhancing the appeal of any space. Disk lights easily install as surface mount or recessed for a lower profile. Optional trims are also available for a variety of lighting effects and glare reduction. Xenon Disk Lights should be used with a Class II transformer, or a Class I transformer with our Fused Plug (9488), track, and cable.



BLACK FINISH



WHITE FINISH



ITEM NUMBER	9485(-xx)	9858(-xx)
FINISH	[-12] Black, and [-15] White	
REFLECTOR	Multi-faceted polished aluminum	Satin aluminum
VOLTAGE	12v and 24v	
BEAM SPREAD	NFL 24°, Accent	FL 40°, Task
LAMP TYPE	T5 Wedge	
MAX. WATTAGE	(1) 18w incandescent or xenon	
CERTIFICATION	cETL, damp location (optional lens not required for listing)	
INCLUDED ACCESSORIES	36" 18/2 cord, surface mount ring and mounting screws	80" 18/2 cord & plug, surface mount ring and mounting screws
MATERIAL	Low-profile, polycarbonate housing	

\* For pre-packaged kits, see page 583.

LAMPING OPTIONS		
ITEM NUMBER	9774	9777
LAMP TYPE	T5 Xenon	T5 Incandescent
COLOR TEMPERATURE	2800K	2750K
VOLTAGE	12v AC	12v AC
RATED WATTS	18w	12w
POWER CONSUMPTION	16.2w	11.6w
LUMENS	210	120
EFFICACY	13 lm/w	10 lm/w
RATED AVERAGE LIFE	10,000 hours	2,000 hours
LAMP BASE	Wedge	
MIN. SPACING	6" on center	
COLOR RENDERING INDEX	>90 CRI	
DIMMABLE	Yes	

STEP

1

CHOOSE INDIVIDUAL DISKS & LAMPS

PHOTOMETRICS



DISTANCE FROM SOURCE	DIAMETER IN FEET	FOOTCANDLES
1.5'	.6	267
2'	.9	150
3'	1.3	67
4'	1.7	38
6'	2.6	17
8'	3.4	9
10'	4.3	6

9485 PHOTOMETRICS USING  
9774 T5 WEDGE BASE LAMP


DISTANCE FROM SOURCE	DIAMETER IN FEET	FOOTCANDLES
1.5'	1.1	68
2'	1.5	42
3'	2.2	19
4'	2.9	11
6'	4.0	5
8'	5.8	3
10'	7.3	2

9858 PHOTOMETRICS USING  
9774 T5 WEDGE BASE LAMP


CHOOSING A BEAM SPREAD



HOW TO MOUNT OUR DISK LIGHTS



RECESSED MOUNT VIA 2 3/4" DIAMETER HOLE



SURFACE MOUNT VIA INCLUDED SURFACE MOUNT RING

# XENON DISK LIGHTING

STEP

2

## SELECT OPTIMAL TRIMS



BLACK FINISH



WHITE FINISH



ETCHED FINISH

### GLASS DIFFUSER TRIM

D: 2.5" H: 0.25"

**9414-12**, *black finish*

**9414-15**, *white finish*

**9414-33**, *etched finish*

Etched glass diffuser trim provides soft illumination. Ideal for use in food preparation areas or where lamp cover is recommended. Glass shield not required for listing.



BLACK FINISH



WHITE FINISH

### TWIST-ON HONEYCOMB TRIM

D: 2.5" H: 0.25"

**9452-12**, *black finish*

**9452-15**, *white finish*

Polycarbonate twist-on honeycomb louver trim provides a 45° glare cut-off.

STEP

3

## SELECT TRANSFORMER

### RECOMMENDED ELECTRONIC TRANSFORMERS

Our electronic transformers have soft-start circuitry that increases lamp life. They emit no audible noise, employ automatically resetting short circuit protection, are UL and cUL Listed, moisture and shock resistant, and dimmable.

#### PLUG-IN 12V



BLACK FINISH

#### 120W (2 X 60W) AC DUAL CLASS II

L: 5" W: 3.25" H: 1"

**98175-12**, *black finish*

UL 2108, flame resistant plastic enclosure. Complete with 8', 18/2 cord, quick connect plug and in-line on/off switch for easy attachment to input cable. Includes two Class II 60w outputs with three receptacles for 9858 disk lights on each output.

*Wattage: 2 x (15w-60w) Class II*

*Input: 120v AC | Output: 12v AC*











# RESOURCES

---

Sea Gull Lighting has a variety of resources available to help you make the right choice when purchasing one of our lighting products.

# LIGHTING 101

Lighting is a critical yet often-overlooked aspect of interior design. The right combination of lighting fixtures can create visual magic, boosting a home's functionality while at the same time reflecting homeowners' unique personal styles. Here are some tips for making it all happen.

## ENTRY / FOYER

A foyer deserves warm and welcoming lighting that makes a favorable first impression as you invite guests into your home.


Properly scaled lighting sets the tone, as fixtures that are too small or too large can make an entryway feel anything but inviting. To select the right-sized fixture, follow this general rule of thumb: Every foot of room height should equate to 2-1/2 to 3 inches in fixture height. For example, in a room with a 12-foot ceiling, consider a fixture that's between 30 and 36 inches tall.

To hang a fixture at the proper height, be sure the bottom is at least 7 feet above the floor. In addition, to ensure adequate light distribution, leave a minimum of 4 feet between the widest part of a fixture and any surrounding walls.


If one chandelier or pendant isn't sufficient, consider using sconces, which can spread ambient light without all the visual clutter created by multiple ceiling fixtures. Sconces should be installed about 60 inches above the floor and anywhere from 6 to 8 feet apart.

### LIGHT LAYERING

- Ambient lighting bathes foyers in a gentle glow that evokes hospitality and warmth. (Sconce lights and ceiling lights that emit indirect light, or table and/or floor lamps.)
- Accent lighting can be used to highlight special features in a foyer, such as artwork or cozy alcoves or nooks (consider track or recessed lighting).







## DINING ROOM

Dining rooms are the gathering spots for traditional holiday dinners, blowing out birthday candles and raising a toast to milestone achievements. Such occasions deserve lighting that makes a statement as special as the events you're celebrating.

A chandelier is a perfect way to make an impression worthy of the occasions. The possibilities are endless, ranging from a 15-light, multi-tiered classical beauty to something a bit less formal, with a contemporary flair – perhaps a single-tier, three-light fixture with chrome trim.

As you ponder the possibilities, keep in mind that reflective or opaque material inside the shades will direct light downward. On the other hand, fabric shades or uncovered "candle" bulbs will cast a diffused, warm glow. Another thought: Never underestimate the value of a dimmer. If you use your dining room for performing tasks as well as enjoying celebrations, a dimmer lets you have it both ways. And if a single chandelier doesn't provide sufficient light, there's always the option of adding accent lighting.

The shape and size of your table will dictate the size of the fixture. Generally speaking, the width of a chandelier should be at least 12 inches narrower than the width of a rectangular table (36 inches wide for a 49-inch-wide table, for example). For a round table, a fixture's width should equal about three-fourths of the table's diameter.

To get the fixture's hanging height right in a room with an 8-foot-tall ceiling, leave 30 to 36 inches between the table-top and the bottom of the fixture. Add another inch to that distance for every additional foot of ceiling height. The bottom line: A fixture should never hang so low that it prevents family and friends from seeing each other across the table!

KITCHEN ISLAND


Kitchens aren’t just for cooking any more. They’ve evolved into the multi-tasking hub of a home – a center for doing homework, preparing meals and gathering with family and friends. As a result, kitchens now require an equally diverse array of lighting that’s not only functional, but also creates a warm, comforting ambience.

Lighting options are as varied as the activities they illuminate. Above islands, pendant fixtures allow you to mix practicality with personality – as in yours. Whether you opt for one large chandelier with an artisanal finish, contemporary-style mini-chandeliers or pendants paired with Edison bulbs for a vintage vibe, consider choosing a fixture style that’s a bit different from – yet still complementary to – the rest of your kitchen’s decor. Unexpected juxtaposition of elements such as finishes, textures and colors infuses rooms with serious visual energy.

How much lighting your kitchen requires depends on many factors. For instance, be aware that dark colors absorb more light than

lighter colors. And keep in mind that a dimmer switch gives you more lighting flexibility. The right lighting also can enhance and accentuate certain features. For example, you can make a small island seem longer by hanging three smaller pendant lights instead of one or two larger ones. As a general rule of thumb, it’s best to hang small- to medium-sized fixtures in odd-numbered clusters – a group of three is very common – and large fixtures in pairs.

Scale matters, too. Higher ceilings demand larger fixtures; otherwise they’ll feel too small. As for height, leave 30 to 36 inches between an island countertop or a tabletop and the bottom of the fixtures (depending on their size). And unless you like odd shadows in the worst possible places, be sure recessed lighting is installed at least 12 inches away from cabinets. Last but not least, install under-cabinet lights as close as possible to the front of the cabinets to ensure optimum light distribution.





## BATH

Bathrooms today often serve as small spas – retreats for a relaxing soak in a tub or perhaps a shower-jet massage. As such, they demand ambient mood lighting along with more functional task lighting.

Fortunately, options abound. From single-light to multi-light sconces, over-mirror vanity fixtures to pendants – each available in a wide variety of finishes and styles – it's never been easier to give a bathroom a splash of personality, allowing the bathroom to visually shine as brightly as any other room in the home.

If you opt for side-mirror sconce lights, pay particular attention to the fixture shades, which will affect how light washes across the face. Etched-glass, fabric and other finishes diffuse light. To ensure adequate lighting, we recommend a minimum of 150 watts of incandescent light per vanity. It's always harder to add more lights later on, so provide more light than not enough. This is where a dimmer is your best friend, allowing you to dial the light to a comfortable level.

Sconce lights on either side of a vanity should be mounted at eye level. You want light distributed evenly across the face to avoid creating shadows under the eyes, nose and chin.



## EXTERIOR

When it comes to outdoor lighting, there's no second chance to make a first impression. Beautiful lighting not only enhances your home's curb appeal – gives it that “wow” factor – but also boosts home security and safety.

The most common error is selecting entryway fixtures that are too small, consider that from 50 feet away. If you're not sure, it's best to go bigger. Generally speaking, a single wall-mounted lantern should measure roughly one-third the height of your front door. If you're using two lanterns, they should measure about one-quarter of your door's height. A pendant light should equal about one-fifth of the total door height.

As for hanging height, the center of a lightbulb in a wall-mounted fixture should be roughly 66 inches above the ground – high enough to ensure sufficient light distribution.

# LAMP REFERENCE CHART

	ITEM NUMBER	WATTAGE	VOLTAGE	LIGHT OUTPUT (LUMENS)	EFFICACY (LM/W)	LAMP TYPE	BASE TYPE	LIGHT SOURCE	COLOR TEMPERATURE
	<b>97500S</b>	6.5	120V	650	100	Vintage ST19	Medium	LED	2300K
	<b>S9188</b>	7	120V	350	--	E26	Medium	LED	--
	<b>97531S</b>	3.5	120V	160	45.7	T6	Candelabra	LED	2200K
	<b>97532S</b>	3.5	120V	160	45.7	T6	Candelabra	LED	2700K
	<b>97541S</b>	4.5	120V	300	66.7	T14	Medium	LED	2200K
	<b>97542S</b>	4.5	120V	300	66.7	T14	Medium	LED	2700K
	<b>97502S</b>	9	120V	800	80	A19	Medium	LED	2700K
	<b>LTB10C35027B</b>	3.5	120V	350	100	B10	Candelabra	LED	2700K

**FL** Flood  
**NFL** Narrow Flood

\* When dimming LED light sources, derate your dimmer to 25% of its rated capacity. For example, a 600 watt dimmer should be derated to 150 watt capacity. Consult your dimmer manufacturer for more information and restrictions.

\*\* An electronic low voltage (ELV) dimmer is recommended when dimming low voltage lamps. Follow the de-rating recommendations above for optimal performance.



# LAMP REFERENCE CHART

	BEAM SPREAD	CRI	RATED LIFE (HOURS)	COMPARABLE EQUIVALENT	WARRANTY	DIMMABLE	CERTIFICATION	DIMENSIONS	ENERGY STAR	LOCATION RATING
	360°	80	15,000	60w Incandescent	3-Year Ltd.	Yes*	RoHS	D: 2.375" L: 5.375"		Damp
	40°	--	25,000	50w Incandescent	3-Year Ltd.	No	RoHS	D: 2.5" L: 3.25"		Damp
	360°	90	15,000	40w Incandescent	3-Year Ltd.	Yes*	RoHS	D: .75" L: 3.25"		Damp encl.
	360°	90	15,000	40w Incandescent	3-Year Ltd.	Yes*	RoHS	D: .75" L: 3.25"		Damp encl.
	360°	90	15,000	60w Incandescent	3-Year Ltd.	Yes*	RoHS	D: 1.75" L: 4.2"		Damp encl.
	360°	90	15,000	60w Incandescent	3-Year Ltd.	Yes*	RoHS	D: 1.75" L: 4.2"		Damp encl.
	300°	90	25,000	60w Incandescent	5-Year Ltd.	Yes*	RoHS	D: 2.36" L: 4.37"	 CEC	Damp
	300°	90	25,000	40w Incandescent	3-Year Ltd.	Yes*	RoHS	D: 1.25" L: 4.25"	 CEC	Damp encl.

# CHAIN & STEMS

## TO ORDER ADDITIONAL CHAIN OR STEMS:

1. Locate the row for your collection and fixture.
2. Write down the style number in the chain or stem column.
3. Replace the “xxx” with the desired finish code from Finishes Available column.

COLLECTION	CHAIN	STEMS	SLOPED CEILING MOUNTING HARDWARE	FINISHES AVAILABLE
Academy	9100-xxx	9199-xxx	9122-xxx	Chrome [-05], Brushed Nickel [-962], Heirloom Bronze [-782]
Alturas	9100-xxx	9199-xxx	9122-xxx	Brushed Nickel [-962], Satin Bronze [-848]
Arilda	—	9199-xxx	9122-xxx	Brushed Nickel [-962], Heirloom Bronze [-782]
Bannock	9100-xxx	9199-xxx	9122-xxx	Brushed Nickel [-962], Heirloom Bronze [-782]
Belton	—	9199-xxx	9122-xxx	Brushed Nickel [-962], Heirloom Bronze [-782]
Brentwood	9103-xxx	—	—	Black [-12]
Bretton (5233-xxx)	9103-xxx	—	—	Brushed Nickel [-962], Heirloom Bronze [-782]
Bretton (all others)	9100-xxx	—	—	Brushed Nickel [-962], Heirloom Bronze [-782]
Calder	9103-xxx	—	—	Black [-12], Antique Bronze [-71]
Canfield	9100-xxx	9199-xxx	9122-xxx	Brushed Nickel [-962], Burnt Sienna [-710]
Canfield (3128815-xxx)	9116-xxx	—	—	Brushed Nickel [-962], Burnt Sienna [-710]
Carondelet (3114006-xxx)	9116-xxx	—	—	Antique Brushed Nickel [-965], Burnt Sienna [-710]
Carondelet (all others)	9100-xxx	9199-xxx	9122-xxx	Antique Brushed Nickel [-965], Burnt Sienna [-710]
Centra	9100-xxx	—	—	Brushed Stainless [-98]
Chatauqua	—	9199-xxx	9122-xxx	Antique Bronze [-71], Stardust [-846]
Chatham	9103-xxx	—	—	Oxidized Bronze [-46], Weathered Copper [-44]
Childress	9100-xxx	—	—	Antique Bronze [-71], Black [-12]
Classico	9103-xxx	—	—	Polished Brass [-02], Black [-12]
Corbeille	9100-xxx	—	—	Stardust [-846]
Corsicana	—	9199-xxx	9122-xxx	Heirloom Bronze [-782]
Cowen	9100-xxx	9199-xxx	9122-xxx	Obsidian Mist [-802]
Crowell	9100-xxx	—	—	Antique Bronze [-71], Black [-12]
Davlin	9103-xxx	—	—	Stardust [-846]
Dawes	—	9199-xxx	9122-xxx	Brushed Nickel [-962], Burnt Sienna [-710]
Dayna	—	9199-xxx	9122-xxx	Brushed Nickel [-962], Burnt Sienna [-710]
Denhelm	—	9199-xxx	9122-xxx	Brushed Nickel [-962], Burnt Sienna [-710]
Driscoll (3140409-xxx)	9116-xxx	—	—	Brushed Nickel [-962], Satin Bronze [-848]
Driscoll (all others)	9100-xxx	—	—	Brushed Nickel [-962], Satin Bronze [-848]
Dunning	9103-xxx	9199-xxx	9122-xxx	Stardust [-846]

COLLECTION	CHAIN	STEMS	SLOPED CEILING MOUNTING HARDWARE	FINISHES AVAILABLE
Ellington (31585-xxx)	9116-xxx	—	—	Burnt Sienna [-710]
Ellington	9100-xxx	9199-xxx	—	Burnt Sienna [-710]
Elsa	9103-xxx	9199-xxx	9122-xxx	Heirloom Bronze [-782]
Emmons	9100-xxx	9199-xxx	9122-xxx	Brushed Nickel [-962], Heirloom Bronze [-782]
Englehorn (3113409-xxx)	9116-xxx	—	—	Chrome [-05]
Englehorn (all others)	9100-xxx	9199-xxx	9122-xxx	Chrome [-05]
Franport	9100-xxx	—	—	Brushed Nickel [-962], Burnt Sienna [-710]
Franport (3128909-xxx & 3128915-xxx)	9116-xxx	—	—	Brushed Nickel [-962], Burnt Sienna [-710]
Fredricksburg	—	9199-xxx	9122-xxx	Weathered Copper [-44], Satin Aluminum [-04]
Gaelan	9103-xxx	—	—	Black [-12]
Galvyn	9103-xxx	—	—	Black [-12], Antique Bronze [-71]
Geary	9100-xxx	—	—	Burnt Sienna [-710], Heirloom Bronze [-782], Blacksmith [-839], Brushed Nickel [-962]
Gereon	9103-xxx	9199-xxx	9122-xxx	Black [-12]
Goliad	9100-xxx	9199-xxx	9122-xxx	Blacksmith [-839]
Gooding	—	9199-xxx	9122-xxx	Brushed Nickel [-962], Heirloom Bronze [-782]
Hanford (3124515-xxx & 3124509-xxx)	9116-xxx	—	—	Brushed Nickel [-962], Burnt Sienna [-710]
Hanford (all others)	9100-xxx	9199-xxx	9122-xxx	Brushed Nickel [-962], Burnt Sienna [-710]
Harambee	9100-xxx	—	—	Antique Brushed Nickel [-965], Heirloom Bronze [-782]
Havenwood	9100-xxx	—	—	Chrome [-05], Autumn Bronze [-715]
Hermitage	9103-xxx	—	—	Antique Brushed Nickel [-965], Antique Bronze [-71]
Herrington	9103-xxx	—	—	Black [-12]
Hettinger	9100-xxx	9199-xxx	9122-xxx	Brushed Nickel [-962], Burnt Sienna [-710]
Holman	9100-xxx	9199-xxx	9122-xxx	Brushed Nickel [-962], Heirloom Bronze [-782]
Hunnington	9100-xxx	—	—	Black [-12], Weathered Pewter [-57]
Huntsville	9100-xxx	—	—	Heirloom Bronze [-782], Blacksmith [-839]
Jeyne	—	9199-xxx	9122-xxx	Weathered Copper [-44], Heirloom Bronze [-782]
Jourdanton	9100-xxx	9199-xxx	9122-xxx	Brushed Nickel [-962]
Kea	—	9199-xxx	9122-xxx	Brushed Nickel [-962], Heirloom Bronze [-782]
Kent	9103-xxx	—	—	Black [-12], Oxford Bronze [-746]
Kerrville	9100-xxx	9199-xxx	9122-xxx	Brushed Nickel [-962], Heirloom Bronze [-782]
Labette	9100-xxx	—	—	Black [-12], Heirloom Bronze [-782]

# CHAIN & STEMS

COLLECTION	CHAIN	STEMS	SLOPED CEILING MOUNTING HARDWARE	FINISHES AVAILABLE
Lambert Hill	9100-xxx	–	–	Black [-12], Oxford Bronze [-746]
Lancaster	9100-xxx	–	–	Antique Bronze [-71], Antique Brushed Nickel [-965], Black [-12], Polished Brass [-02]
Lockheart	–	9199-xxx	9122-xxx	Heirloom Bronze [-782], Blacksmith [-839]
Lonoke	9100-xxx	–	–	Heirloom Bronze [-782], Stardust [-846]
Medford Lakes	9103-xxx	–	–	Statuary Bronze [-51]
Metropolis	9100-xxx	–	–	Brushed Nickel [-962]
Metcalf	9100-xxx	9199-xxx	9122-xxx	Brushed Nickel [-962], Autumn Bronze [-715]
Moffet Street	–	9199-xxx	–	Washed Pine [-872]
Montreal	9107-xxx	–	–	Antique Brushed Nickel [-965], Burnt Sienna [-710]
Morill	9100-xxx	9199-xxx	9122-xxx	Blacksmith [-839]
Nance	9100-xxx	9199-xxx	9122-xxx	Brushed Nickel [-962], Heirloom Bronze [-782]
Oslo (66160-xxx)	–	9196-xxx	–	Chrome [-05], Blacksmith [-839], Brushed Nickel [-962]
Oslo (31162-xxx)	9116-xxx	–	–	Chrome [-05], Blacksmith [-839], Brushed Nickel [-962]
Oslo (all others)	9100-xxx	9199-xxx	9122-xxx	Chrome [-05], Blacksmith [-839], Brushed Nickel [-962]
Parkfield (3113009-xxx)	9107-xxx	–	–	Brushed Nickel [-962], Flemish Bronze [-845]
Parkfield (all others)	9103-xxx	9199-xxx	9122-xxx	Brushed Nickel [-962], Flemish Bronze [-845]
Perryton	–	9199-xxx	9122-xxx	Blacksmith [-839], Heirloom Bronze [-782]
Pratt Street Metal	–	9199-xxx	9122-xxx	Brushed Nickel [-962], Autumn Bronze [-715], Satin Bronze [-848]
Pratt Street Prismatic	–	9199-xxx	9122-xxx	Brushed Nickel [-962], Autumn Bronze [-715]
Ravenwood Manor	9103-xxx	9199-xxx	–	Stardust [-846]
Sauganash	9103-xxx	–	–	Black [-12], Antique Bronze [-71]
Sebring	9103-xxx	9199-xxx	–	Brushed Stainless [-98], Weathered Copper [-44]
Sevier	9100-xxx	–	–	Black [-12], Antique Bronze [-71]
Seville	9100-xxx	–	–	Brushed Nickel [-962], Burnt Sienna [-710]
Sfera (3110406-xxx)	9116-xxx	–	–	Autumn Bronze [-715]
Sfera	9100-xxx	9199-xxx	9122-xxx	Autumn Bronze [-715]
Socorro	9100-xxx	–	–	Stardust [-846]
Somerton	9103-xxx	9199-xxx	9122-xxx	Antique Brushed Nickel [-965], Blacksmith [-839]
Stirling (31952-xxx)	9116-xxx	–	–	Brushed Nickel [-962], Burnt Sienna [-710]
Stirling (all others)	9100-xxx	9199-xxx	9122-xxx	Brushed Nickel [-962], Burnt Sienna [-710]
Stone Street	–	9199-xxx	9122-xxx	Brushed Nickel [-962], Burnt Sienna [-710]



COLLECTION	CHAIN	STEMS	SLOPED CEILING MOUNTING HARDWARE	FINISHES AVAILABLE
Sussex	9100-xxx	9199-xxx	9122-xxx	Brushed Nickel [-962], Heirloom Bronze [-782]
Towner	–	9199-xxx	9122-xxx	Brushed Nickel [-962], Satin Bronze [-848]
Traditional	9100-xxx	–	–	Polished Brass [-02], Brushed Nickel [-962], Heirloom Bronze [-782]
Trafalgar	9103-xxx	–	–	Oxidized Bronze [-46]
Turbinio (5116410-xxx)	9116-xxx	–	–	Blacksmith [-839]
Turbinio (all others)	9100-xxx	–	–	Blacksmith [-839]
Westminster	9100-xxx	–	–	Autumn Bronze [-715]
Wheaton	9100-xxx	9199-xxx	9122-xxx	Brushed Nickel [-962], Heirloom Bronze [-782]
Windgate	9100-xxx	9199-xxx	9122-xxx	Brushed Nickel [-962], Heirloom Bronze [-782]
Winnetka (31663-xxx)	9107-xxx	–	–	Brushed Nickel [-962], Blacksmith [-839]
Winnetka (all others)	9103-xxx	9199-xxx	9122-xxx	Brushed Nickel [-962], Blacksmith [-839]
Winnetka Outdoor	9103-xxx	–	–	Forged Iron [-185]
Yorktown	9100-xxx	–	–	Forged Iron [-185], Black [-12]

DECORATIVE  
WIRE EXTENDER

L: 0.812" W: 0.562" H: 0.5"

Wattage: 600w max.

Snap together splicer/wire extender for 18/2  
SPT 11/2 and ground wire. Corrosion resistant  
contacts simply pierce the conductors for the  
electrical connection. Fits into a link of chain.  
Must be used with approved chain only.



# INDEX

11033AT-15 ..... 563, 564, 565	15030-839 ..... 422	1612-10 ..... 433	1617-191 ..... 433
1121-14 ..... 566	15030-962 ..... 422	1612-15 ..... 433	1617-255 ..... 433
1126-14 ..... 562	15030EN3-15 ..... 424	1612-191 ..... 433	1617-782 ..... 433
1133AT-15 ..... 562	15030EN3-782 ..... 424	1612-255 ..... 433	1617-839 ..... 433
1136AT-15 ..... 562, 563, 564, 565	15030EN3-962 ..... 424	1612-782 ..... 433	1617-962 ..... 433
1151AT-14 ..... 562, 563, 565	15030EN3-965 ..... 424	1612-839 ..... 433	1617-965 ..... 433
1152AT-15 ..... 559, 560, 561	15040EN3-782 ..... 424	1612-962 ..... 433	1630-05 ..... 433
1153AT-15 ..... 559, 560, 561	15040EN3-962 ..... 424	1612-965 ..... 433	1630-10 ..... 433
1154AT-14 ..... 562, 563, 565	15045-191 ..... 428	16120EN-33 ..... 430	1630-15 ..... 433
1155AT-15 ..... 562	15046-191 ..... 428	1613-05 ..... 433	1630-191 ..... 433
1156AT-14 ..... 560, 561	15160EN-255 ..... 420	1613-10 ..... 433	1630-255 ..... 433
1158AT-14 ..... 564	15161EN3-191 ..... 421	1613-15 ..... 433	1630-782 ..... 433
1162AT-14 ..... 559, 560, 561	15162EN-15 ..... 420	1613-191 ..... 433	1630-839 ..... 433
1166AT-15 ..... 559, 560, 561	15163EN3-191 ..... 421	1613-255 ..... 433	1630-962 ..... 433
14300S-15 ..... 554	1525-15 ..... 427	1613-782 ..... 433	1630-965 ..... 433
14300S-171 ..... 554	1540-10 ..... 426	1613-839 ..... 433	1631-05 ..... 433
14300S-849 ..... 554	1540-15 ..... 426	1613-962 ..... 433	1631-15 ..... 433
14301S-15 ..... 554	16002-15 ..... 432	1613-965 ..... 433	1631-191 ..... 433
14301S-171 ..... 554	16005-15 ..... 432	1614-05 ..... 433	1631-782 ..... 433
14301S-849 ..... 554	16006-15 ..... 432	1614-10 ..... 433	1631-839 ..... 433
14520S-15 ..... 553	1601-15 ..... 432	1614-15 ..... 433	1631-962 ..... 433
14520S-849 ..... 553	16021EN3-33 ..... 430	1614-191 ..... 433	1631-965 ..... 433
14610 ..... 554, 557	1610-05 ..... 433	1614-255 ..... 433	1633-681 ..... 431
14701SC-15 ..... 557	1610-10 ..... 433	1614-782 ..... 433	1664-692 ..... 431
14705S-15 ..... 557	1610-15 ..... 433	1614-839 ..... 433	1666-33 ..... 431
14706S-15 ..... 557	1610-191 ..... 433	1614-962 ..... 433	1676-32 ..... 431
14760S-15 ..... 555	1610-255 ..... 433	1614-965 ..... 433	1676-33 ..... 431
14761S-15 ..... 555	1610-782 ..... 433	16148EN3-05 ..... 430	2520404-710 ..... 333
14791 ..... 557	1610-839 ..... 433	16148EN3-15 ..... 430	2520404EN3-710 ..... 333
14795 ..... 554	1610-962 ..... 433	16148EN3-782 ..... 430	2530404-962 ..... 333
15030-05 ..... 422	1610-965 ..... 433	16148EN3-839 ..... 430	2530404EN3-962 ..... 333
15030-15 ..... 422	1611-05 ..... 433	16148EN3-962 ..... 430	2670-15 ..... 333
15030-782 ..... 422	1611-10 ..... 433	16149EN3-10 ..... 430	2674-15 ..... 333
	1611-15 ..... 433	16149EN3-15 ..... 430	31060-782 ..... 224
	1611-191 ..... 433	16149EN3-191 ..... 430	31060-962 ..... 222
	1611-255 ..... 433	1615EN-15 ..... 431	31060EN3-782 ..... 224
	1611-782 ..... 433	1615EN-782 ..... 431	31060EN3-962 ..... 222
	1611-839 ..... 433	1615EN-962 ..... 431	31061-782 ..... 224
	1611-962 ..... 433	1617-05 ..... 433	31061-962 ..... 222
	1611-965 ..... 433	1617-10 ..... 433	31061EN3-782 ..... 224
	1612-05 ..... 433	1617-15 ..... 433	31061EN3-962 ..... 222

31062-782 .....	221	3114004EN3-710 .....	211	31162EN3-962 .....	129	3124603EN3-848.....	116
31062-962 .....	221	3114004EN3-965 .....	210	3116603-782 .....	108	3124603EN3-962 .....	118
31062EN3-782 .....	221	3114006-965.....	209	3116603-962.....	106	3124605-848 .....	116
31062EN3-962 .....	221	3114006EN-710 .....	209	3116603EN3-782 .....	108	3124605-962 .....	118
3110205-846.....	197	3114006EN3-965 .....	209	3116603EN3-962 .....	106	3124605EN3-848.....	116
3110208-846.....	197	3114503-782 .....	176	3116605-782.....	108	3124605EN3-962 .....	118
3110209-846.....	197	3114503-962 .....	174	3116605-962.....	106	3124609-848 .....	115
3110404-715 .....	187	3114505-782 .....	173	3116605EN3-782 .....	108	3124609-962 .....	115
3110404EN3-715 .....	187	3114505-962.....	173	3116605EN3-962 .....	106	3124609EN3-848.....	115
3110406-715.....	187	3115203-05.....	146	3116609-782.....	105	3124609EN3-962 .....	115
3110406EN3-715 .....	187	3115203-782 .....	144	3116609-962.....	105	3124904-846 .....	214
3113005-845.....	202	3115203-962.....	142	3116609EN3-782 .....	105	3124904EN-846.....	214
3113005-962.....	200	3115203EN3-05 .....	146	3116609EN3-962 .....	105	3124906-846 .....	214
3113005EN3-845 .....	202	3115203EN3-782.....	144	3120203-710 .....	79	3124906EN-846.....	214
3113005EN3-962 .....	200	3115203EN3-962 .....	142	3120203-962.....	78	3125003-782 .....	121
3113009-845.....	199	3115205-05.....	146	3120203EN3-710 .....	79	3125003EN3-782.....	121
3113009-962.....	199	3115205-782 .....	144	3120203EN3-962 .....	78	3127803-839 .....	111
3113009EN3-845 .....	199	3115205-962.....	142	3120205-710.....	79	3127805-839 .....	111
3113009EN3-962 .....	199	3115205EN3-05 .....	146	3120205-962.....	78	3127809-839 .....	111
3113203-715 .....	184	3115205EN3-782 .....	144	3120205EN3-710 .....	79	3128003-782 .....	102
3113203-962 .....	182	3115205EN3-962 .....	142	3120205EN3-962 .....	78	3128003-962.....	100
3113203EN3-715 .....	184	3115209-05.....	141	3120209-710.....	77	3128003EN-782.....	102
3113203EN3-962 .....	182	3115209-782 .....	141	3120209-962.....	77	3128003EN-962 .....	100
3113205-715.....	184	3115209-962.....	141	3120209EN3-710 .....	77	3128005-782 .....	102
3113205-962.....	182	3115209EN3-05 .....	141	3120209EN3-962 .....	77	3128005-962.....	100
3113205EN3-715 .....	184	3115209EN3-782 .....	141	3120303-782 .....	63	3128005EN-782.....	102
3113205EN3-962 .....	182	3115209EN3-962 .....	141	3120305-782 .....	63	3128005EN-962 .....	100
3113209-715.....	181	31160-05.....	132	3124505-710 .....	170	3128009-782 .....	99
3113209-962.....	181	31160-839.....	134	3124505-962 .....	168	3128009-962.....	99
3113209EN3-715 .....	181	31160-962.....	130	3124505EN3-710 .....	170	3128009EN-782.....	99
3113209EN3-962 .....	181	31160EN-962 .....	132	3124505EN3-962 .....	168	3128009EN-962 .....	99
3113303-846 .....	206	31160EN3-839 .....	134	3124509-710 .....	170	3128803-710 .....	54
3113303EN3-846.....	206	31160EN3-962 .....	130	3124509-962 .....	168	3128803-962.....	52
3113305-846 .....	205	31161-05.....	132	3124509EN3-710 .....	170	3128803EN3-710 .....	54
3113305EN3-846 .....	205	31161-839 .....	134	3124509EN3-962 .....	168	3128803EN3-962 .....	52
3113405-05.....	137	31161-962.....	130	3124515-710 .....	167	3128805-710 .....	54
3113405EN3-05 .....	137	31161EN3-839 .....	134	3124515-962.....	167	3128805-962.....	52
3113409-05.....	137	31161EN3-962 .....	130	3124515EN3-710 .....	167	3128805EN3-710 .....	54
3113409EN3-839 .....	137	31162-05.....	129	3124515EN3-962 .....	167	3128805EN3-962 .....	52
3114004-710 .....	211	31162-962.....	129	3124603-848 .....	116	3128809-710 .....	54
3114004-965.....	210	31162EN3-05 .....	129	3124603-962 .....	118	3128809-962.....	52

# INDEX

3128809EN3-710 .....	54	3140403-848 .....	163	31625-962 .....	238	31809EN-782 .....	248
3128809EN3-962 .....	52	3140403-962 .....	162	31625EN3-782 .....	240	31809EN-962 .....	244
3128815-710 .....	51	3140403EN3-848 .....	163	31625EN3-962 .....	238	31810-782 .....	243
3128815-962 .....	51	3140403EN3-962 .....	162	31626-782 .....	240	31810-962 .....	243
3128815EN3-710 .....	51	3140405-848 .....	163	31626-962 .....	238	31810EN3-782 .....	243
3128815EN3-962 .....	51	3140405-962 .....	162	31626EN3-782 .....	240	31810EN3-962 .....	243
3128903-710 .....	71	3140405EN3-848 .....	163	31626EN3-962 .....	238	3190404-715 .....	187
3128903-962 .....	69	3140405EN3-962 .....	162	31627-782 .....	237	3190404EN3-715 .....	187
3128903EN3-710 .....	71	3140409-848 .....	161	31627-962 .....	237	3190406-715 .....	187
3128903EN3-962 .....	69	3140409-962 .....	161	31627EN3-782 .....	237	3190406EN3-715 .....	187
3128905-710 .....	70	3140409EN3-848 .....	161	31627EN3-962 .....	237	31932-710 .....	158
3128905-962 .....	68	3140409EN3-962 .....	161	31660-839 .....	152	31932-962 .....	156
3128905EN3-710 .....	70	3140503-71 .....	125	31660-962 .....	150	31932EN-710 .....	158
3128905EN3-962 .....	68	3140503-846 .....	127	31660EN3-839 .....	152	31932EN-962 .....	156
3128909-710 .....	70	3140503EN3-71 .....	125	31660EN3-962 .....	150	31942-710 .....	155
3128909-962 .....	68	3140503EN3-846 .....	127	31661-839 .....	152	31942-962 .....	155
3128909EN3-710 .....	70	3140505-71 .....	124	31661-962 .....	150	31942EN-710 .....	155
3128909EN3-962 .....	68	3140505-846 .....	126	31661EN3-839 .....	152	31942EN-962 .....	155
3128915-710 .....	67	3140505EN3-71 .....	124	31661EN3-962 .....	150	31952-710 .....	155
3128915-962 .....	67	3140505EN3-846 .....	126	31662-839 .....	149	31952-962 .....	155
3128915EN3-710 .....	67	3141303-848 .....	96	31662-962 .....	149	31952EN-710 .....	155
3128915EN3-962 .....	67	3141303-962 .....	94	31662EN3-839 .....	149	31952EN-962 .....	155
3139003-782 .....	90	3141303EN3-848 .....	96	31662EN3-962 .....	149	3213003-845 .....	202
3139003-962 .....	88	3141303EN3-962 .....	94	31663-839 .....	149	3213003-962 .....	200
3139003EN3-782 .....	90	3141305-848 .....	96	31663-962 .....	149	3213003EN3-845 .....	202
3139003EN3-962 .....	88	3141305-962 .....	94	31663EN3-839 .....	149	3213003EN3-962 .....	200
3139005-782 .....	90	3141305EN3-848 .....	96	31663EN3-962 .....	149	3220205-710 .....	79
3139005-962 .....	88	3141305EN3-962 .....	94	31806-782 .....	247	3220205-962 .....	78
3139005EN3-782 .....	90	3141307-848 .....	96	31806-962 .....	245	3220205EN3-710 .....	79
3139005EN3-962 .....	88	3141307-962 .....	94	31806EN3-782 .....	247	3220205EN3-962 .....	78
3139009-782 .....	87	3141307EN3-848 .....	96	31806EN3-962 .....	245	3224906-846 .....	213
3139009-962 .....	87	3141307EN3-962 .....	94	31807-782 .....	247	3224906EN-846 .....	213
3139009EN3-782 .....	87	31585-710 .....	217	31807-962 .....	245	3225005-782 .....	121
3139009EN3-962 .....	87	31585EN3-710 .....	217	31807EN-782 .....	247	3225005EN3-782 .....	121
3139106-962 .....	82, 84	31586-710 .....	219	31807EN-962 .....	245	3280405-846 .....	233
3139106EN-962 .....	84	31586EN3-710 .....	219	31808-782 .....	248	3280405EN-846 .....	233
3139106EN3-962 .....	82	31587-710 .....	218	31808-962 .....	244	3280409-846 .....	233
3139109-710 .....	81	31587EN3-710 .....	218	31808EN-782 .....	248	3280409EN-846 .....	233
3139109-962 .....	81	31588-710 .....	218	31808EN3-962 .....	244	32810-782 .....	243
3139109EN3-710 .....	81	31588EN3-710 .....	218	31809-782 .....	248	32810-962 .....	243
3139109EN3-962 .....	81	31625-782 .....	240	31809-962 .....	244	32810EN-782 .....	243



32810EN-962..... 243	40012-773..... 392	4113001EN3-845 ..... 373	41160EN3-05 ..... 133
3410-02 ..... 250	40012EN3-773 ..... 392	4113001EN3-962 ..... 201	41160EN3-05 ..... 353
3410-962 ..... 250	40124-05 ..... 393	4113001EN3-962 ..... 373	41160EN3-839..... 135
3410EN-02..... 250	40124EN3-305..... 393	4113201-715..... 185	41160EN3-839..... 353
3410EN-962..... 250	40125-05 ..... 393	4113201-715..... 368	41160EN3-962 ..... 131
3411-02 ..... 251	40125EN3-05..... 393	4113201-962..... 183	41160EN3-962 ..... 353
3411-962 ..... 251	40126-05 ..... 393	4113201-962..... 368	41161-05..... 353
3411EN-02..... 251	40126EN3-05..... 393	4113201EN3-715 ..... 185	41161-839 ..... 353
3411EN-962..... 251	41036-999 ..... 412	4113201EN3-715 ..... 368	41161-962..... 353
3413-02..... 250	41036EN3-999..... 412	4113201EN3-962 ..... 183	41161EN3-05 ..... 353
3413-962..... 251	41060-715 ..... 377	4113201EN3-962 ..... 368	41161EN3-839 ..... 353
3413EN-02 ..... 250	41060-962 ..... 377	4113301-846 ..... 206	41161EN3-962 ..... 353
3413EN-962 ..... 251	41060EN3-715..... 377	4113301-846 ..... 375	41162-05 ..... 353
3414-02..... 250	41060EN3-962 ..... 377	4113301EN3-846 ..... 206	41162-839 ..... 353
3414EN-02 ..... 250	4108-71..... 413	4113301EN3-846 ..... 375	41162-962 ..... 353
35939-782..... 227	41085-715 ..... 376	4113401-05..... 138	41162EN3-05..... 353
35939-962 ..... 227	41085-848 ..... 376	4113401-05..... 358	41162EN3-839..... 353
35939EN3-782 ..... 227	41085-962 ..... 376	4113401EN3-05 ..... 138	41162EN3-962..... 353
35939EN3-962..... 227	4108593S-715 ..... 376	4113401EN3-05 ..... 358	41163-05 ..... 353
35940-782..... 227	4108593S-848 ..... 376	4114501-782 ..... 177	41163-839 ..... 353
35940-962 ..... 227	4108593S-962 ..... 376	4114501-782 ..... 365	41163-962 ..... 353
35940EN3-782 ..... 227	41085EN3-715..... 376	4114501-962..... 175	41163EN3-05..... 353
35940EN3-962..... 227	41085EN3-848..... 376	4114501-962..... 365	41163EN3-839..... 353
35949-782 ..... 230	41085EN3-962..... 376	4115201-05..... 147	41163EN3-962..... 353
35949-962 ..... 228	4108EN3-71..... 413	4115201-05..... 355	4116601-782..... 109
35949EN3-782 ..... 230	4110401-715..... 188, 369	4115201-782 ..... 145	4116601-782..... 381
35949EN3-962 ..... 228	4110401EN3-715 ..... 188, 369	4115201-782 ..... 355	4116601-962..... 107
35950-782..... 230	4111493S-962..... 410	4115201-962..... 143	4116601-962..... 381
35950-962 ..... 228	41115-962 ..... 410	4115201-962..... 355	4116601EN3-782 ..... 109
35950EN3-782 ..... 230	41115EN3-962 ..... 410	4115201EN3-05 ..... 147	4116601EN3-782 ..... 381
35950EN3-962..... 228	4111601-05 ..... 367	4115201EN3-05 ..... 355	4116601EN3-962 ..... 107
3916-02 ..... 250	4111601-710 ..... 367	4115201EN3-782 ..... 145	4116601EN3-962 ..... 381
3916-782..... 251	4111601-962 ..... 367	4115201EN3-782 ..... 355	41180-710 ..... 387
3916-962 ..... 251	4111601EN3-05..... 367	4115201EN3-962 ..... 143	41180-965..... 387
3916EN-02..... 250	4111601EN3-710..... 367	4115201EN3-962 ..... 355	41180EN3-710 ..... 387
3916EN-782 ..... 251	4111601EN3-962..... 367	41160-05 ..... 133	41180EN3-965 ..... 387
3916EN-962..... 251	4113001-845..... 203	41160-05 ..... 353	41181-710 ..... 387
40010-773..... 392	4113001-845..... 373	41160-839 ..... 135	41181-965..... 387
40010EN3-773 ..... 392	4113001-962 ..... 201	41160-839 ..... 353	41181EN3-710 ..... 387
40011-773..... 392	4113001-962 ..... 373	41160-962 ..... 131	41181EN3-965 ..... 387
40011EN3-773 ..... 392	4113001EN3-845 ..... 203	41160-962 ..... 353	41182-710 ..... 387

# INDEX

41182-965.....	387	4124601EN3-962 .....	351	4138-15 .....	413	4148-15.....	411
41182EN3-710.....	387	41260-710 .....	159	4138EN3-15 .....	413	414893S-15 .....	411
41182EN3-965.....	387	41260-962 .....	157	4139001-782 .....	391	4148EN3-15.....	411
41183-710 .....	387	41260EN-710.....	159	4139001-782 .....	91	4150401-05.....	363
41183-965 .....	387	41260EN-962.....	157	4139001-962.....	391	4150401-710 .....	363
41183EN3-710.....	387	4127801-839 .....	112	4139001-962.....	89	4150401-962.....	363
41183EN3-965.....	387	4127801-839 .....	374	4139001EN3-782 .....	391	4150401EN3-05 .....	363
4120201-710.....	344	4128001-782 .....	103	4139001EN3-782 .....	91	4150401EN3-710 .....	363
4120201-710.....	79	4128001-782 .....	360	4139001EN3-962 .....	391	4150401EN3-962 .....	363
4120201-962.....	344	4128001-962.....	101	4139001EN3-962 .....	89	4150501-782 .....	341
4120201-962.....	78	4128001-962.....	360	4139101-05.....	349	4150501-962.....	341
4120201EN3-710 .....	344	4128001EN-782 .....	103	4139101-710.....	349	4150501EN3-782 .....	341
4120201EN3-710 .....	79	4128001EN-782 .....	360	4139101-962.....	349	4150501EN3-962 .....	341
4120201EN3-962 .....	344	4128001EN-962 .....	101	4139101-962.....	83, 85	41585-710 .....	219
4120201EN3-962 .....	78	4128001EN-962 .....	360	4139101EN-962 .....	85	41585EN3-710 .....	219
4120301-782 .....	342	4128501-12.....	347	4139101EN3-05 .....	349	41640-839 .....	413
4120301-782 .....	64	4128601-802.....	347	4139101EN3-710 .....	349	41640EN3-839.....	413
4122891S-04.....	407	4128601-802.....	59	4139101EN3-962 .....	349	41806-782.....	249
4122991S-962.....	398	4128801-710 .....	340	4139101EN3-962 .....	83	41806-782.....	390
4123-15 .....	413	4128801-710 .....	55	4140401-05.....	361	41806-962 .....	246
4123001-05.....	346	4128801-962.....	340	4140401-848 .....	163	41806-962 .....	390
4123001EN3-05 .....	346	4128801-962.....	53	4140401-848 .....	361	41806EN3-782 .....	249
412397S-15 .....	413	4128801EN3-710 .....	340	4140401-962 .....	162	41806EN3-782 .....	390
4123EN3-15.....	413	4128801EN3-710 .....	55	4140401-962 .....	361	41806EN3-962.....	246
4124501-710 .....	171	4128801EN3-962 .....	340	4140401EN3-05 .....	361	41806EN3-962.....	390
4124501-710 .....	364	4128801EN3-962 .....	53	4140401EN3-848.....	163	4191401-715.....	189, 369
4124501-962.....	169	4128901-710 .....	343	4140401EN3-848.....	361	4191401EN3-715 .....	189, 369
4124501-962.....	364	4128901-710 .....	71	4140401EN3-962 .....	162	41939-05 .....	380
4124501EN3-710 .....	171	4128901-962.....	343	4140401EN3-962 .....	361	41939-782.....	231
4124501EN3-710 .....	364	4128901-962.....	69	4141301-848 .....	347	41939-782.....	380
4124501EN3-962 .....	169	4128901EN3-710 .....	343	4141301-848.....	97	41939-962 .....	229
4124501EN3-962 .....	364	4128901EN3-710 .....	71	4141301-962.....	347	41939-962 .....	380
4124601-05.....	351	4128901EN3-962 .....	343	4141301-962.....	95	41939EN3-05.....	380
4124601-848 .....	117	4128901EN3-962 .....	69	4141301EN3-848 .....	347	41939EN3-782 .....	231
4124601-848 .....	351	4134501-865.....	347	4141301EN3-848 .....	97	41939EN3-782 .....	380
4124601-962.....	119	4134501-872 .....	74	4141301EN3-962 .....	347	41939EN3-962.....	229
4124601-962.....	351	4134501EN-865 .....	347	4141301EN3-962 .....	95	41939EN3-962.....	380
4124601EN3-05 .....	351	4134501EN-872.....	74	4141401-782 .....	377	4325-68.....	545
4124601EN3-848.....	117	4135-962 .....	410	4141401-965.....	377	4325EN3-68 .....	545
4124601EN3-848.....	351	413591S-962.....	410	4141401EN3-782.....	377	44019-962 .....	394
4124601EN3-962 .....	119	4135EN3-962 .....	410	4141401EN3-965 .....	377	44019EN3-962.....	394

44020-962 .....	394	441602EN3-05 .....	367	4413303-846 .....	375	4415202EN3-962 .....	355
44020EN3-962 .....	394	441602EN3-710 .....	367	4413303EN3-846 .....	375	4415203-05 .....	355
44021-962 .....	394	441602EN3-962 .....	367	4413304-846 .....	375	4415203-782 .....	355
44021EN3-962 .....	394	441603-05 .....	367	4413304EN3-846 .....	375	4415203-962 .....	355
44060-05 .....	385, 390	441603-710 .....	367	4413402-05 .....	358	4415203EN3-05 .....	355
44060-782 .....	225	441603-962 .....	367	4413402EN3-05 .....	358	4415204-05 .....	355
44060-782 .....	385	441603EN3-05 .....	367	4413403-05 .....	358	4415204-782 .....	355
44060-962 .....	223	441603EN3-710 .....	367	4413403EN3-05 .....	358	4415204-962 .....	355
44060-962 .....	385	441603EN3-962 .....	367	4413404-05 .....	358	4415204EN3-05 .....	355
44060EN3-05 .....	385	441604-05 .....	367	4413404EN3-05 .....	358	4415204EN3-782 .....	355
44060EN3-782 .....	225	441604-710 .....	367	4414001-710 .....	211	4415204EN3-962 .....	355
44060EN3-782 .....	385	441604-962 .....	367	4414001-710 .....	379	4416191S-962 .....	396
44060EN3-962 .....	223	441604EN3-05 .....	367	4414001-965 .....	210	4416602-782 .....	381
44060EN3-962 .....	385	441604EN3-710 .....	367	4414001-965 .....	379	4416602-962 .....	381
44061-05 .....	385	441604EN3-962 .....	367	4414001EN3-710 .....	211	4416602EN3-782 .....	381
44061-782 .....	385	4413002-845 .....	373	4414001EN3-710 .....	379	4416602EN3-962 .....	381
44061-962 .....	385	4413002-962 .....	373	4414001EN3-965 .....	210	4416603-782 .....	381
44061EN3-05 .....	385	4413002EN3-845 .....	373	4414001EN3-965 .....	379	4416603-962 .....	381
44061EN3-782 .....	385	4413002EN3-962 .....	373	4414002-710 .....	379	4416603EN3-782 .....	381
44061EN3-962 .....	385	4413003-845 .....	373	4414002-965 .....	379	4416603EN3-962 .....	381
44062-05 .....	385	4413003-962 .....	373	4414002EN3-710 .....	379	4416604-782 .....	381
44062-782 .....	385	4413003EN3-845 .....	373	4414002EN3-965 .....	379	4416604-962 .....	381
44062-962 .....	385	4413003EN3-962 .....	373	4414003-710 .....	379	4416604EN3-782 .....	381
44062EN3-05 .....	385	4413004-845 .....	373	4414003-965 .....	379	4416604EN3-962 .....	381
44062EN3-782 .....	385	4413004-962 .....	373	4414003EN3-710 .....	379	4420202-710 .....	344
44062EN3-962 .....	385	4413004EN3-845 .....	373	4414003EN3-965 .....	379	4420202-962 .....	344
44063-05 .....	385	4413004EN3-962 .....	373	4414004-710 .....	379	4420202EN3-710 .....	344
44063-782 .....	385	4413202-715 .....	368	4414004-965 .....	379	4420202EN3-962 .....	344
44063-962 .....	385	4413202-962 .....	368	4414004EN3-710 .....	379	4420203-710 .....	344
44063EN3-05 .....	385	4413202EN3-715 .....	368	4414004EN3-965 .....	379	4420203-962 .....	344
44063EN3-782 .....	385	4413202EN3-962 .....	368	4414502-782 .....	365	4420203EN3-710 .....	344
44063EN3-962 .....	385	4413203-715 .....	368	4414502-962 .....	365	4420203EN3-962 .....	344
4410402-715 .....	369	4413203-962 .....	368	4414503-782 .....	365	4420204-710 .....	345
4410402EN3-715 .....	369	4413203EN3-715 .....	368	4414503-962 .....	365	4420204-962 .....	345
4410403-715 .....	369	4413203EN3-962 .....	368	4414504-782 .....	365	4420204EN3-710 .....	345
4410403EN3-715 .....	369	4413204-715 .....	368	4414504-962 .....	365	4420204EN3-962 .....	345
4410404-715 .....	369	4413204-962 .....	368	4415202-05 .....	355	4420205-710 .....	345
4410404EN3-715 .....	369	4413204EN3-715 .....	368	4415202-782 .....	355	4420205-962 .....	345
4411602-05 .....	367	4413204EN3-962 .....	368	4415202-962 .....	355	4420205EN3-710 .....	345
4411602-710 .....	367	4413302-846 .....	375	4415202EN3-05 .....	355	4420205EN3-962 .....	345
4411602-962 .....	367	4413302EN3-846 .....	375	4415202EN3-782 .....	355	4420302-782 .....	342

# INDEX

---

4420303-782.....	342	4424603EN3-962.....	351	4428904EN3-962.....	343	4440402EN3-848.....	361
4420304-782.....	342	4424604-05.....	351	4434691S-962.....	397	4440402EN3-962.....	361
4422891S-04.....	407	4424604-848.....	351	4435591S-962.....	399	4440403-05.....	361
4422991S-962.....	398	4424604-962.....	351	4435691S-04.....	405	4440403-848.....	361
4423001-710.....	346	4424604EN3-05.....	351	4435791S-04.....	403	4440403-962.....	361
4423001EN3-710.....	346	4424604EN3-848.....	351	4435791S-710.....	403	4440403EN3-05.....	361
4423002-05.....	346	4424604EN3-962.....	351	4435891S-962.....	401	4440403EN3-848.....	361
4423002-710.....	346	4427802-839.....	374	4439002-782.....	391	4440403EN3-962.....	361
4423002EN3-05.....	346	4427803-839.....	374	4439002-962.....	391	4440404-05.....	361
4423002EN3-710.....	346	4427804-839.....	374	4439002EN3-782.....	391	4440404-848.....	361
4423003-05.....	346	4428002-782.....	360	4439002EN3-962.....	391	4440404-962.....	361
4423003-710.....	346	4428002-962.....	360	4439003-782.....	391	4440404EN3-05.....	361
4423003EN3-05.....	346	4428002EN-782.....	360	4439003-962.....	391	4440404EN3-848.....	361
4423003EN3-710.....	346	4428002EN-962.....	360	4439003EN3-782.....	391	4440404EN3-962.....	361
4423004-05.....	346	4428003-782.....	360	4439003EN3-962.....	391	44436-05.....	192
4423004-710.....	346	4428003-962.....	360	4439004-782.....	391	44436-05.....	371
4423004EN3-05.....	346	4428003EN-782.....	360	4439004-962.....	391	44436-782.....	194
4423004EN3-710.....	346	4428003EN-962.....	360	4439004EN3-782.....	391	44436-782.....	371
4424502-710.....	364	4428802-710.....	340	4439004EN3-962.....	391	44436-962.....	193
4424502-962.....	364	4428802-962.....	340	4439102-05.....	349	44436-962.....	371
4424502EN3-710.....	364	4428802EN3-710.....	340	4439102-710.....	349	44436EN3-05.....	192
4424502EN3-962.....	364	4428802EN3-962.....	340	4439102-962.....	349	44436EN3-05.....	371
4424503-710.....	364	4428803-710.....	340	4439102EN3-05.....	349	44436EN3-782.....	194
4424503-962.....	364	4428803-962.....	340	4439102EN3-710.....	349	44436EN3-782.....	371
4424503EN3-710.....	364	4428803EN3-710.....	340	4439102EN3-962.....	349	44436EN3-962.....	193
4424503EN3-962.....	364	4428803EN3-962.....	340	4439103-05.....	349	44436EN3-962.....	371
4424504-710.....	364	4428803EN4-710.....	340	4439103-710.....	349	44437-05.....	371
4424504-962.....	364	4428804-710.....	340	4439103-962.....	349	44437-782.....	371
4424504EN3-710.....	364	4428804-962.....	340	4439103EN3-05.....	349	44437-962.....	371
4424504EN3-962.....	364	4428804EN3-962.....	340	4439103EN3-710.....	349	44437EN3-05.....	371
4424602-05.....	351	4428902-710.....	343	4439103EN3-962.....	349	44437EN3-782.....	371
4424602-848.....	351	4428902-962.....	343	4439104-05.....	349	44437EN3-962.....	371
4424602-962.....	351	4428902EN3-710.....	343	4439104-710.....	349	44438-05.....	371
4424602EN3-05.....	351	4428902EN3-962.....	343	4439104-962.....	349	44438-782.....	371
4424602EN3-848.....	351	4428903-710.....	343	4439104EN3-05.....	349	44438-962.....	371
4424602EN3-962.....	351	4428903-962.....	343	4439104EN3-710.....	349	44438EN3-05.....	371
4424603-05.....	351	4428903EN3-710.....	343	4439104EN3-962.....	349	44438EN3-782.....	371
4424603-848.....	351	4428903EN3-962.....	343	4440402-05.....	361	44438EN3-962.....	371
4424603-962.....	351	4428904-710.....	343	4440402-848.....	361	44439-05.....	371
4424603EN3-05.....	351	4428904-962.....	343	4440402-962.....	361	44439-782.....	371
4424603EN3-848.....	351	4428904EN3-710.....	343	4440402EN3-05.....	361	44439-962.....	371



44439EN3-05 .....	371	44625-962.....	239	44806EN3-962 .....	390	44855-965.....	383
44439EN3-782.....	371	44625-962.....	389	44807-782 .....	390	44855EN3-05 .....	383
44439EN3-962 .....	371	44625EN3-782 .....	241	44807-962.....	390	44855EN3-782 .....	383
4449-15.....	416	44625EN3-782 .....	389	44807EN3-782.....	390	44855EN3-965 .....	383
4449EN3-15 .....	416	44625EN3-962 .....	239	44807EN3-962 .....	390	4491402-715 .....	369
4450402-05 .....	363	44625EN3-962 .....	389	44808-782.....	390	4491402EN3-715.....	369
4450402-710 .....	363	44626-782.....	389	44808-962.....	390	4491403-715 .....	369
4450402-962 .....	363	44626-962.....	389	44808EN3-782 .....	390	4491403EN3-715.....	369
4450402EN3-05.....	363	44626EN3-782 .....	389	44808EN3-962 .....	390	4491404-715.....	369
4450402EN3-710.....	363	44626EN3-962 .....	389	44850-05.....	382	4491404EN3-715 .....	369
4450402EN3-962.....	363	44627-782 .....	389	44850-782.....	382	44940-05.....	380
4450403-05 .....	363	44627-962.....	389	44850-965 .....	382	44940-782 .....	380
4450403-710 .....	363	44627EN3-782.....	389	44850EN3-05.....	382	44940-962.....	380
4450403-962 .....	363	44627EN3-962 .....	389	44850EN3-782 .....	382	44940EN3-05 .....	380
4450403EN3-05.....	363	44628-782 .....	389	44850EN3-965 .....	382	44940EN3-782 .....	380
4450403EN3-710.....	363	44628-962.....	389	44851-05 .....	382	44940EN3-962 .....	380
4450403EN3-962.....	363	44628EN3-782 .....	389	44851-782.....	382	44941-05.....	380
4450404-05 .....	363	44628EN3-962 .....	389	44851-965 .....	382	44941-782 .....	380
4450404-710 .....	363	44660-839.....	153	44851EN3-05.....	382	44941-962.....	380
4450404-962 .....	363	44660-839.....	357	44851EN3-782 .....	382	44941EN3-05 .....	380
4450404EN3-05.....	363	44660-962 .....	151	44851EN3-965 .....	382	44941EN3-782 .....	380
4450404EN3-710.....	363	44660-962 .....	357	44852-05.....	382	44941EN3-962 .....	380
4450404EN3-962.....	363	44660EN-962 .....	357	44852-782 .....	382	44942-05.....	380
4450502-782 .....	341	44660EN3-839.....	153	44852-965.....	382	44942-782 .....	380
4450502-962 .....	341	44660EN3-839.....	357	44852EN3-05.....	382	44942-962.....	380
4450502EN3-782.....	341	44660EN3-962.....	151	44852EN3-782 .....	382	44942EN3-05 .....	380
4450502EN3-962.....	341	44660EN3-962.....	357	44852EN3-965 .....	382	44942EN3-782.....	380
4450503-782.....	341	44661-839.....	357	44853-05.....	383	44942EN3-962 .....	380
4450503-962 .....	341	44661-962 .....	357	44853-782 .....	383	44952-05.....	359
4450503EN3-782.....	341	44661EN3-839.....	357	44853-965.....	383	44952-710.....	159
4450503EN3-962.....	341	44661EN3-962.....	357	44853EN3-05.....	383	44952-710.....	359
4450504-782.....	341	44662-839.....	357	44853EN3-782.....	383	44952-962.....	157
4450504-962 .....	341	44662-962.....	357	44853EN3-965 .....	383	44952-962.....	359
4450504EN3-782.....	341	44662EN3-839.....	357	44854-05.....	383	44952EN3-05 .....	359
4450504EN3-962.....	341	44663-839.....	357	44854-782 .....	383	44952EN3-710 .....	159
4453-15.....	416	44663-962.....	357	44854-965.....	383	44952EN3-710 .....	359
4453EN3-15 .....	416	44663EN3-839.....	357	44854EN3-05.....	383	44952EN3-962 .....	157
4455-15.....	416	44663EN3-962 .....	357	44854EN3-782.....	383	44952EN3-962 .....	359
4455EN3-15 .....	416	44806-782.....	390	44854EN3-965 .....	383	44953-05.....	359
44625-782.....	241	44806-962 .....	390	44855-05.....	383	44953-710.....	359
44625-782.....	389	44806EN3-782 .....	390	44855-782 .....	383	44953-962.....	359

# INDEX

44953EN3-05 .....	359	4735591S-962 .....	399	49170EN3-962 .....	410	5115008-782 .....	275
44953EN3-710 .....	359	4735691S-04 .....	405	4918093S-98 .....	165	5115008-839 .....	275
44953EN3-962 .....	359	4735791S-04 .....	403	49215BLE-962 .....	414	5115008EN-782 .....	275
44954-05 .....	359	4735791S-710 .....	403	49216BLE-962 .....	414	5115008EN-839 .....	275
44954-710 .....	359	4735891S-962 .....	401	49274S-15 .....	574	5116404-839 .....	283
44954-962 .....	359	4737-05 .....	408	49274S-171 .....	574	5116404EN-839 .....	283
44954EN3-05 .....	359	4737-98 .....	408	49275S-15 .....	574	5116406-839 .....	283
44954EN3-710 .....	359	4738-05 .....	408	49275S-171 .....	574	5116406EN-839 .....	283
44954EN3-962 .....	359	4738-98 .....	408	49276S-15 .....	574	5116408-839 .....	283
44955-05 .....	359	4739-05 .....	408	49276S-171 .....	574	5116408EN-839 .....	283
44955-710 .....	359	4739-98 .....	408	49277S-15 .....	574	5116410-839 .....	283
44955-962 .....	359	4740-05 .....	408	49277S-171 .....	574	5116410EN-839 .....	283
44955EN3-05 .....	359	4740-98 .....	408	49278S-15 .....	574	5119404-782 .....	281
44955EN3-710 .....	359	4871-02 .....	395	49278S-171 .....	574	5119404-839 .....	281
44955EN3-962 .....	359	4871-05 .....	395	4933197S-710 .....	411	5119404EN-782 .....	281
4516191S-962 .....	396	4871EN3-02 .....	395	4933197S-962 .....	411	5119404EN-839 .....	281
4522891S-04 .....	407	4871EN3-05 .....	395	4933593S-962 .....	410	5119408-782 .....	281
4522991S-962 .....	398	4872-02 .....	395	4933991S-962 .....	410	5119408-839 .....	281
4534691S-962 .....	397	4872-05 .....	395	4934093S-962 .....	410	5119408EN-782 .....	281
4535591S-962 .....	399	4872EN3-02 .....	395	49374S-15 .....	574	5119408EN-839 .....	281
4535691S-04 .....	405	4872EN3-05 .....	395	49374S-171 .....	574	5124904-846 .....	214
4535791S-04 .....	403	4873-02 .....	395	49375S-15 .....	574	5124904EN-846 .....	214
4535791S-710 .....	403	4873-05 .....	395	49375S-171 .....	574	5124906-846 .....	213
4535891S-962 .....	401	4873EN3-02 .....	395	49377S-15 .....	574	5124906EN-846 .....	213
4616191S-962 .....	396	4873EN3-05 .....	395	49377S-171 .....	574	5125203-839 .....	179
4635591S-962 .....	399	49013LE-05 .....	414	49378S-15 .....	574	5125203EN3-839 .....	179
4635691S-04 .....	405	49014LE-05 .....	414	49378S-171 .....	574	5125205-839 .....	179
4635791S-04 .....	403	49015LE-05 .....	414	4938EN3-15 .....	412	5125205EN3-839 .....	179
4635791S-710 .....	403	49024LE-15 .....	415	4939EN3-68 .....	415	5126003-710 .....	271
4635891S-962 .....	401	49026LE-15 .....	415	4940EN3-68 .....	415	5126003-962 .....	271
4701-05 .....	409	4910LE-68 .....	415	4975BLE-15 .....	578	5127803-839 .....	112
4701-962 .....	409	49119-782 .....	411	4976BLE-15 .....	578	5127803EN-839 .....	112
4702-05 .....	409	49119-962 .....	411	4977BLE-15 .....	578	5128606-802 .....	57
4702-962 .....	409	4911997S-782 .....	411	4978BLE-15 .....	578	5134503-872 .....	74
4703-05 .....	409	4911997S-962 .....	411	4979BLE-15 .....	578	5134503EN-872 .....	74
4703-962 .....	409	49119EN3-782 .....	411	51035-962 .....	315	5134504-872 .....	74
47142-98 .....	165	49119EN3-962 .....	411	51035EN3-962 .....	315	5134504EN-872 .....	74
47142EN3-98 .....	165	49139-782 .....	411	5115004-782 .....	277	5134508-872 .....	73
4734691S-962 .....	397	49139EN3-782 .....	411	5115004-839 .....	276	5134508EN-872 .....	73
4735-05 .....	408	4915093S-962 .....	412	5115004EN-782 .....	277	5136103-782 .....	279
4735-98 .....	408	4915193S-962 .....	412	5115004EN-839 .....	276	5136103-839 .....	279

5136103EN-782.....	279	5215004EN-839 .....	276	5340704-782.....	269	6008-12 .....	527
5136103EN-839 .....	279	5224503-710 .....	170	5340704-846.....	269	60081-71.....	498
51375-839.....	316	5224503-962 .....	168	5340704EN-782 .....	269	60081-965.....	499
51375-965 .....	316	5224503EN3-710.....	170	5340704EN-846 .....	269	60081EN-71.....	498
51375EN3-839 .....	316	5224503EN3-962.....	168	5366-15 .....	331	60081EN-965 .....	499
51375EN3-965.....	316	5231-782.....	285	5366-782.....	331	60131-12.....	509
5140503-71.....	125	5231-962 .....	285	5366-962 .....	331	6018-04 .....	255
5140503-846 .....	127	5231EN-782 .....	285	5366EN3-15.....	331	6018-15 .....	255
5140503EN3-71.....	125	5231EN-962 .....	285	5366EN3-782 .....	331	601893S-04.....	255
5140503EN3-846 .....	127	5232-782.....	285	5366EN3-962.....	331	601893S-15.....	255
5140506-71.....	123	5232-962 .....	285	5367PC-15 .....	331	6018EN3-04.....	255
5140506-846 .....	123	5232EN-782 .....	285	5367PCEN3-15.....	331	6018EN3-15.....	255
5140506EN3-71 .....	123	5232EN-962 .....	285	5901EN3-15.....	327	6020-04 .....	255
5140506EN3-846 .....	123	5233-782 .....	285	5902EN3-15.....	327	6020-15 .....	255
5140603-12.....	273	5233-962.....	285	59055EN3-15.....	327	602093S-04 .....	255
5140603-782 .....	273	5233EN-782 .....	285	5913291S-15.....	335	602093S-15.....	255
5140603EN-12 .....	273	5233EN-962 .....	285	59132LE-15 .....	335	6020EN3-04.....	255
5140603EN-782.....	273	5240603-12 .....	273	5913691S-15.....	335	6020EN3-15.....	255
5140703-782.....	269	5240603-782 .....	273	59136LE-15 .....	335	6022-04 .....	254
5140703-846 .....	269	5240603EN-12 .....	273	59216LE-962 .....	336	6022-15 .....	254
5140703EN-782 .....	269	5240603EN-782.....	273	59232EN3-15.....	326	602293S-04 .....	254
5140703EN-846.....	269	5240703-782.....	269	5925093S-962.....	332	602293S-15.....	254
5141303-848 .....	97	5240703-846.....	269	5925193S-962.....	332	6022EN3-04.....	254
5141303-962 .....	95	5240703EN-782 .....	269	59270LE-15.....	335	6022EN3-15.....	254
5141303EN3-848.....	97	5240703EN-846.....	269	59271LE-15 .....	335	6024-04.....	254
5141303EN3-962 .....	95	5326-15 .....	328	5935091S-962.....	332	6024-15 .....	254
5141305-848 .....	97	5326-782.....	328	59360LE-15 .....	334	602493S-04 .....	254
5141305-962.....	95	5326-962 .....	328	59360LE-790.....	334	602493S-15 .....	254
5141305EN3-848 .....	97	5326EN3-15 .....	328	59361LE-15 .....	334	6024EN3-04 .....	254
5141305EN3-962 .....	95	5326EN3-782 .....	328	59361LE-790 .....	334	6024EN3-15.....	254
51806-782 .....	247	5326EN3-962.....	328	5962LE-98.....	336	6025-12 .....	507
51806-962.....	245	5328-15 .....	328	5986LE-15 .....	336	6039-02 .....	511
51806EN-782.....	247	5328-782.....	328	60029-12.....	517	6039-12 .....	513
51806EN-962 .....	245	5328-962.....	328	60029-746.....	515	6039-71.....	512
51807-782.....	248	5328EN3-15 .....	328	60048-185.....	520	6039-965 .....	510
51807-962 .....	244	5328EN3-782 .....	328	60048EN3-185.....	520	6039EN-02.....	511
51807EN-782 .....	248	5328EN3-962.....	328	60048P-12 .....	521	6039EN-12.....	513
51807EN-962.....	244	5340604-12 .....	273	60048PEN3-12.....	521	6039EN-71 .....	512
5215004-782 .....	277	5340604-782.....	273	60068-12 .....	519	6039EN-965.....	510
5215004-839.....	276	5340604EN-12.....	273	60068-746.....	518	60529-12 .....	516
5215004EN-782.....	277	5340604EN-782 .....	273	6008-02 .....	526	60529-746.....	514

# INDEX

60529EN3-12.....	516	6115201EN3-05.....	147	6140401-848.....	163	61940EN3-962.....	229
60529EN3-746.....	514	6115201EN3-782.....	145	6140401-962.....	162	61952-710.....	159
6059-46.....	493	6115201EN3-962.....	143	6140401EN3-848.....	163	61952-962.....	157
6059EN-46.....	493	6115501-962.....	287	6140401EN3-962.....	162	61952EN3-710.....	159
6062-44.....	501	6115501EN3-962.....	287	6140501-71.....	125	61952EN3-962.....	157
6062-46.....	503	61160-05.....	133	6140501-846.....	127	62027-12.....	477
606291S-44.....	501	61160-839.....	135	6140501EN3-71.....	125	62027-57.....	476
606291S-46.....	503	61160-962.....	131	6140501EN3-846.....	127	6220301-782.....	64, 176
6062EN-44.....	501	61160EN3-05.....	133	6141301-848.....	97	6224401-12.....	481
6062EN-46.....	503	61160EN3-839.....	135	6141301-962.....	95	6224401-71.....	479
60660-185.....	491	61160EN3-962.....	131	6141301EN3-848.....	97	6224451-12.....	480
60660EN3-185.....	491	6116601-782.....	109	6141301EN3-962.....	95	6224451-71.....	478
60880-51.....	489	6116601-962.....	107	6146501-44.....	264	6224451EN3-12.....	480
60880EN3-51.....	489	6116601EN3-782.....	109	6146501-782.....	264	6224451EN3-71.....	478
61060-782.....	225	6116601EN3-962.....	107	6146501EN3-44.....	264	6227801-839.....	112
61060-962.....	223	61180-710.....	315	6146501EN3-782.....	264	6229301-12.....	444
61060EN3-782.....	225	61180-965.....	315	6150-44.....	307	6229301-71.....	445
61060EN3-962.....	223	61180EN3-710.....	315	6150-98.....	307	6229301EN3-12.....	444
6110401-715.....	188	61180EN3-965.....	315	6150401-710.....	316	6229301EN3-71.....	445
6110401EN3-715.....	188	6124501-710.....	171	6150401-962.....	316	6236301-12.....	473
6113001-845.....	203	6124501-962.....	169	6150401EN3-710.....	316	6236301-71.....	472
6113001-962.....	201	6124501EN3-710.....	171	6150401EN3-962.....	316	6236301EN3-12.....	473
6113001EN3-845.....	203	6124501EN3-962.....	169	615093S-44.....	307	6236301EN3-71.....	472
6113001EN3-962.....	201	6124601-710.....	85	615093S-98.....	307	6236391S-12.....	473
6113201-715.....	185	6124601-848.....	117	61625-782.....	241	6236391S-71.....	472
6113201-962.....	183	6124601-962.....	83, 119	61625-962.....	239	6238701-12.....	459
6113201EN3-715.....	185	6124601EN3-710.....	85	61625EN3-782.....	241	6238701-71.....	458
6113201EN3-962.....	183	6124601EN3-848.....	117	61625EN3-962.....	239	6247401-12.....	441
6113301-846.....	206	6124601EN3-962.....	83, 119	61660-839.....	153	6247401EN3-12.....	441
6113301EN3-846.....	206	6125001-782.....	121	61660-962.....	151	6247431-753.....	441
6113401-05.....	138	6125001EN3-782.....	121	61660EN3-839.....	153	6247431EN3-753.....	441
6113401EN-05.....	138	6125201-839.....	179	61660EN3-962.....	151	6247701-04.....	299
6114001-710.....	211	6125201EN3-839.....	179	61806-782.....	249	6247701-04.....	461
6114001-965.....	210	6128501-12.....	263	61806-962.....	246	6247701-44.....	299
6114001EN3-710.....	211	6128601-802.....	59	61806EN3-782.....	249	6247701-44.....	461
6114001EN3-965.....	210	61375-839.....	316	61806EN3-962.....	246	6247701EN3-04.....	299
6114501-782.....	177	61375EN3-839.....	316	6190401-715.....	189	6247701EN3-04.....	461
6114501-962.....	175	6139001-782.....	91	6190401EN3-715.....	189	6247701EN3-44.....	299
6115201-05.....	147	6139001-962.....	89	61940-782.....	231	6247701EN3-44.....	461
6115201-782.....	145	6139001EN3-782.....	91	61940-962.....	229	6247793S-04.....	299
6115201-962.....	143	6139001EN3-962.....	89	61940EN3-782.....	231	6247793S-04.....	461



6247793S-44 .....	299	6508693S-962 .....	302	6514402-962 .....	294	6519-95 .....	314
6247793S-44 .....	461	65086EN3-715 .....	302	6514402EN3-710 .....	294	6519-98 .....	314
6247901-12 .....	469	65086EN3-848 .....	302	6514402EN3-848 .....	294	651991S-15 .....	314
6247901-71 .....	468	65086EN3-962 .....	302	6514402EN3-962 .....	294	651991S-21 .....	314
6247901EN3-12 .....	469	65087-715 .....	301	6514403-710 .....	293	651991S-63 .....	314
6247901EN3-71 .....	468	65087-848 .....	301	6514403-848 .....	293	651991S-95 .....	314
6247991S-12 .....	469	65087-962 .....	301	6514403-962 .....	293	651991S-98 .....	314
6247991S-71 .....	468	6508793S-715 .....	301	6514403EN3-710 .....	293	6519EN3-15 .....	314
6250701-12 .....	439	6508793S-848 .....	301	6514403EN3-848 .....	293	6519EN3-21 .....	314
6250701-71 .....	439	6508793S-962 .....	301	6514403EN3-962 .....	293	6519EN3-63 .....	314
6250701EN3-12 .....	439	65087EN3-715 .....	301	6514501-782 .....	176	6519EN3-95 .....	314
6250701EN3-71 .....	439	65087EN3-848 .....	301	6514501-962 .....	174	6519EN3-98 .....	314
65046-715 .....	313	65087EN3-962 .....	301	6515201-05 .....	147	6525401-04 .....	297
65046EN-715 .....	313	6511903-05 .....	311	6515201-782 .....	145	6525401-710 .....	297
65047-715 .....	313	6511903-715 .....	311	6515201-962 .....	143	6525401-846 .....	297
65047EN-715 .....	313	6511903EN-05 .....	311	6515201EN3-05 .....	147	6525401EN3-04 .....	297
65060-715 .....	305	6511903EN-715 .....	311	6515201EN3-782 .....	145	6525401EN3-710 .....	297
65060-962 .....	305	6511904-05 .....	311	6515201EN3-962 .....	143	6525401EN3-846 .....	297
65060EN3-715 .....	305	6511904-715 .....	311	6515503-962 .....	287	6525701-782 .....	267
65060EN3-962 .....	305	6511904EN-05 .....	311	6515503EN3-962 .....	287	6525701-962 .....	267
65061-962 .....	305	6511904EN-715 .....	311	6515504-962 .....	287	6525701EN3-782 .....	267
65061EN3-715 .....	305	6511906-05 .....	311	6515504EN3-962 .....	287	6525701EN3-962 .....	267
65061EN3-962 .....	305	6511906-715 .....	311	65160-05 .....	133	65262-710 .....	291
65062-715 .....	305	6511906EN-05 .....	311	65160-839 .....	135	65262-962 .....	290
65062-962 .....	305	6511906EN-715 .....	311	65160-962 .....	131	65262EN3-710 .....	291
65062EN3-715 .....	305	6513001-845 .....	203	65160EN3-05 .....	133	65262EN3-962 .....	290
65062EN3-962 .....	305	6513001-962 .....	201	65160EN3-839 .....	135	65263-710 .....	291
65085-710 .....	302	6513001EN3-845 .....	203	65160EN3-962 .....	131	65263-962 .....	290
65085-848 .....	302	6513001EN3-962 .....	201	6517401-710 .....	297	65263EN3-710 .....	291
65085-962 .....	302	6513201-715 .....	185	6517401-846 .....	297	65263EN3-962 .....	290
6508593S-710 .....	302	6513201-962 .....	183	6517401-962 .....	297	65264-710 .....	291
6508593S-848 .....	302	6513201EN3-715 .....	185	6517401EN3-710 .....	297	65264-962 .....	290
6508593S-962 .....	302	6513201EN3-962 .....	183	6517401EN3-846 .....	297	65264EN3-710 .....	291
65085EN-962 .....	302	6514401-710 .....	294	6517401EN3-962 .....	297	65264EN3-962 .....	290
65085EN3-848 .....	302	6514401-848 .....	294	6517493S-710 .....	297	65266-710 .....	289
65085EN3-962 .....	302	6514401-962 .....	294	6517493S-846 .....	297	65266-962 .....	289
65086-715 .....	302	6514401EN3-710 .....	294	6517493S-962 .....	297	65266EN3-710 .....	289
65086-848 .....	302	6514401EN3-848 .....	294	651801-04 .....	255	65266EN3-962 .....	289
65086-962 .....	302	6514401EN3-962 .....	294	6519-15 .....	314	6528503-12 .....	263
6508693S-715 .....	302	6514402-710 .....	294	6519-21 .....	314	6528504-12 .....	263
6508693S-848 .....	302	6514402-848 .....	294	6519-63 .....	314	6528603-802 .....	58

# INDEX

---

6528803-710.....	55	6551106EN-846.....	61	65953-710.....	158	6615203-962.....	142
6528803-962.....	53	65625-782.....	241	65953-962.....	156	6615203EN3-05.....	146
6528803EN3-710.....	55	65625-962.....	239	65953EN3-710.....	158	6615203EN3-782.....	144
6528803EN3-962.....	53	65625EN3-782.....	241	65953EN3-962.....	156	6615203EN3-962.....	142
6536901-782.....	265	65625EN3-962.....	239	6601801-04.....	255	6615504-962.....	287
6536901-962.....	265	65626-782.....	240	66060-782.....	225	6615504EN3-962.....	287
6537001-782.....	265	65626-962.....	238	66060-962.....	223	66160-05.....	132
6537001-962.....	265	65626EN3-782.....	240	66060EN3-782.....	225	66160-839.....	134
6541401-782.....	309	65626EN3-962.....	238	66060EN3-962.....	223	66160-962.....	130
6541401-965.....	309	65660-839.....	153	66061-782.....	224	66160EN3-05.....	132
6541401EN3-782.....	309	65660-962.....	151	66061-962.....	222	66160EN3-839.....	134
6541401EN3-965.....	309	65660EN3-839.....	153	66061EN3-782.....	224	66160EN3-962.....	130
65436-05.....	192	65660EN3-962.....	151	66061EN3-962.....	222	6616503-710.....	260
65436-782.....	194	65661-839.....	152	66062-782.....	224	6616503-782.....	261
65436-962.....	193	65661-962.....	150	66062-962.....	222	6616503-839.....	259
65436EN3-05.....	192	65661EN3-839.....	152	66062EN3-782.....	224	6616503-962.....	258
65436EN3-782.....	194	65661EN3-962.....	150	66062EN3-962.....	222	6616503EN3-710.....	260
65436EN3-962.....	193	65662-839.....	152	6610403-715.....	188	6616503EN3-782.....	261
65437-05.....	192	65662-962.....	150	6610403EN3-715.....	188	6616503EN3-839.....	259
65437-782.....	194	65662EN3-839.....	152	6613003-845.....	202	6616503EN3-962.....	258
65437-962.....	193	65662EN3-962.....	150	6613003-962.....	200	6616504-710.....	257
65437EN3-05.....	192	65806-782.....	249	6613003EN3-845.....	202	6616504-782.....	257
65437EN3-782.....	194	65806-962.....	246	6613003EN3-962.....	200	6616504-839.....	257
65437EN3-962.....	193	65806EN3-782.....	249	6613203-715.....	184	6616504-962.....	257
65438-05.....	191	65806EN3-962.....	246	6613203-962.....	182	6616504EN3-710.....	257
65438-782.....	191	65940-782.....	231	6613203EN3-715.....	184	6616504EN3-782.....	257
65438-962.....	191	65940-962.....	229	6613203EN3-962.....	182	6616504EN3-839.....	257
65438EN3-05.....	191	65940EN3-782.....	231	66133-98.....	165	6616504EN3-962.....	257
65438EN3-782.....	191	65941-782.....	230	6613304-846.....	205	6624503-710.....	170
65438EN3-962.....	191	65941-962.....	228	6613304EN3-846.....	205	6624503-962.....	168
65439-05.....	191	65941EN3-782.....	230	66133EN3-98.....	165	6624503EN3-710.....	170
65439-782.....	191	65941EN3-962.....	228	6614501-782.....	176	6624503EN3-962.....	168
65439-962.....	191	65942-782.....	231	6614501-962.....	174	6624603-848.....	116
65439EN3-05.....	191	65942-962.....	229	6614504-782.....	176	6624603-962.....	118
65439EN3-782.....	191	65942EN3-782.....	231	6614504-962.....	174	6624603EN3-848.....	116
65439EN3-962.....	191	65942EN3-962.....	229	6615008-782.....	277	6624603EN3-962.....	118
6551103-846.....	61	65952-710.....	159	6615008-839.....	276	6625702-782.....	267
6551103EN-846.....	61	65952-962.....	157	6615008EN-782.....	277	6625702-962.....	267
6551104-846.....	61	65952EN3-710.....	159	6615008EN-839.....	276	6625702EN3-782.....	267
6551104EN-846.....	61	65952EN3-962.....	157	6615203-05.....	146	6625702EN3-962.....	267
6551106-846.....	61			6615203-782.....	144	6628003-782.....	102

6628003-962.....	100	6690403EN3-715.....	189	75061EN3-782.....	224	7543591S-05.....	325
6628003EN3-782.....	102	66952-710.....	158	75061EN3-962.....	222	7543593S-05.....	325
6628003EN3-962.....	100	66952-962.....	156	7510403-715.....	188	7543593S-15.....	325
6628605-802.....	58	66952EN3-710.....	158	7510403EN3-715.....	188	7543593S-782.....	325
6634506-872.....	73	66952EN3-962.....	156	75114-962.....	332	7543593S-962.....	325
6634506EN-872.....	73	66953-710.....	158	75114EN3-962.....	332	75435EN-05.....	325
6639003-782.....	90	66953-962.....	156	75115-962.....	332	75435EN3-05.....	325
6639003-962.....	88	66953EN-710.....	158	7511591EN3-962.....	332	75435EN3-15.....	325
6639003EN3-782.....	90	66953EN-962.....	156	7513302-846.....	206	75435EN3-782.....	325
6639003EN3-962.....	88	6701801-04.....	254	7514002-710.....	211	75435EN3-962.....	325
6639103-710.....	84	6746501-44.....	264	7514002-965.....	210	75436-05.....	325
6639103-962.....	82	6746501-782.....	264	7514002EN3-710.....	211	75436-15.....	325
6639103EN3-710.....	84	6746501EN3-44.....	264	7514002EN3-965.....	210	75436-782.....	325
6639103EN3-962.....	82	6746501EN3-782.....	264	7514503-782.....	64, 177	75436-962.....	325
6640504-71.....	124	6801801-04.....	254	7514503-962.....	175	7543691S-05.....	325
6640504-846.....	126	69025-12.....	506	7514503EN-782.....	64, 177	7543693S-05.....	325
6640504EN3-71.....	124	69025EN3-12.....	506	7514503EN-962.....	175	7543693S-15.....	325
6640504EN3-846.....	126	69029-12.....	477	7527803-839.....	112	7543693S-782.....	325
6641308-848.....	93	69029-57.....	476	7527803EN-839.....	112	7543693S-962.....	325
6641308-962.....	93	6902997S-12.....	477	75434-05.....	325	75436EN-05.....	325
6641308EN3-848.....	93	6902997S-57.....	476	75434-15.....	325	75436EN3-05.....	325
6641308EN3-962.....	93	69029EN3-12.....	477	75434-782.....	325	75436EN3-15.....	325
6641401-782.....	309	69029EN3-57.....	476	75434-962.....	325	75436EN3-782.....	325
6641401-965.....	309	69131-12.....	508	7543491S-05.....	325	75436EN3-962.....	325
6641401EN3-782.....	309	69131EN3-12.....	508	7543493S-05.....	325	75444-782.....	325
6641401EN3-965.....	309	6913393S-98.....	165	7543493S-15.....	325	7544493S-782.....	325
6646501-44.....	264	69191-71.....	497	7543493S-782.....	325	75444EN3-782.....	325
6646501-782.....	264	69191EN3-71.....	497	7543493S-962.....	325	75445-782.....	325
6646501EN3-44.....	264	69272-44.....	500	75434EN-05.....	325	7544593S-782.....	325
6646501EN3-782.....	264	69272-46.....	502	75434EN3-05.....	325	75445EN3-782.....	325
6658-44.....	307	69272EN3-44.....	500	75434EN3-15.....	325	75446-782.....	325
6658-98.....	307	69272EN3-46.....	502	75434EN3-782.....	325	7544693S-782.....	325
665893S-44.....	307	7443593S-962.....	331	75434EN3-962.....	325	75446EN3-782.....	325
665893S-98.....	307	7449403-15.....	323	75435-05.....	325	75467-71.....	545
6680403-846.....	234	7449403-848.....	321	75435-15.....	325	75467-965.....	545
6680403EN3-846.....	234	7449403-962.....	323	75435-782.....	325	75467EN3-71.....	545
66808-782.....	247	7449405-15.....	322	75435-962.....	325	75467EN3-965.....	545
66808-962.....	245	7449405-848.....	321	7543502-962.....	331	75520-845.....	203
66808EN3-782.....	247	7449405-962.....	322	7543502EN3-962.....	331	75520-962.....	201
66808EN3-962.....	245	75061-782.....	224	7543503-962.....	331	75520EN3-845.....	203
6690403-715.....	189	75061-962.....	222	7543503EN3-962.....	331	75520EN3-962.....	201

# INDEX

75661-839.....	153	75952EN3-962 .....	157	77064EN3-965 .....	326	7715502-962 .....	287
75661-962 .....	151	7643593S-962.....	331	77065-05.....	326	7715502EN3-962 .....	287
75661EN3-839 .....	153	7647-782.....	329	77065-710.....	327	77160-05.....	132
75661EN3-962.....	151	7647-962 .....	329	77065-782 .....	327	77160-839.....	134
75662-839.....	152	7647EN-782 .....	329	77065-839 .....	327	77160-962.....	130
75662-962.....	150	7647EN-962.....	329	77065-962 .....	326	77160EN3-05 .....	132
75662EN3-839 .....	152	7648-782 .....	329	77065-965.....	326	77160EN3-839 .....	134
75662EN3-962 .....	150	7648-962 .....	329	77065EN3-05 .....	326	77160EN3-962 .....	130
7567-15 .....	545	7648EN-782.....	329	77065EN3-710 .....	327	7716393S-05.....	326
7567-32 .....	545	7648EN-962 .....	329	77065EN3-782.....	327	7716393S-710.....	327
7567EN3-15 .....	545	7661-02.....	329	77065EN3-839 .....	327	7716393S-782.....	327
7567EN3-32.....	545	7661-962.....	329	77065EN3-962 .....	326	7716393S-839.....	327
7569-15.....	545	7662-02.....	329	77065EN3-965 .....	326	7716393S-962.....	326
7569-32 .....	545	7662-962.....	329	77087-98 .....	165	7716393S-965.....	326
7569EN3-15 .....	545	77033-98 .....	165	77087EN3-98.....	165	7716493S-05.....	326
7569EN3-32 .....	545	77033EN3-98.....	165	77088-98 .....	165	7716493S-710.....	327
7580402-846 .....	234	77046-715 .....	313	77088EN3-98 .....	165	7716493S-782 .....	327
7580402EN3-846 .....	234	77046EN-715.....	313	7710402-715.....	188	7716493S-839.....	327
7590403-715 .....	189	77063-05.....	326	7710402EN3-715 .....	188	7716493S-962.....	326
7590403EN3-715 .....	189	77063-710 .....	327	7713002-845.....	202	7716493S-965.....	326
75940-15.....	330	77063-782 .....	327	7713002-962 .....	200	7716502-710 .....	260
75940-782 .....	330	77063-839.....	327	7713002EN3-845.....	202	7716502-782.....	261
75940-962.....	330	77063-962.....	326	7713002EN3-962.....	200	7716502-839 .....	259
75940EN3-15.....	330	77063-965.....	326	7713202-715.....	184	7716502-962 .....	258
75940EN3-782 .....	330	77063EN3-05 .....	326	7713202-962 .....	182	7716502EN3-710 .....	260
75940EN3-962 .....	330	77063EN3-710 .....	327	7713202EN3-715 .....	184	7716502EN3-782 .....	261
75942-15.....	330	77063EN3-782.....	327	7713202EN3-962.....	182	7716502EN3-839 .....	259
75942-782 .....	330	77063EN3-839 .....	327	7713402-05.....	138	7716502EN3-962.....	258
75942-962.....	330	77063EN3-962 .....	326	7713402EN3-05 .....	138	7716503-710 .....	260
75942EN3-15 .....	330	77063EN3-965 .....	326	7714002-710 .....	211	7716503-782.....	261
75942EN3-782.....	330	77064-05.....	326	7714002-965 .....	210	7716503-839.....	259
75942EN3-962 .....	330	77064-710 .....	327	7714002EN3-710 .....	211	7716503-962 .....	258
75943-15.....	330	77064-782 .....	327	7714002EN3-965.....	210	7716503EN3-710 .....	260
75943-782 .....	330	77064-839.....	327	7714502-782.....	64, 177	7716503EN3-782 .....	261
75943-962.....	330	77064-962.....	326	7714502-962.....	175	7716503EN3-839 .....	259
75943EN3-15 .....	330	77064-965.....	326	7715202-05 .....	146	7716503EN3-962.....	258
75943EN3-782.....	330	77064EN3-05 .....	326	7715202-782.....	144	7716504-710.....	260
75943EN3-962 .....	330	77064EN3-710 .....	327	7715202-962 .....	142	7716504-782.....	261
75952-710.....	159	77064EN3-782.....	327	7715202EN3-05.....	146	7716504-839.....	259
75952-962.....	157	77064EN3-839.....	327	7715202EN3-782 .....	144	7716504-962.....	258
75952EN3-710 .....	159	77064EN3-962 .....	326	7715202EN3-962.....	142	7716504EN3-710 .....	260



7716504EN3-782 ..... 261	7728803-710 ..... 55	77950-962 ..... 228	7836391S-12 ..... 473
7716504EN3-839 ..... 259	7728803-962 ..... 53	77950EN3-782 ..... 230	7836391S-71 ..... 472
7716504EN3-962 ..... 258	7728803EN3-710 ..... 55	77950EN3-962 ..... 228	7847902-12 ..... 469
7716593S-05 ..... 326	7728803EN3-962 ..... 53	77952-710 ..... 158	7847902-71 ..... 468
7716593S-710 ..... 327	7739002-782 ..... 91	77952-962 ..... 156	7847902EN3-12 ..... 469
7716593S-782 ..... 327	7739002-962 ..... 89	77952EN3-710 ..... 158	7847902EN3-71 ..... 468
7716593S-839 ..... 327	7739002EN3-782 ..... 91	77952EN3-962 ..... 156	7847991S-12 ..... 469
7716593S-962 ..... 326	7739002EN3-962 ..... 89	78027-12 ..... 477	7847991S-71 ..... 468
7716593S-965 ..... 326	7739102-962 ..... 82, 84	78027-57 ..... 476	78660-185 ..... 491
7716602-782 ..... 108	7739102EN-962 ..... 84	78131-12 ..... 509	78660EN3-185 ..... 491
7716602-962 ..... 106	7739102EN3-962 ..... 82	78136-12 ..... 487, 507, 531	78880-51 ..... 489
7716602EN3-782 ..... 108	77436-05 ..... 192, 193		78880EN3-51 ..... 489
7716602EN3-962 ..... 106	77436-782 ..... 194	7813801-10 ..... 537	7903493S-98 ..... 165
7724503-710 ..... 171	7743697S-782 ..... 194	7813801-15 ..... 539	79039-12 ..... 477
7724503-962 ..... 169	77436EN3-05 ..... 192	7813801-753 ..... 538	79039-57 ..... 476
7724503EN3-710 ..... 171	77436EN3-782 ..... 194	7813801EN3-10 ..... 537	7903997S-12 ..... 477
7724503EN3-962 ..... 169	77436EN3-962 ..... 193	7813801EN3-15 ..... 539	7903997S-57 ..... 476
7724602-848 ..... 117	77437-05 ..... 192	7813801EN3-753 ..... 538	79039EN3-12 ..... 477
7724602-962 ..... 119	77437-782 ..... 194	7813897S-10 ..... 537	79039EN3-57 ..... 476
7724602EN3-848 ..... 117	77437-962 ..... 193	7813897S-15 ..... 539	7909793S-98 ..... 165
7724602EN3-962 ..... 119	7743797S-782 ..... 194	7813897S-753 ..... 538	7913093S-98 ..... 165
77262-710 ..... 291	77437EN3-05 ..... 192	7813901-10 ..... 537	79131-12 ..... 508
77262-962 ..... 290	77437EN3-782 ..... 194	7813901-15 ..... 539	79131EN3-12 ..... 508
77262EN3-710 ..... 291	77437EN3-962 ..... 193	7813901-753 ..... 538	79136-12 ..... 486, 506, 531
77262EN3-962 ..... 290	77625-782 ..... 240	7813901EN3-10 ..... 537	79136EN3-12 ..... 486, 506, 531
77263-710 ..... 327	77625-962 ..... 238	7813901EN3-15 ..... 539	
7726393S-710 ..... 327	77625EN3-782 ..... 240	7813901EN3-753 ..... 538	7916EN3-68 ..... 545
77263EN3-710 ..... 327	77625EN3-962 ..... 238	7813997S-10 ..... 537	7925EN3-15 ..... 326
77264-710 ..... 327	77660-839 ..... 153	7813997S-15 ..... 539	7926EN3-15 ..... 326
7726493S-710 ..... 327	77660-962 ..... 151	7813997S-753 ..... 538	8014-12 ..... 546
77264EN3-710 ..... 327	77660EN3-839 ..... 153	7821402-71 ..... 545	8037-02 ..... 511
77265-710 ..... 327	77660EN3-962 ..... 151	7824402-12 ..... 481	8037-12 ..... 513
7726593S-710 ..... 327	7780402-846 ..... 234	7824402-71 ..... 479	8037-71 ..... 512
77265EN3-710 ..... 327	7780402EN3-846 ..... 234	7824452-12 ..... 480	8037-965 ..... 510
7727802-839 ..... 112	77806-782 ..... 249	7824452-71 ..... 478	8038-02 ..... 511
7728002-782 ..... 103	77806-962 ..... 246	7824452EN3-12 ..... 480	8038-12 ..... 513
7728002-962 ..... 101	77806EN3-782 ..... 249	7824452EN3-71 ..... 478	8038-71 ..... 512
7728002EN3-782 ..... 103	77806EN3-962 ..... 246	7836302-12 ..... 473	8038-965 ..... 510
7728002EN3-962 ..... 101	7790402-715 ..... 189	7836302-71 ..... 472	8039-02 ..... 511
7728502-12 ..... 263	7790402EN3-715 ..... 189	7836302EN3-12 ..... 473	8039-12 ..... 513
7728602-802 ..... 59	77950-782 ..... 230	7836302EN3-71 ..... 472	

# INDEX

8039-71.....	512	82065-12.....	541	8236391S-12.....	473	8262EN-44.....	501
8039-965.....	510	82065EN3-12.....	541	8236391S-71.....	472	8262EN-46.....	503
8039EN-02.....	511	82068-12.....	519	8238701-12.....	459	82660-185.....	491
8039EN-12.....	513	82068-746.....	518	8238701-71.....	458	82660EN3-185.....	491
8039EN-71.....	512	8207-71.....	495	8239-02.....	511	8269-12.....	483
8039EN-965.....	510	8207EN3-71.....	495	8239-12.....	513	8269-44.....	485
8040-02.....	511	82081-71.....	498	8239-71.....	512	8269-98.....	484
8040-12.....	513	82081-965.....	499	8239-965.....	510	826993S-12.....	483
8040-71.....	512	82081EN-71.....	498	8239EN-02.....	511	826993S-44.....	485
8040-965.....	510	82081EN-965.....	499	8239EN-12.....	513	826993S-98.....	484
8040EN-02.....	511	8209-02.....	526	8239EN-71.....	512	8275-32.....	541
8040EN-12.....	513	8209-12.....	527	8239EN-965.....	510	82880-51.....	489
8040EN-71.....	512	82131-12.....	509	8247901-12.....	469	82880EN3-51.....	489
8040EN-965.....	510	82200-12.....	487	8247901-71.....	468	82973-44.....	500
8067-02.....	511	82200EN-12.....	487	8247901EN3-12.....	469	82973-46.....	502
8067-12.....	513	82240-780.....	490	8247901EN3-71.....	468	82973EN3-44.....	500
8067-71.....	512	82240EN3-780.....	490	8247991S-12.....	469	82973EN3-46.....	502
8067-965.....	510	8224401-12.....	481	8247991S-71.....	468	83046-714.....	543
8101-12.....	546	8224401-71.....	479	8250701-12.....	439	83046EN3-714.....	543
8101-15.....	546	8224451-12.....	480	8250701-71.....	439	8304701-714.....	543
8101-71.....	546	8224451-71.....	478	8250701EN3-12.....	439	8304701EN3-714.....	543
8102-12.....	546	8224451EN3-12.....	480	8250701EN3-71.....	439	8304801-714.....	543
8102-15.....	546	8224451EN3-71.....	478	8252-68.....	541	8304801EN3-714.....	543
8105-12.....	546	8229-02.....	511	82529-12.....	516	83055-12.....	543
8105-15.....	546	8229-12.....	513	82529-746.....	514	83055-15.....	543
8105-71.....	546	8229-71.....	512	82529EN3-12.....	516	83055EN3-12.....	543
8106-12.....	546	8229-965.....	510	82529EN3-746.....	514	83055EN3-15.....	543
8112-12.....	546	8229301-12.....	444	8252EN3-68.....	541	83057-12.....	535
8112-15.....	546	8229301-71.....	445	8254-68.....	541	83057-15.....	534
8114-12.....	546	8229301EN3-12.....	444	8254EN3-68.....	541	83057EN3-12.....	535
8114-15.....	546	8229301EN3-71.....	445	8255-12.....	541	83057EN3-15.....	534
8118-12.....	546	8229EN-02.....	511	8255-15.....	541	8313801-10.....	537
8120-12.....	546	8229EN-12.....	513	8257-12.....	525	8313801-15.....	539
82027-12.....	477	8229EN-71.....	512	8257-71.....	522	8313801-753.....	538
82027-57.....	476	8229EN-965.....	510	8257-965.....	524	8313801EN3-10.....	537
82029-12.....	517	8231-12.....	507	82570-71.....	523	8313801EN3-15.....	539
82029-746.....	515	8231EN-12.....	507	82570EN3-71.....	523	8313801EN3-753.....	538
82048-185.....	520	8236301-12.....	473	8259-46.....	493	8313802-10.....	537
82048EN3-185.....	520	8236301-71.....	472	8259EN-46.....	493	8313802-15.....	539
82048P-12.....	521	8236301EN3-12.....	473	8262-44.....	501	8313802-753.....	538
82048PEN3-12.....	521	8236301EN3-71.....	472	8262-46.....	503	8313802EN3-10.....	537

8313802EN3-15 .....	539	84049EN3-12 .....	521	84531-746 .....	514	8463EN-46 .....	503
8313802EN3-753 .....	538	84049EN3-185 .....	520	84531EN3-12 .....	516	84670-71 .....	523
8313897S-10 .....	537	84049P-12 .....	521	84531EN3-746 .....	514	84670EN3-71 .....	523
8313897S-15 .....	539	84049PEN3-12 .....	521	84532-12 .....	516	8468-12 .....	525
8313897S-753 .....	538	84050-12 .....	521	84532-746 .....	514	8468-71 .....	522
8313901-10 .....	537	84050-185 .....	520	84532EN3-12 .....	516	8468-965 .....	524
8313901-15 .....	539	84050EN3-12 .....	521	84532EN3-746 .....	514	8468EN-12 .....	525
8313901-753 .....	538	84050EN3-185 .....	520	8456-12 .....	525	8468EN-71 .....	522
8313901EN3-10 .....	537	84050P-12 .....	521	8456-71 .....	522	8468EN-965 .....	524
8313901EN3-15 .....	539	84050PEN3-12 .....	521	8456-965 .....	524	8507-02 .....	526
8313901EN3-753 .....	538	84068-12 .....	519	84560-71 .....	523	8507-12 .....	527
8313902-10 .....	537	84068-746 .....	518	84560EN3-71 .....	523	8508-71 .....	495
8313902-15 .....	539	84069-12 .....	519	8457-12 .....	525	8508EN3-71 .....	495
8313902-753 .....	538	84069-746 .....	518	8457-71 .....	522	8509-02 .....	526
8313902EN3-10 .....	537	84070-12 .....	519	8457-965 .....	524	8509-12 .....	527
8313902EN3-15 .....	539	84070-746 .....	518	84570-71 .....	523	8510-02 .....	526
8313902EN3-753 .....	538	8408-71 .....	495	84570EN3-71 .....	523	8510-12 .....	527
8313997S-10 .....	537	8408EN3-71 .....	495	8458-12 .....	525	8513-71 .....	495
8313997S-15 .....	539	8413897S-10 .....	537	8458-71 .....	522	8513EN3-71 .....	495
8313997S-753 .....	538	8413897S-15 .....	539	8458-965 .....	524	8514801-12 .....	463
8335-12 .....	535	8413897S-753 .....	538	84580-71 .....	523	8514801-44 .....	463
8335-15 .....	534	8413997S-10 .....	537	84580EN3-71 .....	523	8514801EN-12 .....	463
8335EN3-12 .....	535	8413997S-15 .....	539	8459-46 .....	493	8514801EN-44 .....	463
8335EN3-15 .....	534	8413997S-753 .....	538	8459EN-46 .....	493	8514891S-12 .....	464
8338701-12 .....	459	84157D-71 .....	523	8460-46 .....	493	8514891S-44 .....	464
8338701-71 .....	458	84157DEN3-71 .....	523	8460EN-46 .....	493	8519601-12 .....	447
84029-12 .....	517	84158D-12 .....	525	8461-46 .....	493	8519601-44 .....	447
84029-746 .....	515	84158D-71 .....	522	8461EN-46 .....	493	8519601EN3-12 .....	447
84030-12 .....	517	84158DEN3-12 .....	525	8462-44 .....	501	8519601EN3-44 .....	447
84030-746 .....	515	84158DEN3-71 .....	522	8462-46 .....	503	85200-12 .....	487
84031-12 .....	517	8438701-12 .....	459	846291S-44 .....	501	8524401-12 .....	481
84031-746 .....	515	8438701-71 .....	458	846291S-46 .....	503	8524401-71 .....	479
84032-12 .....	517	84529-12 .....	516	8462D-44 .....	501	8524451-12 .....	480
84032-746 .....	515	84529-746 .....	514	8462DEN3-44 .....	501	8524451-71 .....	478
84048-12 .....	521	84529EN3-12 .....	516	8463-44 .....	501	8524451DEN3-12 .....	480
84048-185 .....	520	84529EN3-746 .....	514	8463-46 .....	503	8524451DEN3-71 .....	478
84048EN3-12 .....	521	84530-12 .....	516	846391S-44 .....	501	8524451EN3-12 .....	480
84048P-12 .....	521	84530-746 .....	514	846391S-46 .....	503	8524451EN3-71 .....	478
84048PEN3-12 .....	521	84530EN3-12 .....	516	8463D-44 .....	500	8529301-12 .....	444
84049-12 .....	521	84530EN3-746 .....	514	8463DEN3-44 .....	500	8529301-71 .....	445
84049-185 .....	520	84531-12 .....	516	8463EN-44 .....	501	8529301EN3-12 .....	444

# INDEX

8529301EN3-71.....	445	8550001-12 .....	542	8624451DEN3-12 .....	480	8714803EN-12 .....	463
8536301-12 .....	473	8550001EN3-12 .....	542	8624451DEN3-71 .....	478	8714803EN-44 .....	463
8536301-71 .....	472	8550701-12 .....	438	8624451EN3-12.....	480	8714891S-12 .....	464
8536301EN3-12 .....	473	8550701-71 .....	438	8624451EN3-71.....	478	8714891S-44.....	464
8536301EN3-71.....	472	8550701EN3-12 .....	438	8629301-12 .....	444	8719601-12 .....	447
8536391S-12 .....	473	8550701EN3-71.....	438	8629301-71 .....	445	8719601-44 .....	447
8536391S-71 .....	472	8588-10 .....	533	8629301EN3-12 .....	444	8719601EN3-12 .....	447
8537101-839 .....	449	8588-12 .....	533	8629301EN3-71.....	445	8719601EN3-44.....	447
8538501-04 .....	451	8588-15 .....	533	8636301-12 .....	473	8720-32 .....	540
8538501-12.....	451	8588-155 .....	533	8636301-71 .....	472	8729301-12 .....	444
8538501EN3-04 .....	451	8592-02 .....	528	8636301EN3-12 .....	473	8729301-71 .....	445
8538501EN3-12 .....	451	8592-12 .....	528	8636301EN3-71.....	472	8729301EN3-12.....	444
8538601-04.....	453	8592-15 .....	528	8636391S-12 .....	473	8729301EN3-71.....	445
8538601-12 .....	454	8592-71.....	528	8636391S-71 .....	472	8736301-12 .....	473
8538601-71 .....	454	8592-965 .....	528	8637101-839 .....	449	8736301-71.....	472
8538601EN3-04 .....	453	8592001-02.....	529	8638601-04.....	453	8736301EN3-12.....	473
8538601EN3-12 .....	454	8592001-12.....	529	8638601-12 .....	454	8736301EN3-71.....	472
8538601EN3-71.....	454	8592001-15.....	529	8638601-71 .....	454	8736391S-12 .....	473
8538701-12 .....	459	8592001-71.....	529	8638601EN3-04 .....	453	8736391S-71.....	472
8538701-71 .....	458	8592001-965.....	529	8638601EN3-12 .....	454	8737101-839 .....	449
8547401-12 .....	441	8592001EN3-02 .....	529	8638601EN3-71.....	454	8747401-12.....	440
8547401EN3-12.....	441	8592001EN3-12 .....	529	8638701-12 .....	457	8747401EN3-12 .....	440
8547431-753 .....	441	8592001EN3-15 .....	529	8638701-71 .....	457	8747431-753 .....	440
8547431EN3-753 .....	441	8592001EN3-71 .....	529	8642-12.....	544	8747431EN3-753.....	440
8547701-04.....	461	8592001EN3-965.....	529	8642-15.....	544	8747901-12.....	469
8547701-44 .....	461	8607-12.....	544	8647401-12 .....	440	8747901-71.....	468
8547701EN3-04 .....	461	8607-15.....	544	8647401EN3-12.....	440	8747901DEN3-12 .....	469
8547701EN3-44 .....	461	8614802-12 .....	463	8647431-753 .....	440	8747901DEN3-71.....	468
8547793S-04 .....	461	8614802-44 .....	463	8647431EN3-753 .....	440	8747901EN3-12 .....	469
8547793S-44 .....	461	8614802EN-12 .....	463	8647701-04.....	461	8747901EN3-71 .....	468
8547901-12 .....	469	8614802EN-44.....	463	8647701-44 .....	461	8747991DS-12 .....	469
8547901-71.....	468	8614891S-12.....	464	8647701EN3-04 .....	461	8747991DS-71 .....	468
8547901DEN3-12 .....	469	8614891S-44 .....	464	8647701EN3-44 .....	461	8747991S-12.....	469
8547901DEN3-71 .....	468	8619601-12.....	447	8647793S-04.....	461	8747991S-71.....	468
8547901EN3-12.....	469	8619601-44 .....	447	8647793S-44 .....	461	8750-12.....	542
8547901EN3-71.....	468	8619601EN3-12 .....	447	8650701-12 .....	438	8750-15.....	542
8547997DS-12 .....	469	8619601EN3-44 .....	447	8650701-71 .....	438	8750701-12 .....	438
8547997DS-71.....	468	8624401-12 .....	481	8650701EN3-12 .....	438	8750701-71.....	438
8547997S-12.....	469	8624401-71 .....	479	8650701EN3-71.....	438	8750701EN3-12.....	438
8547997S-71.....	468	8624451-12 .....	480	8714803-12 .....	463	8750701EN3-71.....	438
8550-12 .....	542	8624451-71 .....	478	8714803-44.....	463	8753-15.....	542



8753-34 .....	542	8824191S-780 .....	490	8871-44 .....	485	89129-57 .....	476
8753EN3-15 .....	542	88241EN3-780 .....	490	8871-98 .....	484	89129EN3-12 .....	477
8753EN3-34 .....	542	88242-780 .....	490	887193S-12 .....	483	89129EN3-57 .....	476
8765-12 .....	540	8824291S-780 .....	490	887193S-44 .....	485	89131-12 .....	508
8765-15 .....	540	88242EN3-780 .....	490	887193S-98 .....	484	89131EN3-12 .....	508
8788-10 .....	532	88243-780 .....	490	88880-51 .....	489	89132-12 .....	508
8788-12 .....	532	8824397S-780 .....	490	88880EN3-51 .....	489	89132EN3-12 .....	508
8788-15 .....	532	88243EN3-780 .....	490	88881-51 .....	489	89181-71 .....	497
8788-155 .....	532	8825-12 .....	507	88881EN3-51 .....	489	89181DEN3-71 .....	497
88025-12 .....	477	8829301-12 .....	443	88882-51 .....	489	89181EN3-71 .....	497
88025-57 .....	476	8829301-71 .....	443	88882EN3-51 .....	489	89192-71 .....	497
88027-12 .....	475	8829301EN3-12 .....	443	88940-12 .....	531	89192DEN3-71 .....	497
88027-57 .....	475	8829301EN3-71 .....	443	88940-782 .....	530	89192EN3-71 .....	497
88048-185 .....	520	8836302-12 .....	471	88941-12 .....	531	89193-71 .....	497
88048EN3-185 .....	520	8836302-71 .....	471	88941-782 .....	530	89193DEN3-71 .....	497
88048P-12 .....	521	8836302EN3-12 .....	471	89025-12 .....	506	89193EN3-71 .....	497
88048PEN3-12 .....	521	8836302EN3-71 .....	471	89025EN3-12 .....	506	89231-12 .....	508
88068-12 .....	519	8847901-71 .....	467	89029-12 .....	477	89231EN3-12 .....	508
88068-746 .....	518	8847901DEN3-71 .....	467	89029-57 .....	476	89273-44 .....	500
88081-71 .....	498	8847901EN3-71 .....	467	8902997S-12 .....	477	89273-46 .....	502
88081-965 .....	499	8847991DS-71 .....	467	8902997S-57 .....	476	89273EN3-44 .....	500
88082-71 .....	498	8847991S-71 .....	467	89029EN3-12 .....	477	89273EN3-46 .....	502
88082-965 .....	499	88660-185 .....	491	89029EN3-57 .....	476	89298-71 .....	497
88083-71 .....	498	88660EN3-185 .....	491	89031-12 .....	475	89298EN3-71 .....	497
88083-965 .....	499	88661-185 .....	491	89031-57 .....	475	8955EN3-12 .....	542
88083EN-71 .....	498	88661EN3-185 .....	491	8903197S-12 .....	475	89805-12 .....	535
88083EN-965 .....	499	88662-185 .....	491	8903197S-57 .....	475	89805-15 .....	534
88131-12 .....	509	88662EN3-185 .....	491	89031EN3-12 .....	475	89805EN3-12 .....	535
88132-12 .....	509	8869-12 .....	483	89031EN3-57 .....	475	89805EN3-15 .....	534
88200-12 .....	487	8869-44 .....	485	89062-44 .....	500	89806-12 .....	535
88201-12 .....	487	8869-98 .....	484	89062-46 .....	502	89806-15 .....	534
88201EN-12 .....	487	886993S-12 .....	483	89062EN3-44 .....	500	89806EN3-12 .....	535
8822-12 .....	507	886993S-44 .....	485	89062EN3-46 .....	502	89806EN3-15 .....	534
8823-12 .....	505	886993S-98 .....	484	8909PEN3-12 .....	542	89807-12 .....	535
8824-12 .....	507	8870-12 .....	483	89101-12 .....	486	89807-15 .....	534
88240-780 .....	490	8870-44 .....	485	89101EN3-12 .....	486	89807EN3-12 .....	535
8824091S-780 .....	490	8870-98 .....	484	89102-12 .....	486	89807EN3-15 .....	534
88240D-780 .....	490	887093S-12 .....	483	89102EN3-12 .....	486	89822-12 .....	506
88240DEN3-780 .....	490	887093S-44 .....	485	89103-12 .....	486	89822EN3-12 .....	506
88240EN3-780 .....	490	887093S-98 .....	484	89103EN3-12 .....	486	89823-12 .....	505
88241-780 .....	490	8871-12 .....	483	89129-12 .....	477	89823EN3-12 .....	505

# INDEX

89824-12 .....	506	9122.....	596	96620S-12 .....	582	98344S-15.....	570
89824EN3-12 .....	506	91260S-12 .....	572	96620S-15 .....	582	98350S-15 .....	571
89825-12 .....	506	91261S-12 .....	572	96621S-12 .....	582	98351S-15 .....	571
89825EN3-12.....	506	91430S-12 .....	572	96621S-15 .....	582	98353S-15 .....	571
8988EN3-10 .....	532	91431S-12 .....	572	96622S-12 .....	582	98354S-15 .....	571
8988EN3-12 .....	532	91432S-12 .....	572	96622S-15 .....	582	98355S-15 .....	571
8988EN3-15.....	532	9199.....	596	96623S-12 .....	582	98356S-15 .....	571
8988EN3-155.....	532	9226-12 .....	544	96623S-15 .....	582	98357S-15.....	571
89940-12 .....	531	9226-95.....	544	96624S-12 .....	582	98358S-15 .....	571
89940-782.....	530	9414-12.....	586	96624S-15 .....	582	9835S-15 .....	571
89940EN3-12.....	531	9414-15.....	586	96625S-12 .....	582	98360-32 .....	571
89940EN3-782 .....	530	9414-33.....	586	96625S-15 .....	582	98362 .....	571
89941-12 .....	531	9452-12.....	586	97190-32.....	577	98450 .....	571
89941-782.....	530	9452-15.....	586	97500S .....	594	9858-12 .....	584
89941EN3-12.....	531	9459-12.....	581	97502S .....	594	9858-15 .....	584
89941EN3-782 .....	530	9459-15.....	581	97531S .....	594	98640S-12 .....	582
9027-15.....	578	9485-12.....	584	97532S .....	594	98640S-15 .....	582
9032-12 .....	599	9485-15.....	584	97541S .....	594	98641S-12 .....	581
9032-24.....	599	95220S-12 .....	575	97542S .....	594	98641S-15 .....	581
90610-68 .....	547	95220S-15 .....	575	9774.....	584	98643S-12 .....	581
90611-68 .....	547	95221S-12 .....	575	9777 .....	584	98643S-15 .....	581
90612-68 .....	547	95221S-15 .....	575	98040-15 .....	576	98644S-12.....	581
90613-68 .....	547	95222S-12 .....	575	98040-787 .....	576	98644S-15.....	581
90614-68 .....	547	95222S-15 .....	575	98041-15 .....	576	98645S-12 .....	581
90615-68 .....	547	95223S-12 .....	575	98041-787.....	576	98645S-15 .....	581
90616-68 .....	547	95223S-15 .....	575	98042-15 .....	576	98646S-12 .....	581
90617-68 .....	547	95230S-12 .....	575	98042-787 .....	576	98646S-15 .....	581
90618-68 .....	547	95230S-15 .....	575	98043-15 .....	576	98647S-12.....	581
90619-68 .....	547	95231S-12 .....	575	98043-787 .....	576	98647S-15.....	581
90621-68 .....	547	95231S-15 .....	575	98175-12 .....	586	98852SW-12 .....	583
90842-12 .....	577	95236S-12 .....	575	98300-12 .....	571	98852SW-15 .....	583
90842-15 .....	577	95236S-15 .....	575	98300-15 .....	571	98852SW-787 .....	583
90843-12 .....	577	95237S-12.....	575	98302-97.....	571	98852SW-986 .....	583
90843-15 .....	577	95237S-15.....	575	98303-97.....	571	98853SW-12 .....	583
90844-12 .....	577	9600-12 .....	547	98331S-15 .....	570	98853SW-15 .....	583
90844-15 .....	577	9600-15 .....	547	98332S-15 .....	570	98853SW-787 .....	583
90845-12 .....	577	9600-71 .....	547	98333S-15 .....	570	98853SW-986 .....	583
90845-15 .....	577	96091S-12 .....	547	98334S-15.....	570	98859SW-12 .....	580
9100.....	596	96091S-15 .....	547	98341S-15 .....	570	98859SW-15 .....	580
9103.....	596	96091S-71.....	547	98342S-15 .....	570	98859SW-787 .....	580
9116.....	596	9647 .....	547	98343S-15.....	570	98859SW-986 .....	580

98860SW-12 .....	580
98860SW-15 .....	580
98860SW-787 .....	580
98860SW-986 .....	580
98862SW-12 .....	583
98862SW-15 .....	583
98862SW-787 .....	583
98862SW-986 .....	583
98863SW-12 .....	583
98863SW-15 .....	583
98863SW-787 .....	583
98863SW-986 .....	583
LTB10C35027B .....	594
S9188.....	594







# INDEX BY COLLECTION

COLLECTION	1ST SECTION	2ND SECTION	3RD SECTION
Academy	190	370	
ADA Wall Sconces	410		
Address Lights	547		
Alexandria	392		
Aldridge	396		
Alturas	114	350	
Arilda	265		
Aspermont	400		
Bakersville	530		
Bannock	104	381	
Bayfield	367		
Bayou	427		
Bayside	534		
Belton	172	365	
Braunfels	402		
Brentwood	504		
Bretton	284	329	
Brookchester	395		
Calder	438		
Canfield	50	340	
Cape May	490		
Carondelet	208	378	
Ceiling Flush Mounts	326		
Center Stage	408		
Centra	164		
Chatauqua	122		
Chatham	500		
Childress	470		
Classico	526		
Clip Ceiling Flush Mount	331		
Colusa	399		
Conroe	462		
Corbeille	232		
Corsicana	120		
Cowen	56	347	
Crittenden	450		
Crowell	466		
Davlin	60		
Dawes	270		
Dayna Shade Pendants	288		
De-Lovely	409		
Denhelm	316	363	
Division Street	297		
Driscoll	160	361	
Drop Lens Fluorescent	334		
Dunning	204	375	

COLLECTION	1ST SECTION	2ND SECTION	3RD SECTION
East Benton	397		
Eastland	405		
Ellington	216		
Elsa	62	342	
Emmons	86	391	
Englehorn	136	358	
Eternity	332	410	
Franport	66	343	
Fredricksburg	298	460	
Gaelan	440		
Galvyn	442		
Geary	256		
Gereon	262		
Gladstone	382		
Goliad	178		
Gooding	266		
Grandover	329		
Hanford	166	364	
Harambee	308	377	
Havenwood	310		
Haylee	326		
Hermitage	496		
Herrington	508		
Hettinger	80	348	
Holly	327		
Holman	242	390	
Hudson Street	296		
Hunnington	474		
Huntsville	278		
Jamestowne	524		
Jeyne	264		
Jourdanton	286		
Kea	265		
Kent	514		
Kerrville	140	355	
Labette	272		
Lambert Hill	518		
Lancaster	510		
Leo-Hanging Globe	254		
Linear Fluorescent	336		
Lockheart	280		
Long Beach	426		
Lonoke	268		
Marinus	448		
Medford Lakes	488		
Melito	446		

COLLECTION	1ST SECTION	2ND SECTION	3RD SECTION
Metcalf	180	368	
Metropolis	315	412	
Midland	414		
Moffett Street	72	347	
Montreal	387		
Morill	110	374	
Mullberry Hill	532		
Nance	98	360	
Nash	325		
New Castle	528		
Nexus	332		
Oslo	128	353	
Outdoor Cylinders	536		
Outdoor Posts	546		
Painted Shade Pendants	314		
Panorama 42" & 52"	428		
Parkfield	198	373	
Perryton	274		
Prairie	494		
Pratt Street Metal	300		
Pratt Street Prismatic	304		
Pratt Street Sconces	376		
Quality Max	422		
Quality Max Plus	424		
Quality Pro Deluxe	421		
Ravenwood Manor	196		
Recessed Lighting	548		
Recessed Trims	548		
Renville	452		
Replacement Lamps	594		
Replacement Parts	596		
Sagemore	393		
Sauganash	478		
Sebring	306	482	
Sevier	456		
Sfera	186	369	
Socorro	212		
Somerton	316		
Stirling	154	359	
Stone Street	292		
Sussex	220	385	
Tomkin	331		
Towner	92	347	
Track Lighting	333		
Traditional	250		
Trafalgar	492		

COLLECTION	1ST SECTION	2ND SECTION	3RD SECTION
Traverse Unlimited	550		
Turbinio	283		
Undercabinet Lighting	568		
Valverde	406		
Vandeventer	398		
Webster	328		
Westminster	312		
Westmont	394		
Wheaton	236	389	
Windgate	226	380	
Winnetka	148	357	491

## THINGS TO NOTE

Finish representations in this catalog are shown using high resolution digital reproduction, and while every effort has been made to render colors accurately, some may vary slightly from the actual product, especially hand-painted finishes due to the nature of hand craftsmanship.

Light bulbs are not included with lighting fixture products shown in this catalog, unless otherwise noted. Sea Gull Lighting reserves the right, at any time to make changes in the construction and design of products listed without notice. The changes may be necessary by law or the availability of supplies.

ENERGY STAR® is a registered trademark of the United States Environmental Protection Agency.



The ENERGY STAR® label is designed to clearly identify products that are energy efficient — meaning they lower energy bills and help protect the environment while providing desired features, quality and performance.  
[www.energystar.gov](http://www.energystar.gov)

Printed in the USA.

© 2018 Sea Gull Lighting, a Generation Lighting Company. All rights reserved.

Home Solutions  
**Sea Gull Lighting.**

☎ Tel: (664) 623 7143

✉ [info@luztra.mx](mailto:info@luztra.mx)

Paseo De los Héroes 2503

Zona Río, Tijuana, B.C. CP 22010

[www.luztra.mx](http://www.luztra.mx)

GENERATION LIGHTING