
M O D
E R N
F  R M S



S M A R T
F A N S

Table of Contents

Vortex	16
Morpheus III	20
Morpheus II	23
Stargazer	26
Aloft	28
Wynd.....	30
Lotus.....	36
Orb.....	38
Woody	44
Aviator	46
Osprey	50
Nautilus.....	52
Mykonos.....	54
Cervantes.....	56
Windflower	60
Vox	66
Elf	70
Axis	72
Hydra.....	78

Get Wet

Unlike the competition, ALL of our fans are wet rated and made from highly durable materials. Add weather-resistant finishes, and WiFi controls, and you can turn them on wherever and whenever you want.

The Nuts & Bolts

Energy-efficient DC motors.
 Ultra-powerful LED luminaires.
 Lustrous finishes that complement interiors and handle the outdoor elements with ease.
 Every aspect of the Modern Forms smart fan is uncompromising in dependability and unsurpassed in performance.

Every Fan Is



Wet

Durably and wet rated finished for interior and exterior use



Smart

Coordinates with smart devices and app controllable



Wet location listed to the strictest UL and cUL safety regulations

DC
MOTOR

Quiet, reliable, and up to 70% more efficient than AC fans



WiFi and RF enabled for unlimited wireless control

The Luminaire

Nearly every smart fan is furnished with an integrated LED luminaire powered by WAC, one of the most innovative and reliable names in the industry. With exceptionally powerful LED packages that create beautifully dimmable light, these luminaires, customized to each fan design, are outstanding in their own right— but packed inside a Modern Forms smart fan? That's just unfair.

The Year Ahead

SET UP

Our smart fans are as easy to set up as a typical ceiling fan.

SAVE ENERGY

When you connect to smart home devices like Nest or ecobee, your fan will coordinate with your HVAC system to make the room feel cooler or warmer.


First Day



CONTROL ANYWHERE

Download the free Modern Forms app. It takes two quick steps to connect your fan to your WiFi router. Then you can control your fan from anywhere.

First Month



SYNC UP

Integrate with devices you already own—like Amazon Alexa, Google Assistant, Nest or ecobee. That way you can control your fan with voice-activated commands and more.



Your security is important to us. That's why we designed our app so you only have to connect to the cloud once during set-up. After that, you can stay cloud-free if you like and still control the fan with your phone.



AUTOMATE

Keep it simple with a 7-day weekly calendar or get as granular as you want with a 365-day calendar that accounts for seasonal changes.



LATE SPRING

In Summer Mode your fan will blow cool air downward—that can make the room feel up to three degrees cooler.



WINTER TIME

Winter Mode will force warm air trapped at the ceiling to recirculate, driving it down to the room below so you do not have to crank up the heat as high.

First Year



USING YOUR FAN IS TEACHING YOUR FAN

Our app can learn your routine and suggest optimized schedules to make your life easier. If you use your fan every day around 8-9:30am and then from around 5-11pm, Adaptive Learning can automate that activity for you regularly.



VACATION

Whenever you're headed out of town, put on Away Mode. Your fan and luminaire will turn on and off at random intervals so it looks like you're home—even when you're not.

Get Smart

The Modern Forms app synchronizes seamlessly with smart home devices you already own.

A Bundle of Energy

Nest®

- Your smart fan will automatically switch to Summer Mode or Winter Mode when your HVAC changes from cooling to heating
- If your Nest smoke detector is alerted, your fans will shut off automatically to help prevent a fire from spreading

Nest®, Nest Learning Thermostat™, Nest Leaf Logo™, Airwave™, Auto-Away™, Nest Protect™, Nest Protect™ smoke + carbon monoxide, Nest Cam™, and the Works with Nest logos are trademarks licensed by Nest Labs, Inc.



ecobee

- Use Assist Mode to conserve energy even more. How does it work? Your fan will automatically turn on and/or off based on your HVAC status—that will make you less dependent on heat or air conditioning
- Certain smart thermostats even have built-in Amazon Alexa Voice Service

ecobee and the ecobee logo are trademarks of Smart WiFi Thermostats by ecobee. All rights reserved.



Easy Does It

Amazon Alexa

Ask Amazon Echo, Echo Dot or any Alexa-enabled device to turn on and off your fan and luminaire, change speeds, and dim the lights. With our customized skills we can roll out new functionality so your fan experience is always cutting edge.



Amazon, Alexa and all related logos are trademarks of Amazon.com, Inc. or its affiliates.



Google Assistant

Heat Wave: "Hey Google, ask Modern Forms to turn my bedroom fan on high."

Dinner Party: "OK Google, ask Modern Forms to dim the lights."

Snow Squall: "Hey Google, ask Modern Forms to go to heat mode."

Talk to any Google Assistant enabled device to control your fan and make life easier every day.

©2017 Google LLC All rights reserved. Google and the Google Logo are registered trademarks of Google LLC.



Samsung SmartThings

Samsung SmartThings can connect all your smart home devices and apps together into one central location— Modern Forms will be the first smart fan available. Not going to lie, we love being first.

Samsung, SmartThings and all related logos are trademarks of Samsung Electronics Co., Ltd.

Get Unwired

Every Modern Forms smart fan comes with a Radio Frequency (RF) wall control as well as WiFi-enabled app control technology when you download the Modern Forms app. Use one or the other—or both—to control your fans. Here's how that works...




THINK LOCAL: WALL CONTROL

The Modern Forms wall control gives you full control of up to 4 fans in the room. Typical RF range is about 30 feet and doesn't require a line of sight. Can't find your phone? Don't want to use WiFi? No problem.


ACT GLOBAL: WIFI-ENABLED SMART CONTROL

Once you've downloaded the Modern Forms app and connected it to your fans, you can control them from anywhere in the world through WiFi. Of course, your fans will need to be positioned within range of your WiFi router—typically, that's about 150 feet.



ONE OR MANY

We engineered our fans so that you can wire multiple fans on the same circuit. Other fan companies can only handle one fan per circuit, two at the most. But with patent-pending Modern Forms smart fan technology, you can wire many more, reducing excess wires to help bring installation costs down and keep any exposed wiring looking cleaner.



Cools in summer, reverses in winter to help keep the room warm

Illuminates your space with high-output LEDs that dim to 1%—or better

Life Made Simpler

Modern Forms smart fans make life simpler every day—that's what modern luxury is all about.



Voice-control through Google Assistant or Amazon Alexa

Control your fan anywhere.
The app learns your preferences to power the fan on its own if you want



Coordinates with your smart thermostat to save energy automatically



Provides local access for instant everyday control



STYLES

Avant Garde



VORTEX 60" p.16
FR-W1810-60



MORPHEUS III 60" p.20
FR-W1813-60L



MORPHEUS II 60" p.23
FR-W1812-60L



WYND 52" p.34
FR-W1801-52L



LOTUS 54" p.36
FR-W1809-54L

Naturalistic



WOODY 60" p.44
FR-W1814-60L



AVIATOR 54" p.46
FR-W1811-54



AVIATOR 54" p.48
FH-W1811-54



MYKONOS 52" p.54
FR-W1819-52L



CERVANTES 56" p.56
FR-W1806-56L

Minimalist



VOX 26" p.66
FH-W1802-26L



VOX 38" p.68
FH-1802-38L



ELF 38" p.70
FR-W1802-38L



HYDRA 80" p.78
FR-W1805-80L



HYDRA 96" p.80
FR-W1805-96L



STARGAZER 52" p.26
FR-W1804-52L



ALOFT 44" p.28
FH-W1807-44L



WYND 42" p.30
FR-W1801-42L



ORB 62" p.38
FR-W1816-62L



ORB 82" p.40
FR-W1816-82L



OSPREY 56" p.50
FR-W1817-56L



NAUTILUS 56" p.52
FR-W1818-56L



WINDFLOWER 60" p.60
FR-W1815-60L



WINDFLOWER 80" p.62
FR-W1815-80L



AXIS 52" p.72
FR-W1803-52L



AXIS FLUSH 52" p.74
FH-W1803-52L



HYDRA 120" p.83
FR-W1805-120L

Avant Garde

The leading edge of design + technology



VORTEX

60" CEILING FAN



FR-W1810-60-GW
60" Vortex in Gloss White



VORTEX

60" CEILING FAN

Finished in gloss black, gloss white or the kind of silver you'd find on a Maserati, this sleek, sculptural design makes an ultra-luxe modern statement. Powered by a highly efficient DC motor, Vortex runs on stealth mode all day and night—the only sound you'll hear is the air whispering through the room. Use with the Modern Forms app for a full complement of luxury smart controls.

Integrates with smart home devices you already own:
Samsung SmartThings, Google Assistant,
Amazon Alexa, Nest & ecobee

VORTEX

60" CEILING FAN



FR-W1810-60-GB
60" Vortex in Gloss Black



FR-W1810-60-GW
60" Vortex in Gloss White


VORTEX
60" CEILING FAN



FR-W1810-60-AS
60" Vortex in Automotive Silver

- / Blade: 13° Pitch, 60" Sweep, ABS
- / Downrod: 0.75"ID x 4.5"H Included
- / Mounting Slope: Up to 30°
- / Lead Wire: 80"
- / Hanging Weight: 13 lbs
- / Total Power: 32W

Model	Housing	Blade
FR-W1810-60	AS Automotive Silver	Automotive Silver
	GB Gloss Black	Gloss Black
	GW Gloss White	Gloss White



Example: **FR-W1810-60-GB**



FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL



F-WC-WT
Included with each fan
6 speeds
Dims light to 1%
ON/OFF

WIFI TOUCH PANEL WALL CONTROL



F-TS-BK Black
F-TS-WT White
Sold separately
Full app control

ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		29W	23W
Airflow		7742 CFM	4642 CFM
Energy Costs*		\$8/yr	\$6/yr
Efficiency		269 CFM/W	202 CFM/W

* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.



FR-W1813-60-GW
60" Morpheus III in Gloss White

MORPHEUS III

60" CEILING FAN



MORPHEUS III

60" CEILING FAN



FR-W1813-60L-CFI
60" Morpheus III in Carbon Fiber
Shown with included luminaire cover




FR-W1813-60L-DW
60" Morpheus III in Dark Walnut

With cutting-edge smart controls and a totally quiet DC motor, Morpheus is a sleek piece of luxury in a stylish two- or three-blade design. Like all our smart fans, Morpheus connects through WiFi to our exclusive Modern Forms app, so it doesn't matter if you're five feet away or five hundred miles away—control is always in the palm of your hand. A powerful LED luminaire with artisan-crafted opal glass and thick aerodynamically soundless blades round out the design. Available in four amazing finishes.

MORPHEUS III

60" CEILING FAN




FR-W1813-60L-AS
60" Morpheus III in Automotive Silver


- / Blade: 13° Pitch, 60" Sweep, ABS
- / Downrod: 0.75"ID x 4.5"H Included
- / Mounting Slope: Up to 30°
- / Lead Wire: 80"
- / Hanging Weight: 14 lbs
- / Total Power: 52W
- / LED Lumens: 1600
- / LED Power: 20W
- / CRI: 90
- / Color Temp: 3000K
- / Rated Life: 50,000hr



Model	Housing	Blade
FR-W1813-60L	AS Automotive Silver	Automotive Silver
	CFI Carbon Fiber	Carbon Fiber
	DW Dark Walnut	Dark Walnut
	GW Gloss White	Gloss White



Example: **FR-W1813-60L-GW**



FREE APP DOWNLOAD
Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL

ENERGY GUIDE



F-WC-WT
Included with each fan
6 speeds
Dims light to 1%
ON/OFF



F-TS-BK Black
F-TS-WT White
Sold separately
Full app control

	Standard	High Speed	Weighted Average
Electricity		31W	17W
Airflow		7490 CFM	4456 CFM
Energy Costs*		\$9/yr	\$5/yr
Efficiency		243 CFM/W	258 CFM/W

* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.

MORPHEUS II

60" CEILING FAN



FR-W1812-60L-CFI
60" Morpheus II in Carbon Fiber
Shown with included luminaire cover



FR-W1812-60L-DW
60" Morpheus II in Dark Walnut



Luminaire cover included

24

MODERN FORMS FANS

MORPHEUS II

60" CEILING FAN



FR-W1812-60L-DW
60" Morpheus II in Dark Walnut



MORPHEUS II

60" CEILING FAN



FR-W1812-60L-AS
60" Morpheus II in Automotive Silver
Shown with included luminaire cover



FR-W1812-60L-CFI
60" Morpheus II in Carbon Fiber




FR-W1812-60L-GW
60" Morpheus II in Gloss White

- / Blade: 13° Pitch, 60" Sweep, ABS
- / Downrod: 0.75"ID x 4.5"H Included
- / Mounting Slope: Up to 30°
- / Lead Wire: 80"
- / Hanging Weight: 13.50 lbs
- / Total Power: 50W
- / LED Lumens: 1600
- / LED Power: 20W
- / CRI: 90
- / Color Temp: 3000K
- / Rated Life: 50,000hr



Model	Housing	Blade
FR-W1812-60L	AS Automotive Silver	Automotive Silver
	CFI Carbon Fiber	Carbon Fiber
	DW Dark Walnut	Dark Walnut
	GW Gloss White	Gloss White



Example: **FR-W1812-60L-DW**



FREE APP DOWNLOAD
Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL



F-WC-WT
Included with each fan
6 speeds
Dims light to 1%
ON/OFF

WIFI TOUCH PANEL WALL CONTROL



F-TS-BK Black
F-TS-WT White
Sold separately
Full app control

ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		25W	15W
Airflow		6543 CFM	3881 CFM
Energy Costs*		\$7/yr	\$4/yr
Efficiency		258 CFM/W	266 CFM/W

* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.

STARGAZER

52" CEILING FAN



FR-W1804-52L-GB

52" Stargazer in Gloss Black

Finished in gloss black or glistening automotive silver, Stargazer has an elevated look that's right on par with the smart technology inside. Powered by our exclusive Modern Forms app, the smart fan offers unprecedented control over scheduling, energy use and home integration—it's compatible with Amazon Alexa, Google Assistant and other devices you already own. A powerful, highly efficient LED luminaire projects down from the center for a final luxe touch.

STARGAZER

52" CEILING FAN



FR-W1804-52L-LN
52" Stargazer in Liquid Nickel




FR-W1804-52L-GB
52" Stargazer in Gloss Black



FR-W1804-52L-AS
52" Stargazer in Automotive Silver

- / Blade: 13° Pitch, 52" Sweep, ABS
- / Downrod: 0.75"ID x 4.5"H Included
- / Mounting Slope: Up to 30°
- / Lead Wire: 80"
- / Hanging Weight: 19 lbs
- / Total Power: 44W
- / LED Lumens: 1110
- / LED Power: 15W
- / CRI: 90
- / Color Temp: 3000K
- / Rated Life: 50,000hr

Model	Housing	Blade
FR-W1804-52L	AS Automotive Silver	Automotive Silver
	GB Gloss Black	Gloss Black
	LN Liquid Nickel	Liquid Nickel



Example: **FR-W1804-52L-GB**



FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL

ENERGY GUIDE



F-WC-WT
Included with each fan
6 speeds
Dims light to 1%
ON/OFF



F-TS-BK Black
F-TS-WT White
Sold separately
Full app control

	Standard	High Speed	Weighted Average
Electricity		38W	21W
Airflow		5822 CFM	3233 CFM
Energy Costs*		\$11/yr	\$6/yr
Efficiency		153 CFM/W	154 CFM/W

* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.

ALOFT

44" FLUSH MOUNTED FAN



FH-W1807-44L-BZ
44" Aloft in Bronze

Like a breath of fresh air, Aloft updates a classic fan style with the most sophisticated technology available today. Our exclusive Modern Forms app allows you to create user groups for scalable controls across multiple buildings, and it also integrates with smart home devices you already own, like Amazon Alexa and Google Assistant. Powered by a DC motor, Aloft runs smoothly and quietly, turn after turn after turn.

ALOFT

44" FLUSH MOUNTED FAN



FH-W1807-44L-BZ
44" Aloft in Bronze



FH-W1807-44L-TT
44" Aloft in Titanium Silver
Shown with included luminaire cover




FH-W1807-44L-MW
44" Aloft in Matte White



Luminaire cover included

- / Blade: 13° Pitch, 44" Sweep, ABS
- / Lead Wire: 8"
- / Hanging Weight: 17 lbs
- / Total Power: 47W
- / LED Lumens: 1600
- / LED Power: 20W
- / CRI: 90
- / Color Temp: 3000K
- / Rated Life: 50,000hr

Model	Housing	Blade
FH-W1807-44L	BZ Bronze	Bronze
	MW Matte White	Matte White
	TT Titanium Silver	Titanium Silver



Example: FH-W1807-44L-TT



FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL



F-WC-WT
Included with each fan
6 speeds
Dims light to 1%
ON/OFF

WIFI TOUCH PANEL WALL CONTROL



F-TS-BK Black
F-TS-WT White
Sold separately
Full app control

ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		33W	18W
Airflow		5369 CFM	3147 CFM
Energy Costs*		\$9/yr	\$5/yr
Efficiency		164 CFM/W	171 CFM/W

* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.

30

MODERN FORMS FANS

WYND

42" and 52" CEILING FAN

FR-W1801-52L-SS
52" Wynd in Stainless Steel





WYND

42" and 52" CEILING FAN

Transitional style meets smart technology with this versatile smart fan available in four weather-resistant finishes as well as a 316 marine-grade stainless steel for harsh outdoor climates. The 42 inches is ideal for bedrooms, patios and breakfast nooks while the 52 inches works great in living rooms and medium-sized spaces. The LED luminaire, powered by WAC, takes this design from beautiful to brilliant. Connect with our exclusive Modern Forms app for even more life enhancements.



FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL



F-WC-WT

Included with each fan
6 speeds
Dims light to 1%
ON/OFF



F-TS-BK Black

F-TS-WT White
Sold separately
Full app control

WYND

42" CEILING FAN



FR-W1801-42L-GH/WG
42" Wynd in Graphite and Weathered Gray



FR-W1801-42L-SS
42" Wynd in marine grade 316 Stainless Steel
Shown with included luminaire cover

ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		29W	23W
Airflow		4888 CFM	2968 CFM
Energy Costs*		\$8/yr	\$6/yr
Efficiency		170 CFM/W	129 CFM/W

* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.

WYND
42" CEILING FAN

FR-W1801-42L-BZ
42" Wynd in Bronze
Shown with included luminaire cover (included)




FR-W1801-42L-MW
42" Wynd in Matte White



Luminaire cover included

- / Blade: 13° Pitch, 42" Sweep, ABS
- / Downrod: 0.75"ID x 4.5"H Included
- / Mounting Slope: Up to 30°
- / Lead Wire: 80"
- / Hanging Weight: 17.90 lbs
- / Total Power: 47W
- / LED Lumens: 1600
- / LED Power: 20W
- / CRI: 90
- / Color Temp: 3000K
- / Rated Life: 50,000hr


MODEL	HOUSING	BLADE
FR-W1801-42L	BZ Bronze	Bronze
	GH/WG Graphite	Weathered Gray
	MW Matte White	Matte White
	SS 316 Stainless Steel	Steel Gray



Example: **FR-W1801-42L-GH/WG**

WYND

52" CEILING FAN



FR-W1801-52L-MW
52" Wynd in Matte White
Shown with included luminaire cover



FR-W1801-52L-GH/WG
52" Wynd in Graphite and
Weathered Gray

ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		45W	32W
Airflow		6804 CFM	4306 CFM
Energy Costs*		\$13/yr	\$9/yr
Efficiency		151 CFM/W	135 CFM/W

* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.

WYND
52" CEILING FAN



FR-W1801-52L-SS
52" Wynd in 316 Stainless Steel




FR-W1801-52L-BZ
52" Wynd in Bronze

- / Blade: 13° Pitch, 52" Sweep, ABS
- / Downrod: 0.75"ID x 4.5"H Included
- / Mounting Slope: Up to 30°
- / Lead Wire: 80"
- / Hanging Weight: 17.90 lbs
- / Total Power: 49W
- / LED Lumens: 1600
- / LED Power: 20W
- / CRI: 90
- / Color Temp: 3000K
- / Rated Life: 50,000hr



Luminaire cover included

MODEL	HOUSING	BLADE
FR-W1801-52L	BZ Bronze	Bronze
	GH/WG Graphite	Weathered Gray
	MW Matte White	Matte White
	SS 316 Stainless Steel	Steel Gray



Example: **FR-W1801-52L-GH/WG**

LOTUS

54" CEILING FAN



FR-W1809-54L-TT
54" Lotus in Titanium Silver



A modern meditation on style and technology, Lotus is the ultimate utility player. Its clean, streamlined look works well with almost any décor, inside or outdoors. And with our Modern Forms app, this smart fan responds to your behavior patterns with optimized schedules that can help cut down on energy use. Engineered with a quiet, energy-efficient DC motor and a powerful LED luminaire, this fan is peak enlightenment.



LOTUS
54" CEILING FAN

MODERN FORMS FANS



FR-W1809-54L-BZ
54" Lotus in Bronze




FR-W1809-54L-MW
54" Lotus in Matte White

- / Blade: 13° Pitch, 54" Sweep, ABS
- / Downrod: 0.75"ID x 4.5"H Included
- / Mounting Slope: Up to 30°
- / Lead Wire: 80"
- / Hanging Weight: 15.50 lbs
- / Total Power: 43W
- / LED Lumens: 1100
- / LED Power: 15W
- / CRI: 90
- / Color Temp: 3000K
- / Rated Life: 50,000hr



Luminaire cover included

MODEL	HOUSING	BLADE
FR-W1809-54L	BZ Bronze	Bronze
	MW Matte White	Matte White
	TT Titanium Silver	Titanium Silver



Example: **FR-W1809-54L-TT**



FREE APP DOWNLOAD
Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL



F-WC-WT
Included with each fan
6 speeds
Dims light to 1%
ON/OFF

WIFI TOUCH PANEL WALL CONTROL



F-TS-BK Black
F-TS-WT White
Sold separately
Full app control

ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		19W	12W
Airflow		5721 CFM	3438 CFM
Energy Costs*		\$5/yr	\$3/yr
Efficiency		301 CFM/W	287 CFM/W

* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.

ORB

62" CEILING FAN



FR-W1816-62L-CFI
62" Orb in Carbon Fiber and Matte Black

With its killer sci-fi style and smart functionality—thanks to our exclusive Modern Forms app—Orb is the ultimate case of smart meets cool. Its DC motor runs up to 70% more efficient than traditional AC fans and always keeps quiet, and Orb is breathtaking when finished in a sleek carbon fiber or Porsche-worthy silver.

ORB
62" CEILING FAN




FR-W1816-62L-AS
62" Orb in Automotive Silver

- / Blade: 13° Pitch, 62" Sweep, ABS
- / Downrod: 0.75"ID x 4.5"H Included
- / Mounting Slope: Up to 30°
- / Lead Wire: 80"
- / Hanging Weight: 28 lbs
- / Total Power: 46W
- / LED Lumens: 1100
- / LED Power: 15W
- / CRI: 90
- / Color Temp: 3000K
- / Rated Life: 50,000hr



Luminaire cover included

MODEL	HOUSING	BLADE
FR-W1816-62L	AS Automotive Silver	Automotive Silver
	CFI Carbon Fiber	Matte Black



Example: **FR-W1816-62L-AS**



FREE APP DOWNLOAD
Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL



F-WC-WT
Included with each fan
6 speeds
Dims light to 1%
ON/OFF

WIFI TOUCH PANEL WALL CONTROL



F-TS-BK Black
F-TS-WT White
Sold separately
Full app control

ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		44W	24W
Airflow		8123 CFM	4875 CFM
Energy Costs*		\$12/yr	\$7/yr
Efficiency		183 CFM/W	202 CFM/W

* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.

ORB

82" CEILING FAN



FR-W1816-82L-CFI
82" Orb in Carbon Fiber



ORB
82" CEILING FAN




FR-W1816-82L-AS
82" Orb in Automotive Silver

- / Blade: 13° Pitch, 82" Sweep, ABS
- / Downrod: 0.75"ID x 4.5"H Included
- / Mounting Slope: Up to 30°
- / Lead Wire: 80"
- / Hanging Weight: 33 lbs
- / Total Power: 49W
- / LED Lumens: 1100
- / LED Power: 15W
- / CRI: 90
- / Color Temp: 3000K
- / Rated Life: 50,000hr



Luminaire cover included

MODEL	HOUSING	BLADE
FR-W1816-82L	AS Automotive Silver	Automotive Silver
	CFI Carbon Fiber	Matte Black



Example: **FR-W1816-82L-CFI**



FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL



F-WC-WT

Included with each fan
6 speeds
Dims light to 1%
ON/OFF

WIFI TOUCH PANEL WALL CONTROL



F-TS-BK Black
F-TS-WT White
Sold separately
Full app control

ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		48W	26W
Airflow		9064 CFM	5470 CFM
Energy Costs*		\$13/yr	\$7/yr
Efficiency		190 CFM/W	211 CFM/W

* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.

Naturalistic

An emphasis on craftsmanship and natural materials to help create the ultimate sanctuary.



WOODY

60" CEILING FAN



FR-W1814-60L-GH/WG
60" Woody in Graphite and Weathered Gray



With sturdy blades crafted from solid wood—properly treated to weather the outdoors,—this smart fan is rugged refinement to the core. Take control of it with our exclusive Modern Forms app—features like Adaptive Learning make life easier every day by suggesting optimized schedules, while a powerful DC motor inside keeps things running smooth, quiet and up to 70% more efficient than traditional AC fans. Choose a bronze housing with dark walnut wood, matte black with distressed koa or graphite with weathered gray.



WOODY
60" CEILING FAN



FR-W1814-60L-MB/DK
60" Woody in Matte Black and Distressed Koa




FR-W1814-60L-BZ/DW
60" Woody in Bronze and Dark Walnut



- / Blade: 13° Pitch, 60" Sweep, ABS
- / Downrod: 0.75"ID x 4.5"H Included
- / Mounting Slope: Up to 30°
- / Lead Wire: 80"
- / Hanging Weight: 18 lbs
- / Total Power: 57W
- / LED Lumens: 1600
- / LED Power: 20W
- / CRI: 90
- / Color Temp: 3000K
- / Rated Life: 50,000hr

MODEL		HOUSING	BLADE
FR-W1814-60L	BZ/DW	Bronze	Dark Walnut
	MB/DK	Matte Black	Distressed Koa
	GH/WG	Graphite	Weathered Gray



Example: **FR-W1814-60L-MB/DK**



FREE APP DOWNLOAD
Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL



F-WC-WT
Included with each fan
6 speeds
Dims light to 1%
ON/OFF

WIFI TOUCH PANEL WALL CONTROL



F-TS-BK Black
F-TS-WT White
Sold separately
Full app control


ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		42W	23W
Airflow		8840 CFM	5160 CFM
Energy Costs*		\$12/yr	\$6/yr
Efficiency		209 CFM/W	224 CFM/W

* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.

AVIATOR

54" CEILING FAN



FR-W1811-54-MB/DK
54" Aviator in Matte Black and Distressed Koa



Optional Luminaire for Aviator Matte Black
F-1811-LED-MB
sold separately

Inspired by the golden age of flying, this smart fan takes technology to the next level. Pair it with the exclusive Modern Forms app to save on energy costs and intuitively create schedules that adapt to your behavior. Two simulated wood finishes contrast with the matte black or graphite housings for an understated look in interior or exterior spaces. Available with an optional LED luminaire encased in opal glass.


AVIATOR

54" CEILING FAN





FR-W1811-54-GH/WG
 54" Aviator in Graphite and Weathered Gray
 Shown with optional luminaire F-1811-LED-GH
 Sold separately

- / **Blade:** 13° Pitch, 54" Sweep, ABS
- / **Downrod:** 0.75"ID x 4.5"H Included
- / **Mounting Slope:** Up to 30°
- / **Lead Wire:** 80"
- / **Hanging Weight:** 13 lbs
- / **Total Power:** 31W
- / **LED Lumens:** 1600
- / **LED Power:** 19W
- / **CRI:** 90
- / **Color Temp:** 3000K
- / **Rated Life:** 50,000hr



MODEL	HOUSING	BLADE
FR-W1811-54	MB/DK Matte Black	Distressed Koa
	GH/WG Graphite	Weathered Gray

OPTIONAL LUMINAIRE (Sold Separately)		
F-1811-LED 1600 LED Lumen 19W	MB Matte Black	
	GH Graphite	

Example: **FR-W1811-54-GH/WG**

Example: **F-1811-LED-GH**



FREE APP DOWNLOAD
 Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL



F-WC-WT
 Included with each fan
 6 speeds
 Dims light to 1%
 ON/OFF

WIFI TOUCH PANEL WALL CONTROL



F-TS-BK Black
F-TS-WT White
 Sold separately
 Full app control

ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		26W	16W
Airflow		7554 CFM	4370 CFM
Energy Costs*		\$7/yr	\$4/yr
Efficiency		295 CFM/W	280 CFM/W

* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.

AVIATOR

54" FLUSH MOUNTED FAN



FH-W1811-54-GH/WG
54" Aviator in Graphite and Weathered Gray
With luminaire F-1811-LED-GH
Sold separately



AVIATOR

54" FLUSH MOUNTED FAN




FH-W1811-54-MB/DK
54" Aviator in Matte Black and Distressed Koa
Shown with optional luminaire F-1811-LED-MB
Sold separately





Luminaire cover included

- / Blade: 13° Pitch, 54" Sweep, ABS
- / Lead Wire: 8"
- / Hanging Weight: 12 lbs
- / Total Power: 31W
- / LED Lumens: 1600
- / LED Power: 19W
- / CRI: 90
- / Color Temp: 3000K
- / Rated Life: 50,000hr




MODEL	HOUSING	BLADE
FH-W1811-54	MB/DK Matte Black	Distressed Koa
	GH/WG Graphite	Weathered Gray

Example: **FH-W1811-54-GH/WG**

OPTIONAL LUMINAIRE (Sold Separately)		
F-1811-LED 1600 LED Lumen 19W	MB Matte Black	
	GH Graphite	

Example: **F-1811-LED-GH**



FREE APP DOWNLOAD
Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL



F-WC-WT
Included with each fan
6 speeds
Dims light to 1%
ON/OFF

WIFI TOUCH PANEL WALL CONTROL



F-TS-BK Black
F-TS-WT White
Sold separately
Full app control

ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		27W	15W
Airflow		6744 CFM	3982 CFM
Energy Costs*		\$8/yr	\$4/yr
Efficiency		246 CFM/W	259 CFM/W

* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.

50

MODERN FORMS FANS

OSPREY

56" CEILING FAN



FR-W1817-56L-GH/WG
56" Osprey in Graphite and Weathered Gray

Pairing wood-finished blades with a polished metal housing is always a good idea, and it gives this fan a classic-meets-contemporary look that's perfect for transitional spaces. Powered by a highly efficient DC motor, the blades run extra quiet and save on energy costs—DC is 70% more efficient than AC. A Fresnel glass lens with frosted interior optically maximizes the light extraction of the powerful LED luminaire to give this smart fan a fully functional luxe touch.

OSPREY
56" CEILING FAN



FR-W1817-56L-GH/WG
56" Osprey in Graphite and Weathered Gray




FR-W1817-56L-OB/DW
56" Osprey in Oil Rubbed Bronze and Dark Walnut

- / Blade: 13° Pitch, 56" Sweep, ABS
- / Downrod: 0.75"ID x 4.5"H Included
- / Mounting Slope: Up to 30°
- / Lead Wire: 80"
- / Hanging Weight: 17 lbs
- / Total Power: 45W
- / LED Lumens: 1110
- / LED Power: 15W
- / CRI: 90
- / Color Temp: 3000K
- / Rated Life: 50,000hr



Model	Housing	Blade
FR-W1817-56L	GH/WG Graphite	Weathered Gray
	OB/DW Oil Rubbed Bronze	Dark Walnut



Example: **FR-W1817-56L-OB/DW**



FREE APP DOWNLOAD
Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL



F-WC-WT
Included with each fan
6 speeds
Dims light to 1%
ON/OFF

WIFI TOUCH PANEL WALL CONTROL



F-TS-BK Black
F-TS-WT White
Sold separately
Full app control


ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		23W	14W
Airflow		6173 CFM	4019 CFM
Energy Costs*		\$6/yr	\$4/yr
Efficiency		268 CFM/W	287 CFM/W

* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.

NAUTILUS

56" CEILING FAN



FR-W1818-56L-OB/DW

56" Nautilus in Oil Rubbed Bronze and Dark Walnut

With its elevated take on nautical style, this smart fan more than delivers on both form and function. Weathered wood-finished blades complement the polish of oil-rubbed bronze or graphite housings, while the WAC-powered LED luminaire radiates beautifully through an optically enhanced Fresnel glass lens. The DC motor keeps the blades running quietly so you'll always hear the sound of the waves—whether they're steps from your porch or in an afternoon daydream.

NAUTILUS

56" CEILING FAN




FR-W1818-56L-GH/WG
56" Nautilus in Graphite and Weathered Gray



FR-W1818-56L-OB/DW
56" Nautilus in Oil Rubbed Bronze and Dark Walnut

- / Blade: 13° Pitch, 56" Sweep, ABS
- / Downrod: 0.75"ID x 4.5"H Included
- / Mounting Slope: Up to 30°
- / Lead Wire: 80"
- / Hanging Weight: 19 lbs
- / Total Power: 56W
- / LED Lumens: 2100
- / LED Power: 24.5W
- / CRI: 90
- / Color Temp: 3000K
- / Rated Life: 50,000hr

Model	Housing	Blade
FR-W1818-56L	OB/DW Oil Rubbed Bronze	Dark Walnut
	GH/WG Graphite	Weathered Gray



Example: **FR-W1818-56L-OB/DW**



FREE APP DOWNLOAD
Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL



F-WC-WT
Included with each fan
6 speeds
Dims light to 1%
ON/OFF

WIFI TOUCH PANEL WALL CONTROL



F-TS-BK Black
F-TS-WT White
Sold separately
Full app control

ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		37W	21W
Airflow		7299 CFM	4744 CFM
Energy Costs*		\$10/yr	\$6/yr
Efficiency		197 CFM/W	226 CFM/W

* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.

MYKONOS

52" CEILING FAN



FR-W1819-52L-GH/WG
52" Mykonos in Graphite and Weathered Gray



You know a smart fan named after the Greek "Isle of Winds" is going to be timeless, and Mykonos delivers in spades. It's perfect for transitional spaces with its contrast finishes and streamlined look. Maximize control with the Modern Forms app, which can establish optimized schedules based on your behavior and reduce energy costs by connecting to your thermostat.

MYKONOS

52" CEILING FAN



FR-W1819-52L-BZ/DW
52" Mykonos in Bronze and Dark Walnut




FR-W1819-52L-GH/WG
52" Mykonos in Graphite and Weathered Gray



FR-W1819-52L-MW
52" Mykonos in Matte White

- / Blade: 13° Pitch, 52" Sweep, ABS
- / Downrod: 0.75"ID x 4.5"H Included
- / Mounting Slope: Up to 30°
- / Lead Wire: 80"
- / Hanging Weight: 16 lbs
- / Total Power: 42W
- / LED Lumens: 1100
- / LED Power: 15W
- / CRI: 90
- / Color Temp: 3000K
- / Rated Life: 50,000hr

Model		Housing	Blade
FR-W1819-52L	GH/WG	Graphite	Weathered Gray
	BZ/DW	Bronze	Dark Walnut
	MW	Matte White	Matte White



Example: **FR-W1819-52L-BZ/DW**



FREE APP DOWNLOAD
Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL



F-WC-WT
Included with each fan
6 speeds
Dims light to 1%
ON/OFF

WIFI TOUCH PANEL WALL CONTROL



F-TS-BK Black
F-TS-WT White
Sold separately
Full app control

ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		40W	22W
Airflow		5480 CFM	3350 CFM
Energy Costs*		\$11/yr	\$6/yr
Efficiency		137 CFM/W	152 CFM/W

* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.

CERVANTES

56" CEILING FAN



FR-W1806-56L-GH/WG

56" Cervantes in Graphite and Weathered Gray

Modern luxury is all about making life simpler—that's exactly what Cervantes does for you. With our Modern Forms app, you can map out schedules, optimize energy use and integrate with smart home devices you already own, like Amazon Alexa and Google Assistant. And Cervantes's clean, offset blades slice through the air with barely a whisper—that's because the powerful DC motor keeps things running smooth and super quiet. Available in versatile oil-rubbed bronze and graphite finishes.

CERVANTES

56" CEILING FAN




FR-W1806-56L-GH/WG
56" Cervantes in Graphite and Weathered Gray



FR-W1806-56L-OB/DW
56" Cervantes in Oil Rubbed Bronze and Dark Walnut
Shown with optional luminaire cover

- / Blade: 13° Pitch, 56" Sweep, ABS
- / Downrod: 0.75"ID x 4.5"H Included
- / Mounting Slope: Up to 30°
- / Lead Wire: 80"
- / Hanging Weight: 19 lbs
- / Total Power: 50W
- / LED Lumens: 1600
- / LED Power: 20W
- / CRI: 90
- / Color Temp: 3000K
- / Rated Life: 50,000hr

Model		Housing	Blade
FR-W1806-56L	OB/DW	Oil Rubbed Bronze	Dark Walnut
	GH/WG	Graphite	Weathered Gray



Example: FR-W1806-56L-GH/WG



FREE APP DOWNLOAD
Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL



F-WC-WT
Included with each fan
6 speeds
Dims light to 1%
ON/OFF

WIFI TOUCH PANEL WALL CONTROL



F-TS-BK Black
F-TS-WT White
Sold separately
Full app control

ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		56W	30W
Airflow		7866 CFM	4950 CFM
Energy Costs*		\$16/yr	\$8/yr
Efficiency		140 CFM/W	163 CFM/W

* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.



FR-W1815-80L-GH/WG
80" Windflower in Graphite and Weathered Gray



WINDFLOWER

60" & 80" CEILING FAN

As bold and beautiful as a classic Holland windmill, this contemporary twelve-blade design is perfect for mid-sized and larger spaces with its 60 inch or 80 inch blade sweeps. Control everything from the palm of your hand with our WiFi-connected Modern Forms app—no one else in the industry can match this combination of style and intuitive technology. Available in three sleek finishes, Windflower makes life easier and more beautiful every day.



FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL



F-WC-WT

Included with each fan
6 speeds
Dims light to 1%
ON/OFF



F-TS-BK Black

F-TS-WT White
Sold separately
Full app control

60

MODERN FORMS FANS

WINDFLOWER

60" CEILING FAN



FR-W1815-60L-OB/DW
60" Windflower in Oil Rubbed Bronze and Dark Walnut



FR-W1815-60L-MB/DK
60" Windflower in Matte Black and Distressed Koa

WINDFLOWER

60" CEILING FAN



FR-W1815-60L-GH/WG


60" Windflower in Graphite and Weathered Gray

/ Blade:	13° Pitch, 60" Sweep, ABS	/ LED Lumens:	2100
/ Downrod:	0.75"ID x 4.5"H Included	/ LED Power:	24.5W
/ Mounting Slope:	Up to 30°	/ CRI:	90
/ Lead Wire:	80"	/ Color Temp:	3000K
/ Hanging Weight:	32 lbs	/ Rated Life:	50,000hr
/ Total Power:	57W		



Luminaire cover included

Model		Housing	Blade
FR-W1815-60L	OB/DW	Oil Rubbed Bronze	Dark Walnut
	GH/WG	Graphite	Weathered Gray
	MB/DK	Matte Black	Distressed Koa

Example: **FR-W1815-60L-OB/DW****FREE APP DOWNLOAD**

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL**F-WC-WT**

Included with each fan
6 speeds
Dims light to 1%
ON/OFF

WIFI TOUCH PANEL WALL CONTROL

F-TS-BK Black
F-TS-WT White
Sold separately
Full app control

ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		49W	27W
Airflow		8840 CFM	5110 CFM
Energy Costs*		\$14/yr	\$8/yr
Efficiency		180 CFM/W	189 CFM/W

* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.

WINDFLOWER

80" CEILING FAN



FR-W1815-80L-MB/DK
80" Windflower in Matte Black and Distressed Koa
Shown with optional luminaire cover



FR-W1815-80L-GH/WG
80" Windflower in Graphite and Weathered Gray

WINDFLOWER

80" CEILING FAN


FR-W1815-80L-OB/DW
80" Windflower in Oil Rubbed Bronze and Dark Walnut



- / Blade: 13° Pitch, 80" Sweep, ABS
- / Downrod: 0.75"ID x 4.5"H Included
- / Mounting Slope: Up to 30°
- / Lead Wire: 80"
- / Hanging Weight: 38 lbs
- / Total Power: 60W
- / LED Lumens: 2100
- / LED Power: 24.5W
- / CRI: 90
- / Color Temp: 3000K
- / Rated Life: 50,000hr



Model	Housing	Blade
FR-W1815-80L	OB/DW Oil Rubbed Bronze	Dark Walnut
	GH/WG Graphite	Weathered Gray
	MB/DK Matte Black	Distressed Koa



Example: **FR-W1815-80L-MB/DK**



FREE APP DOWNLOAD
Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL



F-WC-WT
Included with each fan
6 speeds
Dims light to 1%
ON/OFF

WIFI TOUCH PANEL WALL CONTROL



F-TS-BK Black
F-TS-WT White
Sold separately
Full app control

ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		51W	33W
Airflow		10223 CFM	7987 CFM
Energy Costs*		\$14/yr	\$9/yr
Efficiency		200 CFM/W	242 CFM/W

* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.

Minimalist

Simplicity—the highest form of sophistication.



VOX

26" FLUSH MOUNTED FAN



FH-W1802-26L-TT
26" Vox in Titanium Silver



Perfect for smaller rooms, or mounted in multiples in larger spaces, Vox delivers the goods with a host of smart control features through our exclusive Modern Forms app.



VOX

26" FLUSH MOUNTED FAN




FH-W1802 -26L-BZ
26" Vox in Bronze



FH-W1802-26L-MW
26" Vox in Matte White

- / Blade: 13° Pitch, 26" Sweep, ABS
- / Lead Wire: 8"
- / Hanging Weight: 16 lbs
- / Total Power: 46W
- / LED Lumens: 2041
- / LED Power: 20W
- / CRI: 90
- / Color Temp: 3000K
- / Rated Life: 50,000hr

Model	Housing	Blade
FH-W1802-26L	BZ Bronze	Bronze
	MW Matte White	Matte White
	TT Titanium Silver	Titanium Silver



Example: **FH-W1802-26L-MW**



FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL



F-WC-WT
Included with each fan
6 speeds
Dims light to 1%
ON/OFF

WIFI TOUCH PANEL WALL CONTROL



F-TS-BK Black
F-TS-WT White
Sold separately
Full app control

ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		11W	8W
Airflow		2145 CFM	1189 CFM
Energy Costs*		\$3/yr	\$2/yr
Efficiency		195 CFM/W	159 CFM/W

* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.

VOX

38" FLUSH MOUNTED FAN



FH-W1802-38L-MW
38" Vox in Matte White

The Vox speaks in hushed tones—the powerful DC motor keeps the blades running smooth, ultra quiet and up to 70% more efficient than traditional AC motors.

VOX

38" FLUSH MOUNTED FAN




FH-W1802-38L-TT
38" Vox in Titanium Silver



FH-W1802-38L-BZ
38" Vox in Bronze

- / Blade: 13° Pitch, 38" Sweep, ABS
- / Lead Wire: 8"
- / Hanging Weight: 17 lbs
- / Total Power: 46W
- / LED Lumens: 2041
- / LED Power: 20W
- / CRI: 90
- / Color Temp: 3000K
- / Rated Life: 50,000hr

Model	Housing	Blade
FH-W1802-38L	BZ Bronze	Bronze
	MW Matte White	Matte White
	TT Titanium Silver	Titanium Silver



Example: **FH-W1802-38L-MW**



FREE APP DOWNLOAD
Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL



F-WC-WT
Included with each fan
6 speeds
Dims light to 1%
ON/OFF

WIFI TOUCH PANEL WALL CONTROL



F-TS-BK Black
F-TS-WT White
Sold separately
Full app control

ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		38W	29W
Airflow		5084 CFM	2895 CFM
Energy Costs*		\$11/yr	\$8/yr
Efficiency		133 CFM/W	101 CFM/W

* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.

70

MODERN FORMS FANS

ELF

38" CEILING FAN



FR-W1802-38L-BZ
38" Elf in Bronze



From bedrooms to boardrooms, pool houses to patios, Elf works its magic with a compact design that looks great anywhere—even outside. We make all our smart fans wet-rated—that means highly durable materials and weather-resistant finishes—so you can keep a consistent look and feel throughout your décor. Control your smart fan with the exclusive Modern Forms app, which integrates easily with smart devices you already own—if you want to turn it on, all you have to do is ask.



ELF

38" CEILING FAN




FR-W1802-38L-TT
38" Elf in Titanium Silver



FR-W1802-38L-MW
38" Elf in Matte White

- / Blade: 13° Pitch, 38" Sweep, ABS
- / Downrod: 0.75"ID x 4.5"H Included
- / Mounting Slope: Up to 30°
- / Lead Wire: 80"
- / Hanging Weight: 17 lbs
- / Total Power: 46W
- / LED Lumens: 2041
- / LED Power: 20W
- / CRI: 90
- / Color Temp: 3000K
- / Rated Life: 50,000hr

Model	Housing	Blade
FR-W1802-38L	BZ Bronze	Bronze
	MW Matte White	Matte White
	TT Titanium Silver	Titanium Silver



Example: **FR-W1802-38L-MW**



FREE APP DOWNLOAD
Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL



F-WC-WT
Included with each fan
6 speeds
Dims light to 1%
ON/OFF

WIFI TOUCH PANEL WALL CONTROL



F-TS-BK Black
F-TS-WT White
Sold separately
Full app control

ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		39W	30W
Airflow		5150 CFM	2920 CFM
Energy Costs*		\$11/yr	\$8/yr
Efficiency		132 CFM/W	97 CFM/W

* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.

AXIS

52" CEILING FAN

FR-W1803-52L-MW
52" Axis in Matte White

A simple, sophisticated smart fan that works seamlessly in transitional, minimalist and other modern environments, Axis is perfectly sized for medium-sized kitchens, bedrooms and living rooms, and its wet-rated status and weather-resistant finish make it prime for outdoor use as well. Unleash the full potential of Axis with our Modern Forms app, which offers smart features like Adaptive Learning and Away Mode, and helps cut down on energy use by integrating with your smart thermostat.

AXIS
52" CEILING FAN



FR-W1803-52L-BZ
52" Axis in Bronze




FR-W1803-52L-TT
52" Axis in Titanium Silver



- / Blade: 13° Pitch, 52" Sweep, ABS
- / Downrod: 0.75"ID x 4.5"H Included
- / Mounting Slope: Up to 30°
- / Lead Wire: 80"
- / Hanging Weight: 14 lbs
- / Total Power: 48W
- / LED Lumens: 1600
- / LED Power: 20W
- / CRI: 90
- / Color Temp: 3000K
- / Rated Life: 50,000hr

Model	Housing	Blade
FR-W1803-52L	BZ Bronze	Bronze
	MW Matte White	Matte White
	TT Titanium Silver	Titanium Silver



Example: **FR-W1803-52L-MW**



FREE APP DOWNLOAD
Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL



F-WC-WT
Included with each fan
6 speeds
Dims light to 1%
ON/OFF

WIFI TOUCH PANEL WALL CONTROL



F-TS-BK Black
F-TS-WT White
Sold separately
Full app control


ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		33W	27W
Airflow		5200 CFM	3290 CFM
Energy Costs*		\$9/yr	\$8/yr
Efficiency		157 CFM/W	122 CFM/W

* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.

AXIS

52" FLUSH MOUNTED FAN



FH-W1803-52L-BZ
52" Axis Flush in Bronze



FH-W1803-52L-TT
52" Axis Flush in Titanium Silver

AXIS
52" FLUSH MOUNTED FAN




FH-W1803-52L-MW
52" Axis Flush in Matte White



Luminaire cover included

- / Blade: 13° Pitch, 52" Sweep, ABS
- / Lead Wire: 8"
- / Hanging Weight: 14 lbs
- / Total Power: 48W
- / LED Lumens: 1600
- / LED Power: 20W
- / CRI: 90
- / Color Temp: 3000K
- / Rated Life: 50,000hr

Model	Housing	Blade
FH-W1803-52L	BZ Bronze	Bronze
	MW Matte White	Matte White
	TT Titanium Silver	Titanium Silver



Example: **FH-W1803-52L-BZ**



FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL



F-WC-WT
Included with each fan
6 speeds
Dims light to 1%
ON/OFF

WIFI TOUCH PANEL WALL CONTROL



F-TS-BK Black
F-TS-WT White
Sold separately
Full app control

ENERGY GUIDE

	Standard	High Speed	Weighted Average
Electricity		32W	25W
Airflow		5104 CFM	3236 CFM
Energy Costs*		\$9/yr	\$7/yr
Efficiency		159 CFM/W	131 CFM/W

* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.



FR-W1805-96L-BZ
96" Hydra in Bronze





HYDRA

80", 96" & 120" CEILING FAN

As its name suggests, Hydra is all about water. Like all of our smart fans, it's wet-rated for outdoor use so you can maintain the continuity of your décor inside and out.

Even with an impressive 120" blade sweep, this epically scaled smart fan moves a massive amount of air without consuming much energy, thanks to a powerful DC motor that runs up to 70% more efficient than AC motors. Control it all with our exclusive Modern Forms app. Available in 80 inches, 96 inches and 120 inches.



FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL



F-WC-WT

Included with each fan
6 speeds
Dims light to 1%
ON/OFF



F-TS-BK Black
F-TS-WT White
Sold separately
Full app control

HYDRA

80" CEILING FAN




FR-W1805-80L-TT
80" Hydra in Titanium Silver

- / Blade: 13° Pitch, 80" Sweep, Aluminum
- / Downrod: 0.75"ID x 6"H Included
- / Mounting Slope: Up to 30°
- / Lead Wire: 80"
- / Hanging Weight: 38 lbs
- / Total Power: 58W
- / LED Lumens: 2100
- / LED Power: 24.5W
- / CRI: 90
- / Color Temp: 3000K
- / Rated Life: 50,000hr

Model	Housing	Blade
FR-W1805-80L	BZ Bronze	Bronze
	TT Titanium Silver	Titanium Silver

Example: **FR-W1805-80L-BZ**



HYDRA

80" CEILING FAN



FR-W1805-80L-BZ
80" Hydra in Bronze
Shown with included luminaire cover

ENERGY GUIDE

Standard	High Speed	Weighted Average
Electricity	48W	29W
Airflow	12428 CFM	8398 CFM
Energy Costs*	\$13/yr	\$8/yr
Efficiency	261 CFM/W	290 CFM/W

* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.

80

MODERN FORMS FANS

HYDRA

96" CEILING FAN



DC
MOTOR




FR-W1805-96L-BZ
96" Hydra in Bronze

HYDRA

96" CEILING FAN



FR-W1805-96L-TT
 96" Hydra in Titanium Silver
 Shown with included luminaire cover



Luminaire cover included

- / Blade: 13° Pitch, 96" Sweep, Aluminum
- / Downrod: 0.75"ID x 6"H Included
- / Mounting Slope: Up to 30°
- / Lead Wire: 80"
- / Hanging Weight: 41 lbs
- / Total Power: 60W
- / LED Lumens: 2100
- / LED Power: 24.5W
- / CRI: 90
- / Color Temp: 3000K
- / Rated Life: 50,000hr

Model	Housing	Blade
FR-W1805-96L	BZ Bronze	Bronze
	TT Titanium Silver	Titanium Silver

Example: **FR-W1805-96L-BZ**

ESTIMATED ENERGY GUIDE

Standard	High Speed	Weighted Average
Electricity	45W	26W
Airflow	13,300 CFM	9125 CFM
Energy Costs*	\$8/yr	\$7/yr
Efficiency	302 CFM/W	351 CFM/W

* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.



FR-W1805-120L-BZ
120" Hydra in Bronze





HYDRA

120" CEILING FAN

Our largest smart fan yet, designed to take on hotel lobbies, coastal homes with soaring ceilings, office buildings—you name it. It's a massive fan for a massive space.



FREE APP DOWNLOAD

Sync with our exclusive Modern Forms app to control fan speed, use smart features like Adaptive Learning, create groups and reduce energy costs

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL



F-WC-WT

Included with each fan
6 speeds
Dims light to 1%
ON/OFF




F-TS-BK Black
F-TS-WT White
Sold separately
Full app control

HYDRA
120" CEILING FAN



- / Blade: 13° Pitch, 120" Sweep, Aluminum
- / Downrod: 0.75"ID x 6"H Included
- / Mounting Slope: Up to 30°
- / Lead Wire: 80"
- / Hanging Weight: 44 lbs
- / Total Power: 61W
- / LED Lumens: 2100
- / LED Power: 24.5W
- / CRI: 90
- / Color Temp: 3000K
- / Rated Life: 50,000hr



Model	Housing	Blade
FR-W1805-120L	BZ Bronze	Bronze
	TT Titanium Silver	Titanium Silver

Example: **FR-W1805-120L-TT**

ESTIMATED ENERGY GUIDE		
	High Speed	Weighted Average
Standard Electricity	45W	26W
Airflow	14,250 CFM	9898 CFM
Energy Costs*	\$8/yr	\$7/yr
Efficiency	289 CFM/W	388 CFM/W

* Estimated annual energy cost based on \$0.12 per kWh and 6.4 hours use per day.

HYDRA
120" CEILING FAN



FR-W1805-120L-TT
120" Hydra in Titanium Silver



Luminaire cover included



FR-W1805-120L-BZ
120" Hydra in Bronze

Professional Assets

LOCAL & GLOBAL CONTROL: THE RF & WIFI STORY

With WiFi, the app can control a virtually unlimited number of devices—one, twenty, two hundred...you name it. You can invite users to access the app and give them limited permissions, while maintaining executive control. That makes the Modern Forms smart fan ideal for apartment complexes, hotels and office buildings as well as residences.

By Invitation Only: Invite users to control fans via the app—they can customize their own schedules temporarily while you maintain master control.

Form a Group Mentality: Create groups of fans to make scheduling more efficient. Organize them by room type, floor number, location or style.

Plays Well With Others: The Modern Forms app is designed to help tie into other building management systems that operate on open API platforms.

Local Control: A radio-frequency (RF) enabled wall control is supplied with every Modern Forms fan. Instantaneously control, up to 4 fans per RF wall control. RF technology doesn't require line of sight and is powerful enough to pass through walls.

No Plan? No Problem: Control one or all of the fans in a room from any number of wall controls without the need for complicated 3-way or 4-way wiring.

Best of Both Worlds: The wall control may be used in conjunction with the Modern Forms app if desired to have both local and global control.

REINVENTING DC MOTOR CONTROL

Modern Forms Fans integrate DC motor control inventions developed by WAC to offer additional functionality and address certain challenges common across the industry.

Go Big or Go Home: Modern Forms DC motors provide the power necessary to quietly and efficiently power the largest diameter designer fans on the market.


Sensor-less DC motors: Proprietary control technologies were developed to control DC motors without the need for optical sensors to improve upon DC motor reliability as sensor lifetimes are known to be shorter than that of DC motors.

Synchronized Spinning: Patent pending features permit the problem-free installation of more than one or two fans in series.

Running Interference: For a seamless fan experience, Modern Forms fans solved the known problem in the industry of electrical noise generated by motor loads interfering with the expected performance of other electrical devices.

ILLUMINATING EXPERIENCES

As ceiling fans are also commonly the only light source within a room, luminaires within Modern Forms fans were also custom designed to accommodate the features of each unique fan design to provide a maximum amount of usable illumination in a room. Each luminaire incorporates WAC's proprietary dimming and control technology for smooth and continuous full-spectrum dimming from 100% to 1%.



Accessories

RF WALL CONTROL

WIFI TOUCH PANEL WALL CONTROL 



F-WC-WT



Included with each fan
6 fan speeds
Dims light to 1%
ON/OFF
Wall control range: Up to 30ft from fan
Control up to 4 fans on one wall control

F-TS-WT White

F-TS-BK Black
Sold separately
Full app control
WiFi range: Up to 150ft from router

*Result may vary based on application/surroundings

Downrod and Cap Couplers

 Downrod	XF-12 12in XF-18 18in XF-24 24in XF-36 36in	XF-48 48in XF-60 60in XF-72 72in	All our downrods are 0.75I.D. and are threaded on the motor end to create an extra layer of security and allow for adjustments in the field.	AS Automotive Silver BZ Bronze CFI *Carbon Fiber DW Dark Walnut GB Gloss Black GH Graphite GW Gloss White	MB Matte Black MW Matte White OB Oil Rubbed Bronze SS Stainless Steel TT Titanium Silver
	 Downrod Couplers	XF-I			


*Carbon Fiber only in 12", 18", 24", and 36"

Example: XF-18-TT

Suggested downrod height usage

Ceiling Height	15'	14'	13'	12'	11'	10'	9'
Downrod	72"	60"	48"	36"	24"	18"	12"

Sloped Ceiling Kit Designed to accommodate buildings with steeper sloped ceilings up to 45° or 12/12 pitch

 Sloped Ceiling Kit	XF-SCK	AS Automotive Silver BZ Bronze CFI Carbon Fiber DW Dark Walnut GB Gloss Black GH Graphite GW Gloss White	MB Matte Black MW Matte White OB Oil Rubbed Bronze SS Stainless Steel TT Titanium Silver
---	---------------	---	---


Example: XF-SCK-DW

Sloped ceiling degree conversion chart

Degree	4-8°	9-13°	14-17°	18-21°	22-25°	26-29°	30-32°	33-35°	36-38°	39-41°	42-44°	45°
Ceiling Slope Pitch	1/12 pitch	2/12 pitch	3/12 pitch	4/12 pitch	5/12 pitch	6/12 pitch	7/12 pitch	8/12 pitch	9-12 pitch	10/12 pitch	11/12 pitch	12/12 pitch

Supplied mounting brackets allow mounting on ceiling slopes up to 30° (7/12 pitch), optional slope kit allows mounting on ceilings up to 45° (12/12 pitch). The receiver will mount inside canopy.

Quick Reference



Name	Model	Size	Finishes	Wet Listing	Luminaire	Power	Est. CFM	Page
Aloft	FH-W1807-44L	44"	BZ, MW, TT	YES	YES	47W	5200	28
Aviator	FH-W1811-54	54"	MB/DK, GH/WG	YES	NO	31W	5800	46
	FR-W1811-54	54"	MB/DK, GH/WG	YES	NO	31W	6200	48
Axis	FH-W1803-52L	52"	BZ, MW, TT	YES	YES	48W	5200	72
	FR-W1803-52L	52"	BZ, MW, TT	YES	YES	48W	5400	74
Cervantes	FR-W1806-56L	56"	GH/WG, OB/DW	YES	YES	50W	6500	56
Elf	FR-W1802-38L	38"	BZ, MW, TT	YES	YES	46W	4500	70
Hydra	FR-W1805-80L	80"	BZ, TT	YES	YES	58W	10000	78
	FR-W1805-96L	96"	BZ, TT	YES	YES	60W	11500	80
	FR-W1805-120L	120"	BZ, TT	YES	YES	61W	13000	83
Lotus	FR-W1809-54L	54"	BZ, MW, TT	YES	YES	43W	6200	36
Morpheus II	FR-W1812-60L	60"	GW, AS, CFI, DW	YES	YES	50W	7500	23
Morpheus III	FR-W1813-60L	60"	GW, AS, CFI, DW	YES	YES	52W	8500	20
Mykonos	FR-W1819-52L	52"	BZ/DW, GH/WG, MW	YES	YES	42W	5800	54
Nautilus	FR-W1818-56L	56"	OB/DW, GH/WG	YES	YES	56W	7000	52
Orb	FR-W1816-62L	62"	AS, CFI	YES	YES	46W	7800	38
	FR-W1816-82L	82"	AS, CFI	YES	YES	49W	8500	40
Osprey	FR-W1817-56L	56"	GH/WG,OB/DW	YES	YES	45W	7000	50
Stargazer	FR-W1804-52L	52"	AS, GB, LN	YES	YES	44W	6000	26
Vortex	FR-W1810-60	60"	AS, GB, GW	YES	NO	32W	6800	16
Vox	FH-W1802-26L	26"	BZ, MW, TT	YES	YES	46W	3900	66
	FH-W1802-38L	38"	BZ, MW, TT	YES	YES	46W	4200	68
Windflower	FR-W1815-60L	60"	GH/WG, OB/DW, MB/DK	YES	YES	57W	8000	60
	FR-W1815-80L	80"	GH/WG, OB/DW, MB/DK	YES	YES	60W	9000	62
Woody	FR-W1814-60L	60"	GH/WG, BZ/DW, MB/DK	YES	YES	57W	7500	44
Wynd	FR-W1801-42L	42"	BZ, GH/WG, MW, SS	YES	YES	47W	5000	30
	FR-W1801-52L	52"	BZ, GH/WG, MW, SS	YES	YES	49W	6000	34


Model Number Guide



FR = Ceiling Fan W = Wet Listed Model Sweep size L = Luminaire included Housing finish / Blade finish
 FH = Flush Mounted

Example: **FR-W1819-52L-GH/WG**

MODERN FORMS
SMART FANS



Modern Forms Fans retains the right to modify the design of our products at any time as part of the company's continuous improvement program. COPYRIGHT 2018

modernforms.com
866.810.6615