VOL. 37.1



CONTENTS

Icon Legend	3
Bond	4
Energy Efficiency	6
Room Size Recommendations	7
Outdoor Fan Checklist	9
Universal Light Kit	366
Custom Light Kit	371

Glass Shades	372
Custom LED Light Kits	375
Aire-Control Systems	374
Bulb Reference	378
Fan Control Compatibility Chart.	379
Hanging Systems	384
Finishes	387

Accessory Fan Blades	390
Airflow CFM	392
Fan Styles	396
Fan Specifications	397
Finish Codes	420

FANS

Acero	150
Airus	168
Aluma	
Aluma Wet	264
Alva	180
Anywhere	228
Artemis	90
Artemis IV	80
Artemis XL5	98
Aviation	58
Aviation LED	64
Barn	12
Bling	134
Bolo	210
Cage Free Gyro	176
Calais	223
Cirque	162
Classica	218
Classica Gallery Edition	216
Clean	16
Como	
Concept 52"	158
Concept II 44"	
Concept II 52"	
Concept Wet 52"	250
Cone	
Contractor 42"	360
Contractor Plus	
Contractor Uni-Pack LED	326
Contractor Uni-Pack	354
Cristafano	224
Delano	186
Delano II	190
Dreamstar	
Dyno	302
Dyno XL	308
Elemental Gyro	178
Espace	292
Flyte	142
Force	74

Gauguin	286
Géant	34
Gear	26
Great Room	182
Groton	240
Gyrette	177
Gyro	173
Gyro Wet	174, 234
Java	110
Java LED	.116, 260
Kafé	206
Kafé-XL	202
Kewl	160
Kola	
Kola-XL	
Light Wave	46
Lun-Aire	294
Mesa	
Mojave	
Mojo	316
Mojo II	320
Napoli	214
Napoli II	215
New Era	
Ninety-Nine	36
Orb	
Outdoor Selection	
Pancake	
Pancake XL	
Rainman	
Raptor	
Retro Style Fan	
Roto	
Roto XL	
Rudolph	
Sabot	
Santa Lucia	
Shade	
Shangri-La	
Simple 44"	. 72, 238

Simple 52"	70, 236
Slant	
Sleek	
Slipstream	
Spacesaver	
Spectre	
Stack	
Steal	
Strata	
Sundance	
Sundowner	280
Sunseeker	278
Supra 32"	352
Supra 44"	350
Supra 44" SP	346
Supra 52"	342
Supra 52" w/ Light	340
Swept	120
Symbio	52
Tear	18
Timber	
Timeless	192
Traditional Concept 44"	
Traditional Concept 52"	
Traditional Gyro	
Traditional Mojo	
Triple	
Ultra-Max	
Value Collection	
Vintage Gyro	
Volterra	
Wave	
Wave II	
Windmolen	
Wing	
Xtreme	
Xtreme H2O	
Zen	164



inka-Aire® invites you to view our ceiling fan collection designed for today's varying lifestyles.

Within this catalog, you will find designs of contemporary flair with elegant grace, transitional timeless styles and a collection from our licensed design series.

The architectural trend toward Great Rooms has led Minka-Aire® to redesign some of our most popular styles with enlarged bodies and longer blades to circulate more air and complement the spaciousness of these rooms.

Our Outdoor Series of fans allows your friends and family to enjoy outdoor dining or time in your spa while continuing to have pleasant surroundings.

We offer many design choices for the outdoors; rated for all-weather exposure.

Minka-Aire® ceiling fans offer a wide variety of designs for the American home.

ICON LEGEND



BOND - Smart Together. Connect your Minka-Aire® ceiling fans over Wi-Fi.



AireControl® remotes control all functions: reverse, uplight (where applicable), fan light, speed control, as well as on/off.



AireControl® wall control systems control all functions: reverse, uplight (where applicable), fan light, speed control, as well as on/off.



Best in class with energy efficient operation. Uses up to 70% less energy than traditional AC motors while producing more power.



LED lighting is efficient, lasts up to 4 times longer than conventional lighting and uses less energy.



Indicates that product can be directly exposed to the elements. Rain, Snow or Sun.



CONNECT YOUR REMOTE-CONTROLLED MINKA-AIRE® CEILING FANS OVER WI-FI


BOND

You control the BOND, the BOND controls your ceiling fans, and you'll never need your old remotes again.

Seconds to set up!



Connect to Wi-FI



Download the app



Pair remote controls



Define controls & store remotes







Look for the BOND icon throughout the catalog for Minka-Aire® compatible fans.

ENERGY EFFICIENCY

Using the latest innovative technology and high quality materials, Minka-Aire® energy efficient DC motors provide the flexibility to create amazing fan styles and designs.





All Minka-Aire® DC motors are covered by our Limited Lifetime Warranty.



DC motors are 67% more efficient than typical (AC Motor) ceiling fan motors



Minka-Aire® DC motor fans use a maximum of 48 watts of electricity



DC Motors move a greater degree of fan blade pitches without adding significant energy consumption



Minka-Aire® DC motors offer 6 different fan speeds creating a more personalized comfort settings

BENEFITS OF LED LIGHTING

Long Life

Longer lifetime is the number one benefit of LED lights. The diodes within our LEDs have an outstanding lifetime expectation of up to 30,000 hours.

Energy Efficiency

This is today's most efficient way of illumination and lighting, saving 80%-90% when compared to traditional lighting and conventional light bulbs.

• Ecologically Friendly

LED lights are free of toxic chemicals. Most conventional fluorescent lighting bulbs contain a multitude of materials like e.g. mercury that are dangerous for the environment.

• Durable Quality

LEDs are extremely durable and built with sturdy components that are highly rugged and can withstand the roughest conditions.

Zero UV Emissions

LED illumination produces little infrared light and close to no UV emissions, which attracts less insects.

Dimmable


All Minka-Aire® LED fans are dimmable as compared to CFLs which are not.

ROOM SIZE AND CEILING HEIGHT RECOMMENDATIONS

ROOM SIZE


These measurements are for general air flow requirements only. Decorating plans or aesthetic considerations should influence your fan choices beyond these room size specifications. For very large rooms, multiple fans is an option.

Approximate Room Size	Blade Sweep
40-60 sq. ft.	26" - 42"
70-90 sq. ft.	44"
100-150 sq. ft.	52" - 54"
12" x 15" (Great Room) Over 160 sq. ft.	60" - 99"



CEILING HEIGHT


Be sure there is at least 7 feet of clearance under your ceiling fan blades. The standard 6" downrod should work in most 8 foot ceiling installations. This will position the blades far enough from the ceiling to have enough "supply" air above the blades to provide good air movement. If greater floor to fan clearance is needed, some fans can use our low ceiling adapter (A180) without using any downrod. However, air movement is reduced using the low ceiling adapter.



	1
Ceiling Height	Downrod Length
9'	12"
10'	18"
12'	24"
14'	36"
16'	48"
18'	60"
20'	72"

This chart shows recommended downrod lengths for various ceiling heights.







WINDMOLEN With LED Light

Windmolen provides more than enough airflow with 12 blades intertwined with an intricate riveting flywheel design that is engineered to be easy to assemble. Streamlined with an integrated 40 Watt LED light for added light output and a wet rated energy efficient DC Motor perfect for indoor/outdoor use.

Features

24° Blade Pitch

12-Blades 65" Sweep

• 10" Downrod

- Integrated Light Uses 40W LED (Included) 3 Year Warranty
- 1,800LM 3,000K CRI 90 DC 123x30mm Motor
- · Indoor/Outdoor Use Listed for Wet Locations
- · Hand Held Remote Control System Included (pg. 378)
- Maximum CFM High Speed 6,500/Low Speed 2,800 Estimated

*Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
6,500	48	130
*Estimated		

















- · 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



BARN with LED Light

A Perfect blend of transitional styling within a windmill silhouette. Softening the most transitional of settings with impeccable finishes and blade textures. Barn is appointed with an energy efficient DC motor and an integrated 25 Watt LED light. Here's to a successful yield.

Features

16° Blade Pitch

- 10-Blades 65" Sweep
- 10" Downrod
- Integrated Light Uses 25W LED (Included) 3 Year Warranty
- DC 168x30mm Motor 1,300LM 3,000K CRI 90
- · Hand Held Remote Control System Included (pg. 378)
- \bullet Maximum CFM High Speed 8,500/Low Speed 3,000 Estimated

*Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
6,000	28	214
*Estimated		











RUSTIC DESIGN

F864L-BNK Burnished Nickel Finish • Savannah Gray Blades • Clear Ribbed Glass





- 6 Speed Fan Control in Fwd and RevOn/Off Plus Full Range Light Dimmer
- 65 INCH S W E E P



DREAM STAR With LED Light

Features

Variable Blade Pitch • 8-Blades 60" Sweep • 10" Downrod

- Integrated Light Uses 18W LED (included) 3 Year Warranty
- •1,100LM 3,000K CRI 80 DC 168 x30mm Motor
- Hand Held Remote Control System Included (pg. 378)
- Maximum CFM High Speed 4,983 /Low Speed 1,067

Energy Guide (Excluding Lights)

3,130	(WATTS)	(CFM Per Watt)	COST \$5
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







U.S. Patent(s): Pending











- 6 Speed Fan Control in Fwd and Rev On/Off Plus Full Range Light Dimmer



CLEAN with LED Light

Designed with ultra-sophistication and minimalistic styling, Clean utilizes a unique eye catching blade arm that links the cylindrical fan body to its five blades. Body and the blades move in unison creating a distinctive look. Clean has an integrated 10 watt LED light and an energy efficient DC motor that provides significant air flow.

Features

12° Blade Pitch

5-Blades 60" Sweep

6" Downrod

- Integrated Light Uses 10W LED (Included) 3 Year Warranty
- •767LM 3,000K CRI 90 DC 123x30mm Motor
- · Hand Held Remote Control System Included (pg. 378)
- \cdot Cap for Non-Light Use Included
- Maximum CFM High Speed 10,948/Low Speed 3,753

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
10,948	57	193









U.S. Patent(s): Pending







Shown with Cap for Non-Light Use



- · 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer

TEAR

The Tear ceiling fan is designed to rejuvenate. Part of a collection of stylish and urbane fans, it blends contemporary form with reliable performance.









 Γ he Tear ceiling fan is designed to rejuvenate. Part of a collection of stylish and urbane fans, it blends contemporary form with reliable performance.

Features

Variable Blade Pitch • 3-Blades 60" Sweep • 6" Downrod

- Integrated LED Light Uses 15W LED (Included) 3 Year Warranty
- 1,100LM 3,000K CRI 80 DC 120x20mm Motor
- · Hand Held Remote Control System Included (pg. 378)
- Maximum CFM High Speed 7,869/Low Speed 3,120



Energy Guide (Excluding Lights)

7,869	(₩ΑΙ 13)	(CFM Per Watt)
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW











TIMBER

With the continued rise in a natural look within today's home, Timber's Natural Tung wood blades accomplish a warmth every home desires. With its 84" blades, its energy efficient DC motor and an integrated 26 watt LED light, you can't miss.











With the continued rise in a natural look within today's home, Timber's Natural Tung wood blades accomplish a warmth every home desires. With its 84" blades, its energy efficient DC motor and an integrated 26 watt LED light, you can't miss.

Features

23° Blade Pitch • 3-Blades 68" or 84" Sweep • 10" Downrod

- Integrated Light Uses 26W LED (Included) 3 Year Warranty
- •1,899LM 2,700K CRI 81 DC 172x25mm Motor
- Cap for Non-Light Use included with 68"
- Cap for Non Light Use for 84" Sold Separately (#6F847LCP05-HBZ)
- · Hand Held Remote Control System Included (pg. 378)
- Maximum CFM 68"- High Speed 6,500/Low Speed 3,000 Estimated
- \bullet Maximum CFM 84"- High Speed 8,960/Low Speed 2,109 Estimated

Energy Guide (Excluding Lights)

	AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
8"	4,800	23	208	-
34"	5,623	23.7	237	\$7



















RC600 Remote Control

- · 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer

68/84 INCH SWEEP

GEAR

olding court as the centerpiece of your living space, Gear demands attention with its bold columns and art deco inspired lines. A three-bladed fan, it is built with advanced energy efficient technology with a DC motor and 18 watt LED light.









GEAR with LED Light

olding court as the centerpiece of your living space, Gear demands attention with its bold columns and art deco inspired lines. A three-bladed fan, it is built with advanced energy efficient technology with a DC motor and 18 watt LED light.

Features

14° Blade Pitch

3-Blades 54" Sweep

6" Downrod

- Integrated Light Uses 18W LED (Included) 3 Year Warranty
- 600LM 3,000K CRI 90 DC 125x30mm Motor
- · Hand Held Remote Control System Included (pg. 378)
- Maximum CFM High Speed 7,450/Low Speed 2,146
- Product Video Available on MinkaAire.com

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
4,953	20	249	\$6

All estimates based on typical use · Based on 12 cents per kWh and 6.4 hours use per day · Your cost depends on rates and use · The higher the airflow, the more air the fan will move



U.S. Patent(s): Pending











- · 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer

TRIPLE

C learing the way for fresh Aire, TRIPLE delivers a refined modern industrial design. Its turbine-like three blades provide a utilitarian and raw contemporary edge that enhances the space of any room. The TRIPLE is equipped with an integrated 20 watt LED light and advanced DC motor technology.









TRIPLE with LED Light

C learing the way for fresh Aire, TRIPLE delivers a refined modern industrial design. Its turbine-like three blades provide a utilitarian and raw contemporary edge that enhances the space of any room. The TRIPLE is equipped with an integrated 20 watt LED light and advanced DC motor technology.

Features

Variable Blade Pitch • 3-Blades 60" Sweep • 6" Downrod

- Integrated Light Uses 20W LED (Included) 3 Year Warranty
- 1,100LM 3,000K CRI 90 DC 123x30mm Motor
- · Hand Held Remote Control System Included (pg. 378)
- Maximum CFM High Speed 6,012/Low Speed 2,125
- Product Video Available on MinkaAire.com

Energy Guide (Excluding Lights)

4,089	29	141	\$8
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move



















- 6 Speed Fan Control in Fwd and RevOn/Off Plus Full Range Light Dimmer



ashionably tailored to blend with either contemporary or transitional decor. The largest ceiling fan to be introduced by Minka Aire®, Géant delivers industrial strength air movement for residential and commercial applications. Supplied with an energy efficient DC motor and 110" blade sweep.

Features

9° Blade Pitch

- 8-Blades 110" Sweep
- 16" Downrod
- DC 188x28mm Motor Heavy Duty Downrod
- · Hand Held Remote Control System Included (pg. 378)


*Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
13,000	40	325
*Estimated		











110" SWEEP



Hand Held Remote Control

 \cdot 6 Speed Fan Control in Fwd and Rev





NINETY-NINE with LED Light

Inka-Aire® introduces our Ninety-Nine fan, featuring a total of 99 inches in diameter! A refreshing transitional design featuring 9-blades, 26 watt LED and a DC motor. Ideal for residential and commercial use. Includes a six speed hand held remote control and is reversible for winter and summer.

Features

Variable Blade Pitch • 9-Blades 99" Sweep • 6" Downrod

- Integrated Light Uses 26W LED (Included) 3 Year Warranty
- 1,899LM 2,700K CRI 81 DC 172x30mm Motor
- Hand Held Remote Control System Included (pg. 378)
- \cdot Maximum CFM High Speed 13,350/Low Speed 7,803

Energy Guide (Excluding Lights)

11,871	33	385
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)









U.S. Patent(s): D806,856; D817,472; Additional U.S. Patent(s) Pending









RC600 Remote Control

6 Speed Fan Control in Fwd and RevOn/Off Plus Full Range Light Dimmer

99 INCH S W E E P

XTREME H₂O 84"

A n outdoor version of one of our most popular large fan introductions, this industrial sized fan lends itself to any setting. Xtreme H2O's clean, sleek, contemporary design, complete with a DC motor and a choice of sizes, makes it perfect for large areas indoor or outdoor.









XTREME H₂O 84"

An outdoor version of one of our most popular large fan introductions, this industrial sized fan lends itself to any setting. Xtreme H2O's clean, sleek, contemporary design, complete with a DC motor and a choice of sizes, makes it perfect for large areas indoor or outdoor.

Features

9° Blade Pitch

8-Blades 84" Sweep

6" Downrod

- DC 123x30mm Motor ABS Blades
- · Custom 20W LED Light Kit K9886L Available (pg. 377) Sold Separately
- · Hand Held Remote Control System Included (pg. 378)
- \cdot Indoor/Outdoor Use ETL Rated for Wet Locations
- \cdot Maximum CFM High Speed 11,157/Low Speed 5,075

Energy Guide (Excluding Lights)


AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
8,252	32	262	\$9
and 6.4 hou	ırs use per da	pical use • Based on 1 y • Your cost depends ne more air the fan w	on rates and use















RC400 Remote Control

- 6 Speed Fan Control in Fwd and RevOn/Off Plus Full Range Light Dimmer

84 INCH SWEEP



XTREME H₂O 65"

An outdoor version of one of our most popular large fan introductions, this industrial sized fan lends itself to any setting. Xtreme H2O's clean, sleek, contemporary design, complete with a DC motor and a choice of sizes, makes it perfect for large areas indoor or outdoor.

Features

9° Blade Pitch

8-Blades 65" Sweep

6" Downrod

- DC 123x30mm Motor ABS Blades
- Custom 20W LED Light Kit K9886L Available (pg. 377) Sold Separately
- · Hand Held Remote Control System Included (pg. 378)
- · Indoor/Outdoor Use ETL Rated for Wet Locations
- \cdot Maximum CFM High Speed 9,092/Low Speed 3,800

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
6,565	32	205	\$9


All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use per day • Your cost depends on rates and use • The higher the airflow, the more air the fan will move













RC400 Remote Control

6 Speed Fan Control in Fwd and RevOn/Off Plus Full Range Light Dimmer





XTREME

This industrial size fan lends itself to almost any setting. Xtreme's clean, sleek, contemporary design with a DC motor and a choice of sizes makes it perfect for large areas.

Features

4° Blade Pitch • 9-Blades 72" or 96" Sweep • 6" Downrod

- DC 165x30mm Motor Aluminum Blades
- · Hand Held Remote Control System Included (pg. 378)
- Install with Blades at least 10' above the Floor
- · Maximum CFM (72" Sweep) High Speed 8,905/Low Speed 3,036
- \cdot Maximum CFM (96" Sweep) High Speed 13,080/Low Speed 9,152

Energy Guide (Excluding Lights)

	AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
2"	6,134	23	270
6"	13,080	31	429













RC400 Remote Control

· 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer 72/96 INCH s w e e p

LIGHT WAVE

ight Wave is the next generation of our highly successful, ground-breaking Wave fan. Its energy-efficient LED light source integrates light without compromising design.









LIGHT WAVE

ight Wave is the next generation of our highly successful, ground-breaking Wave fan. Its energy-efficient LED light source integrates light without compromising design.

Features

Variable Blade Pitch • 3-Blades 52" Sweep • 6" Downrod

- Integrated Light Uses 16W Dimmable LED (Included) 3 Year Warranty
- 1,100LM 3,000K CRI 80 Replacement LED Assembly (#6F844LK01)
- Hand Held Remote Control System Included (pg. 378)
- Maximum CFM High Speed 4,531/Low Speed 1,491



Energy Guide (Excluding Lights)

3,068	40	77	\$11
AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move



U.S. Patent(s): D750,213 Additional U.S. Patent(s) Pending











RCS213 Remote Control

- 3 Speed Fan ControlOn/Off Plus Full Range Light Dimmer



WAVE

truly unique design that draws inspiration from the ocean's Agraceful and tubular wave formations.

Features

Variable Blade Pitch • 3-Blades 52" Sweep • 6" Downrod

- Hand Held Remote Control System Included (pg. 378)
- Maximum CFM High Speed 4,818/Low Speed 1,657

Energy Guide (Excluding Lights)

(CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,229	43	76	\$12

and 6.4 hours use per day · Your cost depends on rates and use · The higher the airflow, the more air the fan will move





U.S. Patent(s): D715,419;









RCS213 Remote Control

· 3 Speed Fan Control



This clean contemporary powerhouse delivers the air flow of larger fans using DC motor technology to keep energy consumption to a minimum while the integrated DC LED light provides energy efficient illumination.

Features

15° Blade Pitch

5-Blades 56" Sweep

6" Downrod

- Integrated LED Light Uses 16W LED (Included) 3 Year Warranty
- •710LM 3,000K CRI 80 DC 125x30mm Motor
- · Hand Held Remote Control System Included (pg. 378)
- · Maximum CFM High Speed 6,276/Low Speed 1,717

Energy Guide (Excluding Lights)

	(WAITS)	(CHWIFEI WOII)	0031
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move










U.S. Patent(s): D788,283; D788,286; D802,114



SLEEK

Another smooth addition to our collection of three bladed ceiling fans boasts high performance with a contemporary rustic design. Energy efficient DC motor and an integrated 16 Watt LED light enhance this fresh and clean work of art.









A nother smooth addition to our collection of three bladed ceiling fans boasts high performance with a contemporary rustic design. Energy efficient DC motor and an integrated 16 Watt LED light enhance this fresh and clean work of art.

with LED Light

Features

12° Blade Pitch

3-Blades 60" Sweep

6" Downroa

- Integrated Light Uses 16W LED (Included) 3 Year Warranty
- •1,100LM 3,000K CRI 90 DC 172x12mm Motor
- · Hand Held Remote Control System Included (pg. 378)
- Maximum CFM High Speed 7,000/Low Speed 2,500 Estimated

*Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
4,186	23	184
*Estimated		



















RC600 Remote Control

- · 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer

AVIATION

nspired by the classic form of vintage aircraft propellers, our Aviation fans have an updated appeal, addressing a new audience with sleek, elegant lines and a combination of finish techniques compatible with today's trends.









AVIATION

nspired by the classic form of vintage aircraft propellers, our Aviation fans have an updated appeal, addressing a new audience with sleek, elegant lines and a combination of finish techniques compatible with today's trends.

Features

Variable Blade Pitch

- 3-Blades 60" Sweep
- 6" Downrod

- DC 120 x 25mm Motor
- Hand Held Remote Control System Included (pg. 378)
- · Maximum CFM High Speed 5,159/Low Speed 2,159
- Product Video Available on MinkaAire.com

Energy Guide (Excluding Lights)

03	(WATTS)	(CFM Per Watt)	COST \$5
 LOW	ENERGY	AIRFLOW	ESTIMATED
FM)	USE	EFFICIENCY	YEARLY ENERGY

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







U.S. Patent(s): D721,429; D721,800; D726,298











RC500 Remote Control

 \cdot 6 Speed Fan Control in Fwd and Rev

F853-BN/CL Brushed Nickel Finish • Coal Blades Shown on Previous Page



AVIATION

nspired by the classic form of vintage aircraft propellers, our Aviation fans have an updated appeal, addressing a new audience with sleek, elegant lines and a combination of finish techniques compatible with today's trends.

Features

Variable Blade Pitch · 3-Blades

- 3-Blades 60" Sweep
- 6" Downrod

- DC 120 x 25mm Motor
- Hand Held Remote Control System Included (pg. 378)
- Maximum CFM High Speed 5,159/Low Speed 2,159
- Product Video Available on MinkaAire.com

Energy Guide (Excluding Lights)

3,703	(WATTS)	(CFM Per Watt)	COST \$5
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)		EFFICIENCY	YEARLY ENERGY

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







U.S. Patent(s): D721,429; D721,800; D726,298











RC500 Remote Control

- · 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



nspired by the classic form of vintage aircraft propellers, our Aviation fans have an updated appeal, addressing a new audience with sleek, elegant lines and a combination of finish techniques compatible with today's trends. The new Aviation LED features an integrated 15 watt LED light.

Features

Variable Blade Pitch • 3-Blades 60" Sweep • 6" Downrod

- Integrated Light Uses 15W LED (Included)
- 955LM CRI 80 DC 120 x 25mm Motor
- · Hand Held Remote Control System Included (pg. 378)
- · Maximum CFM High Speed 5,159/Low Speed 2,159

Energy Guide (Excluding Lights)

03	(WATTS)	(CFM Per Watt)	COST \$5
 LOW	ENERGY	AIRFLOW	ESTIMATED
FM)	USE	EFFICIENCY	YEARLY ENERGY

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move



U.S. Patent(s): D721,429; D721,800; D726,298; Additional U.S. Patent(s) Pending











RC500 Remote Control

- · 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



nspired by the classic form of vintage aircraft propellers, our Aviation fans have an updated appeal, addressing a new audience with sleek, elegant lines and a combination of finish techniques compatible with today's trends. The new Aviation LED features an integrated 15 watt LED light.

Features

Variable Blade Pitch • 3-Blades 60" Sweep • 6" Downrod

- Integrated Light Uses 15W LED (Included)
- 955LM CRI 80 DC 120 x 25mm Motor
- · Hand Held Remote Control System Included (pg. 378)
- · Maximum CFM High Speed 5,159/Low Speed 2,159

Energy Guide (Excluding Lights)

(CFM)	(WATTS)	(CFM Per Watt)	YEARLY ENERGY COST
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED YEARLY ENERGY
(CFM)	USE	EFFICIENCY	

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move



U.S. Patent(s): D721,429; D721,800; D726,298; Additional U.S. Patent(s) Pending











RC500 Remote Control

- · 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



T he Cone lends an iconic presence to both indoor and outdoor settings for those who are looking for a blast from the past. This standard amongst designs offers a three, four and five blade option to suit everyone's preference as well as a clear and hooded light shade to create different lighting options.

Features

14° Blade Pitch • 5-Blades 54" Sweep • 6" Downrod

- Integrated Light Uses 20W Dimmable LED (Included) 3 Year Warranty
- 1,100LM 3,000K CRI 90 DC 123x30mm Motor
- · Removable Metal Ring around LED Light
- Optional Clear Lens in box Convertible into 3, 4 or 5 Blade
- · Hand Held Remote Control System Included (pg. 378)
- · Indoor/Outdoor Use ETL Listed for Wet Locations
- Maximum CFM High Speed 8,385 / Low Speed 2,563

Energy Guide (Excluding Lights)

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move











U.S. Patent(s): Pending









RC400 Remote Control

- 6 Speed Fan Control in Fwd and RevOn/Off Plus Full Range Light Dimmer



SIMPLE 52"

S o simple! We gave this wonderful design a name that best denotes it's spirit! Incredibly delicate and nearly invisible. This design best displays the advancement in technology with indoor/outdoor use, DC motor, optional LED light kit and a hand held remote.

Features

14° Blade Pitch

3-Blades 52" Sweep

6" Downrod

- · DC 123x30mm Motor
- · Custom 20W LED Light Kit K9787L Available (pg. 377) Sold Separately
- · Indoor/Outdoor Use ETL Listed for Wet Locations
- · Hand Held Remote Control System Included (pg. 378)
- · Maximum CFM High Speed 5,745/Low Speed 1,326

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,633	20	184	\$6

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move













SIMPLE 44"

S o simple! We gave this wonderful design a name that best denotes it's spirit! Incredibly delicate and nearly invisible. This design best displays the advancement in technology with indoor/outdoor use, DC motor, optional LED light kit and a hand held remote.

Features

26° Blade Pitch

3-Blades 44" Sweep

6" Downrod

- DC 123x30mm Motor
- · Custom 20W LED Light Kit K9787L Available (pg. 377) Sold Separately
- · Indoor/Outdoor Use ETL Listed for Wet Locations
- · Hand Held Remote Control System Included (pg. 378)
- Maximum CFM High Speed 5,323/Low Speed 1,615

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST	
3,572	29	122	\$8	
All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use per day • Your cost depends on rates and use • The higher the airflow, the more air the fan will move				















A sleek, well proportioned, contemporary design featuring an integrated 20 watt LED with a 60-inch sweep. The Force by Minka-Aire® will make a design statement in any décor.

Features

Variable Blade Pitch • 3-Blades 60" Sweep • 6" Downrod

- Integrated LED Light Uses 20W LED (Included) 3 Year Warranty
- •750LM 3,000K CRI 90 DC 123x30mm Motor
- · Hand Held Remote Control System Included (pg. 378)
- · Custom LED Kit K9838L Avaiable (pg.377) Sold Separately
- Maximum CFM High Speed 4,438/Low Speed 281

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
2,364	30	79	\$8

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move





U.S. Patent(s): D807,492; D807,493; D824,508 Additional U.S. Patent(s) Pending











RC400 Remote Control

- 6 Speed Fan Control in Fwd and RevOn/Off Plus Full Range Light Dimmer

ROTO

Roto features a sleek and contemporary design with a classic industrial look. Well edited and an impeccably executed design features a slight "fold" construction along the length of the blades to increase the flow of air. A perfect marriage of form and function.









ROTO

oto features a sleek and contemporary design with a classic K industrial look. Well edited and an impeccably executed design features a slight "fold" construction along the length of the blades to increase the flow of air. A perfect marriage of form and function.

Features

22° Blade Pitch

3-Blades 52" Sweep

6" Downrod

- Aluminum Construction
- · 2 Wire Wall Control System Included (pg.378)
- · Convertible to Electronic Control System
- · Maximum CFM High Speed 4,623/Low Speed 1,553



Product Video Available on MinkaAire.com

Energy Guide (Excluding Lights)

(CFM)	USE	EFFICIENCY	YEARLY ENERGY
	(WATTS)	(CFM Per Watt)	COST
3,090	31	101	\$9

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move



U.S. Patent(s): D750,221 Additional U.S. Patent(s) Pending







WC105-WH Wall Control

- · 4 Speed Fan Control
- · 2-Wire Installation

ARTEMIS™IV

ur next generation of Artemis™ continues the tradition of curves and curls lending the feel of kinetic sculpture to any contemporary setting. An integrated 15 watt LED light provides energy efficient illumination. This 4-blade gem is offered in new finish selections, providing a uniqueness all its own.











ur next generation of Artemis™ continues the tradition of curves and curls lending the feel of kinetic sculpture to any contemporary setting. An integrated 15 watt LED light provides energy efficient illumination. This 4-blade gem is offered in new finish selections, providing a uniqueness all its own.

Features

Variable Blade Pitch • 4-Blades 64" Sweep • 6" Downrod

- Integrated Light Uses 15W LED (Included) 3 Year Warranty
- DC 123x30mm Motor
- · Hand Held Remote Control System Included (pg. 378)
- · Cap for Non-Light Use Included
- · Maximum CFM High Speed 8,520/Low Speed 2,913

Energy Guide (Excluding Lights)

8.520	52	166
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)

















RC400 Remote Control

- 6 Speed Fan Control in Fwd and RevOn/Off Plus Full Range Light Dimmer

RAPTOR

This contemporary design is coupled with the energy saving advancements of DC motor technology and an integrated 17 watt LED light source. An option of three transitional finishes.









RAPTOR with LED Light

This contemporary design is coupled with the energy saving advancements of DC motor technology and an integrated 16 watt LED light source. An option of three transitional finishes.

Features

12° Blade Pitch

5-Blades 60" Sweep

6" Downrod

- Integrated Light Uses 16W LED (Included) 3 Year Warranty
- 1,100LM 3,000K CRI 90 DC 172x12mm Motor
- · Hand Held Remote Control System Included (pg. 378)
- Maximum CFM High Speed 6,710/Low Speed 1,894



Energy Guide (Excluding Lights)

4,183	(WATTS)	(CFM Per Watt)	COST \$5
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move



U.S. Patent(s): D825,050; D833,593









RC600 Remote Control

- · 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer





The Mojave's focus, inspired by rolling dunes of the California desert, provides a clean, cool appearance for the hottest environments. The variable pitch blades, powered by the latest DC technology, will leave you feeling anything but desolate.

Features

Variable Blade Pitch

- 3-Blades 56" Sweep
- 6" Downrod
- · Integrated Light Uses 20W LED (Included) 3 Year Warranty
- \cdot 1,100LM \cdot 3,000K \cdot CRI 90 \cdot DC 123x30mm Motor
- Hand Held Remote Control System Included (pg. 378)
- Maximum CFM High Speed 7,594/Low Speed 2,547

Energy Guide (Excluding Lights)

(CFM)	USE	EFFICIENCY	YEARLY ENERGY
	(WATTS)	(CFM Per Watt)	COST
5,127	31	164	\$9

All estimates based on typical use · Based on 12 cents per kWh and 6.4 hours use per day · Your cost depends on rates and use · The higher the airflow, the more air the fan will move



















RC400 Remote Control

- · 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer

ARTEMIS™

The distinct profile of the Artemis[™] is captured by the Flying Vanes[™] that incorporate the fan housing. A true design statement!









ARTEMISTM With LED Light

he distinct profile of the Artemis™ is captured by the Flying Vanes™ that incorporate the fan housing. A true design statement!

Winner of the 2005 Chicago Athenaeum: Museum of Architecture and Design's Good Design Award.

Features

Variable Blade Pitch • 3-Vanes 58" Sweep • 6" Downrod

- · Contoured Aerodynamic Vanes
- Integrated Light Uses 17W Dimmable LED (Included) 3 Year Warranty
- •800LM 3,000K CRI 81 Cap for Non-Light Use Included
- Full Funtion Wall Control System Included (pg. 378)
- · Maximum CFM High Speed 5,284/Low Speed 2,587



Energy Guide (Excluding Lights)

3,903	01		V
3,983	61	65	\$17
(CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move



U.S. Patent(s): D535,011; D535,015; D535,387; D535,388; D536,083; 7,481,626





DISTINCT PROFILE





WCS212 Wall Control

- · 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer





 $^{\blacksquare}$ he distinct profile of the Artemis $^{\intercal}$ is captured by the Flying Vanes $^{\intercal}$ that incorporate the fan housing. A true design statement!

Features

Variable Blade Pitch •

3-Vanes 58" Sweep

6" Downrod

- · Contoured Aerodynamic Vanes
- Integrated Light Uses 17W Dimmable LED (Included) 3 Year Warranty
- · 800LM · 3,000K · CRI 81 · Cap for Non-Light Use Included
- Full Function Wall Control System Included (pg. 378)
- Maximum CFM High Speed 5,284/Low Speed 2,587



Product Video Available on MinkaAire.com

Energy Guide (Excluding Lights)

(CFM)	USE	EFFICIENCY	YEARLY ENERGY
	(WATTS)	(CFM Per Watt)	COST
3,983	61	65	\$17

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







U.S. Patent(s): D535,011; D535,015; D535,387; D535,388; D536,083; 7,481,626











WCS212 Wall Control

- · 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer





he distinct profile of the Artemis™ is captured by the Flying Vanes™ that incorporate the fan housing. A true design statement!

Features

Variable Blade Pitch • 3-Vanes 58" Sweep • 6" Downrod

- · Contoured Aerodynamic Vanes
- Integrated Light Uses 17W Dimmable LED (Included) 3 Year Warranty
- · 800LM · 3,000K · CRI 81 · Cap for Non-Light Use Included
- Full Function Wall Control System Included (pg. 378)
- · Maximum CFM High Speed 5,284/Low Speed 2,587



Product Video Available on MinkaAire.com

Energy Guide (Excluding Lights)

(CFM)	USE	EFFICIENCY	YEARLY ENERGY
	(WATTS)	(CFM Per Watt)	COST
3,983	61	65	\$17

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







U.S. Patent(s): D535,011; D535,015; D535,387;











WCS212 Wall Control

- · 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



ARTEMIS™ XL5 with LED Light

The big brother of our original Artemis™, the distinct profile of the Artemis[™] XL5 is captured by the five Flying Vanes[™] that encase the fan housing - creating a true design statement!

Features

Variable Blade Pitch •

- 5-Blades 62" Sweep 6" Downrod
- Integrated Light Uses 16W Dimmable LED (Included) 3 Year Warranty
- •1,100LM 3,000K CRI 90 DC 172x25mm Motor
- · Hand Held Remote Control System Included (pg. 378)
- · Cap for Non-Light Use Included
- · Maximum CFM High Speed 6,245/Low Speed 3,461

Energy Guide (Excluding Lights)

4,820	26	183	\$7
AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use per day • Your cost depends on rates and use • The higher the airflow, the more air the fan will move










U.S. Patent(s): D721,430









Though simple in shape Orb offers detail and accenting that elevates this common form to a conversation piece in any home. Inspired by vintage pendants with a modern appeal, Orb is flawlessly implemented, and difficult to overlook.

Features

14° Blade Pitch

4-Blades 54" Sweep

6" Downrod

- Integrated Light Uses 16W LED (Included) 3 Year Warranty
- 1,100LM 3,000K CRI 90
- · Hand Held Remote Control System Included (pg. 378)
- Maximum CFM High Speed 5,500/Low Speed 2,000 Estimated

*Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
3,521	45	79
*Estimated		

















RCS213 Remote Control

- · 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



with LED Light

ersatile, industrial styling and creative details are the key to Spectre. The distinctive blade irons hug the fan body, providing a unique look compatible with contemporary environments.

Features

14° Blade Pitch

4-Blades 60" Sweep

- Integrated LED Light Uses 17W LED (Included) 3 Year Warranty
- •1,100LM 3,000K CRI 80 DC 188x10mm Motor
- · Hand Held Remote Control System Included (pg. 378)
- Maximum CFM High Speed 6,498/Low Speed 1,639



Product Video Available on MinkaAire.com

Energy Guide (Excluding Lights)

4.204	(WATTS)	(CFM Per Watt)	cost \$6
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







U.S. Patent(s): D778,422; D779,052; D779,093; D792,577; D806,226; D808,513; Add'I U.S. Patent(s) Pending



CREATIVE DETAILS





RC400 Remote Control

- · 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



ersatile, industrial styling and creative details are the key to Spectre. The distinctive blade irons hug the fan body, providing a unique look compatible with contemporary environments.

Features

14° Blade Pitch

4-Blades 60" Sweep

6" Downrod

- Integrated LED Light Uses 17W LED (Included) 3 Year Warranty
- •1,100LM 3,000K CRI 80 DC 188x10mm Motor
- · Hand Held Remote Control System Included (pg. 378)
- · Maximum CFM High Speed 6,498/Low Speed 1,639



Product Video Available on MinkaAire.com

Energy Guide (Excluding Lights)

4.204	21	198	\$6
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move









U.S. Patent(s): D778,422; D779,052; D779,093; D792,577; D806,226; D808,513; Add'I U.S. Patent(s) Pending









RC400 Remote Control

- · 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



PANCAKE XL

A 62" version of our successful Pancake fan includes an integrated 20 watt LED light. Our Pancake XL LED ceiling fan magically houses all the necessary components of a high performance ceiling fan into the same slim body. Minimal, elegant and smooth, the profile is narrow, allowing for an unobtrusive, non-competing addition to any room. Go big!

Features

12° Blade Pitch

4-Blades 62" Sweep

6" Downrod

- Integrated LED Light Uses 20W LED (Included)
- •1,300LM CRI 80 Max Ceiling Slope Angle 18°
- DC 188x14mm Motor 6" Internally Threaded Downrod
- · Hand Held Remote Control System Included (pg. 378)
- Maximum CFM High Speed 6,723/Low Speed 3,122

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
4,949	13	395	\$4

All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use per day • Your cost depends on rates and use • The higher the airflow, the more air the fan will move









U.S. Patent(s): D750,215; D750,219; 9,810,227 Additional U.S. Patent(s) Pending











RC500 Remote Control

· 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



PANCAKE

our Pancake ceiling fan magically houses all the needed components of a high performance ceiling fan in a slim 3-inch deep body. Minimal, elegant and smooth, the profile is narrow, allowing for an unobtrusive, non-competing addition to any room.

Features

12° Blade Pitch

4-Blades 52" Sweep

6" Downrod

- 6" Internally Threaded Downrod Max Ceiling Slope Angle 18°
- Full Function Hand Held Remote Control System Included (pg. 378)
- Maximum CFM High Speed 3,941/Low Speed 780

Energy Guide (Excluding Lights)

2,464	40	62	\$11
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move





U.S. Patent(s): D750,215; D750,219; 9,810,227; Additional U.S. Patent(s) Pending









RCS212 Remote Control

· 3 Speed Fan Control in Fwd and Rev

JAVA

Inka-Aire's "everywhere" fan with a unique contemporary twist that is suitable for all environments.











M inka-Aire's "everywhere" fan with a unique contemporary twist that is suitable for all indoor or outdoor environments. The Java LED features an integrated 17 watt LED light.

Features

14° Blade Pitch

3-Blades 54" Sweep

6" Downrod

- Integrated Light Uses 17W LED (Included) 3 Year Warranty
- 630LM 3,000K CRI 80
- Hand Held Remote Control System Included (pg. 378)
- · Indoor/Outdoor Use UL Listed for Wet Locations
- Maximum CFM High Speed 5,846/Low Speed 2,898

Energy Guide (Excluding Lights)

4.394	(WATTS)	(CFM Per Watt)	COST \$9
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move









UNIQUE PROFILE





RCS213 Remote Control

- · 3 Speed Fan Control
- · On/Off Plus Full Range Light Dimmer





Inka-Aire's "everywhere" fan with a unique contemporary twist that is suitable for all indoor or outdoor environments. The Java LED features an integrated 17 watt LED light.

Features

14° Blade Pitch

3-Blades 54" Sweep

6" Downrod

- Integrated Light Uses 17W LED (Included) 3 Year Warranty
- 630LM 3,000K CRI 80
- Hand Held Remote Control System Included (pg. 378)
- \cdot Indoor/Outdoor Use UL Listed for Wet Locations
- Maximum CFM High Speed 5,846/Low Speed 2,898

Energy Guide (Excluding Lights)

4.394	34	131	\$9
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move















RCS213 Remote Control

- 3 Speed Fan ControlOn/Off Plus Full Range Light Dimmer



JAVA

M inka-Aire's "everywhere" fan with a unique contemporary twist that is suitable for all environments.

Features

14° Blade Pitch

3-Blades 54" Sweep

6" Downrod

- Hand Held Remote Control System Included (pg. 378)
- Indoor/Outdoor Use UL Listed for Wet Locations
- Maximum CFM High Speed 5,357/Low Speed 2,783

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
4,113	32	128	\$9
and 6.4 hou	ırs use per da	pical use • Based on 1 y • Your cost depends ne more air the fan w	on rates and use







UNIQUE PROFILE





RCS213 Remote Control

· 3 Speed Fan Control



JAVA

M inka-Aire's "everywhere" fan with a unique contemporary twist that is suitable for all environments.

Features

14° Blade Pitch

3-Blades 54" Sweep

6" Downrod

- Hand Held Remote Control System Included (pg. 378)
- Indoor/Outdoor Use UL Listed for Wet Locations
- Maximum CFM High Speed 5,357/Low Speed 2,783

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
4,113	32	128	\$9







and 6.4 hours use per day · Your cost depends on rates and use · The higher the airflow, the more air the fan will move







RCS213 Remote Control

· 3 Speed Fan Control





T his contemporary design provides four variable pitch blades and a tiered motor housing for styling sophistication. SWEPT by Minka-Aire® has all the latest advancements in technology with a DC motor and 20 watt LED light. A hand held remote control is included.

Features

26° Blade Pitch

4-Blades 56" Sweep

6" Downrod

- $\cdot\, \text{Integrated Light Uses 20W Dimmable LED (Included) 3 Year Warranty}$
- \cdot 1,100LM \cdot 3,000K \cdot CRI 90 \cdot DC 123x30mm Motor
- Hand Held Remote Control System Included (pg. 378)
- Maximum CFM High Speed 8,177/Low Speed 2,508

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
8,177	42	195













RC400 Remote Control

- · 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



ALUMA

The Aluma is minimal in form with a youthful soft contemporary twist that makes it a fan with universal appeal.

Features

12° Blade Pitch

4-Blades 52" Sweep

6" Downrod

- Integrated Halogen Light Uses 1-100W Mini-Can Halogen Bulb (Included)
- · All Aluminum Construction · Cap for Non-Light Use Included
- · 4-Speed · Full Range Dimmer Included (pg.378)
- Convertible to Electronic Control System
- Maximum CFM High Speed 4,318/Low Speed 1,353

Energy Guide (Excluding Lights)

2,910	37	78	\$10
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST



All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move









WC106-WC Wall Control

· 4 Speed Fan Control · Full Range Light Dimmer · 3 Wire Installation





nspired by a Danish architect of the 1920s, this three-tiered light shade system fan best exemplifies the mid-century modern trends of today's interior design. The STACK is equipped with three 56" blades and DC motor technology with a 21 watt DC LED downlight and a 10 watt LED uplight.

Features

14° Blade Pitch

3-Blades 56" Sweep

6" Downrod

- Integrated Light Uses 21W Dimmable LED Downlight/10W Dimmable LED Uplight (included) 3 Year Warranty
- •1,100LM 3,000K CRI 80 DC 125x30mm Motor
- · Hand Held Remote Control System Included (pg. 378)
- · Maximum CFM High Speed 5,968/Low Speed 1,574

Energy Guide (Excluding Lights)

	(WATTS)	(CFM Per Watt)	COST
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY









All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use per day • Your cost depends on rates and use • The higher the airflow, the more air the fan will move







RC400 Remote Control

- · 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



SLIPSTREAM

S leek industrial styling destines this 8-bladed wonder to make a cool statement in any indoor or outdoor setting.

Features

14° Blade Pitch

8-Blades 65" Sweep

- 6" Downro
- Integrated Light Uses 1-18W GU24 Non-Diammable Squat CFL (Included)
- Galvanized Steel 6" Downrod Stainless Steel Hardware All Weather Blades
- DC 165x25mm Motor Cap for Non-Light Use (Included)
- · Hand Held Remote Control System Included (pg. 378)
- Indoor/Outdoor Use UL Listed for Wet Locations
- Maximum CFM High Speed 8,263/Low Speed 3,916

Energy Guide (Excluding Lights)

6,216	22	285	\$6
AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move









U.S. Patent(s): D715,917





DISTINCT PROFILE

F888-DK Distressed Koa Finish • Distressed Koa Blades • Tinted Opal Glass





RC400 Remote Control

- 6 Speed Fan Control in Fwd and RevOn/Off Plus Full Range Light Dimmer
- 65 INCH S W E E P



SLIPSTREAM

S leek industrial styling destines this 8-bladed wonder to make a cool statement in any indoor or outdoor setting.

Features

14° Blade Pitch

8-Blades 65" Sweep

6" Downro

- Integrated Light Uses 1-18W GU24 Non-Diammable Squat CFL (Included)
- Galvanized Steel 6" Downrod Stainless Steel Hardware All Weather Blades
- DC 165x25mm Motor Cap for Non-Light Use (Included)
- · Hand Held Remote Control System Included (pg. 378)
- Indoor/Outdoor Use UL Listed for Wet Locations
- Maximum CFM High Speed 8,263/Low Speed 3,916

Energy Guide (Excluding Lights)

6,216	22	285	\$6
AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use · Based on 12 cents per kWh and 6.4 hours use per day · Your cost depends on rates and use · The higher the airflow, the more air the fan will move









U.S. Patent(s): D715,917





F888-WHF Flat White Finish • Flat White Blades • Etched Opal Glass





RC400 Remote Control

- 6 Speed Fan Control in Fwd and RevOn/Off Plus Full Range Light Dimmer





CONCEPTTM II 52"

A s the name implies, "a taste of things to come", simple in style, yet ingenious by design, the ConceptTM II requires 75% less time and labor to assemble than conventional ceiling fans.

Features

14° Blade Pitch

3-Blades 52" Sweep

Flush Mount

- Integrated Light Uses 14W LED (Included) 3 Year Warranty
- \cdot 540LM \cdot 3,000K \cdot CRI 80 \cdot Hanging Depth 11.5" \cdot Concave Blades
- Full Function Hand Held Remote Control System Included (pg.378)
- · Cap for Non-Light Use Included
- · Maximum CFM High Speed 5,491/Low Speed 1,915
- *Accessory Blades Available (pg.394)

Energy Guide (Excluding Lights)

(W			COST
3,759	41	92	\$11

All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use per day • Your cost depends on rates and use • The higher the airflow, the more air the fan will move







U.S. Patent(s): 7,008,19











RCS212 Remote Control

- · 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer





A s the name implies, "a taste of things to come", simple in style, yet ingenious by design, the Concept $^{\mathsf{TM}}$ II requires 75% less time and labor to assemble than conventional ceiling fans.

Features

14° Blade Pitch

3-Blades 44" Sweep

Flush Mount

- Integrated Light Uses 14W LED (Included) 3 Year Warranty
- 540LM 3,000K CRI 80 Hanging Depth 11.5" Concave Blades
- Full Function Hand Held Remote Control System Included (pg. 378)
- · Cap for Non-Light Use Included
- · Maximum CFM High Speed 3,783/Low Speed 1,479
- *Accessory Blades Available (pg.394)

Energy Guide (Excluding Lights)

2,629	29	92	\$8
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







U.S. Patent(s): 7,008,192











RCS212 Remote Control

- · 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



he Bling fan combines a sleek contemporary Chrome body and hardware with a relaxed lamp shade bedazzled with crystal. The integrated light is equipped with three – 4 watt LED Bulbs. The ample wood blades, attached with gem-like faceted blade arms, provide significant air movement for any environment.

Features

14° Blade Pitch

5-Blades 56" Sweep

6" Downrod

- Integrated LED Light Uses 3-4W LED (Included) 3 Year Warranty
- 1,100LM 2,700K CRI 80 DC 125x30mm Motor
- · Hand Held Remote Control System Included (pg. 378)
- · Maximum CFM High Speed 6,019/Low Speed 1,523



Product Video Available on MinkaAire.com

Energy Guide (Excluding Lights)

6,000	33	(CFM Per Watt)
AIRFLOW	ENERGY USE	AIRFLOW
(CFM)	(WATTS)	EFFICIENCY









CRYSTAL SHADE





RC400 Remote Control

- 6 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer

WING

A unique 52" single wing fan that transcends all conventional designs. Winner of the 2010 Chicago Athenaeum: museum of Architecture and Design's Good Design Award.









WING

A unique 52" single wing fan that transcends all conventional designs.

Winner of the 2010 Chicago Athenaeum: Museum of Architecture and Design's Good Design Award.

Features

Variable Blade Pitch

1-Wing 52" Sweep

6" Downrod

- DC 125x30mm Motor
- · Hand Held Remote Control System Included (pg. 378)
- Maximum CFM High Speed 5,667/Low Speed 1,805

Energy Guide (Excluding Lights)

B55	(WATTS)	(CFM Per Watt)	COST
 FLOW (FM)	ENERGY	AIRFLOW EFFICIENCY	ESTIMATED YEARLY ENERGY

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move



U.S. Patent(s): D678,977; 9,004,863 Additional U.S. Patent(s) Pending





UNIQUE **DESIGN**







RC400 Remote Control

- 6 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer





S abot's sleek, contemporary design has created a vision for today's interiors. Its low profile provides maximum air management in rooms with minimal ceiling heights. The Sabot's integrated, energy efficient LED light will bring any room to life.

Features

12° Blade Pitch

5-Blades 52" Sweep

6" Downrod

- Integrated LED Light Uses 16W LED (Included) 3 Year Warranty
- \cdot 1,100LM \cdot 3,000K \cdot CRI 90 \cdot DC 172x12mm Motor
- Hand Held Remote Control System Included (pg. 378)
- Maximum CFM High Speed 4,348/Low Speed 960

Energy Guide (Excluding Lights)

2.797	22	126	\$6
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move



U.S. Patent(s): D795,412; D804,646; D831,187 Additional U.S. Patent(s) Pending





F745-DK Distressed Koa Finish • Reversible Medium Maple/Dark Walnut Blades • White Lens



F745-BN Brushed Nickel Finish • Silver Blades • White Lens





RC600 Remote Control

- · 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



The essence of simplicity and elegance, the Flyte® fan's combination of integrated halogen light and distinctive hanging system gives this contemporary design a compelling and sophisticated presence.

Features

14° Blade Pitch

3-Blades 56" Sweep

Downlink™

- Includes 9" Downlink™ Hanging System with ½" I.D. Downrod
- Integrated Halogen Light Uses 1-100W Mini-Can Bulb (Included)
- Suitable for Installation on Vaulted Ceilings up to 21°
- Capable of using 3½" Downrod for Low Ceiling Application (Part #DR235-44 and #DR235-BN)
- · Wall Control System Included (pg.378)
- Maximum CFM High Speed 6,342/Low Speed 2,232
- *Accessory Blades Available (pg.394) * Downlink™ Options Available (pg.390)

Energy Guide (Excluding Lights)

4,389	44	100	\$12
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST





All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







WCS213 Wall Control

- 3 Speed Fan ControlOn/Off Plus Full Range Light Dimmer

WAVEII

wave II is a 2-blade addition to the distinctive designs of the Wave and the Light Wave series. The uncompromising design, though minimalistic, provides maximum air flow while becoming a conversation piece to enjoy for years to come.









WAVEII

ave II is a 2-blade addition to the distinctive designs of the Wave and the Light Wave series. The uncompromising design, though minimalistic, provides maximum air flow while becoming a conversation piece to enjoy for years to come.

Features

Variable Blade Pitch • 2-Blades 60" Sweep • 6" Downrod

- · DC 168x8mm Motor
- · Hand Held Remote Control System Included (pg. 378)
- Maximum CFM High Speed 4,231/Low Speed 1,158

Energy Guide (Excluding Lights)

(CFM)	(WATTS)	(CFM Per Watt)
AIRFLOW	ENERGY USE	AIRFLOW







U.S. Patent(s): Pending



MINIMAL DESIGN







RC400 Remote Control

• 6 Speed Fan Control in Fwd and Rev





esigned with the futuristic styling of the late 1950s & early 1960s, Slant by Minka-Aire® harkens back to the mid-century modern era of architecture and technology. An integrated 18 watt LED light. Supported with three 36" slanted blades, this fan is best suited for smaller rooms, kitchens and bathrooms.

Features

20° Blade Pitch

3-Blades 36" Sweep

- 6" Downrod
- Integrated Light Uses 18W LED (Included) 3 Year Warranty
- 1,100LM 3,000K CRI 80 DC 125x20mm Motor
- · Hand Held Remote Control System Included (pg. 378)
- · Maximum CFM High Speed 2,080/Low Speed 615

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
2,393	16	153	\$4

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move









U.S. Patent(s): Pending







RC400 Remote Control

- 6 Speed Fan Control in Fwd and RevOn/Off Plus Full Range Light Dimmer



A n evolution of form and function merging today's technology with contemporary styling, this fan comes with an integrated light.

Winner of the 1999 Chicago Athenaeum: Museum of Architecture and Design's Good Design Award.

Features

14° Blade Pitch •

3-Blades 52" Sweep

6" Downrod

- Integrated Light Uses 1-100W Mini-Can Halogen Bulb (Included)
- Unique Wire Form Design Concave Blades Cap for Non-Light Use
- Full Function Wall Control System Included (pg. 378)
- · Maximum CFM High Speed 6,097/Low Speed 1,942

Energy Guide (Excluding Lights)

4,092	45	91	\$13
AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move





U.S. Patent(s): 6,354,801; 6,517,316











WCS212 Wall Control

- · 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



TRADITIONAL CONCEPTTM 52"

A variation on our best selling contemporary Concept $^{\text{TM}}$ II fan, this fan provides the same superb styling for your more traditional indoor and outdoor settings.

Features

14° Blade Pitch

3-Blades 52" Sweep

Flush Mount

- Integrated LED Light Uses 14W LED (Included) 3 Year Warranty
- 540LM 3,000K CRI 80 Total Hanging Depth 103/4 Drop From Ceiling
- Full Contol Wall Control System Included (pg. 378)
- · Cap for Non-Light Use (included)
- Indoor/Outdoor Use UL Listed for Wet Locations
- · Maximum CFM High Speed 5,203/Low Speed 2,116

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,638	40	91	\$11
All estimates	hased on tvr	nical use • Based on 12	cents nerkWh









All estimates based on typical use · Based on 12 cents per kWh and 6.4 hours use per day · Your cost depends on rates and use · The higher the airflow, the more air the fan will move









TRADITIONAL CONCEPT[™] 44"

A variation on our best selling contemporary Concept $^{\text{TM}}$ II fan, this fan provides the same superb styling for your more traditional indoor and outdoor settings.

Features

14° Blade Pitch

3-Blades 44" Sweep

Flush Mount

- Integrated LED Light Uses 14W LED (Included) 3 Year Warranty
- 540LM 3,000K CRI 80 Total Hanging Depth 103/4 Drop From Ceiling
- Full Function Wall Control System Included (pg. 378)
- · Cap for Non-Light Use (included)
- Indoor/Outdoor Use UL Listed for Wet Locations
- · Maximum CFM High Speed 3,959/Low Speed 1,500

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
2,682	35	77	\$10
All estimates			

All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use per day • Your cost depends on rates and use • The higher the airflow, the more air the fan will move

















$\mathsf{COMO}^{\mathsf{TM}}$

omo™ is a harmonious, versatile design with clean, comtemporary lines highlighted with subtle chrome, bronze and brushed nickel accents.

Features

14° Blade Pitch

5-Blades 54" Sweep

6" Downrod

- $\cdot \, \text{Integrated Light Uses 2-75W Mini-Can Halogen Bulbs (Included)} \\$
- Full Function Wall Control System Included (pg. 378)
- Maximum CFM High Speed 5,333/Low Speed 1,841

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,595	56	65	\$16





and 6.4 hours use per day · Your cost depends on rates and use · The higher the airflow, the more air the fan will move



 $\textbf{F603-ORB} \ \, \text{Oil Rubbed Bronze Finish} \cdot \text{Tobacco Blades} \cdot \text{Satin White Opal Glass}$



F603-WH White Finish · White Blades · Satin White Opal Glass





WCS212 Wall Control

- · 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer





Features

14° Blade Pitch • 3-Blades 44" or 52" Sweep • 6" Downrod

- Integrated Light Uses 14W LED (Included) 3 Year Warranty
- 540LM 3,000K CRI 80• Cap for Non-Light Use (Included)
- Full Function Hand Held Remote Control System Included (pg.378)
- Maximum CFM (44" Sweep) High Speed 3,558/Low Speed 1,619
- Maximum CFM (52" Sweep) High Speed 5,236/Low Speed 2,087
- *Accessory Blades Available (pg.394)



Energy Guide (Excluding Lights)

	AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
14"	2,646	29	92	\$8
52"	3,764	40	93	\$11

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







U.S. Patent(s): 7,008,192













RCS212 Remote Control

- · 3 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer



KEWL

A traditional design, now morphed to a contemporary style, creating a synergistic blend that's perfect for numerous settings.

Features

14° Blade Pitch

3-Blades 52" Sweep

6" Downrod

- 2-Wire Installation Wall Control Included (pg. 378)
- · Convertible to Electronic Control System
- Custom Finish Orders Accepted Minimum 200 Pieces Per Finish
- 90 Day Lead Time on Custom Orders
- Maximum CFM High Speed 5,010/Low Speed 1,507

Energy Guide (Excluding Lights)

3,349	31	107	\$9
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on I2 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move



U.S. Patent(s): D715,418; D726,299





• 4 Speed Fan Control •2-Wire Installation



Winner of the 2003 Chicago Athenaeum: Museum of Architecture and Design's Good Design Award.

Features

14° Blade Pitch · 3-Blades 25"/54" Sweep · 6" Downrod

- Integrated Light Uses 1-50W MR16 120V 2-Pin Halogen Bulb (Included)
- · Cap for Non-Light Use Included
- Full Function Wall Control System Included (pg.378)
- · Maximum CFM High Speed 4,437/Low Speed 1,956
- *Accessory Blades Available (pg.394)

Energy Guide (Excluding Lights)

4,888	50	84	\$14
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move





U.S. Patent(s): D510,621; D513,316; D514,689; D524,433; D549,816







ZEN

 $\begin{subarray}{ll} A \ clean \ modern \ profile \ is \ accentuated \ in \ three \ finish \ options. \end{subarray}$

Features

14° Blade Pitch

4-Blades 52" Sweep

6" Downrod

- $\cdot\, \text{Integrated Light Uses 2-13W Non-Dimmable GU24 CFL Bulbs (Included)}$
- · Cap for Non-Light Use (Included)
- Full Function Hand Held Remote Control System Included (pg. 378)
- Maximum CFM High Speed 6,158/Low Speed 1,879

Energy Guide (Excluding Lights)

4,102	45	92	\$13
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST





All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move











RCS212 Remote Control

- · 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



NEW ERA

Traditional in styling, yet defined by simple, soft lines.

Features

14° Blade Pitch

4-Blades 52" Sweep

6" Downrod

- Universal Light Kits Available K9380-1 & K9380-2 (pg. 370) Sold Separately
- Full Funtion Hand Held Remote Control System Included (pg. 378)
- Maximum CFM High Speed 4,845/Low Speed 1,815

Energy Guide (Excluding Lights)





All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move











RCS212 Remote Control

- · 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



AIRUS™

A irusTM is poetry in motion. Its graceful silhouette comfortably fits in any transitional setting. Featured uplight can be controlled independently of the halogen light below.

Features

14° Blade Pitch

5-Blades 54" Sweep

- 6" Downrod
- Integrated Uplight Uses 2-50W Mini-Can Halogen Bulbs (Included)
- $\cdot \, \text{Integrated Downlight Uses 2-50W Mini-Can Halogen Bulbs (Included)} \\$
- Wall Control System Independent Up/Downlight Control Included (pg.378)
- Maximum CFM High Speed 4,647/Low Speed 1,516

Energy Guide (Excluding Lights)

3,158	(WATTS)	(CFM Per Watt)	S13
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY





All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move











WCS212 Wall Control

- · 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



VINTAGE GYRO™

An addition to our popular $Gyro^{TM}$ family, the Vintage $Gyro^{TM}$ performs with the same efficiency and unsurpassed level of comfort as our other $Gyro^{TM}$ models, but with an early 20th Century style.

Features

20° Blade Pitch • Twin Turbo Fans Total Sweep 42" • 6" Downrod

- 720-1,350 R.P.M Fan Speeds Turbo Fan Heads Adjustable Up and Down
- · Complete Assembly Rotates 360° at 2 R.P.M
- Integrated Light Uses 1-100W Mini-Can Halogen Bulb (Included)
- Full Function Wall Control System Incorporating Fully Independent Fan Head Speeds and Axis Rotation (pg. 378)
- · Cap for Non-Light Use (Included)
- · Maximum CFM High Speed 1,770/Low Speed 1,240

Energy Guide (Excluding Lights)

1.439	(WATTS)	(CFM Per Watt)	COST \$10
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move





U.S. Patent(s): 6,832,902; 7,183,680: 7,229,255



F802-KA Kocoa Finish • Kocoa Blades • Tinted Opal Glass



F802-ORB Oil Rubbed Bronze Finish • Oil Rubbed Bronze Blades • Tinted Opal Glass



F802-BN/CH Brushed Nickel/Chrome Finish · Rosewood Blades · Etched Opal Glass



WCS212 Wall Control

- 3 Speed Fan Control in Fwd and Rev On/Off Plus Full Range Light Dimmer



TRADITIONAL GYRO™

A magnificent rendition of the original Gyro™ design, the traditional finish transcends the turns of time.

Features

20° Blade Pitch • Twin Turbo Fans Total Sweep 42" • 4½" and 12" Downrod

- •720-1,350 R.P.M Fan Speeds Turbo Fan Heads Adjustable Up and Down
- · Complete Assembly Rotates 360° at 2 R.P.M
- Integrated Light Uses 1-100W Mini-Can Halogen Bulb (Included)
- Full Function Wall Control System Incorporating Fully Independent Fan Head Speeds and Axis Rotation (pg. 378)
- · Cap for Non-Light Use (Included)
- · Maximum CFM High Speed 2,505/Low Speed 1,625

Energy Guide (Excluding Lights)

2.003	35	57	\$10
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use - Based on 12 cents per kWh and 6.4 hours use per day - Your cost depends on rates and use - The higher the airflow, the more air the fan will move







U.S. Patent(s): D523,548; D523,549; D523,550; D523,983; D524,438; D526,059; D526,400; D526,712; D530,810; D532,097; D567,350; 6,832,902; 7,183,680; 7,229,255 © 2004 Minka Lighting, Inc.





truly unique design offering an unsurpassed level of comfort. The Gyro™ fan's ability to precisely control the direction and intensity of the cooling breeze efficiently circulates air in any environment.

Features

20° Blade Pitch Twin Turbo Fans Total Sweep 42" • 6" Downrod

- 720-1,350 R.P.M Fan Speeds Turbo Fan Heads Adjustable Up and Down
- Complete Assembly Rotates 360° at 2 R.P.M
- Integrated Light Uses 1-100W Mini-Can Halogen Bulb (Included)
- Full Function Wall Control System Incorporating Fully Independent Fan Head Speeds and Axis Rotation (pg. 378)
- Cap for Non-Light Use (Included)
- · Maximum CFM High Speed 2,477/Low Speed 1,670
- Product Video Available on MinkaAire.com

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
2,037	35	58	\$10

All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use per day • Your cost depends on rates and use • The higher the airflow, the more air the fan will move







U.S. Patent(s): D489,443; D489,809; D490,146; 6,832,902;





GYRO™ WET

apturing the design elements of the original Gyro[™], the Gyro[™] Wet provides unsurpassed performance and comfort levels in the toughest environments. Rotating 360° and controlled by a wall control system, it offers wonderful cooling in any area and the option to stop and redirect air for maximum benefit.

Features

20° Blade Pitch • Twin Turbo Fans Total Sweep 42" • 6" Downrod

- \cdot 720-1,350 R.P.M Fan Speeds \cdot Turbo Fan Heads Adjustable Up and Down
- · Complete Assembly Rotates 360° at 2 R.P.M
- Integrated Light Uses 1-100W Mini-Can Halogen Bulb (Included)
- Full Function Wall Control System Incorporating Fully Independent Fan Head Speeds and Lighting Fixture (pg. 378)
- · Cap for Non-Light Use (Included) · Galvenized Steel Downrod
- · Indoor/Outdoor Use UL Listed for Wet Locations
- Maximum CFM High Speed 1,580/Low Speed 1,059

Energy Guide (Excluding Lights)

1,297	35	38	\$10
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use - Based on 12 cents per kWh and 6.4 hours use per day - Your cost depends on rates and use - The higher the airflow, the more air the fan will move









U.S. Patent(s): D489,443; D489,809; D490,146; 6,832,902; 7,183,680; 7,229,255





CAGE FREE GYROTM

A wonderful addition to our Gyro $^{\text{TM}}$ series. Simple, clean design featuring twin turbo fans, 16 watt LED and cage free blades allow for a classic transitional spirit.

Features

23° Blade Pitch • Twin Turbo Fans Total Sweep 37" • 4½" Downrod

- \cdot 800-1,470 R.P.M Fan Speeds \cdot Turbo Fan Heads Adjustable Up and Down
- Integrated Light Uses 16W LED (Included) 3 Year Warranty
- 1,352LM 2,700K CRI 80• Complete Assembly Rotates 360° at 2 R.P.M
- Full Function Wall Control System Incorporating Fully Independent Fan Head Speeds and Axis Rotation (pg.378)
- · Maximum CFM High Speed 2,686/Low Speed 1,479

Energy Guide (Excluding Lights)

2.122	76	28	\$21
AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move









U.S. Patent(s): D808,509; 6,832,902; 7,183,680; 7,229,255; Additional U.S. Patent(s) Pending





The Gyrette™ captures the design elements of the original Gyro™ in a smaller format. We have utilized flexible arms to maximize air circulation.

Features

14° Blade Pitch Twin Turbo Fans Total Sweep 36" 6" Downrod

- \cdot Turbo Fan Heads Adjustable Up and Down \cdot 30° Flexible Arms
- · Complete Assembly Rotates 360° at 2 R.P.M
- 3-Speeds 800, 1,090, 1,350 R.P.M Fan Speeds
- Full Function Hand Held Remote Control System Included (pg. 378)
- Maximum CFM High Speed 1,052/Low Speed 985

Energy Guide (Excluding Lights)

	AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
L	281	21	14	\$6

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move











ELEMENTAL GYROTM

lemental GyroTM is the newest addition to our GyroTM series. A clean, industrial spirit combined with a LED light source and etched opal glass. The GyroTM series continues to offer air movement throughout the entire room, or can be stopped to position air in only one area. Adjustable fan cages further enhance air movement.

Features

23° Blade Pitch • Twin Turbo Fans Total Sweep 42" • 6" Downrod

- \cdot 800-1,470 R.P.M Fan Speeds \cdot Turbo Fan Heads Adjustable Up and Down
- Integrated Light Uses 16WLED (Included) 3 Year Warranty
- •1,352LM •2,700K CRI 80 Complete Assembly Rotates 360° at 2 R.P.M
- Full Function Wall Control System Incorporating Fully Independent Fan Head Speeds and Axis Rotation (pg.378)
- · Maximum CFM High Speed 4,082/Low Speed 1,893

Energy Guide (Excluding Lights)

1,981	(WATTS)	(CFM Per Watt)	COST
AIRFLOW (CFM)	ENERGY	AIRFLOW	ESTIMATED YEARLY ENERGY

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move









U.S. Patent(s): D808,510; 6,832,902; 7,183,680; 7,229,255; Additional U.S. Patent(s) Pending







nspired by a great American inventor, Alva merges technology and history in a transitional design of timeless aesthetic value. With five Dark Walnut Solid Wood Blades and three medium base LED ferro bulbs, it will bring comfort and a refreshing look to your home or office.

Features

14° Blade Pitch

5-Blades 56" Sweep

6" Downrod

- Integrated Light Uses 3-6W LED Medium Base Ferro Bulb (Included)
- 1,100LM 3,000K CRI 80 DC 120x15mm Motor
- · Hand Held Remote Control System Included (pg. 378)
- Maximum CFM High Speed 7,045/Low Speed 3,304



Product Video Available on MinkaAire.com

Energy Guide (Excluding Lights)

ŀ	5,272	22	243	\$6
	AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

















RC500 Remote Control

- 6 Speed Fan Control in Fwd and RevOn/Off Plus Full Range Light Dimmer

GREAT ROOM TRADITIONAL

Great Room interiors require new ways to manage air. We have accomplished this with expanded blade spans, larger motors and enhanced housings in styles designed to complement those rooms.w









GREAT ROOM

G reat Room interiors require new ways to manage air. We have accomplished this with expanded blade spans, larger motors and enhanced housings in styles designed to complement those rooms.

Features

14° Blade Pitch

5-Blades 72" Sweep

6" Downrod

- Integrated Light Uses 18W LED (Included) 3 Year Warranty
- Universal Light Kit Adaptable K9376-1 and K9376-2 (pg.371) Sold Separately
- Full Function Wall Control Included (pg.378)
- Maximum CFM High Speed 9,071/Low Speed 3,679

Energy Guide (Excluding Lights)

6,846	65	106	\$18
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST















WCS212 Wall Control

- · 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer

72 INCH SWEEP

F539-HBZ Heirloom Bronze Finish Shown on Previous Page



DELANO®

Features

14° Blade Pitch

5-Blades 52" Sweep

- 6" Downrod
- Integrated Uplight Uses 6-15W Candelabra Bulbs (Included)
- Integrated Downlight Uses 2-50W Mini-Can Halogen Bulbs (Included)
- Wall Control System Independent Up/Downlight Included (pg.376)
- Maximum CFM High Speed 5,530/Low Speed 1,482

Energy Guide (Excluding Lights)

3,691	46	81	\$13
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST







ELEGANT FORM





WCS213 Wall Control

- · 3 Speed Fan Control
- On/Off Plus Full Range Light Dimmer



DELANO®

Features

14° Blade Pitch

5-Blades 52" Sweep

- 6" Downrod
- Integrated Uplight Uses 6-15W Candelabra Bulbs (Included)
- Integrated Downlight Uses 2-50W Mini-Can Halogen Bulbs (Included)
- Wall Control System Independent Up/Downlight Included (pg.378)
- Maximum CFM High Speed 5,530/Low Speed 1,482

Energy Guide (Excluding Lights)

3,691	46	81	\$13
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST







Reversible to Dark Maple Blades







WCS213 Wall Control

- 3 Speed Fan ControlOn/Off Plus Full Range Light Dimmer



DELANO® II

nspired by a long-time favorite, the Delano® II offers the same clean, neo-transitional look but with less than an 11-inch drop from the ceiling.

Features

14° Blade Pitch

5-Blades 52" Sweep

- Flush Mount
- · Ideal for Low Ceilings Less than 11" Drop from Ceiling
- Integrated Light Uses 2-50W Mini-Can Halogen Bulbs (Included)
- Full Function Wall Control System Included (pg.376)
- Maximum CFM High Speed 3,772/Low Speed 936

Energy Guide (Excluding Lights)

2,217	48	46	\$14
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move



U.S. Patent(s): D595,403; D597,655









WCS212 Wall Control

- · 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer

TIMELESS

A smooth blend of finish and form distinguishes the Timeless fan, enhanced by simple clean lines and a unique blade iron design.









TIMELESS

Asmooth blend of finish and form distinguishes the Timeless fan, enhanced by simple clean lines and a unique blade iron design.

Features

14° Blade Pitch

5-Blades 54" Sweep

6" Downrod

- 3 Speed Pull Chain
- · Universal Light Kit Available (pg.377) Sold Separately
- Maximum CFM High Speed 4,491/Low Speed 1,921

Energy Guide (Excluding Lights)

3,261	(WATTS)	(CFM Per Watt)	COST
AIRFLOW (CFM)	ENERGY	AIRFLOW EFFICIENCY	ESTIMATED YEARLY ENERGY





F614-HBZ Heirloom Bronze Finish Shown on Previous Page



TIMELESS

A smooth blend of finish and form distinguishes the Timeless fan, enhanced by simple clean lines and a unique blade iron design.

Features

14° Blade Pitch

5-Blades 54" Sweep

6" Downrod

- · 3 Speed Pull Chain
- · Universal Light Kit Available (pg.377) Sold Separately
- Maximum CFM High Speed 4,491/Low Speed 1,921

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,261	42	77	\$12







KOLA-XL

The Kola-XL 60-inch fan features the same design elements as the Kola 52-inch. It has been upgraded to provide the performance necessary for larger rooms and has the convenience of a remote control system.

Features

12° Blade Pitch

5-Blades 60" Sweep

- 6" Downrod
- Universal Light Kit Adaptable (pg.377) Sold Separately
- Hand Held Remote Control System Included (pg. 378)
- Maximum CFM High Speed 6,727/Low Speed 1,647

Energy Guide (Excluding Lights)

4.206	51	83	\$14
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST









F689-PW Pewter Finish • Reversible Dark Maple/Dark Walnut Blades



Shown with Dark Maple Blades Reversible to Dark Walnut Blades







RCS212 Remote Control

- · 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



KOLA

5 mooth lines with a sleek blade iron design and a robust body make the Kola a perfect complement to any home décor.

Features

12° Blade Pitch

5-Blades 52" Sweep

6" Downrod

- Universal Light Kit Adaptable (pg.377) Sold Separately
- · 3-Speed Pull Chain
- Maximum CFM High Speed 4,740/Low Speed 1,403

Energy Guide (Excluding Lights)

3,142	(WATTS)	(CFM Per Watt)	COST
AIRFLOW (CFM)	ENERGY	AIRFLOW EFFICIENCY	ESTIMATED YEARLY ENERGY







Reversible to Dark Maple Blades





KAFÉ-XL

 $S \ \text{imple elegance defined in rich finishes, the Kafé-XL brings an exciting look with enhanced features to our value collection.}$

Features

12° Blade Pitch

5-Blades 60" Sweep

- 6" Downrod
- Universal Light Kit Adaptable (pg.370) Sold Separately
- Full Function Hand Held Remote Control System Included (pg. 378)
- Maximum CFM High Speed 6,418/Low Speed 1,483

Energy Guide (Excluding Lights)

4.033	50	81	\$14
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST









Shown with Dark Walnut Blades Reversible to Dark Maple Blades





RCS212 Remote Control

- · 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



KAFÉ-XL

 $S \ \text{imple elegance defined in rich finishes, the Kafé-XL brings an exciting look with enhanced features to our value collection.}$

Features

12° Blade Pitch

5-Blades 60" Sweep

6" Downrod

- Universal Light Kit Adaptable (pg.370) Sold Separately
- Full Function Hand Held Remote Control System Included (pg. 378)
- Maximum CFM High Speed 6,418/Low Speed 1,483

Energy Guide (Excluding Lights)

4,033	50	81	\$14
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST















RCS212 Remote Control

- · 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



KAFÉ

 $S \ \text{imple yet elegant in several finishes, the Kafé brings a refreshing look} \\ \text{to our transitional collection.}$

Features

12° Blade Pitch

5-Blades 52" Sweep

6" Downrod


- Universal Light Kit Adaptable (pg.370) Sold Separately
- · 3-Speed Pull Chain
- Maximum CFM High Speed 5,741/Low Speed 1,518

Energy Guide (Excluding Lights)

3,696	(WAITS)	(CFM Per Watt)	COST
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY	ESTIMATED YEARLY ENERGY







KAFÉ

 $S \ \text{imple yet elegant in several finishes, the Kafé brings a refreshing look} \ \text{to our transitional collection}.$

Features

12° Blade Pitch

5-Blades 52" Sweep

6" Downrod

- Universal Light Kit Adaptable (pg.370) Sold Separately
- · 3-Speed Pull Chain
- Maximum CFM High Speed 5,741/Low Speed 1,518

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,696	44	84	\$12







our of our best selling finishes accent this fan, creating a decorative alternative to an everyday need. Includes glass bowl light kit and remote control system.

Features

14° Blade Pitch

5-Blades 52" Sweep

6" Downrod

- Bowl Light Kit Uses 3-60W Candelabra Bulbs (Included)
- · Cap for Non-Light Use (Included)
- Hand Held Remote Control System Included (pg. 378)
- Maximum CFM High Speed 4,588/Low Speed 2,022

Energy Guide (Excluding Lights)

3,389	(WATTS)	(CFM Per Watt)	COST
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY











F620-ORB Oil Rubbed Bronze Finish • Medium Maple Blades • Excavation Glass



F620-BCW Belcaro Walnut™ Finish • Dark Walnut Blades • Excavation Glass





RCS213 Remote Control

- 3 Speed Fan ControlOn/Off Plus Full Range Light Dimmer



SANTA LUCIA™

Features

14° Blade Pitch

5-Blades 60" Sweep

6" Downrod

- Integrated Uplight Uses 5-15W Candelabra Bulbs (Included)
- Integrated Downlight Uses 2-50W Mini-Can Halogen Bulbs (Included)
- Full function Wall Control System Included (pg.378)
- · Maximum CFM High Speed 5,837/Low Speed 2,696

Energy Guide (Excluding Lights)

(CFM)	USE (WATTS)	(CFM Per Watt)	YEARLY ENERGY COST
4,284	56	77	\$16

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







WCS212 Wall Control

· 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer

U.S. Patent(s): D556,882; D559,436; D568,984; D570,986; D574,948; D599,000; D599,466; 5,554,006© 2006 Minka Lighting, Inc.







NAPOLITM



Sterling Walnut™ Finish

Features

14° Blade Pitch

5-Blades 56" Sweep

12" Downrod

• Integrated Light Uses 2-50W Mini-Can Halogen Bulbs (Included)

- Full function Wall Control System Included (pg.378)
- Maximum CFM High Speed 5,609/Low Speed 2,370

Cluded) Matching Ceiling Medallion © 2005 Minka Lighting, Inc.

Energy Guide (Excluding Lights)

4,006	54	75	\$15
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use - Based on 12 cents per kWh and 6.4 hours use per day - Your cost depends on rates and use - The higher the airflow, the more air the fan will move







U.S. Patent(s): D513,532; D514,685; D514,690; D516,702; D521,627; D522,122





NAPOLI™ II



Sterling Walnut™ Finish Matching Ceiling Medallion

© 2005 Minka Lighting, Inc.

Features

14° Blade Pitch 5-Blades 56 or 68" Sweep • 12" Downrod

- Integrated Light Uses 2-50W Mini-Can Halogen Bulbs (Included)
- Full Function Wall Control System Included (pg.378)
- Maximum CFM High Speed 6,238/Low Speed 1,589

Energy Guide (Excludes Lighting)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
4,065	69	59	\$19

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







U.S. Patent(s): D513,532; D514,685; D514,690; D516,702; D521,627;





ld world hand-painted finishes accentuate the hand-carved details to create a traditional European style fan.

Features

14° Blade Pitch

5-Blades 54" Sweep

6" Downrod

- Integrated 3-Light Uses 3-60W Candelabra Bulbs (Included)
- · Hand Held Remote Control System Included (pg. 378)
- · Maximum CFM High Speed 4,970/Low Speed 1,884

Energy Guide (Excluding Lights)

3,479	46	76	\$13
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







RCS213 Remote Control

3 Speed Fan Control On/Off Plus Full Range Light Dimmer

© 2009 Minka Lighting, Inc.







CLASSICA

Old world hand-painted finishes accentuate the hand-carved details to create a traditional European style fan.

Features

14° Blade Pitch

5-Blades 54" Sweep

6" Downrod

- · 3-Speed Pull Chain
- · Universal Light Kit Adaptable (pg.370) Sold Separately
- · Custom Light Kit K9659 Available (pg.375) Sold Separately
- Maximum CFM High Speed 5,118/Low Speed 1,861

Energy Guide (Excluding Lights)

3,394	(WATTS)	(CFM Per Watt)	S12
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY

All estimates based on typical use - Based on 12 cents per kWh and 6.4 hours use per day - Your cost depends on rates and use - The higher the airflow, the more air the fan will move

© 2009 Minka Lighting, Inc.









CLASSICA

Old world hand-painted finishes accentuate the hand-carved details to create a traditional European style fan.

Features

14° Blade Pitch

5-Blades 54" Sweep

6" Downrod

- · 3-Speed Pull Chain
- · Universal Light Kit Adaptable (pg.377) Sold Separately
- · Custom Light Kit K9659 Available (pg.375) Sold Separately
- Maximum CFM High Speed 5,118/Low Speed 1,861

Energy Guide (Excluding Lights)

,	AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
17/	5,394	41	83	\$12

All estimates based on typical use - Based on 12 cents per kWh and 6.4 hours use per day - Your cost depends on rates and use - The higher the airflow, the more air the fan will move

^{© 2009} Minka Lighting, Inc.







VOLTERRA™

 \bigvee olterraTM is a neo-classical inspiration, incorporating an uplight with an integrated halogen downlight.

Features

14° Blade Pitch

5-Blades 52" Sweep

- 6" Downrod
- Integrated Uplight Uses 6-15W Candelabra Bulbs (Included)
- Integrated Downlight Uses 2-50W Mini-Can Halogen Bulbs (Included)
- Wall Control System Independent Up/Downlight Included (pg.378)
- · Maximum CFM High Speed 5,243/Low Speed 1,868

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,652	47	78	\$13

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







© 2002 Minka Lighting, Inc.





CALAISTM

legance, style and performance for low ceiling applications, this fan has less than an 11-inch drop from ceiling to cap.

Features

14° Blade Pitch • 5-Blades 52" Sweep • Flush Mount

- · Ideal for Low Ceilings Less than 11" Drop from Ceiling
- Integrated Light Uses 2-60W Candelabra Bulbs (Included)
- Hand Held Control System Independent Up/Downlight Included (pg.376)
- Maximum CFM High Speed 6,050/Low Speed 2,150

Energy Guide (Excludes Lighting)

2,854	(WATTS)	(CFM Per Watt)	COST \$14
(CFM)	USE	AIRFLOW EFFICIENCY (CEM Per Worth)	YEARLY ENERGY

All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use per day • Your cost depends on rates and use • The higher the airflow, the more air the fan will move







U.S. Patent(s): D526,714; D527,094; D530,415; D532,896; D536,777



CRISTAFANO™

Features

14° Blade Pitch

5-Blades 68" Sweep

• 16" Downrod

- Precision Machine Cut and Polished Lead-Free SPECTRA® CRYSTAL
- Integrated Uplight Uses 5-15W Candelabra Bulbs (Included)
- Integrated Downlight Uses 2-50W Mini-Can Halogen Bulbs (Included)
- Full Function Wall Control System Included (pg.376)
- Maximum CFM High Speed 7,885/Low Speed 3,038

Energy Guide (Excluding Lights)

5,438	63	86	\$18
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







© 2005 Minka Lighting, Inc.



SPECTRA CRYSTAL





WCS212 Wall Control

- · 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer

68 INCH SWEEP

OUTDOOR COLLECTION

inka-Aire® recognizes a need in today's al fresco lifestyle by offering an Outdoor Series of ceiling fans. All are UL or ETL Listed for wet location usage, making these fans perfect for patios, porches, and other exposed areas. Motor housings and blades are fully protected against water and all weather conditions. Particular models have a combined waterproof light kit to provide additional lighting outdoors. These fans feature various designer finishes to complement your patio furniture.

Now you are able to enjoy a wonderful breeze on your patio, in your gazebo, or over your outdoor spa! Of course, you may use all of these models indoors as well.













ANYWHERE

he first wall mount fan in the industry to be wet-rated brings a contemporary look and feel to any indoor or outdoor environment. ANYWHERE can be mounted to a standard electrical box or plugged in to an outlet. ANYWHERE is designed to conform to any décor and to any climate. Oscillating cool comfort where a ceiling fan may not be an option.

Features

15" Diameter · 3-Blade Turbo Fan · Oscillates 45° Side to Side

- · 3 Speeds: 491, 650 and 985 R.P.M. · Steel Construction
- Manual Tilt 118" Heavy Duty Cord Length 3 Speed Pull Chain
- Convertible to hardware or wall plug One Year Limited Warranty
- · Indoor/Outdoor Use UL Listed for Wet Locations
- Maximum CFM High Speed 1,122/Low Speed 605



Product Video Available on MinkaAire.com



U.S. Patent(s): D835,252-D835,256-D835,253













XTREME H₂O 84"

A noutdoorversion of one of our most popular large fan introductions, this industrial sized fan lends itself to any setting. Xtreme H2O's clean, sleek, contemporary design, complete with a DC motor and a choice of sizes, makes it perfect for large areas indoor or outdoor.

Features

9° Blade Pitch

8-Blades 84" Sweep

6" Downrod

- DC 123x30mm Motor ABS Blades
- · Custom 20W LED Light Kit K9886L Available (pg. 377) Sold Separately
- · Hand Held Remote Control System Included (pg. 378)
- \cdot Indoor/Outdoor Use ETL Rated for Wet Locations
- \cdot Maximum CFM High Speed 11,157/Low Speed 5,075

Energy Guide (Excluding Lights)


AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
8,252	32	262	\$9
and 6.4 hou	ırs use per da	pical use • Based on 1 y • Your cost depends ne more air the fan w	on rates and use













RC400 Remote Control

• 6 Speed Fan Control in Fwd and Rev • On/Off Plus Full Range Light Dimmer





XTREME H₂O 65"

A noutdoor version of one of our most popular large fan introductions, this industrial sized fan lends itself to any setting. Xtreme H2O's clean, sleek, contemporary design, complete with a DC motor and a choice of sizes, makes it perfect for large areas indoor or outdoor.

Features

9° Blade Pitch

8-Blades 65" Sweep

6" Downrod

- DC 123x30mm Motor ABS Blades
- Hand Held Remote Control System Included (pg. 378)
- · Indoor/Outdoor Use ETL Rated for Wet Locations
- · Custom 20W LED Light Kit K9886L Available (pg. 377) Sold Separately
- Maximum CFM High Speed 9,092/Low Speed 3,800

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
6,565	32	205	\$9


All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move













RC400 Remote Control

6 Speed Fan Control in Fwd and RevOn/Off Plus Full Range Light Dimmer

65 INCH SWEEP



GYRO™ WET

apturing the design elements of the original $\mathsf{Gyro}^\mathsf{TM}$, the $\mathsf{Gyro}^\mathsf{TM}$ Wet provides unsurpassed performance and comfort levels in the toughest environments. Rotating 360° and controlled by a wall control system, it offers wonderful cooling in any area and the option to stop and redirect air for maximum benefit.

Features

20° Blade Pitch • Twin Turbo Fans Total Sweep 42" • 6" Downrod

- 720-1,350 R.P.M Fan Speeds Turbo Fan Heads Adjustable Up and Down
- Complete Assembly Rotates 360° at 3 R.P.M
- Integrated Light Uses 1-100W Mini-Can Halogen Bulb (Included)
- Full Function Wall Control System Incorporating Fully Independent Fan Head Speeds and Lighting Fixture (pg.376)
- · Cap for Non-Light Use (Included) · Galvenized Steel Downrod
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · Maximum CFM High Speed 1,580/Low Speed 1,059

Energy Guide (Excluding Lights)

1,297	35	38	\$10
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move











U.S. Patent(s): D489,443; D489,809; D490,146; 6,832,902; 7,183,680; 7,229,255





SIMPLE 52"

S o simple! We gave this wonderful design a name that best denotes it's spirit! Incredibly delicate and nearly invisible. This design best displays the advancement in technology with indoor/outdoor use, DC motor, optional LED light kit and a hand held remote.

Features

14° Blade Pitch •

3-Blades 52" Sweep

6" Downrod

- DC 123x30mm Motor
- · Hand Held Remote Control System Included (pg. 378)
- · Custom 20W LED Light Kit K9787L Available (pg.377) Sold Separately
- ·Indoor/Outdoor Use ETL Listed for Wet Locations
- · Maximum CFM High Speed 5,745/Low Speed 1,326

Energy Guide (Excluding Lights)

3,633	20	184	\$6
AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move













SIMPLE 44"

S o simple! We gave this wonderful design a name that best denotes it's spirit! Incredibly delicate and nearly invisible. This design best displays the advancement in technology with indoor/outdoor use, DC motor, optional LED light kit and a hand held remote.

Features

26° Blade Pitch

3-Blades 44" Sweep

6" Downrod

- · DC 123x30mm Motor
- · Hand Held Remote Control System Included (pg. 378)
- · Custom 20W LED Light Kit K9787L Available (pg.377) Sold Separately
- · Indoor/Outdoor Use ETL Listed for Wet Locations
- Maximum CFM High Speed 5,323/Low Speed 1,615

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,572	29	122	\$8

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move













GROTON

nspired by the clear Fresnel lens used in lighthouses along the coast of Connecticut, we are introducing our Groton collection. Classic design combined with nautical spirit in various finishes. All of which will suit both indoor and outdoor locations, as this fan has a UL wet rating.

Features

12° Blade Pitch

5-Blades 56" Sweep

- 10" Downrod
- Integrated Light Uses 2-50W Mini-Can Halogen Bulbs (Included)
- · Hand Held Remote Control System Included (pg. 378)
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · Maximum CFM High Speed 5,722/Low Speed 1,912

Energy Guide (Excluding Lights)

3.952	(WATTS)	(CFM Per Watt)	COST
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)		EFFICIENCY	YEARLY ENERGY

All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use per day • Your cost depends on rates and use • The higher the airflow, the more air the fan will move













NAUTICAL SPIRIT

F681-SDBK/WS Sand Black/Weathered Steel Finish • Charcoal Driftwood Blades • Clear Fresnel Lens





RCS212 Remote Control

- · 3 Speed Fan Control in Fwd and Rev
- · On/Off Plus Full Range Light Dimmer



GROTON

Features

12° Blade Pitch • 5-Blades 56" Sweep • 10" Downrod

- Integrated Light Uses 2-50W Mini-Can Halogen Bulbs (Included)
- · Hand Held Remote Control System Included (pg. 378)
- · Indoor/Outdoor Use UL Listed for Wet Locations
- Maximum CFM High Speed 5,722/Low Speed 1,912

Energy Guide (Excluding Lights)

3,952	36	108	\$10
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







U.S. Patent(s):D808,512; D812,215; D812,217; D821,559; Additional U.S. Patent(s) Pending





F681-WA/PW Weathered Aluminum/Pewter Finish • Dark Pine Blades • Clear Fresnel Lens



F681-PN Polished Nickel Finish • Silver Blades • Clear Fresnel Lens



Finish for Indoor Use Only



RCS212 Remote Control

- · 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



T he Cone lends an iconic presence to both indoor and outdoor settings for those who are looking for a blast from the past. This standard amongst designs offers a three, four and five blade option to suit everyone's preference as well as a clear and hooded light shade to create different lighting options.

Features

14° Blade Pitch • 5-Blades 54" Sweep • 6" Downrod

- Integrated Light Uses 20W Dimmable LED (Included) 3 Year Warranty
- 1,100LM 3,000K CRI 90 DC 123x30mm Motor
- · Removable Metal Ring around LED Light
- Optional Clear Lens in box Convertible into 3, 4 or 5 Blade
- · Hand Held Remote Control System Included (pg. 378)
- · Indoor/Outdoor Use ETL Listed for Wet Locations
- Maximum CFM High Speed 8,385 / Low Speed 2,563

Energy Guide (Excluding Lights)

E 4	525	29	194	\$8
	FLOW FM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move












U.S. Patent(s): Pending













RC400 Remote Control

- 6 Speed Fan Control in Fwd and RevOn/Off Plus Full Range Light Dimmer



ROTO XL

Roto XL features a sleek and contemporary design with a classic industrial look. Well edited; an impeccably executed design features a slight "fold" construction along the length of the blades to increase the flow of air. A perfect marriage of form and function. Roto XL features a full 62-inch spread combined with a wet location specification use for indoor or outdoors.

Features

20° Blade Pitch

3-Blades 62" Sweep

6" Downrod

- Aluminum Construction
- · 2-Wire Wall Control System Included (pg.378)
- · Convertible to Electronic Control System
- · Indoor/Outdoor Use ETL Listed for Wet Locations
- Maximum CFM High Speed 5,927/Low Speed 2,526

Energy Guide (Excluding Lights)

	(WATTS)	(CFM Per Watt)	COST
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move





U.S. Patent(s): D750,221; Additional U.S. Patent(s) Pending













WC115 Wall Control

- · 4 Speed Fan Control
- · 2-Wire Installation



L listed for use indoors and outdoors, furthering the versatility and timeless perfection that is the Concept™ I series. Concept™ I Wet is constructed of marine grade stainless steel to ensure long lasting appearance and function in the toughest environments.

Features

14° Blade Pitch

3-Blades 58" Sweep

6" Downrod

- · Marine Grade Stainless Steel Construction
- Integrated Light Uses 14W LED (Included) 3 Year Warranty
- 540LM 3,000K CRI 80 Cap for Non-Light Use Included
- Full Function Wall Control System Included (pg.378)
- · Indoor/Outdoor Use UL Listed for Non-Light Use
- Maximum CFM High Speed 5,491/Low Speed 2,573

Product Video Available on MinkaAire.com

Energy Guide (Excluding Lights)

4,103	44	93	\$12
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move









U.S. Patent(s): 7008 192



MARINE GRADE STAINLESS STEEL







WCS212 Wall Control

- · 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



he Concept™ I ceiling fan collection is the most successful series in the history of Minka-Aire®. It is only natural that we would produce a new version that is UL listed for use indoors and outdoors, furthering the versatility and timeless perfection that is the Concept $^{\mathsf{TM}}$ I series.

Features

14° Blade Pitch

3-Blades 52" Sweep

6" Downrod

- · Construction Grade Polymer
- Integrated Light Uses 14W LED (Included) 3 Year Warranty
- 540LM 3,000K CRI 80 Cap for Non-Light Use Included
- Full Function Wall Control System Included (pg.378)
- · Indoor/Outdoor Use UL Listed for Wet Locations
- Maximum CFM High Speed 5,389/Low Speed 3,262



Product Video Available on MinkaAire.com

Energy Guide (Excluding Lights)

4,108	37	112	\$10
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use per day • Your cost depends on rates and use • The higher the airflow, the more air the fan will move









LLS Patent(s): 7008 192







Shown with Cap for Non-Light Use



WCS212 Wall Control

- · 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer

CONCEPTTM II

As the name implies, the ConceptTM II Wet ceiling fan is "a taste of things to come." Simple in style, yet ingenious by design and UL Listed for wet locations.









CONCEPT™ II WET 52"

A s the name implies, the Concept™ II Wet ceiling fan is "a taste of things to come." Simple in style, yet ingenious by design and UL Listed for wet locations.

Features

14° Blade Pitch

3-Blades 52" Sweep

Flush Mount

- · Construction Grade Polymer
- · Ideal for Low Ceilings Total Hanging Depth 12" Drop from Ceilings
- Integrated Light Uses 14W LED (Included) 3 Year Warranty
- 540LM 3,000K CRI 80 Cap for Non-Light Use Included
- Full Function Wall Control System Included (pg.378)
- · Indoor/Outdoor Use UL Listed for Wet Locations
- Maximum CFM High Speed 5,389/Low Speed 3,262
- Product Video Available on MinkaAire.com

Energy Guide (Excluding Lights)

3,990	(WATTS)	(CFM Per Watt)	cost \$10
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY

All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use per day • Your cost depends on rates and use • The higher the airflow, the more air the fan will move









U.S. Patent(s): 7,008,19





Shown with Cap for Non-Light Use



WCS212 Wall Control

- · 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



TRADITIONAL CONCEPT™ 52"

with LED Light

 $\label{eq:contemporary} \begin{tabular}{l} A variation on our best selling contemporary Concept$^{TM} II fan, this fan provides the same superb styling for your more traditional indoor and outdoor settings. \end{tabular}$

Features

14° Blade Pitch

3-Blades 52" Sweep

Flush Mount

- · Integrated LED Light Uses 14W LED (Included) 3 Year Warranty
- \cdot 540LM \cdot 3,000K \cdot CRI 80 \cdot Total Hanging Depth 10 $^{3}\!\!4$ Drop From Ceiling
- Full Contol Wall Control System Included (pg. 378)
- · Cap for Non-Light Use (included)
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · Maximum CFM High Speed 5,203/Low Speed 2,116

Energy Guide (Excluding Lights)

3,638	40	91	\$11
AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

















WCS212 Wall Control

- · 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



TRADITIONAL CONCEPT™ 44"

 $w \hspace{0.1cm} i \hspace{0.1cm} t \hspace{0.1cm} h \hspace{0.1cm} L \hspace{0.1cm} E \hspace{0.1cm} D \hspace{0.1cm} L \hspace{0.1cm} i \hspace{0.1cm} g \hspace{0.1cm} h \hspace{0.1cm} t \hspace{0.1cm}$

 $\label{eq:contemporary} A \ variation on our best selling contemporary Concept^{TM} II fan, this fan provides the same superb styling for your more traditional indoor and outdoor settings.$

Features

14° Blade Pitch

3-Blades 44" Sweep

- Flush Mount
- · Integrated LED Light Uses 14W LED (Included) 3 Year Warranty
- 540LM 3,000K CRI 80• Total Hanging Depth 103/4 Drop From Ceiling
- Full Function Wall Control System Included (pg. 378)
- · Cap for Non-Light Use (included)
- · Indoor/Outdoor Use UL Listed for Wet Locations
- Maximum CFM High Speed 3,959/Low Speed 1,500

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
2,682	35	77	\$10
All estimates based on typical use - Based on 12 cents per kWh			

















WCS212 Wall Control

- · 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



M inka-Aire's "everywhere" fan with a unique contemporary twist that is suitable for all indoor or outdoor environments. The Java LED features an integrated 17 watt LED light.

Features

14° Blade Pitch

3-Blades 54" Sweep

6" Downrod

- \cdot Integrated Light Uses 17W LED (Included) 3 Year Warranty
- 630LM 3,000K CRI 80
- · Hand Held Remote Control System Included (pg. 378)
- · Indoor/Outdoor Use UL Listed for Wet Locations
- Maximum CFM High Speed 5,846/Low Speed 2,898

Energy Guide (Excluding Lights)

4.394	(WATTS)	(CFM Per Watt)	cost \$9
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY















RCS213 Remote Control

- 3 Speed Fan ControlOn/Off Plus Full Range Light Dimmer



JAVA

M inka-Aire's "everywhere" fan with a unique contemporary twist that is suitable for all environments.

Features

14° Blade Pitch

3-Blades 54" Sweep

- 6" Downrod
- Hand Held Remote Control System Included (pg. 378)
- · Indoor/Outdoor Use UL Listed for Wet Locations
- Maximum CFM High Speed 5,357/Low Speed 2,783

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST	
4,113 32 128 \$9				
and 6.4 hou	ırs use per da	pical use • Based on 1 y • Your cost depends ne more air the fan w	on rates and use	











RCS213 Remote Control

- 3 Speed Fan ControlOn/Off Plus Full Range Light Dimmer



ALUMA WET

A luma Wet is our answer to the fan that goes anywhere and has everything. For use indoors and outdoors, Aluma Wet is UL listed for use in wet locations. Produced from weather resistant materials, the Aluma Wet provides air circulation for every location including patio, porch and pergola.

Features

12° Blade Pitch

4-Blades 52" Sweep

6" Downrod

- Integrated Light Uses 1-100W Mini-Can Halogen Bulb (Included)
- · Aluminum Construction · Cap for Non-Light Use Included
- Hand Held Remote Control System Included (pg.378)
- · Indoor/Outdoor Use UL Listed for Wet Locations
- Maximum CFM High Speed 4,318/Low Speed 1,353

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
2,925	34	85	\$10















RCS213 Remote Control

- 3 Speed Fan ControlOn/Off Plus Full Range Light Dimmer



STRATA

The Strata with its Smoked Iron or Galvanized finishes adds a rustic yet contemporary style to your home.

Features

12° Blade Pitch

- 4-Blades 52" Sweep
- 6" Downrod
- Galvenized Steel 6" Downrod (Uses ¾" I.D. DR5 Series Downrod)
- Integrated Light Uses 1-75W Mini-Can Halogen Bulb (Included)
- · Cap for Non-Light Use Included
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · Hand Held Remote Control System Included (pg. 378)
- Maximum CFM High Speed 4,648/Low Speed 1,925

Energy Guide (Excluding Lights)

3,365	(WATTS) 34	(CFM Per Watt)	cost \$10
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY

















RCS213 Remote Control

- 3 Speed Fan ControlOn/Off Plus Full Range Light Dimmer

SHADE

Illumination even in the harshest of environments. SHADE provides unmatched performance and comfort in the toughest conditions. Incorporating a DC motor for high efficiency with an integrated 15 watt LED light and a UL wet rating, SHADE meets both your indoor and outdoor location requirements.











Illumination even in the harshest of environments. SHADE provides unmatched performance and comfort in the toughest conditions. Incorporating a DC motor for high efficiency with an integrated 15 watt LED light and a UL wet rating, SHADE meets both your indoor and outdoor location requirements.

Features

14° Blade Pitch

4-Blades 56" Sweep

6" Downrod

- Integrated Light Uses 15W LED (Included) 3 Year Warranty
- 1,285LM 2,700K CRI 90 DC 168x12mm Motor
- · Hand Held Remote Control System Included (pg. 378)
- · Indoor/Outdoor Use UL Listed for Wet Locations
- Maximum CFM High Speed 8,181/Low Speed 2,398

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
8,181	42	195











U.S. Patent(s): D833,597





Optional Shade



Green Shade FS683L-GRN



Red Shade FS683L-RD



White Shade FS683L-WH



Tarnished Copper Shade FS683L-TRN



RC400 Remote Control

- 6 Speed Fan Control in Fwd and RevOn/Off Plus Full Range Light Dimmer



RAINMAN™

R eminiscent of lighting often found along shoreline walkways, the RainmanTM, as the name suggests, is an excellent choice for exterior as well as interior use.

Features

14° Blade Pitch

5-Blades 54" Sweep

6" Downroo

- Integrated Caged Light Uses 1-100W Mini-Can Halogen Bulb (Included)
- Galvanized Steel Downrod and Hardware All Weather Blades
- Wall Control System Included (pg.378)
- · Indoor/Outdoor Use UL Listed for Wet Locations
- Maximum CFM High Speed 4,933/Low Speed 1,957

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,495	39	89	\$11

















WCS213 Wall Control

- 3 Speed Fan ControlOn/Off Plus Full Range Light Dimmer



SLIPSTREAM

S leek industrial styling destines this 8-bladed wonder to make a cool statement in any indoor or outdoor setting.

Features

14° Blade Pitch

8-Blades 65" Sweep

- 6" Downrod
- Integrated Light Uses 1-18W GU24 Non-Diammable Squat CFL (Included)
- Galvanized Steel 6" Downrod Stainless Steel Hardware All Weather Blades
- DC 165x25mm Motor Cap for Non-Light Use (Included)
- · Hand Held Remote Control System Included (pg. 378)
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · Maximum CFM High Speed 8,263/Low Speed 3,916

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
6,216	22	285	\$6

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move









U.S. Patent(s): D715,917





DISTINCT **PROFILE**

F888-DK Distressed Koa Finish • Distressed Koa Blades • Tinted Opal Glass





RC400 Remote Control

- · 6 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer
- 65 INCH SWEEP



SLIPSTREAM

S leek industrial styling destines this 8-bladed wonder to make a cool statement in any indoor or outdoor setting.

Features

14° Blade Pitch

8-Blades 65" Sweep

- 6" Downroo
- Integrated Light Uses 1-18W GU24 Non-Diammable Squat CFL (Included)
- Galvanized Steel 6" Downrod Stainless Steel Hardware All Weather Blades
- DC 165x25mm Motor Cap for Non-Light Use (Included)
- · Hand Held Remote Control System Included (pg. 378)
- · Indoor/Outdoor Use UL Listed for Wet Locations
- Maximum CFM High Speed 8,263/Low Speed 3,916

Energy Guide (Excluding Lights)

6,216	22	285	\$6
AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use · Based on 12 cents per kWh and 6.4 hours use per day · Your cost depends on rates and use · The higher the airflow, the more air the fan will move









U.S. Patent(s): D715,917





F888-WHF Flat White Finish • Flat White Blades • Etched Opal Glass





RC400 Remote Control

- 6 Speed Fan Control in Fwd and RevOn/Off Plus Full Range Light Dimmer





SUNSEEKER

The Sunseeker features a 60-inch sweep, stylish transitional design and superb value. These elements make it an ideal choice for enjoying hot summer days outdoors.

Features

14° Blade Pitch

5-Blades 60" Sweep

6" Downrod

- \cdot Galvanized Steel 6" Downrod \cdot Stainless Steel Hardware
- · All Weather Blades · 3-Speed Pull Chain
- $\cdot\, \text{Indoor/Outdoor Use} \cdot \text{UL Listed for Wet Locations}$
- UL Wet Location Light Kits Available (pg.377) Sold Separately
- Maximum CFM High Speed 5,747/Low Speed 1,851

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,872	39	98	\$11











SUNDOWNER®

ighly recommended for the most challenging environments, the Sundowner® combines superior performance with weatherproof components designed to withstand all outdoor conditions.

Features

16° Blade Pitch

5-Blades 54" Sweep

6" Downrod

- · Galvanized Steel 6" Downrod · Stainless Steel Hardware
- · All Weather Blades · 3-Speed Pull Chain
- Poly Molded and ABS Components
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · UL Wet Location Light Kits Available (pg.377) Sold Separately
- Maximum CFM High Speed 6,401/Low Speed 1,747
- *Accessory Blades Available (pg.394)

Energy Guide (Excluding Lights)

Ì	4,217	46	92	\$13
	AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST













SUNDOWNER®

Features

16° Blade Pitch

- 5-Blades 54" Sweep
- 6" Downrod
- · Galvanized Steel 6" Downrod · Stainless Steel Hardware
- · All Weather Blades · 3-Speed Pull Chain
- Poly Molded and ABS Components
- · Indoor/Outdoor Use UL Listed for Wet Locations
- \cdot UL Wet Location Light Kits Available (pg.377) Sold Separately
- \cdot Maximum CFM High Speed 6,401/Low Speed 1,747
- *Accessory Blades Available (pg.394)

Energy Guide (Excluding Lights)

4,217	46	92	\$13
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST













SUNDANCE™

Perfect for the porch, patio, gazebo or courtyard, the Sundance™ was designed to withstand all of the elements.

Features

12° Blade Pitch • 5-Blades 42" or 52" Sweep • 6" Downrod

- · Galvanized Steel 6" Downrod · Stainless Steel Hardware
- · All Weather Blades · 3-Speed Pull Chain
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · UL Wet Location Light Kits Available (pg.377) Sold Separately
- Maximum CFM 42"- High Speed 3,410/Low Speed 1,365
- Maximum CFM 52"- High Speed 5,907/Low Speed 1,750

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
2,388	33	73	\$9
3,946	40	99	\$11
	(CFM) 2,388	(CFM) USE (WATTS) 2,388 33	(CFM) USE EFFICIENCY (CFM Per Watt) 2,388 33 73








F572-WH 42" White Finish • White Blades





GAUGUIN™

T ropical style influences the Gauguin $^{\rm TM}$ by incorporating a remarkable combination of performance and unique design elements.

Features

14° Blade Pitch

4-Blades 52" Sweep

6" Downroc

- Galvanized Steel 6" Downrod (Uses ¾" I.D. DR5 Series Downrod)
- · Stainless Steel Hardware and All Weather Blades
- Integrated Light Uses 1-50W MR16 120V 2-Pin Halogen Bulb (Included)
- · Cap for Non-Light Use Included
- Full Function Wall Control System Included (pg.378)
- · Indoor/Outdoor Use UL Listed for Wet Locations
- · Maximum CFM High Speed 5,297/Low Speed 2,503

Energy Guide (Excluding Lights)

3,945	(WATTS)	(CFM Per Watt)	COST \$11
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY

All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use per day • Your cost depends on rates and use • The higher the airflow, the more air the fan will move







U.S. Patent(s): D513,319; D514,691; D514,692; D516,703; D517,201; D519,199









F581-BG Shown with Optional A581-BG Ceiling Adapter For Flush Mount Applications



WCS212 Wall Control

- · 3 Speed Fan Control in Fwd and Rev · On/Off Plus Full Range Light Dimmer



 $\label{eq:coupled} O \text{ ur wicker design, coupled with a Vintage Rust}^{\text{\tiny TM}} \text{ finish, replicates a highly popular tropical motif.}$

Features

14° Blade Pitch

5-Blades 52" Sweep

6" Downrod

- Galvanized Steel 6" Downrod 3-Speed Pull Chain
- · Stainless Steel Hardware · All Weather Blades
- Snap Lock/Set Screw Blade Assembly System Cap for Non-Light Use
- Integrated Caged Etched Light Uses 1-100W Mini-Can Halogen Bulb (Included)
- · Indoor/Outdoor Use UL Listed for Wet Location
- · Maximum CFM High Speed 5,517/Low Speed 1,548

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,599	46	79	\$13

All estimates based on typical use • Based on 12 cents per kWh and 6.4 hours use per day • Your cost depends on rates and use • The higher the airflow, the more air the fan will move



U.S. Patent(s): D501,251; D501,922; D501,923; D502,770; D508,287; D514,215; D522,643; 7,008,192



LWEATHER DESIGN



Shown with Cap for Non-Light Use

VALUE

With the Minka-Aire® Value Collection, one need not sacrifice style and performance for affordability.

Choose from several finishes and light kit options to find the right Minka-Aire® ceiling fan with timeless style and design for the budget-conscious customer.











S hining as one of our brightest stars in our value collection, this transitional five blade design lends itself to larger living spaces. ESPACE provides a simplicity and refinement that inspires superior performance. It is equipped with an 18 watt AC LED light and includes a hand held remote.

Features

14° Blade Pitch

5-Blades 52" Sweep

- 6" Downrod
- Integrated Light Uses 18W Dimmable LED (Included) 3 Year Warranty
- 1,100LM 3,000K CRI 80
- · Hand Held Remote Control System Included (pg. 378)
- Maximum CFM High Speed 5,124/Low Speed 1,732

Energy Guide (Excluding Lights)

3,514	(WATTS)	(CFM Per Watt)	COST \$13
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY









F690L-WH White Finish · White Blades · Etched Opal Glass





RCS213 Remote Control

- 3 Speed Fan ControlOn/Off Plus Full Range Light Dimmer



LUN-AIRE with LED Light

A versatile, all-in-one "everything" fan, Lun-Aire, with its five blades and three speeds, will be the hardest worker in the room. A simplistic, yet sophisticated design, combined with a cost efficient motor and inspired engineering for superior performance, Lun-Aire is destined to become the smartest, most dynamic orb for any room

Features

12° Blade Pitch

5-Blades 54" Sweep

6" Downrod

- Integrated Light Uses 17W LED (Included) 3 Year Warranty
- ·800LM · 3,000K · CRI 80 · 3-Speed Pull Chain
- · Maximum CFM High Speed 5,198/Low Speed 2,175

Energy Guide (Excluding Lights)

4,888	(WATTS)	(CFM Per Watt)	S14
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)		EFFICIENCY	YEARLY ENERGY

Wh and U.S. Patent(s): D833,596








RUDOLPH

nspired by a contemporary architect of the 50's, this clean three blade design best exemplifies today's trend in home furnishings. Included is a wall control, cast blade holders and a 172 x 16mm motor for great air movement.









RUDOLPH

nspired by a contemporary architect of the 50's, this clean three blade design best exemplifies today's trend in home furnishings. Included is a wall control, cast blade holders and a 172 x 16mm motor for great air movement.

Features

14° Blade Pitch

3-Blades 52" Sweep

6" Downrod

- · Wall Control System Included (pg.378)
- Convertible to Electronic Control System
- Universal Light Kit Adaptable (pg.370) Sold Separately
- · Custom LED Light Kit K9727L Available (pg.377)Sold Separately
- Maximum CFM High Speed 5,168/Low Speed 1,712

Energy Guide (Excluding Lights)

3.494	(WATTS)	(CFM Per Watt)	S14
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY



CLEAN DESIGN





WC116 Wall Control

- · 4 Speed Fan Control
- · 2-Wire Installation



RUDOLPH

nspired by a contemporary architect of the 50's, this clean three blade design best exemplifies today's trend in home furnishings. Included is a wall control, cast blade holders and a 172 x 16mm motor for great air movement.

Features

14° Blade Pitch

3-Blades 52" Sweep

6" Downrod

- · Wall Control System Included (pg.378)
- Convertible to Electronic Control System
- · Universal Light Kit Adaptable (pg.370) Sold Separately
- · Custom LED Light Kit K9727L Available (pg.377) Sold Separately
- Maximum CFM High Speed 5,168/Low Speed 1,712

Energy Guide (Excluding Lights)

3.494	(WATTS)	(CFM Per Watt)	cost
AIRFLOW (CFM)	ENERGY	AIRFLOW	ESTIMATED YEARLY ENERGY









WC116 Wall Control

- · 4 Speed Fan Control
- · 2-Wire Installation

DYNO

An addition to our Value Collection, featuring performance and design features at an affordable price. For the first time in our Value offerings, we introduce a fan with an integrated LED light source. Generous in size, style, adaptability and function, Dyno becomes one of our core fan offerings.











An addition to our Value Collection, featuring performance and design features at an affordable price. For the first time in our Value offerings, we introduce a fan with an integrated LED light source. Generous in size, style, adaptability and function, Dyno becomes one of our core fan offerings.

Features

12° Blade Pitch

5-Blades 52" Sweep

6" Downrod

- Integrated Light Uses 16W Dimmable LED (Included) 3 Year Warranty
- 1,100LM 2,700K CRI 80
- · Hand Held Remote Control System Included (pg. 378)
- Replacement LED Assembly (Part #6F1000LK01)
- Maximum CFM High Speed 4,223/Low Speed 1,561

Energy Guide (Excluding Lights)

2,942	40	74	\$11
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







U.S. Patent(s): D762,836; D762,839; D780,905; Additional U.S. Patent(s) Pending





F1000-ORB Oil Rubbed Bronze Finish • Reversible Medium Maple/Dark Walnut Blades • Etched Lens

Shown with Medium Maple Blades Reversible to Dark Walnut Blades





RCS213 Remote Control

- 3 Speed Fan ControlOn/Off Plus Full Range Light Dimmer



DYNO with LED Light

An addition to our Value Collection, featuring performance and design features at an affordable price. For the first time in our Value offerings, we introduce a fan with an integrated LED light source. Generous in size, style, adaptability and function, Dyno becomes one of our core fan offerings.

Features

12° Blade Pitch

- 5-Blades 52" Sweep
- 6" Downrod
- Integrated Light Uses 16W Dimmable LED (Included) 3 Year Warranty
- 1,100LM 2,700K CRI 80
- · Hand Held Remote Control System Included (pg. 378)
- Replacement LED Assembly (Part #6F1000LK01)
- Maximum CFM High Speed 4,223/Low Speed 1,561

Energy Guide (Excluding Lights)

2,942	40	74	\$11
AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move







U.S. Patent(s): D762,836; D762,839; D780,905; Additional U.S. Patent(s) Pending





F1000-BNK Burnished Nickel Finish • Savannah Gray Blades • Etched Lens



F1000-BN Brushed Nickel Finish • Reversible Medium Maple/Dark Walnut Blades • Etched Lens



Shown with Dark Walnut Blades Reversible to Medium Maple Blades



RCS213 Remote Control

- 3 Speed Fan ControlOn/Off Plus Full Range Light Dimmer





Features

12° Blade Pitch

5-Blades 60" Sweep

6" Downrod

- Integrated Light Uses 16W LED (Included) 3 Year Warranty
- 1,100LM 2,700K CRI 80
- · Hand Held Remote Control System Included (pg. 378)
- Maximum CFM High Speed 6,500/Low Speed 1,600

*Energy Guide (Excludes Lighting)

AIRFLOW (CFPM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
3,948	50	79









F1001-BN Brushed Nickel Finish • Reversible Medium Maple/Dark Walnut Blades • Ethed Lens



Shown with Dark Walnut Blades Reversible to Medium Maple Blades

F1001-WH White Finish • White Blades • Etched Lens





RCS213 Remote Control

- 3 Speed Fan ControlOn/Off Plus Full Range Light Dimmer





Features

12° Blade Pitch

5-Blades 60" Sweep

6" Downrod

- · Integrated Light Uses 16W LED (Included) 3 Year Warranty
- 1,100LM 2,700K CRI 80
- · Hand Held Remote Control System Included (pg. 378)
- Maximum CFM High Speed 6,500/Low Speed 1,600

*Energy Guide (Excludes Lighting)

AIRFLOW (CFPM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
3,948	50	79
*Estimated		















RCS213 Remote Control

- 3 Speed Fan ControlOn/Off Plus Full Range Light Dimmer



STEAL

nspired by the revolution that moved us from hand production methods to machines, and drove new manufacturing processes and iron production, Steal marks a major turning point in industrial style and design.

Features

5° Blade Pitch

3-Blades 54" Sweep

6" Downrod

- •188x15mm Motor Install with Blades at least 10' above the Floor
- · 2-Wire Installation Wall Control Included (pg.378)
- · Universal Light Kit Adaptable (pg.370) Sold Separately
- · Maximum CFM High Speed 7,230/Low Speed 1,909

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)
7,183	63	114









WC105-WH Wall Control

- · 4 Speed Fan Control
- · 2-Wire Installation



TRADITIONAL MOJO

The Traditional Mojo is the next generation of our highly successful Mojo series. Traditional accents integrate perfectly for your home.

Features

12° Blade Pitch

5-Blades 52" Sweep

6" Downrod

- · 3-Speed Pull Chain · Cap for Non-Light Use Included
- Low Profile Bowl Light Kit Uses 3-60W Candelabra Bulbs (Included)
- · Solid Cap and Finial Adaptation for Remote Control Use Included
- Maximum CFM High Speed 4,654/Low Speed 1,967

Energy Guide (Excluding Lights)

3,357	43	79	\$12
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST



F622-ORB/TS

Oil Rubbed Bronze Finish \cdot Reversible Medium Maple/Dark Walnut Blades \cdot Tea Stain Glass



F622-ORB

Oil Rubbed Bronze Finish • Reversible Medium Maple/Dark Walnut Blades • Etched White Glass



F622-BWH Bone White Finish \cdot Bone White Blades \cdot Bone White Glass





MOJO

Features

12° Blade Pitch

5-Blades 52" Sweep

6" Downrod

- · Warp Resistant Plywood Blades
- · 3-Speed Pull Chain · Cap for Non-Light Use Included
- Low Profile Light Kit Uses 3-60W Candelabra Bulbs (Included)
- Solid Cap and Finial Adaptation for Remote Control Use Included
- Maximum CFM High Speed 4,224/Low Speed 2,028

Energy Guide (Excluding Lights)

3,178	42	76	\$12
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

TRADITIONAL ACCENTS

F522-ORB

Oil Rubbed Bronze Finish • Reversible Medium Maple/Dark Walnut Blades • Frosted White Glass





MOJO

Features

12° Blade Pitch

5-Blades 52" Sweep

6" Downrod

- · Warp Resistant Plywood Blades
- · 3-Speed Pull Chain · Cap for Non-Light Use Included
- Low Profile Light Kit Uses 3-60W Candelabra Bulbs (Included)
- Solid Cap and Finial Adaptation for Remote Control Use Included
- Maximum CFM High Speed 4,224/Low Speed 2,028

Energy Guide (Excluding Lights)

3,178	42	76	\$12
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST







T he Mojo II is another addition to our Value Collection featuring a wealth of performance and an integrated light source. A great value for low ceiling applications.

Features

14° Blade Pitch

4-Blades 52" Sweep

Flush Mount

- · Ideal for Low Ceilings Total Hanging Depth 13" with Light
- Integrated Downlight Uses 3-60W Candelabra Bulbs (Included)
- · 3-Speed Pull Chain
- · Solid Cap and Finial Adaptation for Remote Control Use Included
- Maximum CFM High Speed 4,223/Low Speed 1,255

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
2,768	41	68	\$12





SPACESAVER With LED Light

ontemporary styling and superb air circulation for those smaller spaces in your home; perfect for kitchens and food preparation areas, bathrooms, walk-in closets and hallways.

Features

14° Blade Pitch

3-Blades 26" Sweep

Flush Mount

- · Ideal for Low Ceilings Total Hanging Depth 10¾" Drop From Ceiling
- Integrated Light Uses 15W Dimmable LED (Included) 3 Year Warranty
- •1,100LM 3,000K CRI 80
- 3-Wire Installation Wall Control Included (pg.378)
- · Converts to Electronic Control
- · Maximum CFM High Speed 1,992/Low Speed 459

Energy Guide (Excluding Lights)

	(WATTS)	(CFM Per Watt)	COST
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY











WC110L Wall Control

- · 4 Speed Fan Control · Full Range Light Dimmer



F310-BNBrushed Nickel Finish
Brushed Nickel Blades

RETRO STYLE FAN

A special series of fans that go where you go. These portable fans offer the same style, quality and value you expect from Minka-Aire® in a compact and portable design. An accent that is reminiscent of times past, our Retro Style Fan is your quiet companion; a stylistic, subtle, tabletop solution for your comfort needs in any room.

Features

- 4 Blade Turbo Fan 10" Sweep Oscillates 70° Side to Side
- 3 Speeds: 1,250, 1,400 and 1,500 R.P.M. Manual Tilt
- Portable (Net Weight 7lbs.) 72" Heavy Duty Cord Length
- · Steel Construction · One Year Limited Warranty







with LED Light

A full feature LED Contractor 52-inch fan. Featuring the incredible 26 watt LED, 1,647 Lumens, 3,000 Kelvin light source and a 172 x 14mm heavy duty motor.

Features

12° Blade Pitch

5-Blades 52" Sweep

6" Downrod

- · Low Profile LED Light Uses 26W LED (Included) 3 Year Warranty
- \cdot 1,647 Lumens \cdot 3,000K \cdot CRI 82 \cdot 3-Speed Pull Chain
- · Solid Cap and Finial Adaptation for Remote Control Use Included
- Maximum CFM High Speed 5,142/Low Speed 1,523

Energy Guide (Excluding Lights)

3,392	43	81	\$12
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST





F656L-HBZ Heirloom Bronze Finish • Barnwood Blades • Frosted White Glass



F656L-PN Polished Nickel Finish • Silver Blades • Frosted White Glass



F656L-WH White Finish • White Blades • Frosted White Glass





with LED Light

A full feature LED Contractor 52-inch fan. Featuring the incredible 26 watt LED, 1,647 Lumens, 3,000 Kelvin light source and a 172 x 14mm heavy duty motor.

Features

12° Blade Pitch

5-Blades 52" Sweep

6" Downrod

- · Low Profile LED Light Uses 26W LED (Included) 3 Year Warranty
- \cdot 1,647 Lumens \cdot 3,000K \cdot CRI 82 \cdot 3-Speed Pull Chain
- · Solid Cap and Finial Adaptation for Remote Control Use Included
- · Maximum CFM High Speed 5,142/Low Speed 1,523

Energy Guide (Excluding Lights)

3.392	43	81	\$12
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST





F656L-CL Coal Finish • Coal Blades • Frosted White Glass



F656L-ORB







CONTRACTOR

S mart simplicity at its best. This Contractor LED provides greater performance and offers energy efficiency through the use of the latest LED technology.

Features

12° Blade Pitch

5-Blades 52" Sweep

6" Downrod

- · Integrated Light Uses 16W LED (Included) 3 Year Warranty
- 1,100 Lumens 3,000K CRI 80 Hand Held Remote Control Included
- Replacements LED Assembly (Part #6F844LK01)
- Maximum CFM High Speed 5,450/Low Speed 1,746

Energy Guide (Excluding Lights)

3,646	(WATTS)	(CFM Per Watt)	S12
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY











F556L-BN/DW

Brushed Nickel Finish · Reversible Medium Maple/Dark Walnut Blades · Etched Lens



Shown with Medium Maple Blades Reversible to Dark Walnut Blades

F556L-BN Brushed Nickel Finish · Silver Blades · Etched Lens





RCS213 Remote Control

- 3 Speed Fan ControlOn/Off Plus Full Range Light Dimmer



CONTRACTOR L i g h t

S mart simplicity at its best. This Contractor LED provides greater performance and offers energy efficiency through the use of the latest LED technology.

Features

12° Blade Pitch

5-Blades 52" Sweep

6" Downrod

- · Integrated Light Uses 16W LED (Included) 3 Year Warranty
- 1,100 Lumens 3,000K CRI 80 Hand Held Remote Control Included
- Replacements LED Assembly (Part #6F844LK01)
- · Maximum CFM High Speed 5,450/Low Speed 1,746

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,646	41	89	\$12










F556L-BNK Burnished Nickel Finish • Savannah Gray Blades • Etched Lens



F556L-BWH Bone White Finish • Bone White Blades • Etched Lens



F556L-WH White Finish • White Blades • Etched Lens





RCS213 Remote Control

- 3 Speed Fan ControlOn/Off Plus Full Range Light Dimmer



CONTRACTOR PLUS

ur Contractor Plus fan continues our tradition of offering design and reliability in several finishes.

Features

12° Blade Pitch

5-Blades 52" Sweep

6" Downrod

- 3-Speed Pull Chain Universal Light Kit Adaptable (pg.370) Sold Separately
- · Maximum CFM High Speed 5,450/Low Speed 1,746

Energy Guide (Excluding Lights)

3,646	(WATTS)	(CFM Per Watt)	COST
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY



F556-BN/DW Brushed Nickel Finish • Reversible Medium Maple/Dark Walnut Blades



Shown with Medium Maple Blades Reversible to Dark Walnut Blades





CONTRACTOR PLUS

Our Contractor Plus fan continues our tradition of offering design and reliability in several finishes.

Features

12° Blade Pitch

5-Blades 52" Sweep

• 6" Downrod

- 3-Speed Pull Chain Universal Light Kit Adaptable (pg.370) Sold Separately
- · Maximum CFM High Speed 5,450/Low Speed 1,746

Energy Guide (Excluding Lights)

3,646	(WATTS)	(CFM Per Watt)	COST \$12
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)		EFFICIENCY	YEARLY ENERGY







ULTRA-MAX™

Features

14° Blade Pitch

5-Blades 54" Sweep · 6" Downrod

- Full Function Wall Control and Hand Held Remote Control Included
- · Quick Connect Detachable Switch Cup
- Universal Light Kit Adaptable (pg.370) Sold Separately
- Maximum CFM High Speed 6,187/Low Speed 1,430

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,916	50	78	\$14

















WCS212 Wall Control

3 Speed Fan Control in Fwd and Rev
 On/Off Plus Full Range Light Dimmer





truly exceptional value! All the benefits of the Supra® 52" packaged with additional bells and whistles including a matching light kit and RCS223 Remote Control System.

Features

14° Blade Pitch

5-Blades 52" Sweep

6" Downrod

- 6-Ply Warp Resistant Blades
- · Halogen Light Kit Uses 1-100W Mini-Can Bulb (Included)
- · Hand Held Remote Control System Included
- Maximum CFM High Speed 5,563/Low Speed 1,410

Energy Guide (Excluding Lights)

3,792	(WATTS)	(CFM Per Watt)	COST \$14
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY

















RCS223 Remote Control

- 3 Speed Fan ControlOn/Off Plus Full Range Light Dimmer



SUPRA® 52"

T he Supra® 52" offers decorative versatility in multiple finishes. It has clean, modern styling and uncompromising quality with superior performance.

Features

14° Blade Pitch

5-Blades 52" Sweep

6" Downrod

- 6-Ply Warp Resistant Blades 3-Speed Pull Chain
- · Quick Connect Detachable Switch Cup
- · Universal Light Kit Adaptable (pg.370) Sold Separately
- Maximum CFM High Speed 4,944/Low Speed 1,378

Energy Guide (Excluding Lights)

3.246	(WATTS)	(CFM Per Watt)	COST \$13
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)		EFFICIENCY	YEARLY ENERGY

^{*}Accessory Blades Available (pg.394)







SUPRA® 52"

Features

14° Blade Pitch

5-Blades 52" Sweep

6" Downrod

- 6-Ply Warp Resistant Blades 3-Speed Pull Chain
- · Quick Connect Detachable Switch Cup
- Universal Light Kit Adaptable (pg.370) Sold Separately
- Maximum CFM High Speed 4,944/Low Speed 1,378
- * Accessory Blades Available (pg.394)

Energy Guide (Excluding Lights)

(CFM)	USE (WATTS)	EFFICIENCY (CFM Per Watt)	YEARLY ENERGY COST
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED











The Supra® 44", model F563-SP is a great economical option, packaged with a light kit to meet every need.

Features

14° Blade Pitch

5-Blades 44" Sweep

6" Downrod

- 6-Ply Warp Resistant Blades 3-Speed Pull Chain
- · Halogen Light Kit Uses 1-100W Mini-Can Bulb (Included)
- Maximum CFM High Speed 5,322/Low Speed 1,619

Energy Guide (Excluding Lights)

AIRFLOW (CFM)	USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
3,504	48	73	\$13









SUPRA® 44"

Designed with superior performance and all of the features found in full-size fans made available for mid-size rooms.









SUPRA® 44"

esigned with superior performance and all of the features found in full-size fans made available for mid-size rooms.

Features

14° Blade Pitch

5-Blades 44" Sweep

6" Downrod

- · 6-Ply Warp Resistant Blades · Quick Connect Detachable Switch Cup
- 3-Speed Pull Chain Universal Light Kit Adaptable (pg.370) Sold Separately
- Maximum CFM High Speed 5,207/Low Speed 1,520

Energy Guide (Excluding Lights)

3,360	(WATTS)	(CFM Per Watt)	S13
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY

^{*}Accessory Blades Available (pg.394)











SUPRA® 32"

ashion, form and function for the smallest areas are highlighted in the Supra® 32". The perfect choice for bathrooms, hallways, entries and walk-in closets.

Features

22° Blade Pitch • 6-Blades 32" Sweep

6" Downroo

- \cdot 6-Ply Warp Resistant Blades \cdot Quick Connect Detachable Switch Cup
- 3-Speed Pull Chain Universal Light Kit Adaptable (pg.370) Sold Separately
- · Maximum CFM High Speed 3,155/Low Speed 914

Energy Guide (Excluding Lights)

2.034	(WATTS)	(CFM Per Watt)	COST
AIRFLOW (CFM)	ENERGY	AIRFLOW EFFICIENCY	ESTIMATED YEARLY ENERGY

^{*}Accessory Blades Available (pg.394)

SMALL AREA







with 3-Light Kit

ffering affordable performance and reliability with designer finishes, the Contractor fan now comes with an integrated light kit.

Features

12° Blade Pitch • 4 or 5-Blades 52" Sweep

4" Downrod

- Integrated Light Kit Uses 3-60W Candelabra Bulbs (Included)
- · 3-Speed Pull Chain
- · Maximum CFM High Speed 3,787/Low Speed 1,479

Energy Guide (Excluding Lights)

2,659	39	69	\$11
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

^{*}Accessory Blades Available (pg.394)









he most economical and efficient fan and light combination for the secondary rooms in the house.

Features

12° Blade Pitch · 4 or 5-Blades 52" Sweep · 6" Downrod

- Integrated Bowl Light Uses 3-60W Candelabra Bulbs (Included)
- · 3-Speed Pull Chain · Cap for Non-Light Use (Included)
- Pre-Installed One-Piece Motor Blade Iron Gasket
- Maximum CFM High Speed 4,635/Low Speed 1,358
- *Accessory Blades Available (pg.394)

Energy Guide (Excluding Lights)

2,564	(WATTS)	(CFM Per Watt)	COST \$10
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY



F548-ORB Oil Rubbed Bronze Finish • Medium Maple Blades • Etched Swirl Glass





he most economical and efficient fan and light combination for the secondary rooms in the house.

Features

12° Blade Pitch • 4 or 5-Blades 52" Sweep

• 6" Downrod

- Integrated Light Uses 3-60W Candelabra Bulbs (Included)
- · 3-Speed Pull Chain · Cap for Non-Light Use (Included)
- Pre-Installed One-Piece Motor Blade Iron Gasket
- Maximum CFM High Speed 4,635/Low Speed 1,358
- *Accessory Blades Available (pg.394)

Energy Guide (Excluding Lights)

2,564	37	69	\$10
AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST

VERSATILE DESIGN





CONTRACTOR 52"

ur Contractor series offers affordable performance and reliability. Designer finishes have been made available to match current trends and demands.

Features

12° Blade Pitch • 4 or 5-Blades 52" Sweep

4" Downrod

- 4" Downrod (Uses ¾" I.D. DR5 Series Downrod)
- · 3-Speed Pull Chain · Quick Connect Detachable Switch Cup
- Pre-Installed One-Piece Motor/Blade Iron Gasket
- · Universal Light Kit Adaptable (pg.370) Sold Separately
- Maximum CFM High Speed 3,807/Low Speed 1,488
- *Accessory Blades Available (pg.394)

Energy Guide (Excluding Lights)

2,658	(WATTS)	(CFM Per Watt)	S10
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED
(CFM)	USE	EFFICIENCY	YEARLY ENERGY

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move









CONTRACTOR 42"

Our Contractor 42" series offers affordable performance and reliability. Designer finishes have been made available to match current trends and demand.

Features

12° Blade Pitch

5-Blades 42" Sweep

4" Downrod

- · 3-Speed Pull Chain · Quick Connect Detachable Switch Cup
- Pre-Installed One-Piece Motor/Blade Iron Gasket
- · Universal Light Kit Adaptable (pg.370) Sold Separately
- · Maximum CFM High Speed 3,290/Low Speed 1,558

Energy Guide (Excluding Lights)

(CFM) 2,067	(WATTS)	(CFM Per Watt)	COST S9
AIRFLOW	ENERGY	AIRFLOW	ESTIMATED

All estimates based on typical use \cdot Based on 12 cents per kWh and 6.4 hours use per day \cdot Your cost depends on rates and use \cdot The higher the airflow, the more air the fan will move

^{*}Accessory Blades Available (pg.394)









ur close-to-ceiling economy model in two sizes will move air in the tightest places.

Features

12° Blade Pitch • 5-Blades 42" or 52" Sweep • Flush Mount

- Flush Mount 8¾" Overall Ceiling Drop
- · 3-Speed Pull Chain · One-Piece Stamped Body
- · Quick Connect Detachable Switch Cup
- Universal Light Kit Adaptable (pg.370) Sold Separately
- Maximum CFM 42" High Speed 2,388/Low Speed 487
- \cdot Maximum CFM 52" High Speed 2,999/Low Speed 403

Energy Guide (Excluding Lights)

	AIRFLOW (CFM)	ENERGY USE (WATTS)	AIRFLOW EFFICIENCY (CFM Per Watt)	ESTIMATED YEARLY ENERGY COST
42"	1,469	30	49	\$8
52"	1,751	36	48	\$10
	All estimates l	oased on typ	ical use • Based on 12	cents per kWh and

All estimates based on Typical use • based on 12 cents per kwn and 6.4 hours use per day • Your cost depends on rates and use • The higher the airflow, the more air the fan will move





LED K9110L Etched White Glass 26W LED 1647 Lumens 12 ¼"Dia. x 3 ¾"H Includes Brushed Nickel, Oil Rubbed Bronze & White Caps LED Receiver Required*



LED K9120L Etched White Glass 26W LED 1647 Lumens 12 ¼"Dia. x 3 ¾"H Includes Brushed Nickel, Oil Rubbed Bronze & White Caps LED Receiver Required*



K9115L Etched White Glass 26W LED 1647 Lumens 12 ¼"Dia. x 2 ½"H Includes Brushed Nickel, Oil Rubbed Bronze & White Caps LED Receiver Required*

*For remote control use model number #RCS223L. Must be ordered separately.



K9500 Two Light Belcaro Walnut™ 60W Candelabra Base (Incl.) 11 ¼"Dia. x 6 ½"H



K9515-1 Three Light Frosted White 40W Candelabra Base (Incl.) 12 ¼"Dia. x 2 ½"H Includes Brushed Nickel & White Caps



K9515-2 Three Light Tea Stain 40W Candelabra Base (Incl.) 12 ¼"Dia. x 2 ½"H Includes Dark Brushed Bronze & Oil Rubbed Bronze Caps



K9525-1 Three Light Frosted White 40W Candelabra Base (Incl.) 12 ¼"Dia. x 2 ½"H Includes Brushed Nickel & White Caps



Three Light Tea Stain 40W Candelabra Base (Incl.) 12 ¼"Dia. x 2 ½"H Includes Dark Brushed Bronze & Oil Rubbed Bronze Caps





K9380-2 Two Light Excavation 13W GU24 Spiral CFL Base (Incl.) 11 ½"Dia. x 5 ½"H



* K9548 Three Light Etched Swirl 60W Candelabra Base (Incl.) 12"Dia. x 5"H









* K9369-L Three Light Etched Swirl 60W Candelabra Base (Incl.) 13"Dia. x 6 ¼"H



K9372-1 Three Light Caspian''' 60W Candelabra Base (Incl.) 13 ¼"Dia. x 6 ¾"H



K9372-2 Three Light Excavation 60W Candelabra Base (Incl.) 13 ¼"Dia. x 6 ¾"H



K9372-3 Three Light Parchment 60W Candelabra Base (Incl.) 13 ¼"Dia. x 6 ¾"H



K9372-4 Three Light Venetian Scavo 60W Candelabra Base (Incl.) 13 ¼"Dia. x 6 ¾"H



K9372-5 Three Light Alabaster Dust™ 60W Candelabra Base (Incl.) 13 ¼"Dia. x 6 ¾"H



* K9363-L Three Light Etched Marble 60W Candelabra Base (Incl.) 13 ¼"Dia. x 6 ¾"H



* K9376-1 Three Light Caspian" 60W Candelabra Base (Incl.) 16"Dia. x 7 ½"H



* K9376-2 Three Light Excavation 60W Candelabra Base (Incl.) 16"Dia. x 7 ½"H

Please Note: All Light Kits Include Chain with Decorative Fob. (Not Shown)

AC100	Swirled Glass
AC100-BCW	Belcaro Walnut™
AC100-BS	Brushed Steel
AC100-BWH	Bone White
AC100-CT	Cattera Bronze™
AC100-DBB	Dark Brushed Bronze
AC100-EX	Excavation
AC100-FB	French Beige
AC100-KA	Косоа
AC100-MCG	Mottled Copper with Gold Highlights

* Additional Cap Finishes Available

AC100-ORB	Oil Rubbed Bronze
AC100-PBL	Provencal Blanc
AC100-PI	Patina Iron
AC100-PW	Pewter
AC100-STW/ GOW	Sterling Walnut™/Golden Walnut
AC100-SWH	Shell White
AC100-VRT	Vintage Rust™

K9373

One Light Opal Glass 50W Mini-Can Xenon (Incl.) 9 ½"Dia. x 5 ¼"H For 30" or 32" Sweep Fans





K9373-L-BS

K9373-L-ORB

K9373-L-WH

K9374

One Light Opal Glass 50W Mini-Can Xenon (Incl.) 10 ½"Dia. x 5 ¼"H For 40" or 44" Sweep Fans





K9374-L-BS

K9374-L-WH

K9375

One Light Opal Glass 50W Mini-Can Xenon (Incl.) 11 ½" Dia. x 5 ¾"H For 50" or 56" Sweep Fans









K9375-L-BS

K9375-L-BWH

K9375-L-ORB

K9375-L-WH

Wet Location

K9401

Two Light Opal Glass 13W GU24 Spiral CFL Bulbs (Incl.) 10 ½"Dia. x 5 ½"H







K9401-L-BWH

H K9401-L-DRF

K9401-L-MW









K9401-L-ORB

K9401-L-VRT

K9401-L-WH

K9402

One Light Opal Glass 60W Candelabra Base (Incl.)

7 ¾"Dia. x 8 ½"H





K9402-L-ORB

K9402-L-44

K1 Four Light 40W Candelabra Base (Incl.) 2 ¼"Side Fitter 11 ¾"Dia. x 3"H







K1-L-BS

K1-L-ORB

K1-L-44

K1099

One Light Opal Glass 60W Candelabra Base (Incl.) 8 ½"Dia. x 6 ¾"H



K1099-1-L-44



K9365-L-44 (Low Profile) Three Light Etched Marble 60W Candelabra Base (Incl.) 12 ½"Dia. x 4 ½"H



GC900 SET Optional Crystal Set Available Only for the F900 Fan



K33 Three Light 60W Candelabra Base (Incl.) 2 ¼"Side Shade 6 ¼"Dia. x 3 ½"H







K33-L-FB

K33-L-MCG





K33-L-ORB

K33-L-BS

K33-L-44


Finish Codes

See finish code reference page (FINCODEPG)

K35 Three Light 13W Spiral Medium Base (Incl.) 2 %"Side Shade 7 %"Dia. x 3 %"H



K34 Four Light 13W Spiral Medium Base (Incl.) 2 ½" Side Shade 11 ¾"Dia. x 2 ¾"H



K34-44

Finish Codes

minkaAire.

CUSTOM LIGHT KITS

K9614

Three Light 60W Candelabra Base (Included) 2 ¼" Side Shade

2 ¼" Side Shade 8 ½"Dia. x 3 ¼"H

Compatible with the F614 Timeless Fans Only



K9614-DBB



K9614-FB



K9614-MCG



K9614-PW

K9659

Three Light 60W Candelabra Base (Incl.) 2 ¼" Side Shade 7 ½"Dia. x 3 ½"H

Compatible with the F659 Classica Fans Only



K9659-BCW



K9659-DRF



K9659-FB



K9659-MCG



K9659-PBL



K9659-PI

2¼" Glass Shades



2018A Opal 4 ¾"Dia. x 4 ½"H



* 2548 Etched Opal 5 ¾"Dia. x 4 ½"H



* 2549 Etched Marble 5 3/4"Dia. x 4 1/2"H



* 2560 Frosted/Clear 5"Dia. x 4 ³/₄"H



2565Etched Seeded 4 ³/₄"Dia. x 4 ³/₄"H



* 2593-1 Aged Champagne 5"Dia. x 5 ¼"H



* 2593-2 Excavation 5"Dia. x 5 ¼"H



* 2593-4 Venetian Scavo 5"Dia. x 5 ¼"H



* 2593-5 French Cream 5"Dia. x 5 ¼"H



2632 Etched Salon Scavo[™] 5"Dia. x 4 ¾"H



2636Tuscan Scavo 5"Dia. x 4 ¾"H



2645 Linen 5"Dia. x 5 ¼"H



2646 Tuscan Scavo 5"Dia. x 5 ¼"H



2652 Etched Marble 5"Dia. x 4¾"H



4099 4" Opal Glass Shade 8 ½"Dia. x 5 ½"H

CUSTOM LED LIGHT KITS

K9838L

LED Light 20W LED (Incl.) 6 ½"Dia. x 1 ¾"H 1,300 Lumens 3,000 Kelvin CRI 90

Compatible with the F838L Force Fans Only



K9838L-DK



K9838L-SL



K9838L-WH

K9886L

LED Light 20W Dimmable LED (Incl.) 6 ½"Dia. x 1 ¾"H 1,430 Lumens 3,000 Kelvin CRI 90 Etched Lens

Compatible with the F886 and F896 Xtreme H₂O Fans Only



K9886L-BNW



K9886L-CL



K9886L-ORB



K9886L-WHF



K9886L-SI

K9787L

LED Light 20W Dimmable LED (Incl.) 5"Dia. x 1 ½"H 1,300 Lumens 3,000 Kelvin CRI 90 Etched Lens

Compatible with the F786 Simple 44" and F787 Simple 52" Fans Only



K9787L-BNW



K9787L-CL



K9787L-ORB



K9787L-SL



K9787L-WHF

K9727L

LED Light 17W LED (Incl.) 6 ¾"Dia. x 5"H 500 Lumens 2,700 Kelvin CRI 90 Etched Glass

Compatible with the F727 Rudolph Fans Only

Includes receiver and WC116L wall control.





K9727L-BN



K9727L-DK



K9727L-ORB



K9727L-CL



K9727L-WHF

AIRE-CONTROL® SYSTEMS



FULL FUNCTION HAND HELD REMOTE CONTROL

An ultra-thin design exclusive to Minka-Aire®, the remote enables the user with one finger to control all functions of Minka-Aire® ceiling fans.

AireControl® by Minka-Aire® controls all functions: reverse, uplight (where applicable), fan light, speed control, as well as off-on (RCS212 and WCS212)

RCS213, RCS223, WCS213 and WCS223 controls do not include the reverse function.

Included is a holster if you want to wall mount the control for your convenience.







RC400 AireControl*Remote System

- Six Speed Fan Control in Forward and Reverse
- On/Off Plus Full Range Light Dimmer
- Includes One (1) Hand Held Remote Control, Wall Holster
- Can be Used in Conjunction with WC400 Wall Mount AireControl*
 U.S. Patent(s): D533,514; D551,008





RC500 AireControl* Remote System

- Six Speed Fan Control in Forward and Reverse
- On/Off Plus Full Range Light Dimmer
- Includes One (1) Hand Held Remote Control, Wall Holster
- Can be Used in Conjunction with WC500 Wall Mount AireControl®

U.S. Patent(s): D533,514; D551,008





RC600 AireControl® Remote System

- Six Speed Fan Control in Forward and Reverse
- On/Off Plus Full Range Light Dimmer
- Includes One (1) Hand Held Remote Control, Wall Holster
- Operates at Distance of 23'
 Distance; Depends on Quality/
 Materials Used in Construction of Room/Building Fan is Hung In
- Can be Used in Conjunction with WC600 Wall Mount AireControl®

U.S. Patent(s): D533,514; D551,008

AIRE-CONTROL® SYSTEMS





RCS212

Full Function Hand Held AireControl® Remote System 256 Bit

- Three Speed Fan Control in Forward and Reverse
- On/Off Plus Full Range Light Dimmer with Independent Up/Downlight Control
- Includes One (1) Hand Held Remote Control, Wall Holster
- Operates at Distance of 20-40'
 Distance; Depends on Quality/
 Materials Used in Construction of
 Room/Building Fan is Hung In
- Can be Used in Conjunction with WCS212 Wall Mount AireControl®

U.S. Patent(s): D533,514; D551,008; 8,253,272





RCS213 Hand Held AireControl* Remote System 256 Bit

- Three Speed Fan Control
- On/Off Plus Full Range Light Dimmer
- Includes One (1) Hand Held Remote Control, Wall Holster
- Operates at Distance of 20-40'
 Distance; Depends on Quality/
 Materials Used in Construction of Room/Building Fan is Hung In
- Can be Used in Conjunction with WCS213 Wall AireControl®

U.S. Patent(s): D533,514; D551,008; 8.253.272





RCS223 Hand HeldAireControl® Remote System 256 Bit

- Three Speed Fan Control
- On/Off Plus Full Range Light Dimmer
- Includes One (1) Hand Held Remote Control, Wall Holster and Canopy Mounted Receiver
- Operates at Distance of 20-40' Distance; Depends on Quality/ Materials Used in Construction of Room/Building Fan is Hung In
- Can be Used in Conjunction with WCS213 Wall AireControl[®]

U.S. Patent(s): D533,514; D551,008; 8,253,272





RCS223L Hand HeldAireControl* Remote System for LED 256 Bit

- Three Speed Fan Control
- On/Off Light Control
- Includes One (1) Hand Held Remote Control, Wall Holster and Canopy Mounted Receiver
- Operates at Distance of 20-40'
 Distance; Depends on Quality/
 Materials Used in Construction of
 Room/Building Fan is Hung In
- Can be Used in Conjunction with WCS213 Wall AireControl®

U.S. Patent(s): D533,514; D551,008; 8.253.272





WCS212 Full Function AireControl® 256 Bit

- Three Speed Fan Control in Forward and Reverse
- On/Off Plus Full Range Light Dimmer with Independent Up/Downlight Control
- Operates at Distance of 20-40'
 Distance; Depends on Quality/
 Materials Used in Construction of
 Room/Building Fan is Hung In
- Can be Used in Conjunction with RCS212 Wall Mount AireControl®
- Includes Brown, Ivory and White Finish Inner/Outer Plates

U.S. Patent(s): D533,514; 8,253,272





WCS213 AireControl® 256 Bit

- Three Speed Fan Control
- On/Off Plus Full Range Light Dimmer
- Operates at Distance of 20-40'
 Distance; Depends on Quality/
 Materials Used in Construction of Room/Building Fan is Hung In
- Can be Used in Conjunction with RCS213 Hand Held AireControl®
- Includes Brown, Ivory and White Finish Inner/Outer Plates

U.S. Patent(s): D533,514; 8,253,272

Please Note:

AIRE-CONTROL® SYSTEMS





WCS223 AireControl® 256 Bit

- Three Speed Fan Control
- On/Off Plus Full Range Light Dimmer
- Operates at Distance of 20-40' Distance; Depends on Quality/ Materials Used in Construction of Room/Building Fan is Hung In
- Can be Used in Conjunction with RCS213 Hand Held AireControl®
- Includes Brown, Ivory and White Finish Inner/Outer Plates

U.S. Patent(s): D533,514; 8,253,272





WC400 AireControl®

- Six Speed Fan Control in Forward and Reverse
- On/Off Plus Full Range Light Dimmer
- Operates at Distance of 23'
 Distance; Depends on Quality/
 Materials Used in Construction of Room/Building Fan is Hung In
- Can be Used in Conjunction with RC400 Hand Held AireControl®
- Includes Brown, Ivory and White Finish Inner/Outer Plates

U.S. Patent(s): D533,514





WC500

- Six Speed Fan Control in Forward and Reverse
- On/Off Plus Full Range Light Dimmer
- Operates at Distance of 23'
 Distance; Depends on Quality/
 Materials Used in Construction of Room/Building Fan is Hung In
- Can be Used in Conjunction with RC500 Hand Held AireControl®
- Includes Brown, Ivory and White Finish Inner/Outer Plates

U.S. Patent(s): D533,514





WC600 AireControl®

- Six Speed Fan Control in Forward and Reverse
- On/Off Plus Full Range Light Dimmer
- Operates at Distance of 23'
 Distance; Depends on Quality/
 Materials Used in Construction of Room/Building Fan is Hung In
- Can be Used in Conjunction with RC600 Hand Held AireControl®
- Includes Brown, Ivory and White Finish Inner/Outer Plates

U.S. Patent(s): D533,514



WC105-WH Speed Control

- Four Speed Fan Control
- 2-Wire Installation



WC115 Speed Control

- For F624 Fans Only
- Four Speed Fan Control
- 2-Wire Installation



WC106-WH Speed Control

- Four Speed Fan Control
- 3-Wire Installation



WC116L Speed Control

- For K9727L Light kits
- Four Speed Fan Control
- 3-Wire Installation
- Dimming Capable



WC110L Speed Control

- For F510L LED Fans Only
- Four Speed Fan Control
- Full Range Dimmer
- 3-Wire Installation



WC116 Speed Control

- For F727 Fans Only
- Four Speed Fan Control
- 3-Wire Installation



BD-1000 BOND Wi-Fi Control System

See Icon for Compatible Remotes

BULB REFERENCE



Watts: 10W / 20W XENON ICX 12V G4 BI-PIN BASE

JX4-20 (20W) JX4C-10 (10W) JX4C-20 (20W)



Watts: 35W / 50W XENON JCX 12V GY6.35 BI-PIN BASE


Frosted IX6-35 (35W) JX6-50 (50W



Watts: 25W Watts: 25W / 35W / 40W / **60W / 75W** G9 XENON 120V **LED G9 110V** G9 BASE G9 BASE Frosted

Frosted JX9-025 (25W) JX9-035 (35W) JX9-040 (45W) JX9-060 (60W)

Clear JX9C-025 (25W) JX9C-040 (40W)




Watts: 20W / 50W XENON 120V DC (BAYONET)

JXB15-20 (20W) JXB15-50 (50W)



Watts: 75W XENON 120V E12 (CANDELABRA) BASE

Frosted JDXF-12-075 (75W)



Watts: 50W / 75W / 100W MINI-CAN XENON 120V E11 (CANDELABRA) BASE

Frosted JDX-050 (50W) JDX-75 (75W)



Watts: 50W / 75W / 100W MINI-CAN HALOGEN 120V E11 (CANDELABRA) BASE

JDC-50 (50W) JD-50 (50W) JDC-75 (75W) JD-75 (75W) JDC-100 (100W) JD-100 (100W)



Watts: 50W JDD XENON 120V E12 (CANDELABRA) BASE Frosted JDX2F-050 (50W) Clear JDX2-050 (50W)



Watts: 100W / 150W 78MM 120V DOUBLE ENDED HALOGEN (J-TYPE) R7S BASE

JB-100 (100W)

JB-150 (150W)



Watts: 8W DC / 10W AC / 11W AC / 14W AC LED MODULE

L-L8-MD590 (8W) L-AC10-MODULE (10W) L-AC10-MD770 (11W) L-AC14-MD950 (14W)



Watts: 50W PAR16 HALOGEN E26 (MEDIUM) BASE

PAR16-50 (50W)



Watts: 35W / 50W HALOGEN MR16 120V GU10 BASE

JGU-035 (35W) JGU-50 (50W)



Watts: 20W / 35W / 50W HALOGEN MR16 GX5.3 BI-PIN BASE

Frosted JMR16-20 (20W 120V) JMR16-35 (35W 120V) JMR16-50/120V (50W 120V) JMR16-C-50 (50W 12V)

Clear JMR16-C-20 (20W 12V) JMR16-C-35 (35W 12V)



Watts: 13W / 26W SPIRAL CFL E26 (MEDIUM) BASE FLB-13S (13W)



Watts: 13W / 26W SPIRAL CFL **GU24 BASE**

FLB-13M (13W) FLB-26M (26W)



Watts: 18W / 26W SQUAT SPIRAL CFL E26 (MEDIUM) BASE GU24 BASE FLS-18M (18W) FLS-26M (26W)



LED FERRO L-LB06-FW58 (6W)



FERRO E26 (MEDIUM) BASE E26-FW1910-40W (40W)




Watts: 40W / 60W / 100W

T10 120V E26 (MEDIUM) BASE

Clear JT10-040C (40W) JT10-060C (60W)

JT10-100C (100W)

Frosted JT10-060F (60W)



T8 120V E12 (CANDELABRA)

<u>Clear</u> E12-FW1910-60W (60W)




FULL 24 CFL GX10q-4 BASE JT4-27 (27W)



CFL GX10q-4 BASE JT2-27 (27W)



Watts: 13W 4-PIN (PL-C) G24q-1 BASE FLT-13Q (13W)



Watts: 32W FC12T9 T9 CIRCULINE G10Q FLC-22 (22W)

FLC-32 (32W) FLC-40 (40W)



E26 (MEDIUM) BASE



Watts: 7W C7 CFL E12 (CANDELABRA) BASE FLB-07C (7W)



Watts: 75W MR16 E17 BASE JDR-75 (75W)



LED B10.5 L-LB04C-E12 (4W)



Watts: 40W / 60W B10.5



Watts: 15W E12 (CANDELABRA) BASE E12 (CANDELABRA) BASE E12 (CANDELABRA) BASE ECCC-15 (15W)



E26 (MEDIUM) BASE



Watts: 40W / 60W Watts: 40W / 60W / 75W / 100W A15 E26 (MEDIUM) BASE A19



E26 (MEDIUM) BASE



E12 (CANDELABRA) BASE



E26 (MEDIUM) BASE



Watts: 60W / 100W G30 E26 (MEDIUM) BASE



Watts: 40W / 60W / 100W G40 E26 (MEDIUM) BASE

FAN MODEL	FAN NAME	RCS212	RCS213	RCS223	WC105-WH	WC106-WH	WCS212	WCS213	WCS223
F302	GYRETTE [™]	INCL.					•		
F304L	CAGE FREE GYRO™	٠					INCL.		
F306L	ELEMENTAL GYRO™	٠					INCL.		
F307	ANYWHERE								
F402	GYRO [™] WET	•					INCL.		
F410L	SLANT			RC40	0 INCL., COMP	ATIBLE WITH V	VC400		
F474L	CONCEPT™ II WET 52"	•					INCL.		
F476L	CONCEPT™ I WET 52"	•					INCL.		
F477L	CONCEPT™ I WET 58"	٠					INCL.		
F502	TRADITIONAL GYRO™	•					INCL.		
F510L	SPACESAVER			WA	ALL CONTROL I	NCLUDED WC	110L		
F513	NEW ERA	INCL.					•		
F514	ZEN	INCL.					•		
F516L	CONCEPT™ I 44"	INCL.					•		
F517L	CONCEPT™ I 52"	INCL.					•		
F518L	CONCEPT™ II 44"	INCL.					•		
F519L	CONCEPT [™] II 52"	INCL.					•		
F521	ALUMA			•		INCL.			•
F522	мојо			•		•			•
F523	ALUMA WET		INCL.					•	
F524	ROTO			•	INCL.				•
F531	FLYTE [®]		•			•		INCL.	
F532	SUNSEEKER				•	•			
F533	мојо ІІ			•		•			•
F534L	LUN-AIRE				MPATIBLE WITH UST USE RECEI				
F539	GREAT ROOM TRADITIONAL	•					INCL.		
F541L	CONE			RC40	0 INCL., COMP	ATIBLE WITH V	VC400		
F543L	SWEPT			RC40	0 INCL., COMP	ATIBLE WITH V	VC400		
F544	CALAIS™		INCL.			٠		•	
F546	CONTRACTOR 42"			٠	•	٠			•
F547	CONTRACTOR 52"			٠	•	٠			•

^{• =} Compatibility

Please Note: 256 Bit remote systems are not compatible with 32 Bit remote systems.

^{- 256} Bit systems have a Green LED and Green receiver boxes.

^{- 32} Bit systems have a Red LED and Black receiver boxes.

FAN MODEL	FAN NAME	RCS212	RCS213	RCS223	WC105-WH	WC106-WH	WCS212	WCS213	WCS223
F548	CONTRACTOR UNI-PACK			•		•			•
F556	CONTRACTOR PLUS			•		•			•
F556L	CONTRACTOR LED		INCL.					•	
F562	SUPRA® 32"			٠	•	•			•
F563	SUPRA® 44"			٠	•	٠			•
F563-SP	SUPRA® 44"			٠		•			•
F565	MESA [™] 52"				•	•			
F566	MESA [™] 42"				•	٠			
F568	SUPRA® 52"			٠	•	•			•
F569	SUPRA [®] 52"		•	INCL.		٠		٠	
F571	SUNDANCE [™] 52"				•	٠			
F572	SUNDANCE [™] 42"				•	٠			
F580	SHANGRI-LA®					•			
F581	GAUGUIN™	•					INCL.		
F582	RAINMAN [™]		•			•		INCL.	
F588-SP	ULTRA-MAX [™]	INCL.					INCL.		
F589	SUNDOWNER®				•	•			
F593L	TRADITIONAL CONCEPT [™] 44"	•					INCL.		
F594L	TRADITIONAL CONCEPT [™] 52"	•					INCL.		
F596	CIRQUE™	•					INCL.		
F598	AIRUS™	•					INCL.		
F601	ACERO™	•					INCL.		
F602	GYRO™	•					INCL.		
F603	COMO™	•					INCL.		
F614	TIMELESS			٠	•	•			•
F617L	RAPTOR			RC60	0 INCL., COMF	ATIBLE WITH V	VC600		
F620	BOLO™		INCL.			•		•	
F622	TRADITIONAL MOJO			٠		٠			•
F623L	ORB			RCS21	13 INCL., COMF	PATIBLE WITH V	VCS213		
F624	ROTO XL			W	ALL CONTROL	INCLUDED WO	115		
F647	CONTRACTOR UNI-PACK			•		٠			•

^{• =} Compatibility



FAN MODEL	FAN NAME	RCS212	RCS213	RCS223	WC105-WH	WC106-WH	WCS212	WCS213	WCS223
F648	CONTRACTOR UNI-PACK			•					•
F656L	CONTRACTOR UNI-PACK LED					H WCS213 & RC			
F659	CLASSICA			•	•	•			•
F681	GROTON	INCL.					•		
F683L	SHADE			RC40	0 INCL., COME	PATIBLE WITH \	WC400		
F684L	CLEAN			RC40	0 INCL., COME	PATIBLE WITH \	WC400		
F688	KOLA			•	•	•			•
F689	KOLA-XL	INCL.					•		
F690L	ESPACE		INCL.						
F695	KAFÉ			•	•	•			•
F696	KAFÉ-XL	INCL.					•		
F701	DELANO®		•			•		INCL.	
F702	VOLTERRA™		•			•		INCL.	
F705	NAPOLI™	•					INCL.		
F711	DELANO [®] II	•					INCL.		
F715	NAPOLI [™] II	•					INCL.		
F726	SPECTRE			SRC40	00 INCL., COM	PATIBLE WITH	WC400		
F727	RUDOLPH		WALL CON	NTROL INCL	UDED WC116,	COMPATIBLE W	/ITH RCS223	& WCS223	
F729	STEAL			•	INCL.				•
F734	STRATA		INCL.						
F736L	GEAR			RC40	0 INCL., COMF	PATIBLE WITH \	WC400		
F738	PANCAKE	INCL.					•		
F739L	PANCAKE XL LED			RC50	0 INCL., COMF	PATIBLE WITH \	WC500		
F745	SABOT			RC60	0 INCL., COME	PATIBLE WITH \	WC600		
F747L	TIMBER			RC60	0 INCL., COME	PATIBLE WITH \	WC600		
F753	JAVA		INCL.						
F753L	JAVA LED		INCL.						
F759	CLASSICA GALLERY EDITION		INCL.					•	
F786	SIMPLE 44"			RC40	0 INCL., COMF	PATIBLE WITH \	WC400		
F787	SIMPLE 52"			RC40	0 INCL., COME	PATIBLE WITH \	WC400		
F788L	DREAM STAR			RC40	0 INCL., COMF	PATIBLE WITH \	WC400		

^{• =} Compatibility

Please Note: 256 Bit remote systems are not compatible with 32 Bit remote systems.

^{- 256} Bit systems have a Green LED and Green receiver boxes.

^{- 32} Bit systems have a Red LED and Black receiver boxes.

FAN MODEL	FAN NAME	RCS212	RCS213	RCS223	WC105-WH	WC106-WH	WCS212	WCS213	WCS223	
F802	VINTAGE GYRO™	•					INCL.			
F803L	ARTEMIS™	٠					INCL.			
F812	LINEAGE™	٠					INCL.			
F820	SANTA LUCIA [™]	•					INCL.			
F823	WING			RC40	0 INCL., COMF	PATIBLE WITH V	WC400			
F828	SYMBIO			RC40	0 INCL., COMF	PATIBLE WITH V	WC400			
F829L	MOJAVE	RC400 INCL., COMPATIBLE WITH WC400								
F831L	TEAR	RC500 INCL., COMPATIBLE WITH WC500								
F832L	TRIPLE			RC40	0 INCL., COMF	PATIBLE WITH V	WC400			
F833	KEWL			•	INCL.				•	
F834L	METROPOLIS	INCL.					•			
F838L	FORCE			RC40	0 INCL., COMF	PATIBLE WITH V	VC400			
F843	WAVE		INCL.					•		
F844	LIGHT WAVE		INCL.					•		
F846L	WAVE II			RC40	0 INCL., COMF	PATIBLE WITH V	WC400			
F847L	TIMBER			RC60	0 INCL., COMF	PATIBLE WITH V	WC600			
F849L	STACK			RC40	0 INCL., COMF	PATIBLE WITH V	WC400			
F852L	ALVA			RC50	0 INCL., COMF	PATIBLE WITH V	WC500			
F853	AVIATION			RC50	0 INCL., COMF	PATIBLE WITH V	WC500			
F853L	AVIATION LED			RC50	0 INCL., COMF	PATIBLE WITH V	WC500			
F864	BARN			RC40	0 INCL., COMF	PATIBLE WITH V	WC400			
F868L	SLEEK			RC60	0 INCL., COMF	PATIBLE WITH V	WC600			
F870	WINDMOLEN			RC40	0 INCL., COMF	PATIBLE WITH V	WC400			
F887	XTREME			RC40	0 INCL., COMF	PATIBLE WITH V	WC400			
F888	SLIPSTREAM			RC40	0 INCL., COMF	PATIBLE WITH V	WC400			
F896-65	XTREME H₂O			RC40	0 INCL., COMF	PATIBLE WITH V	VC400			
F896-84	XTREME H₂O			RC40	0 INCL., COMF	PATIBLE WITH V	WC400			
F899L	NINETY-NINE			RC60	0 INCL., COME	PATIBLE WITH V	VC600			


FAN MODEL	FAN NAME	RCS212	RCS213	RCS223	WC105-WH	WC106-WH	WCS212	WCS213	WCS223		
F900	CRISTAFANO™	•					INCL.				
F902L	BLING			RC40	0 INCL., COMF	ATIBLE WITH V	VC400				
F903L	ARTEMIS [™] IV	RC400 INCL., COMPATIBLE WITH WC400									
F905L	ARTEMIS [™] XL5			RC60	0 INCL., COMF	ATIBLE WITH V	VC600				
F988	GÉANT				RC70	0 INCL					
F1000	DYNO		INCL.					•			
F1001	DYNO XL	RCS213 INCL., COMPATIBLE WITH WCS213									

^{• =} Compatibility

^{- 32} Bit systems have a Red LED and Black receiver boxes.

HANGING SYSTEMS





Minka-Aire® offers a full selection of downrods in 59 finishes and 8 lengths to complement any Minka-Aire® ceiling fan.

 $[\]clubsuit$ A245 $\mbox{3}\!\!/\!\!/$ I.D. is also available in PR (Primer) finish.

HANGING SYSTEMS



FINISH	MBK (CL)	MCG	MG	MP	MW	ODK	ORB	PBL	PI	PN	PW	RD	RRB	RW	SBR	SDBK	SI	SL	STW/GOW	SWH	TCL	ТΙ	TSP	VB	VI	VP	VRT	WA	WH/44	WHF
DR5 Series Dowi	NROD ARI	E ¾" .	D.																											
DR500-Coupler	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	٠	•	•	•	•	•	•	•	•	•	•	•	•	•
DR503	-	•	•	•	•	•	•	•	•	•	•	•	•	•	-	-	•	•	•	•	•	•	•	•	-	•	•	-	•	•
DR504	-	-	-	-	-	-	•	-	-	•	-	-	•	-	-	-	-	-	-	-		-	-	•	-	-	-	-	•	-
DR506	-	-	-	-	-	•	•	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	•	•
DR512	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR518	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR524	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR536	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR548	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR560	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DR572	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DOWNLINK™ KIT (For Use	WITH I	F531 (Only))																									
DL06-6"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	•	-
DL15-15"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	•	-
DL27-27"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	•	-
DL39-39"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	•	-
DL51-51"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	•	-
DL63-63"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	•	-
DL75-75"	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	•	-
Minka-Aire® 45°	SLOPE CE	ILING .	Adap	TER K	(ITS (S	SCA)																								
* A245 ¾" I.D.	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
A180	•	•	•	•	•	•	•	•	•	•	•	•	-	-	•	-	•	-	•	•	•	-	•	-	•	•	•	-	•	•
*** A581	_	-	-	-	-	_	•	_	-	-	-	_	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	•

All component parts and hardware supplied with your Minka-Aire* ceiling fan have been designed and engineered to assure proper and safe installation of your new ceiling fan. Substituting parts or hardware, such as, but not limited to the hanger ball and the hanger bracket, not supplied with your ceiling fan by Minka-Aire*, will void the Minka-Aire* Warranty.

HANGING SYSTEMS



Low Ceiling Adapter A180

For use on:

F513, F514, F522, F534L, F546, F547, F548, F562, F563, F568, F569, F588, F589, F596, F601, F603, F614, F620, F622, F647, F648, F656L, F659, F688, F689, F690L, F695, F696, F759, F828, F905L

Low Ceiling Adapter **A581**

For use on: F581







A581-BG

A581-ORB

A581-WHF

Downlink[™] Kit (for use on F531 only)



DL39

Downlink[™] Kit Maximum length is 72"

(Size and Finish: See Page(s): <?>

Note: It is not possible to join Downbridge $^{\text{\tiny m}}$ or Downlink $^{\text{\tiny m}}$ kits together for hanging fans in excess of maximum kit lengths.



Downrod Coupler DR500

(¾" I.D.)

For those occasions when you need to hang your ceiling fan on a longer than 72" downrod, simply use one of our downrod couplers (DR500) available in finishes to match all our fans and downrods. The coupler enables you to couple our ¾" downrods together and hang fans on total downrod lengths of up to 144".



Slope Ceiling Adapter Kit (SCA)

A245-BN (¾" I.D.)

U.S. Patent(s): 7,510,160

Minka-Aire® 45° Slope Ceiling Adapter Kit (SCA)


Minka-Aire" SCA Kit was designed to meet the needs of the home building industry as demand increases for higher, more steeply angled ceilings. Minka-Aire" A245 SCA is used with %" I.D. DR5 Series Downrod.

The above kit as shown includes the mounting bracket, the angled ball assembly and locking pin. For fans that weigh in excess of 35lbs, simply use the hanging bracket that comes with the fan in the box (75lbs rating standard) and the kit's angled ball assembly and locking pin. (Fan model numbers F528, F529 and F53l do not apply because of their unique Downbridge[™] hanging systems)

When ordering SCA specify finish to match your needs.

(Size and Finish: See Page(s): <?>

Sloped Ceiling Application with standard hanging systems for slopes up to a maximum of 21°



Sloped Ceiling Installation Minka-Aire" ceiling fans equipped with universal hanging systems may be hung from standard or vaulted ceilings up to 21° pitch.



FINISHES



Hand-painted finishes and components made from natural material may reflect variations in color and texture. These are not imperfections and enhance the unique appearance of each and every Minka-Aire® fixture. Specifications are subject to change at any time.

FINISHES



Hand-painted finishes and components made from natural material may reflect variations in color and texture. These are not imperfections and enhance the unique appearance of each and every Minka-Aire* fixture. Specifications are subject to change at any time.

FINISHES



ACCESSORY FAN BLADES

















CW Cherry Wood

DC Dark Cherry

,

DM Dark Maple

DW Dark Walnut

LC Light Cherry

LM Light Maple

ML Reversible Medium Oak

MM Medium Maple

Fan Blade Compatibility Chart

Model	Fan Name	CW	DC	DM	DW	LC	LM	ML	MM	МО
F516L	Concept [™] I	N/A	N/A	FB216-DM	FB216-DW	N/A	N/A	N/A	N/A	N/A
F517L	Concept [™] I	N/A	N/A	FB217-DM	FB217-DW	N/A	N/A	N/A	N/A	N/A
F518L	Concept™∥	N/A	N/A	FB216-DM	FB216-DW	N/A	N/A	N/A	N/A	N/A
F519L	Concept™∥	N/A	N/A	FB217-DM	FB217-DW	N/A	N/A	N/A	N/A	N/A
F547	Contractor	N/A	N/A	FB103S-DM	FB103S-DW	FB103S-LC	FB103S-LM	FB103S-ML	FB103S-MM	N/A
F548	Contractor Uni-Pack	N/A	N/A	FB103S-DM	FB103S-DW	FB103S-LC	FB103S-LM	FB103S-ML	FB103S-MM	N/A
F562	Supra® 32"	N/A	FB422-DC	FB422-DM	FB422-DW	FB422-LC	FB422-LM	N/A	FB422-MM	N/A
F563	Supra [®] 44"	N/A	FB423-DC	FB423-DM	FB423-DW	FB423-LC	FB423-LM	N/A	FB423-MM	N/A
F568	Supra [®] 52"	N/A	FB424-DC	FB424-DM	FB424-DW	FB424-LC	FB424-LM	N/A	FB424-MM	N/A
F588	Ultra-Max™ 54"	FB107T-CW	N/A	N/A	FB107T-DW	FB107T-LC	N/A	N/A	FB107T-MM	N/A
F589	Sundowner*	N/A	N/A	FB107P-DM	FB107P-DW	N/A	N/A	N/A	FB107P-MM	N/A
F596	Cirque™		Optional E	Blades Sets are the	FB196-RYB (Multi-co	olored, Red, Yello	w, Blue) and the F	-B196-MG (Mahog	jany Finish)	
F647	Contractor Uni-Pack	N/A	N/A	FB103S-DM	FB103S-DW	FB103S-LC	FB103S-LM	FB103S-ML	FB103S-MM	N/A

ACCESSORY FAN BLADES

















MO Medium Oak

NM Natural Maple

NW Natural Walnut

High Gloss Rosewood

Silver

SWH Shell White

WO Washed Oak

WP Weathered Pine

Fan Blade Compatibility Chart

Model	Fan Name	NM	NP	NW	ORB	RW	SL	SWH	WO	WP
F516L	Concept [™] I	N/A	N/A	N/A	FB216-ORB	N/A	N/A	N/A	N/A	N/A
F517L	Concept™I	N/A	N/A	N/A	FB217-ORB	N/A	N/A	N/A	N/A	N/A
F518L	Concept™∥	N/A	N/A	N/A	FB216-ORB	N/A	N/A	N/A	N/A	N/A
F519L	Concept™∥	N/A	N/A	N/A	FB217-ORB	N/A	N/A	N/A	N/A	N/A
F547	Contractor	FB103S-NM	N/A	FB103S-NW	N/A	FB103S-RW	FB103S-SL	FB103S-SWH	FB103S-WO	FB103S-WP
F548	Contractor Uni-Pack	FB103S-NM	N/A	FB103S-NW	N/A	FB103S-RW	FB103S-SL	FB103S-SWH	FB103S-WO	FB103S-WP
F562	Supra® 32"	N/A	N/A	FB422-NW	N/A	N/A	FB422-SL	N/A	FB422-WO	FB422-WP
F563	Supra® 44"	N/A	N/A	FB423-NW	N/A	N/A	FB423-SL	N/A	FB423-WO	FB423-WP
F568	Supra® 52"	N/A	N/A	FB424-NW	N/A	N/A	FB424-SL	FB424-SWH	FB424-WO	FB424-WP
F588	Ultra-Max™ 54"	N/A	FBI07T-NP	FB107T-NW	N/A	FB107T-RW	N/A	N/A	FB107T-WO	FBI07T-WP
F589	Sundowner®	N/A	N/A	N/A	N/A	N/A	N/A	FB107P-SWH	N/A	N/A
F596	Cirque™		Optional Blades Sets are the FB196-RYB (Multi-colored, Red, Yellow, Blue) and the FB196-MG (Mahogany Finish)							
F647	Contractor Uni-Pack	FB103S-NM	N/A	FB103S-NW	N/A	FB103S-RW	FB103S-SL	FB103S-SWH	FB103S-WO	FB103S-WP

MODEL NUMBER	FAN NAME	HIGH SPEED	LOW SPEED
F302	Gyrette™	1,502	985
F304L	Cage Free Gyro™	2,686	1,479
F306L	Elemental Gyro™	4,082	1,893
F307	Anywhere	1,122	605
F402	Gyro™ Wet	1,580	1,059
F410L	Slant	2,080	615
F474L	Concept™ II Wet 52"	5,363	2,821
F476L	Concept™ I Wet 52"	5,389	3,262
F477L	Concept™ I Wet 58"	5,491	2,573
F502	Traditional Gyro™	2,505	1,625
F510L	Spacesaver	1,992	459
F513	New Era	4,845	1,815
F514	Zen	6,158	1,879
F516L	Concept™ I 44"	3,558	1,619
F517L	Concept™ I 52"	5,236	2,087
F518L	Concept™ II 44"	3,783	1,479
F519L	Concept™ II 52"	5,491	1,915
F521	Aluma	4,318	1,353
F522	Mojo	4,224	2,028
F523	Aluma Wet	3,914	1,823
F524	Roto	4,623	1,553
F531	Flyte®	6,342	2,232
F532	Sunseeker	5,747	1,851
F533	Mojo II	4,223	1,255
F534L	Lun-Aire	5,198	2,175
F539	Great Room Traditional	9,071	3,679
F541L	Cone	8,385	2,563
F543L	Swept	8,177	2,508
F544	Calais™	6,050	2,150
F546	Contractor 42"	3,290	1,558
F547	Contractor 52"	3,807	1,488
F548	Contractor Uni-Pack	4,635	1,358
F556	Contractor Plus	5,450	1,746

MODEL NUMBER	FAN NAME	HIGH SPEED	LOW SPEED
F556L	Contractor LED	5,450	1,746
F562	Supra® 32"	3,155	914
F563	Supra® 44"	5,207	1,520
F563-SP	Supra® 44"-SP	5,322	1,619
F565	Mesa™ 52"	2,999	403
F566	Mesa™ 42"	2,388	487
F568	Supra® 52"	4,944	1,378
F569	Supra® 52" -SP	5,563	1,410
F571	Sundance™ 52"	5,907	1,750
F572	Sundance™ 42"	3,410	1,365
F580	Shangri-La®	5,517	1,548
F581	Gauguin™	5,297	2,503
F582	Rainman™	4,933	1,957
F588-SP	Ultra-Max™ -SP	6,187	1,430
F589	Sundowner®	6,401	1,747
F593L	Traditional Concept™ 44"	3,959	1,500
F594L	Traditional Concept™ 52"	5,203	2,116
F596	Cirque™	4,437	1,956
F598	Airus™	4,647	1,516
F601	Acero™	6,097	1,942
F602	Gyro™	2,477	1,670
F603	Como™	5,333	1,841
F614	Timeless	4,491	1,921
F617L	Raptor	6,710	1,894
F620	Bolo™	4,588	2,022
F622	Traditional Mojo	4,654	1,967
F623L	Orb	5,500	2,00
F624	Roto XL	5,927	2,526
F647	Contractor Uni-Pack	3,787	1,479
F648	Contractor Uni-Pack	4,039	1,581
F656L	Contractor Uni-Pack LED	5,142	1,523
F659	Classica	5,118	1,861
F681	Groton	5,722	1,912

MODEL NUMBER	FAN NAME	HIGH SPEED	LOW SPEED
F683L	Shade	8,181	2,398
F684L	Clean	10,948	3,753
F688	Kola	4,740	1,403
F689	Kola-XL	6,727	1,647
F690L	Espace	5,124	1,732
F695	Kafé	5,741	1,518
F696	Kafé-XL	6,418	1,483
F701	Delano®	5,530	1,482
F702	Volterra™	5,243	1,868
F705	Napoli™	5,609	2,370
F711	Delano® II	3,772	936
F715	Napoli™ II	6,180	1,640
F726	Spectre	6,498	1,639
F727	Rudolph	5,168	1,712
F729	Steal	7,230	1,909
F734	Strata	4,648	1,925
F736L	Gear	7,450	2,146
F738	Pancake	3,941	780
F739L	Pancake XL LED	6,723	3,122
F745	Sabot	4,348	960
F747L	Timber	6,500	3,000
F753	Java	5,357	2,782
F753L	Java LED	5,846	2,898
F759	Classica - Gallery Edition	4,970	1,884
F786	Simple 44"	5,323	1,615
F787	Simple 52"	5,745	1,326
F788L	Dream Star	8,063	1,823
F802	Vintage Gyro™	1,770	1,240
F803L	Artemis™	5,284	2,587
F812	Lineage™	6,238	1,589
F820	Santa Lucia™	5,837	2,696
F823	Wing	5,667	1,805
F828	Symbio	6,276	1,717

MODEL NUMBER	FAN NAME	HIGH SPEED	LOW SPEED
F829L	Mojave	7,594	2,547
F831L	Tear	7,869	3,120
F832L	Triple	6,012	2,125
F833	Kewl	5,010	1,507
F834L	Metropolis	5,589	2,601
F838L	Force	4,438	281
F843	Wave	4,818	1,657
F844	Light Wave	4,531	1,491
F846	Wave II	4,231	1,158
F847L	Timber	8,960	2,109
F849L	Stack	5,968	1,574
F852L	Alva	7,045	3,304
F853	Aviation	5,159	2,159
F853L	Aviation LED	5,159	2,159
F864L	Barn	8,500	5,000
F868L	Sleek	7,000	2,500
F870L	Windmolen	6,500	2,800
F887-72	Xtreme 72"	8,905	3,036
F887-96	Xtreme 96"	13,080	9,152
F888	Slipstream	8,263	3,916
F896-65	Xtreme H2O 65"	9,092	3,800
F896-84	Xtreme H2O 84"	11,157	5,075
F899L	Ninety-Nine	13,350	7,803
F900	Cristafano™	7,885	3,038
F902L	Bling	6,019	1,523
F903L	Artemis™ IV	8,520	2,913
F905L	Artemis™ XL5	6,245	3,461
F988	Géant	13,000	5,000
F1000	Dyno	4,223	1,561
F1001L	Dyno XL	6,500	1,600

NEW STYLES



Barn F864L Page 12

Dyno XL F1001 Page 308





Géant F988 Page 34





Bolo™ F620 Page 210



Cage Free Gyro™ F304L Page 176



Calais[™] F544 Page 223



Cirque[™] F596 Page 162



Classica F659 Page 218



Classica - Gallery Edition F759 Page 216



Clean F684L Page 16



Como[™] F603 Page 156



Concept[™] I 44" F516L Page 158



Concept[™] I 52" F517L Page 158



Concept[™] I Wet 52" F476L Page 250



Concept[™] I Wet 58" F477L Page 248



Concept[™] II 44" F518L Page 132



Concept[™] II **52**" F519L Page 130



Concept[™] II Wet 52" F474L Page 252



Cone F541L Page 68, 244



Contractor 42" F546 Page 360



Contractor 52" F547 Page 358



Contractor LED F556L Page 330



Contractor Plus F556 Page 334



Contractor Uni-Pack F548 Page 354



Contractor Uni-Pack F647 Page 352



Contractor Uni-Pack LED F656L Page 326



Cristafano™ F900 Page 224



Delano[®] F701 Page 186



Delano® II F711 Page 190



Dream Star F788L Page 14



Dyno F1000 Page 302



Elemental Gyro™ F306L Page 178



Espace F690L Page 292



Flyte® F531 Page 142



Force F838L Page 74



Gauguin™ F581 Page 286



Gear F736L Page 26



Great Room Traditional F539 Page 182



Groton F681 Page 240





Rainman™ F582

Page 272

Raptor F617L

Page 84

Pancake XL LED F739L

Page 106



Retro Style Fan F310 Page 324



Roto F524 Page 76



Roto XL F624 Page 246



Rudolph F727 Page 296



Sabot F745 Page 140



Santa Lucia™ F820 Page 212



Shade F683L Page 270



Shangri-La® F580 Page 288



Simple 44" F786 Page 72, 238



Simple 52" F787 Page 70, 236



Slant F410L Page 148



Slipstream F888 Page 126, 274



Spacesaver F510L Page 322



Spectre F726 Page 102



Stack F849L Page 124



Steal F729 Page 312



Strata F734 Page 266



Sundance™ F571/F572 Page 284



Sundowner® F589 Page 280



Sunseeker F532 Page 278



Supra* 32" F562 Page 352



Supra[®] 44" F563 Page 350



Supra® 44" -SP F563-SP Page 346



Supra[®] 52" F568 Page 342





Vintage Gyro[™] F802 Page 170



Volterra[™] F702 Page 222



Wave F843 Page 50





Wave II F846 Page 144

Wing F823 Page 136

Xtreme F887 Page 44



Xtreme H₂O F896 Page 38, 230



Zen F514 Page 164

		Blade Sweep	No of Blades	Blade Pitch	Motor Size	RPM (Hi/Low)	Warranty	Light Kit	Downrods ¾" ID	Downrod ½" ID	Lead Wire	Dimension A	Dimension B	Hanging Weight (LBS)
F300	Retro Style	10"	3	14°	70 x 70	1253/1525	One Year	N/A	N/A	N/A	72"	N/A	N/A	6
F302	Gyrette™	36"	8	14°	82 x 25	1470/800	Limited Lifetime	N/A	4½"	N/A	54"	16¼"	22½"	19
F304L	Cage Free Gyro™	37"	6	23°	70 x 16	1470/800	Limited Lifetime	Integrated	6"	N/A	80"	22¼"	17¾	19
F306L	Elemental Gyro™	42"	6	23°	70 x 16	1470/800	Limited Lifetime	Integrated	6"	N/A	80"	23"	18"	19
F307	Anywhere	15"	3	23°	82 x 25	985/491	Limited Lifetime	N/A	6"	N/A	118"	N/A	N/A	20
F402	Gyro™ Wet	42"	6	20°	82 x 25	1350/720	Limited Lifetime	Integrated	6"	N/A	80"	19½"	17¾"	30
F410L	Slant	36"	3	20°	DC125 x 20	300/150	Limited Lifetime	Integrated	6"	N/A	80"	15"	10½"	15
F474L	Concept™ II Wet 52"	52"	3	14°	188 x 20	170/92	Limited Lifetime	Integrated	N/A	N/A	8"	12"	8½"	26
F476L	Concept™ I Wet 52"	52"	3	14°	188 x 20	168/93	Limited Lifetime	Integrated	6"	N/A	80"	20½"	17"	25
F477L	Concept™ I Wet 58"	58"	3	14°	188 x 22	158/68	Limited Lifetime	Integrated	6"	N/A	80"	18¼"	14¼"	27
F502	Traditional Gyro™	42"	6	20°	80 x 25	1350/720	Limited Lifetime	Integrated	4½" & 12"	N/A	80"	17"	16½"	40
F510L	Spacesaver	26"	3	14°	153 x 12	392/170	Limited Lifetime	Integrated	N/A	N/A	8"	11"	7¼"	12
F513	New Era	52"	4	14°	172 x 16	199/67	Limited Lifetime	Adaptable	6"	N/A	80"	15½"	12¾"	18
F514	Zen	52"	4	14°	172 x 16	209/67	Limited Lifetime	Integrated	6"	N/A	80"	18½"	12¾"	20
F516L	Concept™ I 44"	44"	3	14°	153 x 15	189/91	Limited Lifetime	Integrated	6"	N/A	80"	17½"	14¼"	22
F517L	Concept™ I 52"	52"	3	14°	172 x 20	183/70	Limited Lifetime	Integrated	6"	N/A	80"	17½"	14¼"	25
F518L	Concept™ II 44"	44"	3	14°	153 x 15	181/79	Limited Lifetime	Integrated	N/A	N/A	8"	11½"	8¼"	24
F519L	Concept™ II 52"	52"	3	14°	172 x 20	172/66	Limited Lifetime	Integrated	N/A	N/A	8"	11½"	8¼"	27
F521	Aluma	52"	4	12°	153 x 15	187/100	Limited Lifetime	Integrated	6"	N/A	80"	15¾"	12¼"	17
F522	Mojo	52"	5	12°	153 x 15	162/60	Limited Lifetime	Included	6"	N/A	80"	17"	11½"	18
F523	Aluma Wet	52"	4	12°	153 x 20	166/73	Limited Lifetime	Integrated	6"	N/A	80"	16½"	13¼"	19
F524	Roto	52"	3	22°	153 x 15	210/112	Limited Lifetime	N/A	6"	N/A	80"	11¾"	9½"	11
F531	Flyte®	56"	3	14°	188 x 25	178/82	Limited Lifetime	Integrated	N/A	9" DL	80"	17¾"	16¼"	27
F532	Sunseeker	60"	5	14°	188 x 25	135/50	Limited Lifetime	Integrated	6"	N/A	80"	16½"	14¾"	28
F533	Mojo II	52"	4	14°	153 x 15	168/84	Limited Lifetime	Integrated	N/A	N/A	12"	12½"	8"	18
F534L	Lun-Aire	54"	5	12°	172 x 17	150/70	Limited Lifetime	Integrated	6"	N/A	80"	15¼"	10½"	25
F539	Great Room Traditional	72"	5	14°	212 x 25	126/45	Limited Lifetime	Adaptable	6"	N/A	80"	15¼"	13"	35
F541L	Cone	54"	5	14°	DC123 x 30	169/102	Limited Lifetime	Integrated	6"	N/A	74"	13¾"	11½"	14
F543L	Swept	56"	4	26°	DC123 x 30	191/51	Limited Lifetime	Integrated	6"	N/A	80"	14½"	12"	14
F544	Calais™	52"	5	14°	172 x 17	165/62	Limited Lifetime	Integrated	N/A	N/A	8"	12"	7½"	27
F546	Contractor 42"	42"	5	12°	153 x 10	214/113	Limited Lifetime	Adaptable	4"	N/A	80"	12¼"	9¾"	14
F547	Contractor 52"	52"	5	12°	153 x 13	162/67	Limited Lifetime	Adaptable	4"	N/A	80"	12¾"	10%"	13
F548	Contractor Uni-Pack	52"	5	12°	153 x 13	162/56	Limited Lifetime	Included	4"	N/A	80"	17¼"	9¾"	17
F556	Contractor Plus	52"	5	12°	153 x 15	183/69	Limited Lifetime	Adaptable	6"	N/A	80"	14¾"	13"	15
F556L	Contractor LED	52"	5	12°	153 x 15	183/69	Limited Lifetime	Adaptable	6"	N/A	80"	16"	14¼"	15
F562	Supra® 32"	32"	6	22°	153 × 16	267/93	Limited Lifetime	Adaptable	6"	N/A	80"	14¾"	13"	15
F563	Supra® 44"	44"	5	14°	188 x 15	243/77	Limited Lifetime	Adaptable	6"	N/A	80"	14½"	13¼"	19

		Blade Sweep	No of Blades	Blade Pitch	Motor Size	RPM (Hi/Low)	Warranty	Light Kit	Downrods ¾" ID	Downrod ½" ID	Lead Wire	Dimension A	Dimension B	Hanging Weight (LBS)
F563	Supra® 44"-SP	44"	5	14°	188 x 15	243/77	Limited Lifetime	Included	6"	N/A	80"	27½"	13¼"	22
F565	Mesa™ 52"	52"	5	12°	153 x 14	176/65	Limited Lifetime	Adaptable	N/A	N/A	8"	8¾"	6½"	13
F566	Mesa™ 42"	42"	5	12°	153 x 10	211/92	Limited Lifetime	Adaptable	N/A	N/A	8"	7¾"	5¾"	11
F568	Supra® 52"	52"	5	14°	188 x 15	179/58	Limited Lifetime	Adaptable	6"	N/A	80"	15¼"	13¼"	20
F569	Supra® 52" -SP	52"	5	14°	188 x 15	168/53	Limited Lifetime	Included	6"	N/A	80"	19½"	13¼"	24
F571	Sundance™ 52"	52"	5	12°	153 x 15	182/63	Limited Lifetime	Adaptable	6"	N/A	80"	14½"	13½"	16
F572	Sundance™ 42"	42"	5	12°	153 x 10	233/103	Limited Lifetime	Adaptable	6"	N/A	80"	14¾"	12½"	13
F580	Shangri-La®	52"	5	14°	188 x 20	172/58	Limited Lifetime	Included	6"	N/A	80"	24"	14"	35
F581	Gauguin™	52"	4	14°	188 x 20	148/76	Limited Lifetime	Integrated	6"	N/A	80"	16¼"	15¾"	25
F582	Rainman™	54"	5	14°	172 x 20	145/70	Limited Lifetime	Integrated	6"	N/A	80"	23¾"	13¼"	28
F588	Ultra-Max™-SP	54"	5	14°	188 x 25	201/65	Limited Lifetime	Adaptable	6"	N/A	80"	14¾"	12¾"	24
F589	Sundowner®	54"	5	16°	188 x 20	185/51	Limited Lifetime	Adaptable	6"	N/A	80"	15"	13"	28
F593L	Traditional Concept™ 44"	44"	3	14°	153 x 17	221/105	Limited Lifetime	Integrated	N/A	N/A	8"	11"	7½"	19
F594L	Traditional Concept™ 52"	52"	3	14°	172 × 20	178/60	Limited Lifetime	Integrated	N/A	N/A	8"	11"	7½"	23
F596	Cirque™	54"	6	14°	188 x 25	143/64	Limited Lifetime	Integrated	4" & 6"	N/A	80"	14¾"	9¾"	26
F598	Airus™	54"	5	14°	188 x 18	150/45	Limited Lifetime	Integrated	6"	N/A	80"	16"	10¾"	26
F601	Acero™	52"	3	14°	188 x 15	181/62	Limited Lifetime	Integrated	6"	N/A	80"	15¾"	12¼"	24
F602	Gyro™	42"	6	20°	82 x 25	1350/720	Limited Lifetime	Integrated	6"	N/A	80"	16¼"	18¼"	31
F603	Como™	54"	5	14°	188 x 20	182/61	Limited Lifetime	Integrated	6"	N/A	80"	15¾"	11"	27
F614	Timeless	54"	5	14°	188 x 15	163/58	Limited Lifetime	K9614	6"	N/A	80"	16½"	14¼"	21
F617L	Raptor	60"	5	14°	DC172 x 12	150/60	Limited Lifetime	Integrated	6"	N/A	80"	13¾"	11"	29
F620	Bolo™	52"	5	14°	172 x 17	168/72	Limited Lifetime	Included	6"	N/A	80"	22¾"	15"	25
F622	Traditional Mojo	52"	5	12°	153 x 15	188/79	Limited Lifetime	Included	6"	N/A	80"	17½"	12¼"	17
F623L	Orb	54"	4	14°	AC153 x 17	142/65	Limited Lifetime	Included	6"	N/A	80"	16½"	10¼"	20
F624	Roto XL	62"	3	20°	172 x 16	188/96	Limited Lifetime	N/A	6"	N/A	80"	12¾"	111/4"	14
F647	Contractor Uni-Pack	52"	5	12°	153 x 13	160/57	Limited Lifetime	Included	4"	N/A	80"	18"	9¾"	16
F648	Contractor Uni-Pack	52"	5	12°	153 x 15	188/68	Limited Lifetime	Included	4"	N/A	80"	17¼"	9¾"	17
F656L	Contractor Uni-Pack LED		5	12°	172 x 14	197/58	Limited Lifetime	Integrated	6"	N/A	80"	17"	12½"	19
F659	Classica	54"	5	14°	172 x 16	188/64	Limited Lifetime	K9659	6"	N/A	80"	16¾"	13"	23
F681	Groton	56"	5	12°	188 x 25	135/50	Limited Lifetime	Integrated	10"	N/A	80"	20¼"	15½"	38
F683L	Shade	56"	4	14°	DC168 x 12	160/50	Limited Lifetime	Integrated	6"	N/A	80"	17½"	9½"	25
F684L	Clean	60"	5	12°	DC123 x 30	160/50	Limited Lifetime	Integrated	6"	N/A	80"	16"	15"	20
F688	Kola	52"	5	12°	172 x 14	190/61	Limited Lifetime	Adaptable	6"	N/A	80"	15½"	13¼"	18
F689	Kola-XL	60"	5	12°	188 x 20	160/44	Limited Lifetime	Adaptable	6"	N/A	80"	15½"	13¼"	23
F690L	Espace	52"	5	14°	172 x17	161/59	Limited Lifetime	Integrated	6"	N/A	80"	14½"	10½"	21
F695	Kafé	52"	5	12°	172 x 14	190/61	Limited Lifetime	Adaptable	6"	N/A	80"	15"	12¾"	18
F696	Kafé-XL	60"	5	12°	188 x 20	160/44	Limited Lifetime	Adaptable	6"	N/A	80"	15"	12¾"	23

		Blade Sweep	No of Blades	Blade Pitch	Motor Size	RPM (Hi/Low)	Warranty	Light Kit	Downrods ¾" ID	Downrod ½" ID	Lead Wire	Dimension A	Dimension B	Hanging Weight (LBS)
F701	Delano®	52"	5	14°	172 x 20	160/65	Limited Lifetime	Integrated	6"	N/A	80"	18"	10"	28
F702	Volterra™	52"	5	14°	172 x 20	159/71	Limited Lifetime	Integrated	6"	N/A	80"	18¼"	10"	28
F705	Napoli™	56"	5	14°	188 x 25	153/59	Limited Lifetime	Integrated	12"	N/A	80"	16½"	8¾"	40
F711	Delano® II	52"	5	14°	172 x 20	150/68	Limited Lifetime	Integrated	N/A	N/A	8"	11"	6¼"	25
F715	Napoli™ II	68"	5	14°	212 x 25	109/44	Limited Lifetime	Integrated	12"	N/A	80"	17"	9¼"	46
F726	Spectre	60"	4	14°	DC188 x 10	163/48	Limited Lifetime	Integrated	6"	N/A	80"	15¼"	113/4"	18
F727	Rudolph	52"	3	14°	172 x 16	139/57	Limited Lifetime	K9727L	6"	N/A	80"	15½"	13½"	20
F729	Steal	54"	3	5°	188 x 15	170/65	Limited Lifetime	Adaptable	6"	N/A	80"	13½"	111/4"	30
F734	Strata	52"	4	12°	172 x 17	163/81	Limited Lifetime	Integrated	6"	N/A	80"	18"	14½"	21
F736L	Gear	54"	3	14°	DC125 x 30	155/51	Limited Lifetime	Integrated	6"	N/A	80"	16¼"	14"	15
F738	Pancake	52"	4	12°	153 x 18	180/70	Limited Lifetime	N/A	6"	N/A	12"	9¾"	7¾"	14
F739L	Pancake XL LED	62"	4	12°	DC188 x 14	160/70	Limited Lifetime	Integrated	6"	N/A	80"	10.34"	9"	25
F745	Sabot	52"	5	12°	DC172 x 12	173/50	Limited Lifetime	Integrated	6"	N/A	80"	12"	11"	13
F747L	Timber	68"	3	23°	DC172 x 25	105/50	Limited Lifetime	Integrated	10"	N/A	80"	15"	13½"	16
F753	Java	54"	3	14°	153 x 18	150/71	Limited Lifetime	N/A	6"	N/A	80"	14¾"	13¼"	16
F753L	Java LED	54"	3	14°	153 x 18	150/71	Limited Lifetime	Integrated	6"	N/A	80"	15¾"	14¼"	17
F759	Classica Gallery Edition	54"	5	14°	172 x 16	188/64	Limited Lifetime	Adaptable	6"	N/A	80"	16¼"	13¼"	27
F786	Simple 44"	44"	3	26°	DC123 x 30	196/51	Limited Lifetime	K9787L	6"	N/A	74"	12¾"	111/4"	10
F787	Simple 52"	52"	3	14°	DC123 x 30	191/148	Limited Lifetime	K9787L	6"	N/A	80"	12½"	10¾"	11
F788L	Dream Star	60"	8	Variable	DC168 x 30	105/50	Limited Lifetime	Integrated	6"	N/A	80"	16½"	8½"	15
F802	Vintage Gyro™	42"	6	20°	82 x 25	1350/720	Limited Lifetime	Integrated	6"	N/A	80"	16¾"	18"	34
F803L	Artemis™	58"	3	Variable	188 x 25	133/69	Limited Lifetime	Integrated	6"	N/A	80"	15½"	12"	26
F812	Lineage™	54"	5	14°	188 x 25	193/49	Limited Lifetime	Integrated	6"	N/A	80"	20¾"	13¾"	40
F820	Santa Lucia™	60"	5	14°	188 x 25	148/72	Limited Lifetime	Integrated	6"	N/A	80"	21"	14¾"	45
F823	Wing	52"	1	Variable	DC125 x 30	155/111	Limited Lifetime	N/A	6"	N/A	80"	13"	12¼"	14
F828	Symbio	56"	5	15°	DC125 x 30	161/48	Limited Lifetime	Integrated	6"	N/A	80"	17¾"	15¾"	16
F829L	Mojave	56"	3	21°	DC123 x 30	180/50	Limited Lifetime	Integrated	6"	N/A	80"	16½"	15½"	14
F831L	Tear	60"	3	16°	DC120 x 20	167/71	Limited Lifetime	Integrated	6"	N/A	80"	16½"	14¼"	14
F832L	Triple	60"	3	Variable	DC123 x 30	144/50	Limited Lifetime	Integrated	6"	N/A	74"	15¼"	10¾"	14
F833	Kewl	52"	3	22°	153 x 15	201/104	Limited Lifetime	N/A	6"	N/A	80"	14"	10"	12
F834L	Metropolis	56"	3	14°	153 x 22	172/82	Limited Lifetime	Integrated	6"	N/A	80"	16"	11½"	18
F838L	Force	60"	3	Variable	DC123 x 30	140/60	Limited Lifetime	Integrated	6"	N/A	80"	15"	12½"	30
F843	Wave	52"	3	48°	172 x 14	153/61	Limited Lifetime	N/A	6"	N/A	80"	12½"	8½"	12
F844	Light Wave	52"	3	48°	172 x 14	139/57	Limited Lifetime	Integrated	6"	N/A	80"	13¾"	8½"	14
F846	Wave II	60"	2	Variable	DC168 x 8	207/50	Limited Lifetime	N/A	6"	N/A	80"	13"	10"	12
F847L	Timber	84"	3	140	DC172 x 25	90/50	Limited Lifetime	Integrated	10"	N/A	80"	15"	13½"	22
F849L	Stack	56"	3	140	DC125 x 30	179/52	Limited Lifetime	Integrated	6"	N/A	80"	16¼"	10½"	20
F852L	Alva	56"	5	140	DC120 x 20	170/80	Limited Lifetime	Integrated	6"	N/A	80"	20½"	11"	20
F853	Aviation	60"	3	Variable	DC120 x 25	115/89	Limited Lifetime	N/A	6"	N/A	80"	14"	12¼"	16

		Blade Sweep	No of Blades	Blade Pitch	Motor Size	RPM (HI/Low)	Warranty	Light Kit	Downrods 34" ID	Downrod ½" ID	Lead Wire	Dimension A	Dimension B	Hanging Weight (LBS)
F853L	Aviation LED	60"	3	Variable	DC120 x 25	115/44	Limited Lifetime	Integrated	6"	N/A	80"	13	10½"	20
F864	Barn	65"	10	16°	DC168 x 30	110/30	Limited Lifetime	Integrated	10"	N/A	80"	21"	18"	33
F868L	Sleek	60"	3	12°	DC172 x 12	140/50	Limited Lifetime	Integrated	6"	N/A	80	11½"	9¼"	12
F870L	Windmolen	65"	12	24°	DC123 x 30	90/30	Limited Lifetime	Integrated	10"	N/A	80"	18½"	14"	26
F887	Xtreme 72"	72"	9	4°	DC165 x 12	120/51	Limited Lifetime	N/A	6"	N/A	80"	13½"	12"	22
F887	Xtreme 96"	96"	9	4°	DC165 x 12	72/51	Limited Lifetime	N/A	6"	N/A	80"	13½"	12"	25
F888	Slipstream	65"	8	14°	DC165 x 25	98/78	Limited Lifetime	Integrated	6"	N/A	80"	17¼"	13"	25
F896	Xtreme H2O 65"	65"	8	4°	DC123 x 30	130/50	Limited Lifetime	K9886L	6"	N/A	80"	12	11¼"	45
F896	Xtreme H2O 84"	84"	8	4°	DC123 x 30	90/50	Limited Lifetime	K9886L	6"	N/A	80"	12	111/4"	45
F899L	Ninety-Nine	99"	9	Variable	DC172 x 25	59/33	Limited Lifetime	Integrated	6"	N/A	80"	15½"	12"	45
F900	Cristafano™	68"	5	14°	212 x 25	112/49	Limited Lifetime	Integrated	16"	N/A	80"	19¾"	13"	42
F902L	Bling	56"	5	14°	DC125 x 30	170/80	Limited Lifetime	Integrated	6"	N/A	80"	17¾"	9"	20
F903L	Artemis™ IV	64"	4	Variable	DC123 x 30	154/51	Limited Lifetime	Integrated	6"	N/A	80"	16"	7¾"	20
F905	Artemis™ XL5	62"	5	28°	DC172 x 25	91/74	Limited Lifetime	Integrated	6"	N/A	80"	16¼"	12¾"	21
F988	Geant	110"	8	9°	DC188 x 28	110/55	Limited Lifetime	Integrated	16"	N/A	80"	23"	20"	49
F1000	Dyno	52"	5	12°	153 x 17	175/63	Limited Lifetime	Integrated	6"	N/A	80"	14½"	11½"	15
F1001	Dyno XL	60"	5	12°	AC188 x 15	135/55	Limited Lifetime	N/A	6"	N/A	80"	14"	11½"	22

ACCESSORIES	FB103S-NM 391	FB422-LC390
	FB103S-NW 391	FB422-LM 390
AC100367	FB103S-RW391	FB422-MM 390
AC100-BCW 367	FB103S-SL 391	FB422-NW 391
AC100-BS 367	FB103S-SWH 391	FB422-SL 391
AC100-BWH367	FB103S-WO 391	FB422-WO 391
AC100-CT 367	FB103S-WP 391	FB422-WP 391
AC100-DBB 367	FB107P-DM 390	FB423-DC 390
AC100-EX 367	FB107P-DW 390	FB423-DM 390
AC100-FB 367	FB107P-MM 390	FB423-DW 390
AC100-KA 367	FB107P-SWH 391	FB423-LC390
AC100-MCG 367	FB107T-CW 390	FB423-LM 390
AC100-ORB 367	FB107T-DW 390	FB423-MM 390
AC100-PBL367	FB107T-LC 390	FB423-NW 391
AC100-PI 367	FB107T-MM 390	FB423-SL 391
AC100-PW 367	FB107T-NP391	FB423-WO 391
AC100-STW/GOW . 367	FB107T-NW 391	FB423-WP 391
AC100-SWH 367	FB107T-RW 391	FB424-DC 390
AC100-VRT 367	FB107T-WO 391	FB424-DM 390
CM7022-STW 214	FB107T-WP 391	FB424-DW 390
CM7038-STW 215	FB196-MG 390, 391	FB424-LC390
GC900 SET 224, 369	FB196-RYB 390, 391	FB424-LM 390
	FB216-DM 390	FB424-MM 390
ACCESSORY BLADES	FB216-DW 390	FB424-NW 391
	FB216-ORB 391	FB424-SL 391
FB103S-DM 390	FB217-DM 390	FB424-SWH 391
FB103S-DW 390	FB217-DW 390	FB424-WO 391
FB103S-LC 390	FB217-ORB 391	FB424-WP 391
FB103S-LM390	FB422-DC 390	
FB103S-ML390	FB422-DM 390	
FB103S-MM 390	FB422-DW 390	

CONTROL SYSTEMS	2593-4372	DR536 384, 385
	2593-5372	DR548 384, 385
BD-1000 377	2632 372	DR560384, 385
RC400374	2636 372	DR572384, 385
RC500374	2645 372	DR1512 386
RC600374	2646 372	DR1518 386
RCS212 375	2652 372	DR1524 386
RCS213 375	4099 372	DR1536 386
RCS223 375		DR1548 386
RCS223L 375	HANGING SYSTEMS	DR1560 386
WC105-WH 376		DR1572 386
WC106-WH 377	A180 384, 385, 386	
WC110L 377	A245 384, 385	LIGHT KITS - CUSTOM
WC115 376	A245-BN 386	
WC116 377	A581 384, 385	K9614-DBB371
WC116L 377	A581-BG 287, 386	K9614-FB371
WC400 376	A581-ORB 386	K9614-MCG 371
WC500 376	A581-WHF386	K9614-PW 371
WC600 376	DL06 384, 385	K9659-BCW 371
WCS212375	DL15 384, 385	K9659-DRF371
WCS213375	DL27 384, 385	K9659-FB371
WCS223376	DL39 384, 385, 386	K9659-MCG 371
	DL51 384, 385	K9659-PBL 371
GLASS SHADES	DL63 384, 385	K9659-PI 371
	DL75 384, 385	
2018A 372	DR500 384, 385, 386	LIGHT KITS - CUSTOM LED
2548 372	DR503384, 385	
2549 372	DR504384, 385	K9727L-BN373
2560 372	DR506384, 385	K9727L-CL 373
2565 372	DR512384, 385	K9727L-DK 373
2593-1372	DR518384, 385	K9727L-ORB 373
2593-2372	DR524384, 385	K9727L-WHF 373

K9787L-BNW 373	K34-PW370	K9401-L-DRF 368
K9787L-CL 373	K34-SWH370	K9401-L-MW 368
K9787L-ORB373	K35-44 370	K9401-L-ORB 368
K9787L-SL 373	K35-FB 370	K9401-L-VRT 368
K9787L-WHF 373	K35-KA 370	K9401-L-WH 368
K9838L-DK 373	K35-MCG 370	K9402-L-44368
K9838L-SL 373	K35-ORB 370	K9402-L-ORB 368
K9838L-WH 373	K35-PW370	K9500 366
K9886L-BNW 373	K35-SWH 370	K9515-1366
K9886L-CL 373	K1099-1-L-44 369	K9515-2366
K9886L-ORB373	K9363-L367	K9525-1366
K9886L-SI 373	K9365-L-44369	K9525-2366
K9886L-WHF 373	K9369-L367	K9548 366
	К9372-1367	
LIGHT KITS - UNIVERSAL	К9372-2367	LIGHT KITS - UNIVERSAL LED
	К9372-3367	
K1-L-44369	К9372-4367	K9110L 366
K1-L-BS369	К9372-5367	K9115L 366
K1-L-ORB 369	K9373-L-BS 368	K9120L 366
K33-L-44 369	K9373-L-ORB 368	
K33-L-BS 369	K9373-L-WH 368	FANS
K33-L-FB 369	K9374-L-BS 368	
K33-L-MCG 369	K9374-L-WH 368	F302-BN 177
K33-L-ORB 369	K9375-L-BS 368	F302-RRB177
K34-44 370	K9375-L-BWH 368	F304L-BN/SL176
K34-BCW 370	K9375-L-ORB 368	F304L-ORB/MM 176
K34-BN 370	K9375-L-WH 368	F306L-BS/SL 178
K34-BS 370	К9376-1367	F306L-ORB/MM 179
K34-DBB 370	К9376-2367	F307-BN 227, 228
K34-KA 370	К9380-1366	F307-MBK 229
K34-ORB 370	К9380-2366	F310-BN 324
K34-PI 370	K9401-L-BWH368	F402-BNW 175, 235

F402-ORB 174, 234	F517L-WH 159	F532-SI 278
F410L-BS 148	F518L-BN 133	F533-BN 321
F410L-ORB149	F518L-ORB132	F533-DK 321
F410L-WH 149	F518L-PN133	F533-ORB 320
F474L-BNW 253, 254	F518L-WH 133	F533-WH 321
F474L-ORB255	F519L-BN 130	F534L-BN 295
F474L-WH 255	F519L-ORB131	F534L-ORB294
F476L-BNW 250	F519L-PN131	F534L-WH 295
F476L-ORB251	F519L-WH 131	F539-BCW 185
F476L-WH 251	F521-ABD 122	F539-BN 185
F477L-BNW 249	F521-ORB 123	F539-BNK 184
F477L-ORB248	F521-WHF 123	F539-HBZ 183
F477L-WH 249	F522-BN 318	F539-ORB 185
F502-BCW 172	F522-BWH 319	F541L-ORB69, 245
F510L-BS 323	F522-ORB 317	F541L-SL 69, 245
F510L-ORB322	F522-ORB/TS 316	F541L-WH 69, 245
F510L-WH 323	F522-WH319	F543L-DK 120
F513-BN 166	F523-ABD 264	F543L-KA 121
F513-KA 167	F523-ORB 265	F543L-SL 121
F513-ORB 167	F523-WHF 265	F543L-WHF 121
F513-WH 167	F524-ABD	F544-BCW 223
F514-BN 165	F524-CL77, 79	F546-BS 363
F514-ORB 164	F524-DK	F546-BS/DW 362
F514-WH 165	F524-ORB	F546-ORB 363
F516L-BN 159	F524-WHF	F546-WH 363
F516L-ORB158	F531-L-BN 143	F547-BS 361
F516L-PN159	F531-L-BN/MG 142	F547-BS/DW 361
F516L-WH 159	F531-L-WH 143	F547-ORB 360
F517L-BN 159	F532-BNW 279	F547-WH 361
F517L-ORB158	F532-DRF 279	F548-BS 359
F517L-PN159	F532-ORB 279	F548-BS/DW 358

F548-ORB 357	F568-BS 345	F589-TCL280
F548-ORB/EX 356	F568-BS/DW 343	F589-VRT 283
F548-WH 357	F568-KA 342	F589-WH 283
F556-BN 335	F568-ORB 344	F593L-ORB155, 259
F556-BN/DW 335	F568-SWH 343	F593L-PW 154, 258
F556-BNK 337	F568-WH345	F593L-WH 155, 259
F556-HBZ 336	F569-BS341	F594L-ORB 152, 256
F556L-BN 331	F569-BS/DW 340	F594L-PW 153, 257
F556L-BN/DW331	F569-ORB 341	F594L-WH 153, 257
F556L-BNK 333	F569-WH341	F596-BN 162
F556L-BWH 333	F571-ORB 285	F596-PN/TL 163
F556L-HBZ332	F571-WH 284	F598-BN 169
F556L-ORB330	F572-ORB 285	F598-ORB 168
F556L-WH 333	F572-WH 285	F598-WH 169
F556-ORB 334	F580-VR/BB 288, 289	F601-BS/BN 151
F556-WHF 337	F581-BG 286, 287	F601-BS/MG 150
F562-BS352	F581-ORB 287	F601-ORB 151
F562-ORB 353	F581-WHF 287	F601-PN 151
F562-WH 353	F582-BNW 273	F602-BN/CH 173
F563-BS351	F582-GL 273	F602-RRB 173
F563-BS/DW 350	F582-ORB 273	F603-BN 156
F563-ORB 349, 351	F582-SI 272	F603-ORB 157
F563-SP 347	F588-SP-BCW 338	F603-WH 157
F563-SP-BS/DW 347	F588-SP-BN 339	F614-BNK 194
F563-SP-ORB 346	F588-SP-ORB 339	F614-DBB 195
F563-SP-WH 347	F588-SP-WH 339	F614-FB197
F563-WH 351	F589-BI/AI 283	F614-HBZ 193
F565-BN 364	F589-DRF 281	F614-ORB 195
F565-WH 364	F589-HT 282	F614-PI 197
F566-WH364	F589-MW 281	F614-PW 196
F568-BCW 345	F589-ORB 281	F617L-BN

F617L-GM85, 86	F659-PBL 220	F696-BNK 202
F617L-ORB/AB87	F659-PI 219	F696-CC 205
F620-BCW 211	F681-BNW 242	F696-CL203
F620-BN 210	F681-ORB 240	F696-HBZ 204
F620-DBB 211	F681-PN 243	F696-KA 205
F620-ORB 211	F681-SDBK/WS 241	F696-VP 203
F622-BWH 315	F681-WA/PW 243	F696-WH 203
F622-ORB 315	F683L-BNW 269, 270	F701-DRB 189
F622-ORB/TS 315	F683L-GI 271	F701-DRF 187
F622-PW 314	F683L-HBZ271	F701-KA 189
F623L-BC/SBR 100	F684L-GI/BN 17	F701-PN 186
F623L-BS/BN 101	F684L-MBK/BN 16	F701-PW 188
F623L-WHF/BN 101	F684L-ORB/TB17	F702-BCW 222
F624-ABD 247	F684L-PN17	F702-VB 222
F624-ORB 246	F688-DBB 201	F705-STW 214
F624-WHF 247	F688-KA 201	F711-DRB 190
F647-BS354	F688-PW 200	F711-PN 191
F647-ORB 355	F688-WH201	F711-PW 191
F647-ORB/TS 355	F689-DBB 199	F715-STW 215
F647-WH355	F689-KA 198	F726-BN/ORG 105
F656L-BN/DW 325, 328	F689-PW 199	F726-BN/SL 104
F656L-BNK326	F689-WH199	F726-ORB/AB 102
F656L-CL 329	F690L-BN/SL292	F726-ORB/BN 103
F656L-HBZ327	F690L-ORB/MM291, 293	F726-WHF/BN 105
F656L-ORB329	F690L-WH 293	F727-BN/MM . 297, 300
F656L-PN327	F695-BNK 206	F727-BN/SL 301
F656L-WH 327	F695-CL 207	F727-CL 298
F659-BCW 221	F695-HBZ 208	F727-DK 301
F659-DRF 218	F695-KA 209	F727-ORB 301
F659-FB221	F695-VP 209	F727-WHF 299
F659-MCG 219	F695-WH207	F729-BN 313

F729-GM 312	F753-WHF 119, 263	F823-WH 139
F729-WHF 313	F759-PBL Gallery Edition	F828-BN
F734-GL 267	217	F828-BN/DW 52
F734-ORB 266	F786-BNW 73, 239	F828-BN/WH53
F734-SI 267	F786-CL73, 239	F828-ORB
F736L-BS/SDBK27, 29	F786-ORB 72, 238	F828-WHF
F736L-BS/WHF 29	F786-SL 73, 239	F829L-CH/CH88
F736L-PN/BS 29	F786-WHF 73, 239	F829L-CH/SL 89
F736L-PN/ORB 28	F787-BNW 71, 237	F829L-SL
F738-DK 109	F787-CL70, 236	F829L-WHF 89
F738-SL 109	F787-ORB 71, 237	F831L-FLR
F738-WHF 108	F787-SL 71, 237	F831L-ORB21
F739L-BN 106	F787-WHF 8, 71, 237	F831L-SL
F739L-DK 107	F788L-GS	F831L-TD19, 20
F739L-SL 107	F788L-ORB15	F831L-WHF21
F739L-WHF 107	F788L-WH 15	F832L-BN/SL33
F745-BN 141	F802-BN/CH 171	F832L-BS
F745-DK 141	F802-KA 171	F832L-ORB/MM33
F745-ORB 140	F802-ORB 171	F832L-VI
F747L-BN/CL	F802-PN 170	F833-BK 161
F747L-HBZ/AW24	F803L-BK96	F833-RD 160
F747L-HBZ/MP25	F803L-CPBR	F833-SL 161
F753-BNW 118, 263	F803L-DK	F833-WH 161
F753-CL 117, 263	F803L-LN	F838L-DK
F753-KA 116, 262	F803L-MP	F838L-SL
F753L-BNW111, 114, 261	F803L-SL	F838L-WH
F753L-CL 112, 261	F803L-TL	F843-DK 51
F753L-KA 113, 261	F803L-WH	F843-SL 50
F753L-PN115	F820-CT 212	F843-WH 51
F753L-WHF 115, 260	F823-DK 137, 138	F844-CL
F753-PN 119	F823-SL 139	F844-DK47, 48

F844-SL	F870L-BS	F905L-SL
F844-WH49	F870L-TCL 10	F905L-WH
F846-DK 145, 146	F870L-TW	F988-ALM34, 35
F846-SL 147	F887-72-BN	F1000-BN 303, 307
F846-WHF 147	F887-72-ORB44, 45	F1000-BNK307
F847L-HBZ/AW24	F887-96-BN	F1000-BN/SL 304
F847L-HBZ/MP25	F887-96-ORB44	F1000-HBZ306
F849L-BN/SL125	F888-BNW 128, 276	F1000-ORB 305
F849L-SL 125	F888-CL 126, 274	F1000-WH 305
F849L-WH 124	F888-DK 127, 275	F1001-BN309
F852L-BN 181	F888-ORB 129, 277	F1001-BNK310
F852L-HBZ180	F888-WHF 129, 277	F1001-BN/SL311
F852L-TI 181	F896-65-BNW 42, 232	F1001-HBZ311
F853-BN/AMP62	F896-65-CL43, 233	F1001-ORB 308
F853-BN/CL 59	F896-65-ORB 43, 233	F1001-WH 309
F853-BN/DK 60	F896-65-WHF 43, 233	
F853-BN/MM 61	F896-84-BNW 40, 230	OPTIONAL SHADES
	•	
F853-BN/SL 63	F896-84-ORB 39, 41, 231	
		FS683L-GRN 271
F853-BN/SL	F896-84-ORB 39, 41, 231	FS683L-GRN 271 FS683L-RD 271
F853-BN/SL	F896-84-ORB 39, 41, 231 F896-84-SI 41, 231	
F853-BN/SL	F896-84-ORB 39, 41, 231 F896-84-SI 41, 231 F899L-BN/SL	FS683L-RD 271
F853L-BN/SL	F896-84-ORB 39, 41, 231 F896-84-SI 41, 231 F899L-BN/SL	FS683L-RD 271 FS683L-TRN 271
F853L-BN/SL	F896-84-ORB 39, 41, 231 F896-84-SI 41, 231 F899L-BN/SL	FS683L-RD 271 FS683L-TRN 271
F853L-BN/SL	F896-84-ORB 39, 41, 231 F896-84-SI 41, 231 F899L-BN/SL	FS683L-RD 271 FS683L-TRN 271
F853L-BN/SL	F896-84-ORB 39, 41, 231 F896-84-SI 41, 231 F899L-BN/SL	FS683L-RD 271 FS683L-TRN 271
F853-BN/SL	F896-84-ORB 39, 41, 231 F896-84-SI 41, 231 F899L-BN/SL	FS683L-RD 271 FS683L-TRN 271
F853-BN/SL	F896-84-ORB 39, 41, 231 F896-84-SI 41, 231 F899L-BN/SL	FS683L-RD 271 FS683L-TRN 271
F853-BN/SL	F896-84-ORB 39, 41, 231 F896-84-SI 41, 231 F899L-BN/SL	FS683L-RD 271 FS683L-TRN 271
F853-BN/SL	F896-84-ORB 39, 41, 231 F896-84-SI 41, 231 F899L-BN/SL	FS683L-RD 271 FS683L-TRN 271

NOTES


FINISH CODES


Minka-Aire® Finishes

Minka-Aire® Finishes		
AB	Antique Brass	
	Brushed Aluminum	
	Belcaro Walnut™	
	Bahama Beige™	
	Black Iron with Aged Iron Accents	
BK	9	
	Brushed Nickel	
	Burnished Nickel	
	Brushed Nickel Wet	
	Brushed Steel	
	Bone White	
CC		
CH		
CL		
	Copper Bronze	
	Champagne Silver	
	Cattera Bronze™	
	Dark Brushed Bronze	
	Distressed Koa	
	Dark Restoration Bronze™	
DRFF		
	French Beige	
	Golden Bronze	
Gl		
GL		
GM		
	Graphite Steel	
	Heirloom Bronze	
HT	Heritage'	
	Illuminati Bronze™	
	Heirloom Bronze	
	Illuminati Bronze™	
10		
KA		
	Liquid Nickel	
	Matte Black	
	Mottled Copper with Gold Highlights	
	Mahogany Finish	
	Maple Finish	
	Mossoro Walnut™	
	Distress Koa (Outdoor)	
ORB	Oil Rubbed Bronze	
ORG	Orange	
PBL	Provencal Blanc	
PI		
PN	Polished Nickel	
PW		
DD		

SDBK	Sand Black
SI	
SL	
STW	Sterling Walnut™
SWH	Shell White
TB	Toned Brass
TCL	Textured Coal
TI	Tarnished Iron
TL	Translucent
TSP	Tuscan Patina™
VB	Volterra Bronze™
VI	Vintage Iron
VP	Vineyard Patina
VRT	Vintage Rust™
WH/044	.White
WHF	Flat White


Dimensions A and B were measured with the shortest downrod enclosed with the fan.







Minka-Aire® ceiling fans are suitable for year-round use and can contribute to your comfort in the summer and winter. With our reverse switch, in the winter you will be able to move the heat from your ceiling and circulate the air in your living area. In the summer you will save energy by recirculating air from the outside into your room and also if your air conditioning is used, save on energy costs.



We Support



Member







Graphic Design: Minka Group® Graphics Product Originals: Minka Group®

Product specifications subject to change at any time.

Minka-Aire®, A Minka Group® Company Catalog MKACAT2019-01
Printed in U.S.A.
© 1993-2019 Minka Lighting, Inc.

RDRed

RRBRestoration Bronze™
RW.....Rosewood
SBRSoft Brass



World Headquarters IISI W Bradford Ct. Corona, CA 92882

Dallas Market Center Showroom 2100 Stemmons, Suite 3725, Dallas, TX 75207

Contact 951278.3267 (FANS) | 800.307.3267 | Fax: 951278.2828 sales@minkagroup.net | minkagire.com | minkagroup.net

MKACAT2019-01